

- ACI 233R, 2017. Guide to the Use of Slag Cement in Concrete and Mortar.
- Adam, A.A., 2019. The Effects of Water to Solid Ratio, Activator to Binder Ratio, and Lime Proportion on the Compressive Strength of Ambient-Cured Geopolymer Concrete. *Journal of the Civil Engineering Forum* 5, 161. <https://doi.org/10.22146/jcef.43878>
- Aghaeipour, A., Madhkhani, M., 2017. Effect of ground granulated blast furnace slag (GGBFS) on RCCP durability. *Constr Build Mater* 141, 533–541. <https://doi.org/10.1016/j.conbuildmat.2017.03.019>
- Ahmad, J., Kontoleon, K.J., Majidi, A., Naqash, M.T., Deifalla, A.F., Ben Kahla, N., Isleem, H.F., Qaidi, S.M.A., 2022. A Comprehensive Review on the Ground Granulated Blast Furnace Slag (GGBS) in Concrete Production. *Sustainability (Switzerland)* 14. <https://doi.org/10.3390/su14148783>
- Ahmad, J., Martínez-García, R., Szlag, M., De-Prado-gil, J., Marzouki, R., Alqurashi, M., Hussein, E.E., 2021. Effects of steel fibers (Sf) and ground granulated blast furnace slag (ggbs) on recycled aggregate concrete. *Materials* 14. <https://doi.org/10.3390/ma14247497>
- Ainie Mat Dom, A., Jamaluddin, N., Azlina Abdul Hamid, N., Siok Hoon, C., 2022. A Review: GGBS as a Cement Replacement in Concrete, dalam: *IOP Conference Series: Earth and Environmental Science*. Institute of Physics. <https://doi.org/10.1088/1755-1315/1022/1/012044>
- Aliabdo, A.A., Abd Elmoaty, A.E.M., Emam, M.A., 2019. Factors affecting the mechanical properties of alkali activated ground granulated blast furnace slag concrete. *Constr Build Mater* 197, 339–355. <https://doi.org/10.1016/j.conbuildmat.2018.11.086>
- Alrefaei, Y., Wang, Y.S., Dai, J.G., 2021. Effect of mixing method on the performance of alkali-activated fly ash/slag pastes along with polycarboxylate admixture. *Cem Concr Compos* 117. <https://doi.org/10.1016/j.cemconcomp.2020.103917>
- Alzaza, A., Ohenoja, K., Illikainen, M., 2022. Improved strength development and frost resistance of Portland cement ground-granulated blast furnace slag binary binder cured at 0 °C with the addition of calcium silicate hydrate seeds. *Journal of Building Engineering* 48. <https://doi.org/10.1016/j.jobe.2021.103904>
- Amar, R., Devanand, R., Harsha, H.N., Sachin, K.C., 2023. Experimental studies on GGBS based geopolymer concrete. *Mater Today Proc.* <https://doi.org/10.1016/j.matpr.2023.04.297>
- Amran, M., Murali, G., Khalid, N.H.A., Fediuk, R., Ozbakkaloglu, T., Lee, Y.H., Haruna, S., Lee, Y.Y., 2021. Slag uses in making an ecofriendly and sustainable concrete: A review. *Constr Build Mater* 272. <https://doi.org/10.1016/j.conbuildmat.2020.121942>
- Ananyachandran, P., Vasugi, V., 2022. Development of a sustainable high early strength concrete incorporated with pozzolans, calcium nitrate and triethanolamine: An experimental study. *Sustainable Energy Technologies and Assessments* 54. <https://doi.org/10.1016/j.seta.2022.102857>



Angulo-Ramírez, D.E., Mejía de Gutiérrez, R., Puertas, F., 2017. Alkali-activated Portland blast-furnace slag cement: Mechanical properties and hydration. *Constr Build Mater* 140, 119–128. <https://doi.org/10.1016/j.conbuildmat.2017.02.092>

ASTM, 2022. ASTM C109 “Standard Test Method for Compressive Strength of Hydraulic Cement Mortars.”

ASTM, 2008a. ASTM C33 Standard Specification for Concrete Aggregates.

ASTM, 2008b. ASTM C230 “Standard Specification for Flow Table for Use in Tests of Hydraulic Cement.”

ASTM, 2007a. ASTM C1437 “Standard Test Method for Flow of Hydraulic Cement Mortar.”

ASTM, 2007b. ASTM C1437 “Standard Test Method for Flow of Hydraulic Cement Mortar.”

ASTM C949, 1999. Designation: C 494/C 494M-99a e1 Standard Specification for Chemical Admixtures for Concrete 1.

Badan Standardisasi Nasional, 2013. SNI 2847:2013 “Persyaratan Beton Struktural untuk Bangunan Gedung.”

Badan Standardisasi Nasional, 2015. Standar Nasional Indonesia 2049:2015.

Badan Standardisasi Nasional, 2011. Standar Nasional Indonesia 1974:2011. “Cara Uji Kuat Tekan Beton dengan Benda Uji Silinder Badan Standardisasi Nasional”.

Badan Standardisasi Nasional, 2008. Standar Nasional Indonesia 1970:2008 Cara Uji Berat Jenis dan Penyerapan Air Agregat Halus.

Badan Standardisasi Nasional, 2000. Standar Nasional Indonesia 06-64461-2000 Metode Pengujian Berat Jenis Epoksi Resin dan Bahan Pengeras.

Çelik, A.İ., Özbayrak, A., Şener, A., Acar, M.C., 2023. Effect of activators in different ratios on compressive strength of geopolymer concrete. *Canadian Journal of Civil Engineering* 50, 69–79. <https://doi.org/10.1139/cjce-2021-0529>

Cornelis, R., Priyosulistyo, H., Satyarno, I., t.t. Workability and Strength Properties of Class C Fly Ash-Based Geopolymer Mortar. <https://doi.org/10.1051/mateconf/20192>

Cornelis, R., Priyosulityo, H., Satyarno, I., Rochmadi, Rustendi, I., 2022. Effect of the Mortar Volume Ratio on the Mechanical Behavior of Class CI Fly Ash-Based Geopolymer Concrete. *Civil Engineering Journal (Iran)* 8, 1920–1935. <https://doi.org/10.28991/CEJ-2022-08-09-012>

de Hita, M.J., Criado, M., 2022a. Influence of admixtures on the workability and strength of sodium carbonate-activated slag/fly ash cement. *Mater Lett* 312. <https://doi.org/10.1016/j.matlet.2022.131695>

de Hita, M.J., Criado, M., 2022b. Influence of admixtures on the workability and strength of sodium carbonate-activated slag/fly ash cement. *Mater Lett* 312. <https://doi.org/10.1016/j.matlet.2022.131695>



- El-Gindy, A.A., El-Tonsy, M.M., Abdelkader, H.I., Mohsen, A., Habib, A.O., Gomaa, E.A., 2023. Comparative study on the environmental impact of Portland cement paste that mixed with naphthalene or carboxylate based polymer solutions. *J Mol Liq* 392. <https://doi.org/10.1016/j.molliq.2023.123164>
- Fayed, E.K., El-Hosiny, F.I., El-Kattan, I.M., Al-Kroom, H., Elrahman, M.A., Abdel-Gawwad, H.A., 2021. An innovative method for sustainable utilization of blast-furnace slag in the cleaner production of one-part hybrid cement mortar. *Materials* 14. <https://doi.org/10.3390/ma14195669>
- Ganesh, P., Murthy, A.R., 2019a. Tensile behaviour and durability aspects of sustainable ultra-high performance concrete incorporated with GGBS as cementitious material. *Constr Build Mater* 197, 667–680. <https://doi.org/10.1016/j.conbuildmat.2018.11.240>
- Ganesh, P., Murthy, A.R., 2019b. Tensile behaviour and durability aspects of sustainable ultra-high performance concrete incorporated with GGBS as cementitious material. *Constr Build Mater* 197, 667–680. <https://doi.org/10.1016/j.conbuildmat.2018.11.240>
- Gunawan, A., 2014. Pengaruh campuran dua agregat halus terhadap kuat tekan beton.
- Hamed, Y.R., Keshta, M.M., Elshikh, M.M.Y., Elshami, A.A., Matthana, M.H.S., Youssf, O., 2025. Performance of Sustainable Geopolymer Concrete Made of Different Alkaline Activators. *Infrastructures (Basel)* 10. <https://doi.org/10.3390/infrastructures10020041>
- Hanani, E., Satyarno, I., Sulistyono, D., 2024. Mix Design of Ambient Cured Geopolymer Concrete with Fly Ash, GGBFS, and Borax. *INERSIA Informasi dan Ekspose Hasil Riset Teknik Sipil dan Arsitektur* 20, 265–276. <https://doi.org/10.21831/inersia.v20i2.74464>
- Hashim, A.A., Najem, I.A., 2025. Sustainable Use of Ground Granulated Blast-Furnace Slag as a Partial Substitute for Cement: Workability, Mechanical Properties, Durability, and Environmental Impact. *IOP Conf Ser Earth Environ Sci* 1507, 012027. <https://doi.org/10.1088/1755-1315/1507/1/012027>
- Ibrahim, Y.A., Maroof, N.R., Abdulrahman, A.R., 2019. Influence of Polypropylene Fibre on Strength and Workability Properties of Cement Mortar, dalam: *Proceedings of the 5th International Engineering Conference, IEC 2019*. Institute of Electrical and Electronics Engineers Inc., hlm. 221–226. <https://doi.org/10.1109/IEC47844.2019.8950521>
- Jafari Nadoushan, M., Ramezani-pour, A.A., 2016. The effect of type and concentration of activators on flowability and compressive strength of natural pozzolan and slag-based geopolymers. *Constr Build Mater* 111, 337–347. <https://doi.org/10.1016/j.conbuildmat.2016.02.086>
- Jiang, C., Xia, L., Li, S., Li, X., Chen, Y., Liu, J., 2024. Impact of Ground Granulated Blast Furnace Slag on Calcium Leaching of Low-Heat Portland Cement Paste. *Materials* 17. <https://doi.org/10.3390/ma17153857>
- Katman, H.Y.B., Khai, W.J., Bheel, N., Kirgiz, M.S., Kumar, A., Khatib, J., Benjeddou, O., 2022. Workability, Strength, Modulus of Elasticity, and Permeability Feature of Wheat Straw Ash-Incorporated Hydraulic Cement Concrete. *Buildings* 12. <https://doi.org/10.3390/buildings12091363>



Kosmatka, S.H., Kerkhoff, B., Panarese, W.C., 2011. Design and control of concrete mixtures, 15th ed. The Association.

Kuncoro, A., Djayaprabha, H.S., 2021. The Effect of Sodium Hydroxide Molarity on the Compressive and Splitting Tensile Strength of Ferronickel Slag-Based Alkali Activated Mortar, *Media Komunikasi Teknik Sipil*.

Larsen, O.A., Samchenko, S. V., Zemskova, O. V., Korshunov, A. V., Solodov, A.A., 2024. Self-Compacting Mixtures of Fair-Faced Concrete Based on GGBFS and a Multicomponent Chemical Admixture—Technological and Rheological Properties. *Buildings* 14. <https://doi.org/10.3390/buildings14113545>

Majhi, R.K., Nayak, A.N., Mukharjee, B.B., 2020. Characterization of lime activated recycled aggregate concrete with high-volume ground granulated blast furnace slag. *Constr Build Mater* 259. <https://doi.org/10.1016/j.conbuildmat.2020.119882>

Mehdizadeh, H., Najafi Kani, E., 2018a. Rheology and apparent activation energy of alkali activated phosphorous slag. *Constr Build Mater* 171, 197–204. <https://doi.org/10.1016/j.conbuildmat.2018.03.130>

Mehdizadeh, H., Najafi Kani, E., 2018b. Rheology and apparent activation energy of alkali activated phosphorous slag. *Constr Build Mater* 171, 197–204. <https://doi.org/10.1016/j.conbuildmat.2018.03.130>

Narimani Zamanabadi, S., Zareei, S.A., Shoaie, P., Ameri, F., 2019. Ambient-cured alkali-activated slag paste incorporating micro-silica as repair material: Effects of alkali activator solution on physical and mechanical properties. *Constr Build Mater* 229. <https://doi.org/10.1016/j.conbuildmat.2019.116911>

Navarrete, I., Lopez, M., 2017. Understanding the relationship between the segregation of concrete and coarse aggregate density and size. *Constr Build Mater* 149, 741–748. <https://doi.org/10.1016/j.conbuildmat.2017.05.185>

Navarrete, I., Lopez, M., 2016. Estimating the segregation of concrete based on mixture design and vibratory energy. *Constr Build Mater* 122, 384–390. <https://doi.org/10.1016/j.conbuildmat.2016.06.066>

Ogirigbo, O.R., Black, L., 2016. Influence of slag composition and temperature on the hydration and microstructure of slag blended cements. *Constr Build Mater* 126, 496–507. <https://doi.org/10.1016/j.conbuildmat.2016.09.057>

Özbay, E., Erdemir, M., Durmuş, H.I., 2016. Utilization and efficiency of ground granulated blast furnace slag on concrete properties - A review. *Constr Build Mater*. <https://doi.org/10.1016/j.conbuildmat.2015.12.153>

Phummiphan, I., Horpibulsuk, S., Rachan, R., Arulrajah, A., Shen, S.L., Chindaprasirt, P., 2018. High calcium fly ash geopolymer stabilized lateritic soil and granulated blast furnace slag blends as a pavement base material. *J Hazard Mater* 341, 257–267. <https://doi.org/10.1016/j.jhazmat.2017.07.067>

Prakash, R., Srividhya, S., Neelamegam, P., Mukilan, K., Premkumar, R., Kumar, M.V., 2024. Fresh and hardened characteristics of a novel alkali-activated geopolymer concrete with GGBFS. *Materials Protection* 65, 294–306. <https://doi.org/10.62638/ZasMat1121>



- Rathee, M., Misra, A., Kollaboyina, J., Sarma P, S.K., 2023. Study of mechanical properties of geopolymer mortar prepared with fly ash and GGBS, dalam: *Materials Today: Proceedings*. Elsevier Ltd, hlm. 377–386. <https://doi.org/10.1016/j.matpr.2023.07.360>
- Rusman, Rahmayani, R.F.I., Mukhlis, 2018. *Kimia Larutan*, 1 ed. Syiah Kuala University Press, Banda Aceh.
- Saeed, N.M., Omer, B., Jamal, A.S., Dheyaaldin, M.H., 2023. Performance of cement mortar modified with GGBFS at elevated temperatures with various w/b ratios and superplasticizer dosages. *Constr Build Mater* 368, 130493. <https://doi.org/10.1016/j.conbuildmat.2023.130493>
- Safie Mahdi Olewi, S., 2021. Compressive Strength of Mortar with Partial Replacement of Cement by Fly Ash and GGBFS. *Diyala Journal of Engineering Sciences* 14, 146–155. <https://doi.org/10.24237/djes.2021.14412>
- Şahin, H.G., Biricik, Ö., Mardani-Aghabaglou, A., 2022. Polycarboxylate-based water reducing admixture – clay compatibility; literature review. *Journal of Polymer Research*. <https://doi.org/10.1007/s10965-021-02884-5>
- Satyarno, I., Solehudina, A.P., Meyartoa, C., Hadiyatmoko, D., Muhammada, P., Afnana, R., 2014. Practical method for mix design of cement-based grout, dalam: *Procedia Engineering*. Elsevier Ltd, hlm. 356–365. <https://doi.org/10.1016/j.proeng.2014.12.194>
- Sawarkar, P.G., Pote, A., Lal Murmu, A., 2023. Properties of blast furnace slag geopolymer concrete. *Mater Today Proc*. <https://doi.org/10.1016/j.matpr.2023.03.179>
- Sha, S., Wang, M., Shi, C., Xiao, Y., 2020. Influence of the structures of polycarboxylate superplasticizer on its performance in cement-based materials-A review. *Constr Build Mater*. <https://doi.org/10.1016/j.conbuildmat.2019.117257>
- Shubbar, A., Jafer, H.M., Dulaimi, A., Atherton, W., 2017. The Development of a New Cementitious Material Produced from Cement and GGBS.
- Šiler, P., Kolářová, I., Krátký, J., Havlica, J., Brandštetr, J., 2014. Influence of superplasticizers on the course of Portland cement hydration. *Chemical Papers* 68, 90–97. <https://doi.org/10.2478/s11696-013-0413-x>
- Snellings, R., Machner, A., Bolte, G., Kamyab, H., Durdzinski, P., Teck, P., Zajac, M., Muller, A., de Weerd, K., Haha, M. Ben, 2022. Hydration kinetics of ternary slag-limestone cements: Impact of water to binder ratio and curing temperature. *Cem Concr Res* 151. <https://doi.org/10.1016/j.cemconres.2021.106647>
- SNI 2531-2015, t.t. “Metode Uji Densitas Semen Hidraulis.”
- Specification for Labeling of End Items that Incorporate Plastics and Polymers as Coatings or Additives with Paper and Other Substrates Designed to be Aerobically Composted in Municipal or Industrial Facilities, 2021. <https://doi.org/10.1520/D6868-21>
- Specification for Slag Cement for Use in Concrete and Mortars, 2018. https://doi.org/10.1520/C0989_C0989M-18A



Suda, V.B.R., Rao, P.S., 2020. Experimental investigation on optimum usage of Micro silica and GGBS for the strength characteristics of concrete, dalam: *Materials Today: Proceedings*. Elsevier Ltd, hlm. 805–811. <https://doi.org/10.1016/j.matpr.2019.12.354>

Yasin, A.K., Bayuaji, R., Susanto, T.E., 2017. A review in high early strength concrete and local materials potential, dalam: *IOP Conference Series: Materials Science and Engineering*. Institute of Physics Publishing. <https://doi.org/10.1088/1757-899X/267/1/012004>

Yudhistira, A.T., Satyarno, I., Nugroho, A.S.B., Handayani, T.N., 2024. Effect of Construction Delays and the Preventive Role of Concrete Works Optimization: Systematic Literature Review. *TEM Journal* 13, 1203–1217. <https://doi.org/10.18421/TEM132-34>

Yusslee, E.M.F.M., Beskhyroun, S., 2022. The Physical Properties Study of The Hybrid One-Part Alkali-Activated Mortar. <https://doi.org/10.21203/rs.3.rs-1845114/v1>