

## DAFTAR PUSTAKA

- [1] F. Mokhtariyan Sorkhan, S. Roumi, M. Soltanzadeh Zarandi, and M. A. Ashraf Ganjouei, “The Impact of Indoor Environmental Quality on Occupant Satisfaction in Commercial Buildings: A Comparison of Building Expert Opinions and Residents’ Experiences,” *Energies*, vol. 17, no. 6, Art. no. 6, Jan. 2024, doi: 10.3390/en17061473.
- [2] M. Constantinides, S. Šćepanović, D. Quercia, H. Li, U. Sassi, and M. Eggleston, “ComFeel: Productivity is a Matter of the Senses Too,” *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.*, vol. 4, no. 4, pp. 1–21, Dec. 2020, doi: 10.1145/3432234.
- [3] S. Kang, D. Ou, and C. M. Mak, “The impact of indoor environmental quality on work productivity in university open-plan research offices,” *Building and Environment*, vol. 124, pp. 78–89, Nov. 2017, doi: 10.1016/j.buildenv.2017.07.003.
- [4] A. P. Singh, “Built Architecture: The Role of Natural Light,” vol. 5, no. 3, pp. 55–59, 2018.
- [5] A. Sholanke, O. Fadesere, and D. Elendu, “The Role of Artificial Lighting in Architectural Design: A Literature Review,” *IOP Conference Series: Earth and Environmental Science*, vol. 665, p. 012008, Mar. 2021, doi: 10.1088/1755-1315/665/1/012008.
- [6] I. L. Wong, “A review of daylighting design and implementation in buildings,” *Renewable and Sustainable Energy Reviews*, vol. 74, pp. 959–968, Jul. 2017, doi: 10.1016/j.rser.2017.03.061.
- [7] K. Kalaimathy, R. Shanthi Priya, P. Rajagopal, C. Pradeepa, and R. Senthil, “Daylight performance analysis of a residential building in a tropical climate,” *Energy Nexus*, vol. 11, p. 100226, Sep. 2023, doi: 10.1016/j.nexus.2023.100226.
- [8] Z. A. Kılıç, K. Kaya, and A. K. Yener, “A data mining-based daylighting design decision support model for achieving visual comfort conditions in the multi-functional residential space,” *Journal of Building Engineering*, vol. 103, p. 112141, Jun. 2025, doi: 10.1016/j.jobbe.2025.112141.
- [9] Y. A. Sabtalistia and S. D. Wulanningrum, “APLIKASI SKYLIGHT DAN JENDELA UNTUK OPTIMALISASI PENCAHAYAAN ALAMI PADA RUMAH TINGGAL,” *Pawon: Jurnal Arsitektur*, vol. 5, no. 1, Art. no. 1, Feb. 2021, doi: 10.36040/pawon.v5i1.3182.
- [10] F. De Luca, A. Sepúlveda, and T. Varjas, “Multi-performance optimization of static shading devices for glare, daylight, view and energy consideration,”



*Building and Environment*, vol. 217, p. 109110, Jun. 2022, doi: 10.1016/j.buildenv.2022.109110.

[11] C. Vidiyanti, R. Siswanto, and F. Ramadhan, “PENGARUH BUKAAN TERHADAP PENCAHAYAAN ALAMI DAN PENGHAWAAN ALAMI PADA MASJID AL AHDHAR BEKASI,” *Jurnal Arsitektur ZONASI*, vol. 3, no. 1, Art. no. 1, Mar. 2020, doi: 10.17509/jaz.v3i1.18621.

[12] B. S. N. (BSN), “SNI 6197-2020.” Accessed: Feb. 25, 2025. [Online]. Available: <https://akses-sni.bsn.go.id/dokumen/2020/SNI%206197-2020/>

[13] C. Vidiyanti and S. Suherman, “EFEKTIVITAS SKYLIGHT SEBAGAI BUKAAN PENCAHAYAAN ALAMI PADA MASJID,” *MODUL; Vol 20, No 2 (2020): MODUL vol 20 nomor 2 tahun 2020 (9 articles)DO - 10.14710/mdl.20.2.2020.120-125*, Oct. 2020, [Online]. Available: <https://ejournal.undip.ac.id/index.php/modul/article/view/31006>

[14] Y. Bian, J. Luo, J. Hu, L. Liu, and Y. Pang, “Visual discomfort assessment in an open-plan space with skylights: A case study with POE survey and retrofit design,” *Energy and Buildings*, vol. 248, p. 111215, Oct. 2021, doi: 10.1016/j.enbuild.2021.111215.

[15] A. S. Saxena and A. Sharma, “ASSESSING THE IMPACT OF SKYLIGHT DESIGN ON DAYLIGHT AVAILABILITY AND VISUAL COMFORT IN TOP-LIT ATRIUMS FOR COMMERCIAL BUILDINGS:,” *International Journal of Innovative Science and Research Technology*, vol. 4, no. 8, pp. 524–529.

[16] I. M. S. Sihing Yang Mawantu, E. Setyowati, and E. Prianto, “Evaluation of Skylight as a Healthy Home Requirement in the Post Pandemic Era,” *Evergreen*, vol. 11, no. 2, pp. 993–1001, Jun. 2024.

[17] D. Wijaya, S. Utami, and R. Mangkuto, “Multi-Objective Optimisation of Skylight Design Parameters for a Low-rise Building in the Tropics,” *International Journal of Technology*, vol. 15, pp. 1012–1025, Jul. 2024, doi: 10.14716/ijtech.v15i4.5484.

[18] B. Ashuri and A. Durmus-pedini, “An Overview of the Benefits and Risk Factors of Going Green in Existing Buildings,” *International Journal of Facility Management*, vol. 1, May 2010.

[19] Gregorius Kevin, Iwan Anggalimanto, Herry P. Chandra, and Soehendro Ratnawidjaja, “Analisis Tantangan Dan Manfaat Bangunan Hijau,” *Jurnal Dimensi Pratama Teknik Sipil*, vol. 5, no. 2, Aug. 2016.

[20] “Permen PUPR No. 21 Tahun 2021.” Accessed: May 19, 2025. [Online]. Available: <https://peraturan.bpk.go.id/Details/217002/permen-pupr-no-21-tahun-2021>



- [21] “Handbook of optics. 2: Devices, measurements, and properties,” 2. ed., New York: McGraw-Hill, 1995.
- [22] *Human Factors in Lighting*. 2014. doi: 10.1201/b16707.
- [23] T. Kruisselbrink, R. Dangol, and A. Rosemann, “Photometric measurements of lighting quality: An overview,” *Building and Environment*, vol. 138, pp. 42–52, Jun. 2018, doi: 10.1016/j.buildenv.2018.04.028.
- [24] A. E. F. Taylor, J. Bailey, J. Gross, and S. J. Sechrist, “Illumination Fundamentals”.
- [25] M. Bass, E. Van Stryland, D. Williams, and W. Wolfe, “Handbook of Optics Volume III Classical Optics, Vision Optics, X-Ray Optics 2nd edition,” *Handbook of Optics Volume III Classical Optics, Vision Optics, X-Ray Optics 2nd edition* by Michael Bass, Eric W. Van Stryland, David R. Williams, William L. Wolfe New York, NY: McGraw-Hill, INC, 2001, Jan. 2001.
- [26] W. B. Boast, *Illumination Engineering*. McGraw-Hill, 1953.
- [27] M. S. Rea and I. E. S. of N. America, *The IESNA Lighting Handbook: Reference & Application*. Illuminating Engineering Society of North America, 2000.
- [28] F. Faridah, “Entitas Dalam Sistem Pencahayaan dan Satuan-satuannya.”
- [29] J. Wienold and J. Christoffersen, “Evaluation methods and development of a new glare prediction model for daylight environments with the use of CCD cameras,” *Energy and Buildings*, vol. 38, no. 7, pp. 743–757, Jul. 2006, doi: 10.1016/j.enbuild.2006.03.017.
- [30] P. Satwiko, *FISIKA BANGUNAN*. Yogyakarta: Penerbit ANDI, 2008. Accessed: Jun. 19, 2025. [Online]. Available: <https://e-journal.uajy.ac.id/10816/>
- [31] N. Ruck *et al.*, *Daylight in Buildings - A source book on daylighting systems and components*. 2000.
- [32] P. Tregenza and M. Wilson, *Daylighting: Architecture and Lighting Design*. London: Routledge, 2013. doi: 10.4324/9780203724613.
- [33] “Standard 90.1.” Accessed: Aug. 23, 2025. [Online]. Available: <https://www.ashrae.org/technical-resources/bookstore/standard-90-1>
- [34] “SNI-03-2396-2001.” Accessed: Mar. 23, 2025. [Online]. Available: <https://perizinanrealestate.wordpress.com/wp-content/uploads/2017/03/sni-03-2396-2001-tatacara-perancangan-sistem-pencahayaan-alami-pada-bangunan-gedung.pdf>



- [35] S. V. Szokolay and C. Brisbin, *Introduction to architectural science: the basis of sustainable design*. Amsterdam: Elsevier, Architectural Press, 2004.
- [36] V. Bagdonas, M. Daukšys, and J. Mockienė, “The Selection of Skylight Type for a Certain Building Using Evaluation Criteria and the Multi-Criteria Decision-Making Method,” *Buildings*, vol. 12, no. 12, Art. no. 12, Dec. 2022, doi: 10.3390/buildings12122058.
- [37] J. Li, X. Chen, Q. Ban, and J. Yao, “Skylight Sizing based on balancing Daylighting Performance and Visual Comfort in Atrium Buildings,” *IOP Conference Series: Materials Science and Engineering*, vol. 556, p. 012051, Aug. 2019, doi: 10.1088/1757-899X/556/1/012051.
- [38] S. Motamedi and P. Liedl, “Integrative algorithm to optimize skylights considering fully impacts of daylight on energy,” *Energy and Buildings*, vol. 138, pp. 655–665, Mar. 2017, doi: 10.1016/j.enbuild.2016.12.045.
- [39] K. YILDIRIM, M. L. Hidayetoğlu, and A. Şen, “Effects on sustainability of various skylight systems in buildings with an atrium,” *Smart and Sustainable Built Environment*, vol. 1, pp. 139–152, Aug. 2012, doi: 10.1108/20466091211260587.
- [40] S. Carlucci, F. Causone, F. De Rosa, and L. Pagliano, “A review of indices for assessing visual comfort with a view to their use in optimization processes to support building integrated design,” *Renewable and Sustainable Energy Reviews*, vol. 47, pp. 1016–1033, Jul. 2015, doi: 10.1016/j.rser.2015.03.062.
- [41] P. Dhayal and Dr. B. Jha, “Indoor Visual Comfort: A Review of Factors and Assessments,” *Journal of the International Society for the Study of Vernacular Settlements*, vol. 10, no. 11, pp. 38–59, Nov. 2023, doi: <http://dx.doi.org/10.61275/ISVSej-2023-10-11-03>.
- [42] X. Yu and Y. Su, “Daylight availability assessment and its potential energy saving estimation –A literature review,” *Renewable and Sustainable Energy Reviews*, vol. 52, pp. 494–503, Dec. 2015, doi: 10.1016/j.rser.2015.07.142.
- [43] “Daylight Factor | Daylighting Pattern Guide.” Accessed: Jun. 23, 2025. [Online]. Available: [https://patternguide.advancedbuildings.net/using-this-guide/analysis-methods/daylight-factor?utm\\_source=chatgpt.com](https://patternguide.advancedbuildings.net/using-this-guide/analysis-methods/daylight-factor?utm_source=chatgpt.com)
- [44] S. LI, D. LI, and W. Chen, *Estimation of Point Daylight Factor (PDF) Average Daylight Factor (ADF) and Vertical Daylight Factor (VDF) under various CIE standard obstructed Skies*. 2019, p. 1182. doi: 10.26868/25222708.2019.210943.
- [45] L. Giovannini, F. Favoino, V. R. M. Lo Verso, A. Pellegrino, and V. Serra, *ANNUAL EVALUATION OF DAYLIGHT DISCOMFORT GLARE: STATE OF*



*THE ART AND DESCRIPTION OF A NEW SIMPLIFIED APPROACH*. 2019, p. 316. doi: 10.25039/x46.2019.OP42.

[46] J. A. Jakubiec and C. Reinhart, “THE ‘ ‘ADAPTIVE ZONE’ ’ – – A CONCEPT FOR ASSESSING GLARE THROUGHOUT DAYLIT SPACES”.

[47] “Multi-Functions Environment Tester MS6300 - Mastech.bg.” Accessed: Aug. 23, 2025. [Online]. Available: <https://mastech.bg/en/products/multi-functions-environment-tester-ms6300>

[48] “Aftab alpha,” Aftab Soft. Accessed: Jun. 23, 2025. [Online]. Available: <http://aftabsoft.net/aftab-alpha.html>

[49] S. M. Yacine, Z. Nouredine, B. E. A. Piga, E. Morello, and D. Safa, “Towards a new model of light quality assessment based on occupant satisfaction and lighting glare indices,” *Energy Procedia*, vol. 122, pp. 805–810, Sep. 2017, doi: 10.1016/j.egypro.2017.07.408.

[50] R. A. Achsani, S. Wonorahardjo, and S. Triyadi, “Optimisation of Indoor Spatial and Temporal Aspects of Deep Architectural Studio on Visual Comfort,” *Journal of Daylighting*, vol. 12, no. 1, pp. 40–50, Jan. 2025, doi: 10.15627/jd.2025.3.

[51] A. Consulting, “Kajian Studi Kelayakan Finansial Gelanggang Inovasi dan Kreativitas.”

[52] “Google Earth.” Accessed: Jun. 24, 2025. [Online]. Available: [https://earth.google.com/earth/d/1RW8EIH0PIkU4dYs\\_itTzXWC4yYDtagOM?usp=sharing](https://earth.google.com/earth/d/1RW8EIH0PIkU4dYs_itTzXWC4yYDtagOM?usp=sharing)

[53] “SIST EN 12464-1:2011 - Light and lighting - Lighting of work places - Part 1: Indoor work places,” iTeh Standards. Accessed: Aug. 23, 2025. [Online]. Available: <https://standards.itih.ai/catalog/standards/sist/d0711bfe-f70c-42c1-a4ee-e89e8a19d610/sist-en-12464-1-2011>

[54] “SNI 16-7062-2004 tentang Pengukuran Intensitas Penerangan di Tempat Kerja,” SlideShare. Accessed: Aug. 23, 2025. [Online]. Available: <https://www.slideshare.net/slideshow/sni-1670622004-tentang-pengukuran-intensitas-penerangan-di-tempat-kerja/90642092>

