

DAFTAR PUSTAKA

- (WHO)World Health Organization. (2010). Guide to Local Production: WHO-recommended Handrub. *Who-Recommended Handrub Formulations Method*., April, 1–9. https://www.who.int/gpsc/5may/Guide_to_Local_Production.pdf
- Abdi Aw-Nuur, H., Abdullahi Diriye, N., Aasheim, V., Engen, T., Mehrara, L., & Skirnisdottir Vik, E. (2024). Somali immigrant women’s knowledge of and experiences with folic acid supplement use before and during pregnancy: A qualitative study from Norway. *Sexual and Reproductive Healthcare*, 39(January). <https://doi.org/10.1016/j.srhc.2024.100946>
- Aguilar-Toalá, J. E., Garcia-Varela, R., Garcia, H. S., Mata-Haro, V., González-Córdova, A. F., Vallejo-Cordoba, B., & Hernández-Mendoza, A. (2018). Postbiotics: An evolving term within the functional foods field. *Trends in Food Science and Technology*, 75(March), 105–114. <https://doi.org/10.1016/j.tifs.2018.03.009>
- Albano, C., Silveti, T., & Brasca, M. (2020). Screening of lactic acid bacteria producing folate and their potential use as adjunct cultures for cheese bio-enrichment. *FEMS Microbiology Letters*, 367(9), 1–9. <https://doi.org/10.1093/femsle/fnaa059>
- Altinoz, M. A., Ozpinar, A., & Seyfried, T. N. (2020). Caprylic (Octanoic) Acid as a Potential Fatty Acid Chemotherapeutic for Glioblastoma. *Prostaglandins Leukotrienes and Essential Fatty Acids*, 159(December 2019), 102142. <https://doi.org/10.1016/j.plefa.2020.102142>
- Ao, X. L., Liao, Y. M., Kang, H. Y., Li, H. L., He, T., Zou, L. K., Liu, S. L., Chen, S. J., Yang, Y., & Liu, X. Y. (2023). Untargeted Metabolomics and Physicochemical Analysis Revealed the Quality Formation Mechanism in Fermented Milk Inoculated with *Lactobacillus brevis* and *Kluyveromyces marxianus* Isolated from Traditional Fermented Milk. *Foods*, 12(19). <https://doi.org/10.3390/foods12193704>
- Arena, M. P., Capozzi, V., Russo, P., Drider, D., Spano, G., & Fiocco, D. (2018). Correction to: Immunobiosis and probiosis: antimicrobial activity of lactic acid bacteria with a focus on their antiviral and antifungal properties (*Applied Microbiology and Biotechnology*, (2018), 10.1007/s00253-018-9403-9). *Applied Microbiology and Biotechnology*, 102(22), 9871. <https://doi.org/10.1007/s00253-018-9441-3>
- Atlas, R. M. (2010). Handbook of Microbiological Media. In *Handbook of Microbiological Media*. <https://doi.org/10.1201/ebk1439804063>
- Auteri, M., Zizzo, M. G., & Serio, R. (2015). GABA and GABA receptors in the gastrointestinal tract: From motility to inflammation. *Pharmacological Research*, 93, 11–21. <https://doi.org/10.1016/j.phrs.2014.12.001>
- Ave, E. H. (2015). *Granulated Sugar Nutritional Information (per 100g)* (Issue

- 303). <https://www.westernsugar.com/content/uploads/2015/01/Nutritional-Information-Granulated-20151.pdf>
- Ayu, B. T., Chamnipa, N., & Apiraksakorn, J. (2023). The Potential of an Inexpensive Plant-Based Medium for Halal and Vegetarian Starter Culture Preparation. *Fermentation*, 9(3). <https://doi.org/10.3390/fermentation9030216>
- Barrios, C., Beaumont, M., Pallister, T., Villar, J., Goodrich, J. K., Clark, A., Pascual, J., Ley, R. E., Spector, T. D., Bell, J. T., & Menni, C. (2015). Gut-microbiota-metabolite axis in early renal function decline. *PLoS ONE*, 10(8), 1–9. <https://doi.org/10.1371/journal.pone.0134311>
- Brignone, D., Radmann, P., Behr, J., & Vogel, R. F. (2017). Boosting the growth of the probiotic strain *Lactobacillus paracasei* ssp. *paracasei* F19. *Archives of Microbiology*, 199(6), 853–862. <https://doi.org/10.1007/s00203-017-1352-7>
- Budak, N. H., Aykin, E., Seydim, A. C., Greene, A. K., & Guzel-Seydim, Z. B. (2014). Functional Properties of Vinegar. *Journal of Food Science*, 79(5). <https://doi.org/10.1111/1750-3841.12434>
- Calista Luis, Endang Sutriswati Rahayu, I. R. (2024). *Optimalisasi Konsentrasi Pepton Ikan dalam Media Pertumbuhan untuk Produksi Bubuk Probiotik *Lacticaseibacillus paracasei* subsp. *paracasei* GMRMP-001*. Gadjah Mada University.
- Chaurasiya, R. S., Sakhare, P. Z., Bhaskar, N., & Hebbar, H. U. (2015). Efficacy of reverse micellar extracted fruit bromelain in meat tenderization. *Journal of Food Science and Technology*, 52(6), 3870–3880. <https://doi.org/10.1007/s13197-014-1454-z>
- Chiang, M. L., Chen, H. C., Chen, K. N., Lin, Y. C., Lin, Y. T., & Chen, M. J. (2015). Optimizing production of two potential probiotic lactobacilli strains isolated from piglet feces as feed additives for weaned piglets. *Asian-Australasian Journal of Animal Sciences*, 28(8), 1163–1170. <https://doi.org/10.5713/ajas.14.0780>
- Collins, M. D. M. D., Phillips, B. A. B. A., & Zanoni, P. (1989). Deoxyribonucleic Acid Homology Studies of *Lactobacillus casei* . *International Journal of Systematic Bacteriology*, 39(2), 105–108.
- Colwell, P. (2011). An Evaluation of Procedures for the Determination of Folic acid in Food by HPLC An Evaluation of Procedures for the Determination of Folic acid in Food by HPLC . *Government Chemist Programme Report*.
- Cornejo, J., Muñoz-Díaz, P., Castro, J. F., Andrews, B., & Asenjo, J. A. (2018). Nutrient optimization and culture conditions for enhanced antibiotic production by *Streptomyces* spp.: A systematic review. *Frontiers in Microbiology*, 9.
- Crueger, W., Crueger, A., & Brock, T. D. (1990). *Biotechnology: a textbook of*

industrial microbiology. 2nd ed.
<https://api.semanticscholar.org/CorpusID:115871812>

- Delpino, F. M., Figueiredo, L. M., Forbes, S. C., Candow, D. G., & Santos, H. O. (2022). Influence of age, sex, and type of exercise on the efficacy of creatine supplementation on lean body mass: A systematic review and meta-analysis of randomized clinical trials. *Nutrition*, 103–104, 111791. <https://doi.org/10.1016/j.nut.2022.111791>
- Elbir, Z., & Oz, F. (2021). Determination of creatine, creatinine, free amino acid and heterocyclic aromatic amine contents of plain beef and chicken juices. *Journal of Food Science and Technology*, 58(9), 3293–3302. <https://doi.org/10.1007/s13197-020-04875-8>
- Elsherbiny, E. A., Omar, S. A., & Bennett, J. W. (2025). Application of fungal volatile organic compounds for enhancing plant growth and controlling plant pathogens. *Fungal Biology*, 129(5), 101606. <https://doi.org/10.1016/j.funbio.2025.101606>
- Esposito, K., Marfella, R., & Giugliano, D. (2004). Plasma Interleukin-18 Concentrations Are Elevated in Type 2 Diabetes [1]. *Diabetes Care*, 27(1), 272. <https://doi.org/10.2337/diacare.27.1.272>
- ET, S. (1992). *Carboxylic acids: economic aspects*. In: HoweGrant M (ed) *Kirk-Othmer encyclopedia of chemical technology*, 4th ed, vol 5. Wiley-Interscience.
- Fan, L., Zhu, X., Borenstein, A. R., Huang, X., Shrubsole, M. J., Dugan, L. L., & Dai, Q. (2023). Association of Circulating Caprylic Acid with Risk of Mild Cognitive Impairment and Alzheimer’s Disease in the Alzheimer’s Disease Neuroimaging Initiative (ADNI) Cohort. *Journal of Prevention of Alzheimer’s Disease*, 10(3), 513–522. <https://doi.org/10.14283/jpad.2023.37>
- Fernández, M., & Zúñiga, M. (2006). Amino acid catabolic pathways of lactic acid bacteria. *Critical Reviews in Microbiology*, 32(3), 155–183. <https://doi.org/10.1080/10408410600880643>
- Fuhrer, T., & Zamboni, N. (2015). High-throughput discovery metabolomics. *Current Opinion in Biotechnology*, 31, 73–78. <https://doi.org/10.1016/j.copbio.2014.08.006>
- Galli, V., Venturi, M., Mari, E., Guerrini, S., & Granchi, L. (2022). Gamma-aminobutyric acid (GABA) production in fermented milk by lactic acid bacteria isolated from spontaneous raw milk fermentation. *International Dairy Journal*, 127, 105284. <https://doi.org/10.1016/j.idairyj.2021.105284>
- Gänzle, M. G. (2015). Lactic metabolism revisited: Metabolism of lactic acid bacteria in food fermentations and food spoilage. *Current Opinion in Food Science*, 2(Figure 2), 106–117. <https://doi.org/10.1016/j.cofs.2015.03.001>
- Griswold, M. G., Fullman, N., Hawley, C., Arian, N., Zimsen, S. R. M., Tymeson,

- H. D., Venkateswaran, V., Tapp, A. D., Forouzanfar, M. H., Salama, J. S., Abate, K. H., Abate, D., Abay, S. M., Abbafati, C., Abdulkader, R. S., Abebe, Z., Aboyans, V., Abrar, M. M., Acharya, P., ... Gakidou, E. (2018). Alcohol use and burden for 195 countries and territories, 1990-2016: A systematic analysis for the Global Burden of Disease Study 2016. *The Lancet*, *392*(10152), 1015–1035. [https://doi.org/10.1016/S0140-6736\(18\)31310-2](https://doi.org/10.1016/S0140-6736(18)31310-2)
- Gulewicz, P., Martinez-Villaluenga, C., Kasprowicz-Potocka, M., & Frias, J. (2014). Non-nutritive compounds in Fabaceae family seeds and the improvement of their nutritional quality by traditional processing - A review. *Polish Journal of Food and Nutrition Sciences*, *64*(2), 75–89. <https://doi.org/10.2478/v10222-012-0098-9>
- Gummalla, S., & Broadbent, J. R. (1999). Tryptophan catabolism by *Lactobacillus casei* and *Lactobacillus helveticus* cheese flavor adjuncts. *Journal of Dairy Science*, *82*(10), 2070–2077. [https://doi.org/10.3168/jds.S0022-0302\(99\)75448-2](https://doi.org/10.3168/jds.S0022-0302(99)75448-2)
- Gummalla, S., & Broadbent, J. R. (2001). Tyrosine and phenylalanine catabolism by *Lactobacillus* cheese flavor adjuncts. *Journal of Dairy Science*, *84*(5), 1011–1019. [https://doi.org/10.3168/jds.S0022-0302\(01\)74560-2](https://doi.org/10.3168/jds.S0022-0302(01)74560-2)
- Guo, S., Chen, M., Wu, T., Liu, K., Zhang, H., & Wang, J. (2022). Probiotic *Bifidobacterium animalis* ssp. *lactis* Probio-M8 improves the properties and organic acid metabolism of fermented goat milk. *Journal of Dairy Science*, *105*(12), 9426–9438. <https://doi.org/10.3168/jds.2022-22003>
- Guo, W., Chen, M., Cui, S., Tang, X., Zhang, Q., Zhao, J., Mao, B., & Zhang, H. (2023). Effects of *Lacticaseibacillus casei* fermentation on the bioactive compounds, volatile and non-volatile compounds, and physiological properties of barley beverage. *Food Bioscience*, *53*(April), 102695. <https://doi.org/10.1016/j.fbio.2023.102695>
- Hall, A. E., Engevik, M. A., Oezguen, N., Haag, A., & Versalovic, J. (2019). CIC transporter activity modulates histidine catabolism in *Lactobacillus reuteri* by altering intracellular pH and membrane potential. *Microbial Cell Factories*, *18*(1), 1–18. <https://doi.org/10.1186/s12934-019-1264-0>
- Hayek, S. A., Gyawali, R., Aljaloud, S. O., Krastanov, A., & Ibrahim, S. A. (2019). Cultivation media for lactic acid bacteria used in dairy products. *Journal of Dairy Research*, *86*(4), 490–502. <https://doi.org/10.1017/S002202991900075X>
- Hernández, V. M., Arteaga, A., & Dunn, M. F. (2021). Diversity, properties and functions of bacterial arginases. *FEMS Microbiology Reviews*, *45*(6), 1–26. <https://doi.org/10.1093/femsre/fuab034>
- Hill, C., Guarner, F., Reid, G., Gibson, G. R., Merenstein, D. J., Pot, B., Morelli, L., Canani, R. B., Flint, H. J., Salminen, S., Calder, P. C., & Sanders, M. E. (2014). The International Scientific Association for Probiotics and Prebiotics

- consensus statement on the scope and appropriate use of the term probiotic. *Nature Reviews Gastroenterology & Hepatology*, 11(8), 506–514. <https://doi.org/10.1038/nrgastro.2014.66>
- Hu, Y., Badar, I. H., Zhang, L., Yang, L., & Xu, B. (2024). Odor and taste characteristics, transduction mechanism, and perceptual interaction in fermented foods: a review. *Critical Reviews in Food Science and Nutrition*, 0(0), 1–19. <https://doi.org/10.1080/10408398.2024.2377292>
- Hu, Y., Zhang, L., Wen, R., Chen, Q., & Kong, B. (2022). Role of lactic acid bacteria in flavor development in traditional Chinese fermented foods: A review. *Critical Reviews in Food Science and Nutrition*, 62(10), 2741–2755. <https://doi.org/10.1080/10408398.2020.1858269>
- Huynh, D., Kaschabek, S. R., & Schlömann, M. (2020). Effect of inoculum history, growth substrates and yeast extract addition on inhibition of *Sulfobacillus thermosulfidooxidans* by NaCl. *Research in Microbiology*, 171(7), 252–259. <https://doi.org/10.1016/j.resmic.2020.08.004>
- Icer, M. A., Sarikaya, B., Kocyigit, E., Atabilen, B., Çelik, M. N., Capasso, R., Ağagündüz, D., & Budán, F. (2024). Contributions of Gamma-Aminobutyric Acid (GABA) Produced by Lactic Acid Bacteria on Food Quality and Human Health: Current Applications and Future Prospects. *Foods*, 13(15). <https://doi.org/10.3390/foods13152437>
- ISAPP. (2018). *ISAPP position statement on minimum criteria for harmonizing global regulatory approaches for probiotics in foods and supplements. Background and aim*. 5. <https://4cau4jsaler1zglkq3wnmje1-wpengine.netdna-ssl.com/wp-content/uploads/2018/10/summary-document-probiotics-criteria-ISAPP.pdf>
- Jamil, N. H., Halim, N. R. A., & Sarbon, N. M. (2016). Optimization of enzymatic hydrolysis condition and functional properties of eel (*Monopterus* sp.) protein using response surface methodology (RSM). *International Food Research Journal*, 23(1), 1–9.
- Jia, J., Duan, J., Bao, S., Zhang, X., Jia, X., Ye, J., Liu, Y., Liu, X., & Duan, X. (2025). Metabolomic and proteomic profiling reveals the formation mechanism of volatile flavor in egg whites during fermentation by *Streptococcus thermophilus*. *Food Chemistry*, 466(October 2024), 142219. <https://doi.org/10.1016/j.foodchem.2024.142219>
- Kementerian Kesehatan. (2017). Food Composition Table—Indonesia (Daftar Komposisi Bahan Makanan). In *Tabel Komposisi Pangan Indonesia*.
- Kieps, J., Olejnik, A., Juzwa, W., & Dembczyński, R. (2023). Economic Analysis of the Production Process of Probiotics Based on the Biological and Physiological Parameters of the Cells. *Applied Sciences (Switzerland)*, 13(20). <https://doi.org/10.3390/app132011541>

- Kim, D. H., Dasagrandhi, C., Park, S. K., Eom, S. H., Huh, M. K., Mok, J. S., & Kim, Y. M. (2018). Optimization of gamma-aminobutyric acid production using sea tangle extract by lactic acid bacterial fermentation. *Lwt*, *90*(December 2017), 636–642. <https://doi.org/10.1016/j.lwt.2018.01.011>
- Kuhn, D., Schmitz, C., Rama, G. R., Costa, M. A., De Gregorio, P. R., Irazoqui, J. M., Amadio, A. F., Lombardi, A., Martins, V. L. M., Heidrich, D., Beux, S., Lehn, D. N., Hoehne, L., & Volken de Souza, C. F. (2025). Exploring endogenous lactic acid bacteria potential: Isolation to genetic insights on aromatic compounds. *Food Microbiology*, *131*(March). <https://doi.org/10.1016/j.fm.2025.104800>
- Kurozawa, L. E., Park, K. J., & Hubinger, M. D. (2008). Optimization of the enzymatic hydrolysis of chicken meat using response surface methodology. *Journal of Food Science*, *73*(5). <https://doi.org/10.1111/j.1750-3841.2008.00765.x>
- Laboratories, K. (2024). *Glycolysis / Gluconeogenesis - Lacticaseibacillus paracasei ATCC 334*. KEGG. <https://www.kegg.jp/pathway/lca00010>
- Liu, S., Bischoff, K. M., Gill, J. J., Masiello, S. N., & Skory, C. D. (2016). Metabolic analysis of *Lactobacillus paracasei*: Impact of oxygen and riboflavin on fermentation profiles. *Applied Microbiology and Biotechnology*, *100*(8), 3597–3608.
- Liu, H., & Chen, Y. (2018). Enhanced Methane Production from Food Waste Using Cysteine to Increase Biotransformation of l -Monosaccharide, Volatile Fatty Acids, and Biohydrogen. *Environmental Science and Technology*, *52*(6), 3777–3785. <https://doi.org/10.1021/acs.est.7b05355>
- Liu, S. Q., Holland, R., McJarrow, P., & Crow, V. L. (2003). Serine metabolism in *Lactobacillus plantarum*. *International Journal of Food Microbiology*, *89*(2–3), 265–273. [https://doi.org/10.1016/S0168-1605\(03\)00157-0](https://doi.org/10.1016/S0168-1605(03)00157-0)
- Liu, Z., Huang, X., Liu, Q., Yang, J., Li, J., Xiao, M., Xiong, T., & Xie, M. (2025). Lactic acid bacteria fermentation improves sensory properties, bioactivity, and metabolic profiles of carrot pulp. *Food Bioscience*, *66*(January), 106303. <https://doi.org/10.1016/j.fbio.2025.106303>
- Long, J. M., & Mohan, A. (2021). Development of meat powder from beef byproduct as value-added food ingredient. *Lwt*, *146*(April), 111460. <https://doi.org/10.1016/j.lwt.2021.111460>
- Mahara, F. A., Nuraida, L., & Lioe, H. N. (2021). Folate in milk fermented by lactic acid bacteria from different food sources. *Preventive Nutrition and Food Science*, *26*(2), 230–240. <https://doi.org/10.3746/pnf.2021.26.2.230>
- Mahara, F. A., Nuraida, L., Lioe, H. N., & Nurjanah, S. (2023). The Occurrence of Folate Biosynthesis Genes in Lactic Acid Bacteria from Different Sources. *Food Technology and Biotechnology*, *61*(2), 226–237.

<https://doi.org/10.17113/ftb.61.02.23.7929>

- Mahara, F. A., Nuraida, L., & Nurjanah, S. (2024). *The Manipulation of Folate Biosynthesis in Lactic Acid Bacteria with a Folate Analog and Enhancers*. 35(2), 162–171.
- Manzoor, A., Qazi, J. I., Haq, I. U., Mukhtar, H., & Rasool, A. (2017). Significantly enhanced biomass production of a novel bio-therapeutic strain *Lactobacillus plantarum* (AS-14) by developing low cost media cultivation strategy. *Journal of Biological Engineering*, 11(1), 1–10. <https://doi.org/10.1186/s13036-017-0059-2>
- Manzoor, Z., Nawaz, A., Mukhtar, H., Haq, I., & Nawaz, A. (2016). Bromelain: Methods of Extraction, Purification and Therapeutic Applications Human and Animal Health. *Brazilian Archives of Biology and Technologych. Biol. Technol.* V, 59(December), 1–16. <http://dx.doi.org/10.1590/1678-4324-2016150010>
- Mao, Y., Zhang, X., & Xu, Z. (2020). Identification of antibacterial substances of *Lactobacillus plantarum* DY-6 for bacteriostatic action. *Food Science and Nutrition*, 8(6), 2854–2863. <https://doi.org/10.1002/fsn3.1585>
- Marlida, Y., Harnentis, Azizah, Nur, Y. S., Adzitey, F., Julmohammad, N., & Huda, N. (2022). The possibility of a halal mix probiotic medium for the cultivation of *Lactobacillus plantarum* N16 and *Saccharomyces cerevisiae*. *Potravinarstvo Slovak Journal of Food Sciences*, 16, 279–286. <https://doi.org/10.5219/1713>
- Martínez-Galán, J. P., Ontibón-Echeverri, C. M., Campos Costa, M., Batista-Duharte, A., Guerso Batista, V., Mesa, V., Monti, R., Veloso de Paula, A., & Martins Baviera, A. (2021). Enzymatic synthesis of capric acid-rich structured lipids and their effects on mice with high-fat diet-induced obesity. *Food Research International*, 148(January). <https://doi.org/10.1016/j.foodres.2021.110602>
- Mohd Ali, M., Hashim, N., Abd Aziz, S., & Lasekan, O. (2020). Pineapple (*Ananas comosus*): A comprehensive review of nutritional values, volatile compounds, health benefits, and potential food products. *Food Research International*, 137(July), 109675. <https://doi.org/10.1016/j.foodres.2020.109675>
- Morishita, T., Deguchi, Y., Yajima, M., Sakurai, T., & Yura, T. (1981). Multiple nutritional requirements of lactobacilli: Genetic lesions affecting amino acid biosynthetic pathways. *Journal of Bacteriology*, 148(1), 64–71. <https://doi.org/10.1128/jb.148.1.64-71.1981>
- Mutaguchi, Y., Kasuga, K., & Kojima, I. (2018). Production of D-branched-chain amino acids by lactic acid bacteria carrying homologs to isoleucine 2-epimerase of *Lactobacillus buchneri*. *Frontiers in Microbiology*, 9(JUL), 1–8. <https://doi.org/10.3389/fmicb.2018.01540>

- Nadzirah, K. Z., Zainal, S., Noriham, A., & Normah, I. (2016). Application of bromelain powder produced from pineapple crowns in tenderising beef round cuts. *International Food Research Journal*, 23(4), 1590–1599.
- Nie, E., He, P., Peng, W., Zhang, H., & Lü, F. (2023). Microbial volatile organic compounds as novel indicators of anaerobic digestion instability: Potential and challenges. *Biotechnology Advances*, 67(January), 108204. <https://doi.org/10.1016/j.biotechadv.2023.108204>
- Okoye, C. O., Dong, K., Wang, Y., Gao, L., Li, X., Wu, Y., & Jiang, J. (2022). Comparative genomics reveals the organic acid biosynthesis metabolic pathways among five lactic acid bacterial species isolated from fermented vegetables. *New Biotechnology*, 70(301), 73–83. <https://doi.org/10.1016/j.nbt.2022.05.001>
- Papadimitriou, K., Alegría, Á., Bron, P. A., Angelis, M. De, Gobetti, M., Kleerebezem, M., Lemos, J. A., Linares, D. M., Ross, P., Stanton, C., Turrioni, F., Sinderen, D. Van, Varmanen, P., Ventura, M., Zúñiga, M., & Tsakalidou, E. (2016). *Stress Physiology of Lactic Acid Bacteria*. 80(3), 837–890. <https://doi.org/10.1128/MMBR.00076-15.Address>
- Procelys. (2024). *NuCel®: APPLICATION OF FERMENTATION IN FOOD AND FEED INDUSTRY*. <https://procelys.com/living-products/nucel/>
- Rafique, N., Jan, S. Y., Dar, A. H., Dash, K. K., Sarkar, A., Shams, R., Pandey, V. K., Khan, S. A., Amin, Q. A., & Hussain, S. Z. (2023). Promising bioactivities of postbiotics: A comprehensive review. *Journal of Agriculture and Food Research*, 14(July), 100708. <https://doi.org/10.1016/j.jafr.2023.100708>
- Rajanikar, R. V., Nataraj, B. H., Naithani, H., Ali, S. A., Panjagari, N. R., & Behare, P. V. (2021). Phenyllactic acid: A green compound for food biopreservation. *Food Control*, 128(January). <https://doi.org/10.1016/j.foodcont.2021.108184>
- Rajendran, S., Khomenko, I., Silcock, P., Betta, E., Pedrotti, M., Biasioli, F., & Bremer, P. (2024). The Effect of Different Medium Compositions and LAB Strains on Fermentation Volatile Organic Compounds (VOCs) Analysed by Proton Transfer Reaction-Time of Flight-Mass Spectrometry (PTR-ToF-MS). *Fermentation*, 10(6). <https://doi.org/10.3390/fermentation10060317>
- Ramos, I. M., & Poveda, J. M. (2022). Fermented sheep's milk enriched in gamma-amino butyric acid (GABA) by the addition of lactobacilli strains isolated from different food environments. *Lwt*, 163(May). <https://doi.org/10.1016/j.lwt.2022.113581>
- Rekha, C. R., & Vijayalakshmi, G. (2010). Bioconversion of isoflavone glycosides to aglycones, mineral bioavailability and vitamin B complex in fermented soymilk by probiotic bacteria and yeast. *Journal of Applied Microbiology*, 109(4), 1198–1208. <https://doi.org/10.1111/j.1365-2672.2010.04745.x>
- Sahab, N. R. M., Subroto, E., Balia, R. L., & Utama, G. L. (2020). γ -Aminobutyric

- acid found in fermented foods and beverages: current trends. *Heliyon*, 6(11), e05526. <https://doi.org/10.1016/j.heliyon.2020.e05526>
- Sato, K., Komaru, T., Arima, T., Jardson, C., Yanaka, N., & Kumrungsee, T. (2021). Dietary GABA and its combination with vigabatrin mimic calorie restriction and induce antiobesity-like effects in lean mice. *Journal of Functional Foods*, 78, 104367. <https://doi.org/10.1016/j.jff.2021.104367>
- Saubade, F., Hemery, Y. M., Guyot, J. P., & Humblot, C. (2017). Lactic acid fermentation as a tool for increasing the folate content of foods. *Critical Reviews in Food Science and Nutrition*, 57(18), 3894–3910. <https://doi.org/10.1080/10408398.2016.1192986>
- Schrimpe-Rutledge, A. C., Codreanu, S. G., Sherrod, S. D., & McLean, J. A. (2016). Untargeted Metabolomics Strategies—Challenges and Emerging Directions. *Journal of the American Society for Mass Spectrometry*, 27(12), 1897–1905. <https://doi.org/10.1007/s13361-016-1469-y>
- Septiani, T. (2024). *Pengembangan Media Halal Berbasis Bubuk Pepton Daging untuk Produksi Bakteri Probiotik* (Vol. 15, Issue 1). Gadjah Mada University.
- Shan, Y., Man, C. X., Han, X., Li, L., Guo, Y., Deng, Y., Li, T., Zhang, L. W., & Jiang, Y. J. (2015). *Evaluation of improved γ -aminobutyric acid production in yogurt using *Lactobacillus plantarum* NDC75017*. 2138–2149.
- Sharpe, M. E., Fryer, T. and Smith, D. (1966). Identification of the Lactic Acid Bacteria in Identification Method for Microbiologists Part A (Gibbs BM and Skinner FA eds.). *London and New York, Academic Press*, 65–79. http://www.oxid.com/UK/blue/prod_detail/prod_detail.asp?pr=CM0359&sec=1&org=82
- Sharpe M. Elisabeth, F. T. F. and S. D. G. (1966). Identification of the Lactic Acid Bacteria' in 'Identification Method for Microbiologists Part A' (Gibbs B. M. and Skinner F. A. eds.). *Academic Press*, 65–79. http://www.oxid.com/uk/blue/prod_detail/prod_detail.asp?pr=cm0359
- Shizuta, Y., & Hayaishi, O. (1976). Regulation of Biodegradative Threonine Deaminase. In *Current Topics in Cellular Regulation* (Vol. 11, Issue C). ACADEMIC PRESS, INC. <https://doi.org/10.1016/B978-0-12-152811-9.50010-9>
- Souagui, S., Djoudi, W., Boudries, H., Béchet, M., Leclère, V., & Kecha, M. (2018). Modeling and Statistical Optimization of Culture Conditions for Improvement of Antifungal Compounds Production by *Streptomyces albidoflavus* S19 Strain of Wastewater Origin. *Anti-Infective Agents*, 17(1), 39–49. <https://doi.org/10.2174/2211352516666180813102424>
- Spaggiari, L., Pedretti, N., Ricchi, F., Pinetti, D., Campisciano, G., De Seta, F., Comar, M., Kenno, S., Ardizzoni, A., & Pericolini, E. (2024). An Untargeted Metabolomic Analysis of *Lacticaseibacillus* (L.) *rhamnosus*, *Lactobacillus*

- (L.) *acidophilus*, *Lactiplantibacillus* (L.) *plantarum* and *Limosilactobacillus* (L.) *reuteri* Reveals an Upregulated Production of Inosine from *L. rhamnosus*. *Microorganisms*, 12(4), 1–12. <https://doi.org/10.3390/microorganisms12040662>
- Stone, A. T., Dhara, V. G., Naik, H. M., Aliyu, L., Lai, J., Jenkins, J., & Betenbaugh, M. J. (2021). Chemical speciation of trace metals in mammalian cell culture media: looking under the hood to boost cellular performance and product quality. *Current Opinion in Biotechnology*, 71, 216–224. <https://doi.org/10.1016/j.copbio.2021.08.004>
- Sun, Y., Guo, S., Wu, T., Yang, Y., Shen, T., Ma, X., Kwok, L. Y., Wang, J., Sun, Z., & Zhang, H. (2023). *Bifidobacterium adolescentis* B8589- and *Lacticaseibacillus paracasei* PC-01-co-fermented milk has more γ -aminobutyric acid and short-chain fatty acids than *Lacticaseibacillus paracasei* PC-01-fermented milk. *Lwt*, 179(July 2022), 114645. <https://doi.org/10.1016/j.lwt.2023.114645>
- Sun, Y., Guo, S., Wu, T., Zhang, J., Kwok, L. Y., Sun, Z., Zhang, H., & Wang, J. (2023). Untargeted mass spectrometry-based metabolomics approach unveils biochemical changes in compound probiotic fermented milk during fermentation. *Npj Science of Food*, 7(1), 1–9. <https://doi.org/10.1038/s41538-023-00197-z>
- Tamene, A., Baye, K., Kariluoto, S., Edelmann, M., Bationo, F., Leconte, N., & Humblot, C. (2019). *Lactobacillus plantarum* p2r3fa isolated from traditional cereal-based fermented food increase folate status in deficient rats. *Nutrients*, 11(11), 1–11. <https://doi.org/10.3390/nu11112819>
- Tangyu, M., Muller, J., Bolten, C. J., & Wittmann, C. (2019). Fermentation of plant-based milk alternatives for improved flavour and nutritional value. *Applied Microbiology and Biotechnology*, 103(23–24), 9263–9275. <https://doi.org/10.1007/s00253-019-10175-9>
- U. Zitz, W. Kneifel, H. W. and P.-T. W. (2007). *Selective Enumeration of Bifidobacteria in Dairy Products: Development of a Standard Method*.
- Urlass, S., Wu, Y., Nguyen, T. T. L., Winberg, P., Turner, M. S., & Smyth, H. (2023). Unravelling the aroma and flavour of algae for future food applications. *Trends in Food Science and Technology*, 138(February), 370–381. <https://doi.org/10.1016/j.tifs.2023.06.018>
- Utami, T., Cindarbhumi, A., Khuangga, M. C., Rahayu, E. S., Cahyanto, M. N., Nurfiyanti, S., & Zulaichah, E. (2020). Preparation of Indigenous Lactic Acid Bacteria Starter Cultures for Large Scale Production of Fermented Milk. *Digital Press Life Sciences*, 2, 00010. <https://doi.org/10.29037/digitalpress.22327>
- Watanabe, M., Maemura, K., Kanbara, K., Tamayama, T., & Hayasaki, H. (2002). GABA and GABA receptors in the central nervous system and other organs.

- International Review of Cytology*, 213, 1–47. [https://doi.org/10.1016/S0074-7696\(02\)13011-7](https://doi.org/10.1016/S0074-7696(02)13011-7)
- Wegkamp, A. (2008). *Modulation of folate production in lactic acid bacteria*. <http://library.wur.nl/wda/dissertations/dis4384.pdf%5Cnhttp://edepot.wur.nl/121955>
- Wu, Z., Wu, J., Cao, P., Jin, Y., Pan, D., Zeng, X., & Guo, Y. (2017). Characterization of probiotic bacteria involved in fermented milk processing enriched with folic acid. *Journal of Dairy Science*, 100(6), 4223–4229. <https://doi.org/10.3168/jds.2017-12640>
- Wuyts, S., Wittouck, S., De Boeck, I., Allonsius, C. N., Pasolli, E., Segata, N., & Lebeer, S. (2017). Large-Scale Phylogenomics of the *Lactobacillus casei* Group Highlights Taxonomic Inconsistencies and Reveals Novel Clade-Associated Features. *MSystems*, 2(4). <https://doi.org/10.1128/msystems.00061-17>
- Yang, H., Zhou, Y., Luo, Q., Zhu, C., & Fang, B. (2023). L-leucine increases the sensitivity of drug-resistant *Salmonella* to sarafloxacin by stimulating central carbon metabolism and increasing intracellular reactive oxygen species level. *Frontiers in Microbiology*, 14(May), 1–13. <https://doi.org/10.3389/fmicb.2023.1186841>
- Yogeswara, I. B. A., Maneerat, S., & Haltrich, D. (2020). Glutamate decarboxylase from lactic acid bacteria—a key enzyme in Gaba synthesis. *Microorganisms*, 8(12), 1–24. <https://doi.org/10.3390/microorganisms8121923>
- Yue, M., Feng, Z., Zhou, J., Chen, J., Chang, Z., Wang, M., Liu, F., & Gu, C. (2024). Improving functionality and metabolite profiles of black sapote juice through lactic acid bacteria fermentation. *Lwt*, 213(September), 117048. <https://doi.org/10.1016/j.lwt.2024.117048>
- Zandy, S. L., Doherty, J. M., Wibisono, N. D., & Gonzales, R. A. (2017). High sensitivity HPLC method for analysis of in vivo extracellular GABA using optimized fluorescence parameters for o-phthalaldehyde (OPA)/sulfite derivatives. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 1055–1056, 1–7. <https://doi.org/10.1016/j.jchromb.2017.04.003>
- Zhai, M., Wang, H., Liu, T., Zhang, T., Kang, L., Duan, Y., & Jin, Y. (2024). Effects of lactic acid bacteria on protein metabolism of Sunit lamb. *Journal of Food Composition and Analysis*, 129(November 2023), 106091. <https://doi.org/10.1016/j.jfca.2024.106091>
- Zheng, J., Wittouck, S., Salvetti, E., Franz, C. M. A. P., Harris, H. M. B., Mattarelli, P., O'toole, P. W., Pot, B., Vandamme, P., Walter, J., Watanabe, K., Wuyts, S., Felis, G. E., Gänzle, M. G., & Lebeer, S. (2020). A taxonomic note on the genus *Lactobacillus*: Description of 23 novel genera, emended description of the genus *Lactobacillus* beijerinck 1901, and union of *Lactobacillaceae* and

Leuconostocaceae. *International Journal of Systematic and Evolutionary Microbiology*, 70(4), 2782–2858. <https://doi.org/10.1099/ijsem.0.004107>

Zhou, Y., Zhang, X., Wang, Y., & Liu, H. (2024). Mechanism and Effect of Amino Acids on Lactic Acid Production in Acidic Fermentation of Food Waste. *Fermentation*, 10(4), 179. <https://doi.org/10.3390/fermentation10040179>

