DAFTAR PUSTAKA

Adane, M., Mengistie, B., Medhin, G., Kloos, H., & Mulat, W. (2017). Piped water supply interruptions and acute diarrhea among under-five children in Addis Ababa slums, Ethiopia: A matched case-control study. *PloS One*, *12*(7), e0181516.

Amato, H. K., Hemlock, C., Andrejko, K. L., Smith, A. R., Hejazi, N. S., Hubbard, A. E., Verma, S. C., Adhikari, R. K., Pokhrel, D., & Smith, K. (2022). Biodigester cookstove interventions and child diarrhea in semirural Nepal: a causal analysis of daily observations. *Environmental Health Perspectives*, *130*(1), 017002.

Arifin, H., Rakhmawati, W., Kurniawati, Y., Pradipta, R. O., Efendi, F., Gusmaniarti, G., Pramukti, I., Acob, J. R. U., Soares, A., & Myint, N. M. M. (2022). Prevalence and determinants of diarrhea among under-five children in five Southeast Asian countries: Evidence from the demographic health survey. *Journal of Pediatric Nursing*, *66*, e37–e45.

Asgedom, A. A., Abirha, B. T., Tesfay, A. G., Gebreyowhannes, K. K., Abraha, H. B., Hailu, G. B., Abrha, M. B., Tsadik, M., Gebrehiwet, T. G., & Gebreyesus, A. (2023). Unimproved water and sanitation contributes to childhood diarrhoea during the war in Tigray, Ethiopia: a community based assessment. *Scientific Reports*, *13*(1), 7800.

Asif, M. F., Pervaiz, Z., Afridi, J. R., Safdar, R., Abid, G., & Lassi, Z. S. (2022). Socio-economic determinants of child mortality in Pakistan and the moderating role of household's wealth index. *BMC Pediatrics*, *22*, 1–8.

Atnafu, A., Sisay, M. M., Demissie, G. D., & Tessema, Z. T. (2020). Geographical disparities and determinants of childhood diarrheal illness in Ethiopia: further analysis of 2016 Ethiopian Demographic and Health Survey. *Tropical Medicine and Health*, *48*, 1–12.

A'yun, I. Q., & Umaroh, R. (2022). Polusi Udara dalam Ruangan dan Kondisi Kesehatan: Analisis Rumah Tangga Indonesia. *Jurnal Ekonomi Dan Pembangunan Indonesia*, *22*(1), 2.

Aziz, F. A. A., Ahmad, N. A., Razak, M. A. A., Omar, M., Kasim, N. M., Yusof, M., Sooryanarayana, R., Jamaludin, R., & Ying, C. Y. (2018). Prevalence of and factors associated with diarrhoeal diseases among children under five in Malaysia: a cross-sectional study 2016. *BMC Public Health*, *18*, 1–8.

Badan Kebijakan Pembangunan Kesehatan. (2023). *Survei Kesehatan Indonesia (SKI) 2023 Dalam Angka*.

Badan Pusat Statistik. (2024a). *Distribusi Persentase Rumah Tangga Menurut Provinsi dan Sumber Air Minum*. https://www.bps.go.id/id/statistics-table/3/YzBaMlduSlFVbTVrUnpWeU9YRTJka0pVTTFkU1FUMDkjMw==/distribusi-persentase-rumah-tangga-menurut-provinsi-dan-sumber-air-minum--2023.html?year=2023

Badan Pusat Statistik. (2024b). *Persentase Rumah Tangga yang Memiliki Akses terhadap Sanitasi Layak Menurut Provinsi dan Klasifikasi Desa (Persen), 2021-2023*.

https://www.bps.go.id/id/statistics-table/2/ODM0IzI=/persentase-rumah-tangga-yang-memiliki-akses-terhadap-sanitasi-layak-menurut-provinsi-dan-klasifikasi-desa--persen-.html

Badan Pusat Statistik. (2024c). *Persentase Rumah Tangga yang Memiliki Akses terhadap Sumber Air Minum Layak Menurut Provinsi dan Klasifikasi Desa (Persen)*. https://www.bps.go.id/id/statistics-table/2/ODU0IzI=/persentase-rumah-tangga-yang-memiliki-akses-terhadap-sumber-air-minum-layak-menurut-provinsi-dan-klasifikasi-desa--persen-.html

Bain, R., Cronk, R., Hossain, R., Bonjour, S., Onda, K., Wright, J., Yang, H., Slaymaker, T., Hunter, P., & Prüss-Ustün, A. (2014). Global assessment of exposure to faecal contamination through drinking water based on a systematic review. *Tropical Medicine & International Health*, *19*(8), 917–927.

Bawankule, R., Singh, A., Kumar, K., & Shetye, S. (2017). Does measles vaccination reduce the risk of acute respiratory infection (ARI) and diarrhea in children: a multi-country study? *PloS One*, *12*(1), e0169713.

Braimoh, T., Danat, I., Abubakar, M., Ajeroh, O., Stanley, M., Wiwa, O., Prescott, M. R., & Lam, F. (2021). Private health care market shaping and changes in inequities in childhood diarrhoea treatment coverage: evidence from the analysis of baseline and endline surveys of an ORS and zinc scale-up program in Nigeria. *International Journal for Equity in Health*, *20*, 1–12.

Cameron, A. C., Trivedi, P. K., Cameron, A. C., & Trivedi, P. K. (2010). *Microeconometrics using stata* (Vol. 2). Stata press College Station, TX.

Capuno, J. J., Tan Jr, C. A. R., & Fabella, V. M. (2015). Do piped water and flush toilets prevent child diarrhea in rural Philippines? *Asia Pacific Journal of Public Health*, *27*(2), NP2122–NP2132.

Claudine, U., Kim, J. Y., Kim, E.-M., & Yong, T.-S. (2021). Association between sociodemographic factors and diarrhea in children under 5 years in Rwanda. *The Korean Journal of Parasitology*, *59*(1), 61.

Cohen, A., Rasheduzzaman, M., O'Connell, B., Brown, T., Taniuchi, M., Krometis, L.-A., Hubbard, A., Scheuerman, P., Edwards, M., & Darling, A. (2024). Drinking water sources, quality, and associated health outcomes in Appalachian Virginia: A risk characterization study in two counties. *International Journal of Hygiene and Environmental Health*, *260*, 114390.

Contreras, J. D., Islam, M., Mertens, A., Pickering, A. J., Kwong, L. H., Arnold, B. F., Benjamin-Chung, J., Hubbard, A. E., Alam, M., & Sen, D. (2022). Influence of community-level sanitation coverage and population density on environmental fecal contamination and child health in a longitudinal cohort in rural Bangladesh. *International Journal of Hygiene and Environmental Health*, *245*, 114031.

Curtis, V., & Cairncross, S. (2003). Effect of washing hands with soap on diarrhoea risk in the community: a systematic review. *The Lancet Infectious Diseases*, *3*(5), 275–281.

Demographic and Health Survey. (2018). *Indonesia Demographic and Health Survey 2017*. https://www.dhsprogram.com/publications/publication-fr342-dhs-final-reports.cfm?csSearch=1705419_1

Deshpande, A., Miller-Petrie, M. K., Lindstedt, P. A., Baumann, M. M., Johnson, K. B., Blacker, B. F., Abbastabar, H., Abd-Allah, F., Abdelalim, A., & Abdollahpour, I. (2020). Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000–17. *The Lancet Global Health*, *8*(9), e1162–e1185.

Direktur Jenderal Pencegahan dan Pengendalian Penyakit. (2022). *Rencana Aksi Program 2020-2024*.

Ferede, M. M. (2020). Socio-demographic, environmental and behavioural risk factors of diarrhoea among under-five children in rural Ethiopia: further analysis of the 2016 Ethiopian demographic and health survey. *BMC Pediatrics*, *20*, 1–9.

Gallandat, K., Macdougall, A., Jeandron, A., Mufitini Saidi, J., Bashige Rumedeka, B., Malembaka, E. B., Azman, A. S., Bompangue, D., Cousens, S., & Allen, E. (2024). Improved water supply infrastructure to reduce acute diarrhoeal diseases and cholera in Uvira, Democratic Republic of the Congo: results and lessons learned from a pragmatic trial. *PLoS Neglected Tropical Diseases*, *18*(7), e0012265.

George, C. M., Oldja, L., Biswas, S., Perin, J., Sack, R. B., Ahmed, S., Shahnaij, M., Haque, R., Parvin, T., & Azmi, I. J. (2016). Unsafe child feces disposal is associated with environmental enteropathy and impaired growth. *The Journal of Pediatrics*, *176*, 43–49.

Grossman, M. (1972). On the Concept of Health Capital and the Demand for Health. *The Journal of Political Economy*, *80*(2), 223–255.

Guerrant, R. L., DeBoer, M. D., Moore, S. R., Scharf, R. J., & Lima, A. A. M. (2013). The impoverished gut—a triple burden of diarrhoea, stunting and chronic disease. *Nature Reviews Gastroenterology & Hepatology*, *10*(4), 220–229.

Guerrant, R. L., Schorling, J. B., McAuliffe, J. F., & De Souza, M. A. (1992). Diarrhea as a cause and an effect of malnutrition: diarrhea prevents catch-up growth and malnutrition increases diarrhea frequency and duration. *The American Journal of Tropical Medicine and Hygiene*, *47*(1 Pt 2), 28–35.

Holcomb, D. A., Knee, J., Sumner, T., Adriano, Z., de Bruijn, E., Nalá, R., Cumming, O., Brown, J., & Stewart, J. R. (2020). Human fecal contamination of water, soil, and surfaces in households sharing poor-quality sanitation facilities in Maputo, Mozambique. *International Journal of Hygiene and Environmental Health*, *226*, 113496.

Hubbard, S. C., Meltzer, M. I., Kim, S., Malambo, W., Thornton, A. T., Shankar, M. B., Adhikari, B. B., Jeon, S., Bampoe, V. D., & Cunningham, L. C. (2020). Household illness and associated water and sanitation factors in peri-urban Lusaka, Zambia, 2016–2017. *NPJ Clean Water*, *3*(1), 26.

Idris, I. B., Hamis, A. A., Bukhori, A. B. M., Hoong, D. C. C., Yusop, H., Shaharuddin, M. A.-A., Fauzi, N. A. F. A., & Kandayah, T. (2023). Women's autonomy in healthcare decision making: a systematic review. *BMC Women's Health*, *23*(1), 643.

Ishimwe, C. J., Rutayisire, E., & Marete, O. (2020). Environmental and nutritional determinants of Diarrhoea disease among children under five years in Rwanda: A secondary data analysis of the Rwanda demographic and health survey 2014-15. *Rwanda Journal of Medicine and Health Sciences*, *3*(3), 280–290.

Jabeen, S., Saha, U. R., van Wesenbeeck, C. F. A., & Mushtaq, K. (2023). An overview of diarrhea among infants and under-five in Punjab-Pakistan. *Journal of Pediatric Nursing*, *71*, e28–e37.

Jalan, J., & Ravallion, M. (2003). Does piped water reduce diarrhea for children in rural India? *Journal of Econometrics*, *112*(1), 153–173.

Kamm, K. B., Feikin, D. R., Bigogo, G. M., Aol, G., Audi, A., Cohen, A. L., Shah, M. M., Yu, J., Breiman, R. F., & Ram, P. K. (2014). Associations between presence of handwashing stations and soap in the home and diarrhoea and respiratory illness, in children less than five years old in rural western Kenya. *Tropical Medicine & International Health*, *19*(4), 398–406.

Kementerian Kesehatan. (2013). *Profil Kesehatan Indonesia 2012*. https://books.google.co.id/books?id=obfhngEACAAJ

Kementerian Kesehatan. (2018). *Profil Kesehatan Indonesia 2017*. https://kemkes.go.id/id/profil-kesehatan-indonesia-2017

Kementerian Kesehatan. (2023). *Diare*. https://ayosehat.kemkes.go.id/penyakit/diare

Keputusan Menteri Perindustrian Dan Perdagangan, Pub. L. No. 651/MPP/Kep/10/2004, Persyaratan Teknis Depot Air Minum dan Perdagangannya (2004). https://jdih.kemendag.go.id/peraturan/keputusan-menteri-perindustrian-dan-perdagangan-nomor-651mppkep102004-tentang-persyaratan-teknis-depot-air-minum-dan-perdagangannya

Khaliq, A., Amreen, Jameel, N., & Krauth, S. J. (2022). Knowledge and practices on the prevention and management of diarrhea in children under-2 years among women dwelling in urban slums of Karachi, Pakistan. *Maternal and Child Health Journal*, *26*(7), 1442–1452.

Krisnana, I., Pradanie, R., & Mustika, D. A. (2020). Impact of Complementary Foods and Environmental Sanitation on the Incidence of Diarrhea in Children aged 6-24 Months in Sidoarjo, Indonesia. *Systematic Reviews in Pharmacy*, *11*(5).

Lechtenfeld, T. (2012). *Why does piped water not reduce diarrhea for children? Evidence from urban Yemen*. Discussion Papers.

Long, J. S., & Freese, J. (2006). *Regression models for categorical dependent variables using Stata* (Vol. 7). Stata press.

Loyola, S., Sanchez, J. F., Maguiña, E., Canal, E., Castillo, R., Bernal, M., Meza, Y., Tilley, D. H., Oswald, W. E., & Heitzinger, K. (2020). Fecal contamination of drinking water was associated with diarrheal pathogen carriage among children younger than 5 years in three Peruvian rural communities. *The American Journal of Tropical Medicine and Hygiene*, *102*(6), 1279.

Luby, S. P., Halder, A. K., Huda, T., Unicomb, L., & Johnston, R. B. (2011). The effect of handwashing at recommended times with water alone and with soap on child diarrhea in rural Bangladesh: an observational study. *PLoS Medicine*, *8*(6), e1001052.

Merid, M. W., Alem, A. Z., Chilot, D., Belay, D. G., Kibret, A. A., Asratie, M. H., Shibabaw, Y. Y., & Aragaw, F. M. (2023). Impact of access to improved water and sanitation on diarrhea reduction among rural under-five children in low and middle-income countries: a propensity score matched analysis. *Tropical Medicine and Health*, *51*(1), 36.

Mulatu, G., Ayana, G. M., Girma, H., Mulugeta, Y., Daraje, G., Geremew, A., & Dheresa, M. (2022). Association of drinking water and environmental sanitation with diarrhea among under-five children: Evidence from Kersa demographic and health surveillance site, eastern Ethiopia. *Frontiers in Public Health*, *10*, 962108.

Mulatu, T., Yimer, N. B., Alemnew, B., Linger, M., & Liben, M. L. (2021). Exclusive breastfeeding lowers the odds of childhood diarrhea and other medical conditions: evidence from the 2016 Ethiopian demographic and health survey. *Italian Journal of Pediatrics*, *47*(1), 166.

Nandi, A., Megiddo, I., Ashok, A., Verma, A., & Laxminarayan, R. (2017). Reduced burden of childhood diarrheal diseases through increased access to water and sanitation in India: A modeling analysis. *Social Science & Medicine*, *180*, 181–192.

Ngabo, F., Mvundura, M., Gazley, L., Gatera, M., Rugambwa, C., Kayonga, E., Tuyishime, Y., Niyibaho, J., Mwenda, J. M., & Donnen, P. (2016). The economic burden attributable to a child's inpatient admission for diarrheal disease in Rwanda. *PLoS One*, *11*(2), e0149805.

Parvin, T., Thomas, E. D., Bhuyian, M. S. I., Uddin, I. M., Hasan, M. T., Rahman, Z., Barman, I., Zohura, F., Masud, J., & Sultana, M. (2021). Fecal contamination on the household compound and in water sources are associated with subsequent diarrhea in young children in urban Bangladesh (CHoBI7 Program). *The American Journal of Tropical Medicine and Hygiene*, *105*(1), 261.

Peraturan Menteri Kesehatan, Pub. L. No. 492/MENKES/PER/IV/2010, Persyaratan Kualitas Air Minum (2010). https://jdih.kemkes.go.id/dokumen/view?id=857

Pisey, V., Banchonhattakit, P., & Laohasiriwong, W. (2021). The association of socio-demographic and environmental factors on childhood diarrhea in Cambodia. *F1000Research*, *9*, 303.

Prüss-Ustün, A., Wolf, J., Bartram, J., Clasen, T., Cumming, O., Freeman, M. C., Gordon, B., Hunter, P. R., Medlicott, K., & Johnston, R. (2019). Burden of disease from inadequate water, sanitation and hygiene for selected adverse health outcomes: an

updated analysis with a focus on low-and middle-income countries. *International Journal of Hygiene and Environmental Health*, *222*(5), 765–777.

Rachmat, B., Azhar, K., Hidayangsih, P. S., Tjandrarini, D. H., Dharmayanti, I., Suparmi, S., Sidebang, P., & Setyoko, S. (2023). Associations Between Bottled Water Consumption and Diarrhea Among Adults in Indonesia. *E3S Web of Conferences*, *448*, 02024.

Redaksi Sehat Negeriku Kementerian Kesehatan. (2022, March 22). *Pemerintah Targetkan 2020-2024 Masyarakat Indonesia Akses Air Minum Layak 100%*. https://sehatnegeriku.kemkes.go.id/baca/rilis-media/20220322/5939554/pemerintah-targetkan-2020-2024-masyarakat-indonesia-akses-air-minum-layak-100/

Rocket. (2017). *Pengertian Sanitasi, Ruang Lingkup, Tujuan Beserta Manfaatnya*.

Santika, N. K. A., Efendi, F., Rachmawati, P. D., Has, E. M. M., Kusnanto, K., & Astutik, E. (2020). Determinants of diarrhea among children under two years old in Indonesia. *Children and Youth Services Review*, *111*, 104838.

Singh, M. K. G., & Lubis, M. (2018). Relationship between breastfeeding and the incidence of diarrhoea in children aged 6-24 months. *JKKI: Jurnal Kedokteran Dan Kesehatan Indonesia*, 108–114.

Soboksa, N. E. (2021). Associations between improved water supply and sanitation usage and childhood diarrhea in Ethiopia: an analysis of the 2016 demographic and health survey. *Environmental Health Insights*, *15*, 11786302211002552.

Soekidjo, N. (2003). *Ilmu Kesehatan Masyarakat Prinsip-Prinsip Dasar*. Rineka Cipta.

Srivastava, S., Banerjee, S., Debbarma, S., Kumar, P., & Sinha, D. (2022). Rural-urban differentials in the prevalence of diarrhoea among older adults in India: evidence from Longitudinal Ageing Study in India, 2017–18. *PLoS One*, *17*(3), e0265040.

The WHO/UNICEF Joint Monitoring Programme. (2022a). *Drinking water*. https://washdata.org/monitoring/drinking-water

The WHO/UNICEF Joint Monitoring Programme. (2022b). *Sanitation*. https://washdata.org/monitoring/sanitation

Troeger, C., Blacker, B. F., Khalil, I. A., Rao, P. C., Cao, S., Zimsen, S. R. M., Albertson, S. B., Stanaway, J. D., Deshpande, A., & Abebe, Z. (2018). Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. *The Lancet Infectious Diseases*, *18*(11), 1211–1228.

Trudeau, J., Aksan, A.-M., & Vásquez, W. F. (2018). Water system unreliability and diarrhea incidence among children in Guatemala. *International Journal of Public Health*, *63*, 241–250.

UNICEF. (2022). *Water, sanitation and hygiene (WASH) programmes Discover UNICEF's work worldwide.* https://www.unicef.org/wash/programmes

UNICEF. (2024, January 1). *Diarrhoea*. https://data.unicef.org/topic/child-health/diarrhoeal-disease/

United Nations. (2015). *Transforming our world: the 2030 Agenda for Sustainable Development*.

United Nations. (2023). *The Sustainable Development Goals Report 2023: Special Edition*.

WHO. (2017). *Guideline: protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services*. https://www.who.int/publications/i/item/9789241550086

WHO. (2023, September 13). *Drinking-water*. https://www.who.int/news-room/fact-sheets/detail/drinking-water

WHO. (2024, March 7). *Diarrhoeal disease*. https://www.who.int/news-room/fact-sheets/detail/diarrhoeal-disease

Wolf, J., Hubbard, S., Brauer, M., Ambelu, A., Arnold, B. F., Bain, R., Bauza, V., Brown, J., Caruso, B. A., & Clasen, T. (2022). Effectiveness of interventions to improve drinking water, sanitation, and handwashing with soap on risk of diarrhoeal disease in children in low-income and middle-income settings: a systematic review and meta-analysis. *The Lancet*, *400*(10345), 48–59.

Wooldridge, J. M. (2016). *Introductory Econometrics: A Modern Approach* (6th ed.). Cengage Learning.

Yunitasari, E., Pradanie, R., Arifin, H., Fajrianti, D., & Lee, B.-O. (2021). Determinants of stunting prevention among mothers with children aged 6–24 months. *Open Access Macedonian Journal of Medical Sciences*, *9*(B), 378–384.