

DAFTAR PUSTAKA

- AOAC. (2005). *Official methods of analysis of agricultural chemistry*. Willard Grant Press.
- AOCS. (1989). *Official methods and recommended practices of AOCS* (4th ed.). American Oil Chemists' Society.
- AOCS. (1989). *Official methods and recommended practices of AOCS* (5th ed.). American Oil Chemists' Society.
- Abd-ElGhany, M. E., Hegazy, A. M., Basuny, A., & Zaghlool, A. N. (2020). Using of red palm oil as milk fat healthy replacer in ice milk. *Al-Azhar Journal of Agricultural Research*, 45(1), 8–22.
- Adawiyah, D. R., Hunaefi, I. D., & Nurtama, B. (2024). *Evaluasi sensori produk pangan*. Bumi Aksara.
- Adi, I. S. S., & Ramdani, S. H. (2009). Kajian persepsi konsumen terhadap minyak goreng sawit merah untuk menunjang sistem pemasaran. *JIMAFE*, 1, 1–36.
- Akinoso, R., Lawal, A. I., Ayegbusi, F. D., & Obadeyi, F. O. (2025). Effect of repeated heating on palm oil and its fractions, oil stability and the cold storage quality of deep-fried “akara.” *Food and Humanity*, 2, 100591. <https://doi.org/10.1016/j.foohum.2025.100591>
- Almeida, E. S., Carmona, P. O., Mendonça, S., Dias, A. C. B., Castellón, E. R., Cecilia, J. A., da Silva Júnior, I. J., & Monteiro, S. (2024). The role of carotenes in preventing oxidation during palm oil processing: Adsorption studies. *Industrial Crops and Products*, 216, 118691. <https://doi.org/10.1016/j.indcrop.2024.118691>
- Alyas, S. A., Abdullah, A., & Idris, N. A. (2006). Changes of β -carotene content during heating of red palm olein. *Journal of Palm Oil Research*, 99–102.

- Andarwulan, N., Muhammad, G. N., Agista, A. Z., Dharmawan, S., Fitriani, D., Wulan, A. C., Pratiwi, D. G., Rahayu, W. P., Martianto, D., & Hariyadi, P. (2016). Stabilitas fotooksidasi minyak goreng sawit yang difortifikasi dengan minyak sawit merah. *Jurnal Teknologi dan Industri Pangan*, 27(1), 31–39.
- Ardhi, A. (2013). *Stabilisasi minyak goreng menggunakan mikroemulsi ekstrak kulit jeruk*. Tesis, Universitas Gadjah Mada.
- Arpi, N., Satriana, Mustapha, W. A. W., Syamsuddin, Y., Putra, T. W., & Supardan, M. D. (2023). Effect of cooking pre-treatment on the properties of dried avocado flesh and its oil extract. *South African Journal of Chemical Engineering*, 43, 1–8. <https://doi.org/10.1016/j.sajce.2022.09.011>
- Astuti, T. D. (2019). Pengaruh penggorengan berulang terhadap kualitas minyak goreng. *Borneo Journal of Medical Laboratory Technology*, 1(2), 62–66.
- Ayu, D. F., Andarwulan, N., Hariyadi, P., & Purnomo, E. H. (2016). Effect of tocopherols, tocotrienols, β -carotene, and chlorophyll on the photo-oxidative stability of red palm oil. *Food Science and Biotechnology*, 25(2), 401–407. <https://doi.org/10.1007/s10068-016-0055-1>
- Baik, O., & Mittal, G. S. (2004). Heat and moisture transfer and shrinkage simulation of deep-fat tofu frying. *Food Research International*, 38, 183–191.
- Basaran, B., & Turk, H. (2021). The influence of consecutive use of different oil types and frying oil in French fries on the acrylamide level. *Journal of Food Composition and Analysis*, 204, 104177. <https://doi.org/10.1016/j.jfca.2021.104177>
- Barden, L., & Decker, E. A. (2016). Lipid oxidation in low-moisture food: A review. *Critical Reviews in Food Science and Nutrition*. <https://doi.org/10.1080/10408398.2013.848833>

- Boyapati, T., Rana, S. S., & Ghosh, P. (2022). Microwave-assisted extraction of dragon fruit seed oil: Fatty acid profile and functional properties. *Journal of the Saudi Society of Agricultural Sciences*. <https://doi.org/10.1016/j.jssas.2022.08.001>
- Budiyanto, Z., Silsia, D., Efendi, R., & Janika. (2010). Perubahan kandungan β -karoten, asam lemak bebas, dan bilangan peroksida minyak sawit merah selama pemanasan. *Agritech*, 30(2).
- Capar, T. D., Dedebas, T., Yalein, H., & Ekici, L. (2021). Extraction method affects seed oil yield, composition, and antioxidant properties of European cranberrybush (*Viburnum opulus*). *Industrial Crops and Products*, 168, 113632. <https://doi.org/10.1016/j.indcrop.2021.113632>
- Chauhan, P., & Sukhneet, S. (2021). Polar compounds in frying oils: A review. *Applied Ecology and Environmental Sciences*, 9(1), 21–29.
- Chew, S., Tan, C., Long, K., & Nyam, K. (2016). Effect of chemical refining on the quality of kenaf (*Hibiscus cannabinus*) seed oil. *Industrial Crops and Products*, 89, 59–65. <https://doi.org/10.1016/j.indcrop.2016.05.002>
- Codex Alimentarius. (1999). *Codex standards for named vegetable oils* (Codex Stan 210-1999). Codex Alimentarius, V.8-2001, 11–25.
- Debnath, S., Rastogi, N. K., Krishna, A. G. G., & Lokesh, B. R. (2012). Effect of frying cycles on physical, chemical and heat transfer quality of rice bran oil during deep-fat frying of poori: An Indian traditional fried food. *Food and Bioprocess Processing*, 90, 249–256.
- Dehghannya, J., & Ngadi, M. (2021). Recent advances in microstructure characterization of fried foods: Different frying techniques and process modeling. *Trends in Food Science & Technology*, 116, 786–801. <https://doi.org/10.1016/j.tifs.2021.03.033>

- Diniari, A., Khaqiqi, T., Chilmiati, M., & Muflihati, I. (2021). Karakteristik kerupuk bawang dengan variasi jenis tepung. *Jurnal Ilmu Pangan dan Hasil Pertanian*, 5(1), 1–6.
- Dodoo, D., Adjei, F., Tulashie, S. K., Adukpoh, K. E., Agbolebe, R. K., Gawou, K., & Manu, G. P. (2022). Quality evaluation of different repeatedly heated oils for deep-frying of yam fries. *Measurement: Food*, 7, 100035.
- Dwiloka, B., Setiani, B. E., & Karuniasih, D. (2021). Pengaruh penggunaan minyak goreng berulang terhadap penyerapan minyak, bilangan peroksida, dan asam lemak bebas pada ayam goreng. *Sains Teknologi Manajemen Jurnal*, 1(1), 13–17.
- Elisabeth, J. (2012). Mutu minyak/lemak dan produk pangan goreng. *Food Review Indonesia*, 7(9), 48.
- Emmanuel, O., Okezie, U. M., Iweala, E. J., & Ugboogu, E. A. (2021). Pretreatment of red palm oil extracted from palm fruit (*Elaeis guineensis*) attenuates carbon tetrachloride-induced toxicity in Wistar rats. *Phytomedicine Plus*, 1, 100079.
- Eun, J. B., Maruf, A., Das, P. R., & Nam, S. H. (2020). A review of encapsulation of carotenoids using spray drying and freeze drying. *Critical Reviews in Food Science and Nutrition*, 60(21), 3547–3572. <https://doi.org/10.1080/10408398.2019.1698511>
- Fardila, N. (2024). *Aplikasi minyak sawit merah pada tahu dan tempe dengan teknik shallow frying*. Skripsi. Institut Pertanian Bogor.
- Fauziana, N. A. (2022). *Pemanasan basah-kering konjugat tipe Maillard untuk mikroenkapsulasi minyak sawit merah: Pengaruh rasio minyak-konjugat dan suhu inlet spray drying*. Tesis. Universitas Gadjah Mada.
- Frankel, E. N. (2012). Frying fats. In *Lipid oxidation* (pp. 355–389). <https://doi.org/10.1533/9780857097927.355>

- Gouyo, T., Rondet, E., Mestres, C., Hofleitner, C., & Bohuon, H. (2021). Microstructure analysis of crust during deep-fat or hot-air frying to understand French fry texture. *Journal of Food Engineering*, 298, 110484. <https://doi.org/10.1016/j.jfoodeng.2021.110484>
- Gouyo, T., Goujot, D., Bohuon, P., & Courtois, F. (2021). Multi-compartment model for heat and mass transfer during the frying of frozen pre-fried French fries. *Journal of Food Engineering*, 305, 110587. <https://doi.org/10.1016/j.jfoodeng.2021.110587>
- Han, J., Jia, W., Wan, Y., Sun, X., Liang, M., Wei, C., & Liu, W. (2022). Ultrasonic-assisted extraction of carotenoids using cottonseed oil: Optimization, physicochemical properties, and flavor studies. *Journal of Food Composition and Analysis*, 112, 104663. <https://doi.org/10.1016/j.jfca.2022.104663>
- Harahap, I. S., Wahyuningsih, P., & Amri, Y. (2020). Analisa kandungan beta karoten pada CPO (crude palm oil) di pusat penelitian kelapa sawit (PPKS) Medan menggunakan spektrofotometri UV-VIS. *Quimica: Jurnal Kimia Sains dan Terapan*, 2(1).
- Hasibuan, H. A. (2016). Retensi karoten dan retinol palmitat pada minyak goreng dan produk gorengannya. *Jurnal Penelitian Kelapa Sawit*, 24(3), 157–171.
- Hasibuan, H. A., & Ijah. (2018). Peningkatan kesukaan minyak sawit merah dengan penambahan minyak nabati atau flavor dan stabilitasnya dalam penggorengan berulang. *Jurnal Penelitian Kelapa Sawit*, 26(1), 1–9.
- Hasibuan, H. A., Ijah, & Hardika, A. P. (2023). Preferensi konsumen terhadap minyak sawit merah. *Warta PPKS*, 28(2), 95–106.
- Hidayah, D., Retno, S., Siswanto, & Diah, K. (2023). Antioxidant properties of coconut-sugar instant coffee beverages produced using red palm oil and coffee powder. *Current Research in Nutrition and Food Science*, 11(2), 676–684.

- Hu, M., Pan, K., Niu, Y., Chen, S., Yoong, J. H., Tarmizi, A. Z. A., & Zhang, G. (2020). Comparative assessment of thermal resistance of palm stearin and high oleic blended oil when subjected to frying practice in fast food restaurants. *Journal of Oil Palm Research*, 32(1).
- Husain, F., & Marzuki, I. (2021). Pengaruh temperatur penyimpanan terhadap mutu dan kualitas minyak goreng kelapa sawit. *Serambi Engineering*, 6(4), 2270–2278.
- Hutauruk, V. (2024). *Persepsi awal dan willingness to pay ibu rumah tangga di kota Medan terhadap pembelian minyak makan merah*. Skripsi. Universitas Sumatera Utara.
- Iftari, W., Amalia, R., Savitri, A. N., & Saragih, G. (2022). Study of the addition of red palm oil (RPO) to the sensory and chemical characteristics of beef sausage. *Jurnal Pangan dan Agroindustri*, 10(4), 194–203.
- Ilmi, I. M. B., Khomsan, A., & Marliyati, S. A. (2015). Kualitas minyak goreng dan produk gorengan selama penggorengan di rumah tangga Indonesia. *Jurnal Aplikasi Teknologi Pangan*, 4(2), 61–65.
- Isik, B., Sahin, S., & Sumnu, G. (2016). Pore development, oil and moisture distribution in crust and core regions of potatoes during frying. *Food and Bioprocess Technology*, 9, 1653–1660.
- International Organization for Standardization. (2023). *ISO 8586: Sensory analysis—Selection and training of sensory assessors* (2nd ed.). ISO.
- IUPAC. (1992). *Standard methods for the analysis of oils, fats, and derivatives* (7th ed.). International Union of Pure and Applied Chemistry.
- Kuntom, A. (2005). *MPOB test methods: A compendium of tests on palm oil products, palm kernel products, fatty acids, food related products and others*. Malaysian Palm Oil Board.

- Kurniawati, A. D., Latifasari, N., Budiary, D. F., Arlian, F., & Lu'lu, A. (2024). Peningkatan stabilitas oksidatif pada minyak kedelai dalam mempertahankan kualitas minyak goreng pada penggorengan berulang. *Teknologi Pangan: Media Informasi dan Komunikasi Ilmiah Teknologi Pertanian*, 15(1), 83–94. <https://doi.org/10.35891/tp.v15i1.4728>
- Lestari, N. F. I., Lestari, D. A. H., & Suryani, A. (2020). Kepuasan, loyalitas konsumen dan strategi pengembangan agroindustri kerupuk bawang di kota Bandar Lampung. *JIIA*, 8(3), 446–452.
- Liberty, J. T., Jalal, D., & Michael, O. N. (2019). Effective strategies for reduction of oil content in deep-fat fried foods: A review. *Trends in Food Science & Technology*, 92, 172–183.
- Liu, N., Faiza, M., Li, D., Cui, J., Zhang, K., Yao, X., & Zhao, M. (2022). Comparison of conventional and green extraction methods on oil yield, physicochemical properties, and lipid compositions of pomegranate seed oil. *Journal of Food Composition and Analysis*, 114, 104747. <https://doi.org/10.1016/j.jfca.2022.104747>
- Loganathan, D., Subramaniam, K., Choo, Y., & Teng, K. (2017). Health-promoting effects of red palm oil: Evidence from animal and human studies. *Nutrition Reviews*, 75(2), 98–113.
- Meilgaard, M., Civille, G. V., & Carr, B. T. (2016). *Sensory evaluation techniques* (5th ed.). CRC Press, Taylor & Francis Group.
- Mahmud, N., Islam, J., Oyom, W., Adrah, K., Adegoke, C., & Tahergorabi, R. (2023). A review of different frying media for fat-uptake reduction in deep-fat fried foods. *Heliyon*, 9, e13939.
- Manurung, M., Suaniti, N. M., & Putra, K. G. D. (2018). Perubahan kualitas minyak goreng akibat lamanya pemanasan. *Jurnal Kimia*, 12(1), 59–64.

- Marjan, A. Q., Marliyati, S. A., & Ekayanti, I. (2016). Pengembangan produk pangan dengan substitusi red palm oil sebagai alternatif pangan fungsional tinggi beta karoten. *Jurnal Gizi dan Pangan*, 11(2), 91–98.
- Marliyati, A. S., Hardinsyah, & Rucita, N. (2010). Pemanfaatan RPO (Red Palm Oil) sebagai sumber provitamin A alami pada produk mi instan untuk anak balita. *Jurnal Gizi dan Pangan*, 5(1), 31–38.
- Marliyati, A. S., Harianti, R., & Rimbawan. (2021). Physicochemical and functional characteristics of red palm oil. *JGMI: The Journal of Indonesian Community Nutrition*, 10(1).
- Martianto, D., Andarwulan, N., & Putranda, Y. (2018). Retensi fortifikan vitamin A dan β -karoten dalam minyak goreng sawit selama pemasakan. *Jurnal Teknologi dan Industri Pangan*, 29(2), 127–136.
- Mastuti, T. S., Fardiaz, D., & Faridah, D. N. (2019). Profil senyawa polar tiga jenis minyak goreng selama penggorengan tahu dan tempe. *Jurnal Teknologi dan Industri Pangan*, 30(1), 1–10.
- Mba, O. I., Dumont, M. J., & Ngadi, M. (2015). Palm oil: Processing, characterization, and utilization in the food industry – A review. *Food Bioscience*, 10, 26–41. <https://doi.org/10.1016/j.fbio.2015.01.003>
- Mba, O. I., Dumont, M. J., & Ngadi, M. (2017). Thermostability and degradation kinetics of tocochromanols and carotenoids in palm oil, canola oil, and their blends during deep-fat frying. *LWT - Food Science and Technology*, 82, 131–138. <https://doi.org/10.1016/j.lwt.2017.04.027>
- Multari, S., Marsol-Vall, A., Heponiemi, P., Soumela, J., & Yang, B. (2019). Changes in the volatile profile, fatty acid composition and other markers of lipid oxidation of six different vegetable oils during short-term deep-frying. *Food Research International*, 122, 318–329.

- Nadia, L. S., Lejap, T. Y. T., & Rahmanto. (2023). Pengaruh pengolahan pangan terhadap kadar air bahan pangan. *JITAP*, *1*(1), 5–8.
- Nagendran, B., Unnithan, U. R., Choo, Y. M., & Sundram, K. (2000). Characteristics of red palm oil, a carotene and vitamin E rich refined oil for food uses. *Food and Nutrition*, *21*(2), 189–194.
- Nayak, P. K., Dash, U., Rayaguru, K., & Krishnan, K. R. (2015). Physio-chemical changes during repeated frying of cooked oil: A review. *Journal of Food Biochemistry*, *40*, 371–390. <https://doi.org/10.1111/jfbc.12215>
- Oguntibeju, O. O., Esterhuyse, A. J., & Truter, E. J. (2009). Red palm oil: Nutritional, physiological and therapeutic roles in improving human wellbeing and quality of life. *British Journal of Biomedical Science*, *66*(4), 216–222.
- Patil, R. S., Waghmare, J., & Annapure, U. (2023). Comparative assessment of the frying performance of palm olein and sunflower oil during deep-fat frying of Indian battered food products. *Journal of Agriculture and Food Research*, *14*, 100778.
- Pudjihastuti, I., Sumardiono, S., Nurhayati, O. D., & Yudanto, Y. A. (2019). Pengaruh perbedaan metode penggorengan terhadap kualitas fisik dan organoleptik aneka cemilan sehat. *Prosiding Seminar Nasional Unimus*, *2*, 450–454.
- Purbowo, A. (1995). *Pengaruh penggorengan terhadap mutu minyak sawit merah* Skripsi. Institut Pertanian Bogor.
- Purnama, K. O., Setyaningsih, D., Hambali, E., & Taniwiryono, D. (2020). Processing, characteristics, and potential application of red palm oil – A review. *International Journal of Oil Palm*, *3*(2), 40–55. <https://doi.org/10.35876/ijop.v3i2.47>
- Rahardjo, A. P., Manaf, Y. N., Ambarita, M. D., & Nusantoro, B. P. (2020). *Minyak goreng untuk pengolahan pangan*. Gadjah Mada University Press.

- Raharjo, S. (2018). *Kerusakan oksidatif pada makanan*. Gadjah Mada University Press.
- Razak, R. A. A., Tarmizi, A. H. A., Kuntom, A., Sanny, M., & Ismail, I. S. (2022). Intermittent frying effect on French fries in palm olein, sunflower, soybean, and canola oils on quality indices, 3-monochloropropane-1,2-diol esters (3-MCPDE), glycidyl esters (GE), and acrylamide contents. *Food Control*, *124*, 107887.
- Rianto, D. (1995). *Sifat fisik kimia dan stabilitas panas minyak sawit merah*. Skripsi Institut Pertanian Bogor.
- Rismaya, R., & Kurniawan, A. D. (2023). Pengaruh suhu pemanasan terhadap free fatty acid dan iodine value minyak goreng kemasan dan minyak goreng curah. *Jurnal Sains dan Teknologi Pangan*, *8*(2), 6007–6015.
- Santoso, U. (2016). *Antioksidan pangan*. Gadjah Mada University Press.
- Scrimshaw, N. S. (2000). Nutritional potential of red palm oil for combating vitamin A deficiency. *Food and Nutrition Bulletin*, *21*, 195–201.
- Siahaan, D., Silalahi, S., & Siregar, M. E. (2004). Studi awal kualitas minyak goreng kelapa sawit pada penggorengan berulang produk tertentu. *Jurnal Penelitian Kelapa Sawit*, *12*(4), 115–131.
- Sinaga, A. G. S., Siahaan, D., & Sinaga, K. R. (2018). Potensi minyak sawit merah dan karotenoid sebagai suplemen antioksidan dalam pengujian toleransi glukosa pada tikus putih (Preliminary Study). *Talenta Conference Series: Tropical Medicine*, *1*(1), 251–256.
- Sirait, A. S. (2016). *Sifat fisik, kimia serta aktivitas antioksidan campuran minyak kelapa sawit dan minyak wijen selama penggorengan berulang tahu*. Skripsi, Universitas Gadjah Mada.

- Sivaranjani, S., Jayasree, J. T., Singh, S. M., & Seinivasa, R. (2024). A comprehensive review of the mechanism, changes, and effect of deep fat frying on the characteristics of restructured foods. *Food Chemistry*, *450*, 139393.
- Sharanke, K., & Sivakanthan, S. (2022). Comparative study on stability of coconut oil, sunflower oil and palm oil during continuous deep frying. *Ceylon Journal of Science*, *4*, 359–368.
- Sharav, O., Shim, Y. Y., Okinyo-Owiti, D. P., Sammynaiken, R., & Reaney, M. J. T. (2014). Effect of cyclolinopeptides on the oxidative stability of flaxseed oil. *Journal of Agricultural and Food Chemistry*, *62*, 88–96.
- Sharma, S., Chakkaravarthi, S., & Bhattacharya, B. (2023). Enhancement of oxidative stability oil via nano-emulsification of eggplant peel extract: Process development and application. *Food Chemistry*, *402*, 134249. <https://doi.org/10.1016/j.foodchem.2022.134249>
- Shen, J., Zhang, M., Zhao, L. L., Mujumdar, A. S., & Wang, H. X. (2021). Schemes for enhanced antioxidant stability in frying meat: A review of frying process using single oil and blended oils. *Critical Reviews in Food Science and Nutrition*. <https://doi.org/10.1080/10408398.2021.1903384>
- Souganidis, E., Laillou, A., Leyraz, M., & Moench-Pfanner, R. (2013). A comparison of retinyl palmitate and red palm oil β -carotene as strategies to address vitamin A deficiency. *Nutrients*, *5*, 3257–3271.
- Sumarna, D. (2014). *Studi metode pengolahan minyak sawit merah (Red Palm Oil) dari crude palm oil (CPO)*. Skripsi. Universitas Mulawarman.
- Putra, N. A., & Azara, R. (n.d.). Perbandingan kualitas minyak goreng dengan empat kali penggorengan pada minyak goreng kemasan dan curah. *Journal of Tropical Food and Agroindustrial Technology*. <https://doi.org/10.21070/jtfat.v2i01.1576>

- Tan, B. (1989). Palm carotenoids, tocopherols and tocotrienols. *Journal of the American Oil Chemists' Society*, 66.
- Tan, C. H., Lee, C. J., Tan, S. N., Poon, D. T. S., Chong, C. Y. E., & Pui, L. P. (2021). Red palm oil: A review on processing, health benefits, and its application in food. *Journal of Oleo Science*, 70(9), 1201–1210. <https://doi.org/10.5650/jos.ess21108>
- Tangsuphoom, N., & Coupland, J. N. (2008). Effect of pH and ionic strength on the physicochemical properties of coconut milk emulsions. *Journal of Food Science*, 73.
- Teng, Z., Chen, J., Feng, J., Zhai, J., Liao, E., & Wang, Q. (2025). Explore the oil penetration of breaded fish nuggets during deep-fat frying based on the surfactant effect theory: Effect of frying temperature and oil unsaturation. *Food Chemistry*, 144007. <https://doi.org/10.1016/j.foodchem.2025.144007>
- Teruel, M. D. R., Gordon, M., Linares, M. B., Garrido, M. D., Ahromrit, A., & Niranjana, K. A. (2015). Comparative study of the characteristics of French fries produced by deep fat frying and air frying. *Journal of Food Science*, 80(2), E349–E358. <https://doi.org/10.1111/1750-3841.12753>
- The, S. S., & Lau, H. L. N. (2021). Quality assessment of refined red palm-pressed mesocarp olein. *Food Chemistry*, 340, 127912. <https://doi.org/10.1016/j.foodchem.2020.127912>
- Tzompa-Sosa, D. A., Dewettinck, K., Gellynck, X., & Schouteten, J. (2022). Consumer acceptance towards potato chips fried in yellow mealworm oil. *Food Quality and Preference*, 97, 104487.
- Ujong, A. E., Emelike, N. N. J. T., Owuno, F., & Okiyi, P. N. (2023). Effect of frying cycles on the physical, chemical, and antioxidant properties of selected plant oils during deep-fat frying of potato chips. *Food Chemistry Advances*, 3, 100338. <https://doi.org/10.1016/j.focha.2023.100338>

UU Nomor 5 Tahun 2023 (Permenkop). *Minyak Makan Merah*.

Vu, T. P., He, L., McClements, D. J., & Decker, E. A. (2020). Effects of water activity, sugars, and proteins on lipid oxidative stability of low moisture model crackers. *Food Research International*, 130, 108844. <https://doi.org/10.1016/J.FOODRES.2019.108844>

Wang, S., Dermiki, M., Methven, L., Kennedy, O. B., & Cheng, Q. (2022). Interactions of umami with the four other basic Rasas in equi-intense aqueous solutions. *Food Quality and Preference*, 98, 104503.

Wang, S., Zhao, S., Wang, N., Lu, Q., Zhao, H., Liu, Y., Li, J., & Fan, L. (2024). Intelligence detection of oil absorption in French fries by surface profiles. *Food Research International*, 178, 1139906. <https://doi.org/10.1016/j.foodres.2023.113906>

Wiltshire, F. M. S., de Franca Santos, A., Silva, L. K. B., de Almeida, L. C., dos Santos Freitas, L., Lima, A. S., Fricks, A. T., Dariva, C., & Soares, C. M. F. (2022). Influence of seasonality on the physicochemical properties of *Moringa oleifera* Lam. seed oil and their oleochemical potential. *Food Chemistry: Molecular Science*, 4, 100068. <https://doi.org/10.1016/j.fochms.2021.100068>

Wu, X., Wu, S., Ji, M., & My, J. (2017). Influence of red palm oil on the physicochemical and sensory qualities of flavouring oil gravy for instant noodles. *The Royal Society of Chemistry*, 8, 1148–1158.

Xin, L., Hu, M., Ma, X., Wu, S., Yoong, J. H., Chen, S., Tarmizi, A. H. A., & Zhang, G. (2022). Selection of 12 vegetable oils influences the prevalence of polycyclic aromatic hydrocarbons, fatty acids, tocol homologs, and total polar components during deep frying. *Journal of Food Composition and Analysis*, 114, 104840.

Xu, X. Q., Tranch, P. M., White, K., & Salisbury, P. (1999). Chemical and physical analysis and sensory evaluation of six deep frying oil. *Journal of the American Oil Chemists' Society*, 76, 1091–1099.

- Yanuakhiriyah, P. B., Marsono, Y., & Wuryastuti, H. (1999). Pengaruh diet minyak teroksidasi termal terhadap malondialdehid (MDA) dan vitamin E serum pada tikus Sprague Dawley. *Agritech*, 19(3), 120–123.
- Yap, S. C., Choo, Y. M., Ooi, C. K., Ong, A. S. H., & Goh, S. H. (1999). Quantitative analysis of carotenes in the oil from different palm species. *Elaeis*, 3.
- Young, A. J., & Lowe, G. M. (2001). Antioxidant and prooxidant properties of carotenoids. *Archives of Biochemistry and Biophysics*, 385(1), 20–27. <https://doi.org/10.1006/abbi.2000.2149>
- Zhou, X., Shuang, Z., Tang, Z., Tu, J., & Thippareddi, P. (2022). Microwave frying and post-frying of French fries. *Food Research International*, 159, 111663.
- Zhu, Y., Li, X., Huang, J., Zhao, C., Qi, J., Jin, Q., & Wang, X. (2018). Correlations between polycyclic aromatic hydrocarbons and polar components in edible oil during deep frying of peanuts. *Food Control*, 87, 109–116