

DAFTAR PUSTAKA

- Accoroni, C., Godoy, E., Reinheimer, M.A., 2020. Performance evaluation of protein recovery from Argentinian soybean extruded-expelled meals under different operating conditions. *J. Food Eng.* 274, 109849. <https://doi.org/10.1016/j.jfoodeng.2019.109849>
- Afifah, D.N., Rahma, A., Nuryandari, S.S., Alvice, L., Hartono, P.I., Kurniawati, D.M., Wijayanti, H.S., Fitranti, D.Y., Purwanti, R., 2020. Nutrition content, protein quality, and antioxidant activity of various tempeh gembus preparations.
- Afifah, D.N., Sulchan, M., Syah, D., Suhartono, M.T., Kim, J.H., 2014. Purification and characterization of a fibrinolytic enzyme from *Bacillus pumilus* 2. g isolated from Gembus, an Indonesian fermented food. *Prev. Nutr. Food Sci.* 19, 213.
- Agustina, R.K., Dieny, F.F., Rustanti, N., Anjani, G., Afifah, D.N., 2020. Antioxidant activity and soluble protein content of tempeh gembus hydrolysate.
- Akhtar, G., Masoodi, F.A., 2022. Structuring functional mayonnaise incorporated with Himalayan walnut oil Pickering emulsions by ultrasound assisted emulsification. *Ultrason. Sonochem.* 86, 106022. <https://doi.org/10.1016/j.ultsonch.2022.106022>
- Aliabbasi, N., Diosady, L.L., Emam-Djomeh, Z., 2024. Purification and Characterization of Pinto Bean Protein Using Membrane Technology. *Food Sci. Nutr.* 12, 10592–10604. <https://doi.org/10.1002/fsn3.4511>
- Amin, M.N.G., Kusnadi, J., Hsu, J.-L., Doerksen, R.J., Huang, T.-C., 2020. Identification of a novel umami peptide in tempeh (Indonesian fermented

soybean) and its binding mechanism to the umami receptor T1R. *Food Chem.* 333. <https://doi.org/10.1016/j.foodchem.2020.127411>

AOAC, 2005. *Official Methods of Analysis of AOAC INTERNATIONAL 18th Edition*. Maryland.

AOAC, 2006. *Official Methods of Analysis of AOAC International. 18th Edition*, AOAC International, Gaithersburgs, Maryland, USA.

Astawan, M., Wresdiyati, T., Yoshari, R.M., 2020. Functional properties of tempe protein isolates derived from germinated and non-germinated soybeans, in: *IOP Conference Series: Earth and Environmental Science*. IOP Publishing, p. 012001.

Cai, Z., Wei, Y., Shi, A., Zhong, J., Rao, P., Wang, Q., Zhang, H., 2023. Correlation between interfacial layer properties and physical stability of food emulsions: current trends, challenges, strategies, and further perspectives. *Adv. Colloid Interface Sci.* 313. <https://doi.org/10.1016/j.cis.2023.102863>

Cao, Y., Chen, Y., Hua, Y., 2014. Composition changes of soybean seed oil body by high-alkaline extraction. *J. Chin. Cereals Oils Assoc.* 29, 37–41.

Chen, N., Wang, Z., Zhu, J., Ning, Y., Jiang, L., Yan, S., Qi, B., 2025. Effect of extraction pH on the emulsion stability and surface protein structure of soybean oil body. *Food Chem.* 473. <https://doi.org/10.1016/j.foodchem.2025.143029>

Chen, W., Liang, G., Li, X., He, Z., Zeng, M., Gao, D., Qin, F., Goff, H.D., Chen, J., 2019. Impact of soy proteins, hydrolysates and monoglycerides at the oil/water interface in emulsions on interfacial properties and emulsion

stability. *Colloids Surf. B Biointerfaces* 177, 550–558.
<https://doi.org/10.1016/j.colsurfb.2019.02.020>

Chin, Y.L., Chai, K.F., Chen, W.N., 2022. Upcycling of brewers' spent grains via solid-state fermentation for the production of protein hydrolysates with antioxidant and techno-functional properties. *Food Chem. X* 13, 100184.

Chivero, P., Gohtani, S., Yoshii, H., Nakamura, A., 2016. Assessment of soy soluble polysaccharide, gum arabic and OSA-Starch as emulsifiers for mayonnaise-like emulsions. *LWT - Food Sci. Technol.* 69, 59–66.
<https://doi.org/10.1016/j.lwt.2015.12.064>

Damanik, R.N.S., Pratiwi, D.Y.W., Widyastuti, N., Rustanti, N., Anjani, G., Afifah, D.N., 2018. Nutritional composition changes during tempeh gembus processing, in: *IOP Conference Series: Earth and Environmental Science*. IOP Publishing, p. 012026.

Dewi, P.K., Afifah, D.N., Rustanti, N., Sulchan, M., Anjani, G., 2018. The effect of tempeh gembus variations to serum levels of high sensitivity c-reactive protein (Hscrp) and serum levels of fibrinogen of sprague dawley rats with aterogenic diet. *Romanian J. Diabetes Nutr. Metab. Dis.* 25, 91–97.
<https://doi.org/10.2478/rjdnmd-2018-0010>

Ding, D., 2021. Effects of Emulsifier on Emulsification, Physical and Chemical Properties of Soybean Protein. *IOP Conf. Ser. Earth Environ. Sci.* 792, 012017. <https://doi.org/10.1088/1755-1315/792/1/012017>

Emery, P.W., 2012. Amino Acids: Chemistry and Classification, in: *Encyclopedia of Human Nutrition*. pp. 64–71. <https://doi.org/10.1016/B978-0-12-375083-9.00009-X>

- Eze, O.F., Chatzifragkou, A., Charalampopoulos, D., 2022. Properties of protein isolates extracted by ultrasonication from soybean residue (okara). *Food Chem.* 368. <https://doi.org/10.1016/j.foodchem.2021.130837>
- Fathollahy, I., Farmani, J., Kasaai, M.R., Hamishehkar, H., 2021. Characteristics and functional properties of Persian lime (*Citrus latifolia*) seed protein isolate and enzymatic hydrolysates. *LWT* 140, 110765. <https://doi.org/10.1016/j.lwt.2020.110765>
- García-Moreno, P.J., Gregersen, S., Nedamani, E.R., Olsen, T.H., Marcatili, P., Overgaard, M.T., Andersen, M.L., Hansen, E.B., Jacobsen, C., 2020a. Identification of emulsifier potato peptides by bioinformatics: application to omega-3 delivery emulsions and release from potato industry side streams. *Sci. Rep.* 10, 690. <https://doi.org/10.1038/s41598-019-57229-6>
- García-Moreno, P.J., Jacobsen, C., Marcatili, P., Gregersen, S., Overgaard, M.T., Andersen, M.L., Sørensen, A.-D.M., Hansen, E.B., 2020b. Emulsifying peptides from potato protein predicted by bioinformatics: Stabilization of fish oil-in-water emulsions. *Food Hydrocoll.* 101, 105529. <https://doi.org/10.1016/j.foodhyd.2019.105529>
- Gerliani, N., Hammami, R., Aider, M., 2019. Assessment of the extractability of protein-carbohydrate concentrate from soybean meal under acidic and alkaline conditions. *Food Biosci.* 28, 116–124. <https://doi.org/10.1016/j.fbio.2019.01.004>
- Gkinali, A.-A., Matsakidou, A., Moschakis, T., Paraskevopoulou, A., 2024. Egg-free mayonnaise-type emulsions stabilized with proteins derived from the larvae of *Tenebrio molitor*. *Food Hydrocoll.* 156, 110249. <https://doi.org/10.1016/j.foodhyd.2024.110249>

- Hadinoto, K., Ling, J.K.-U., Pu, S., Tran, T.-T., 2024. Effects of Alkaline Extraction pH on Amino Acid Compositions, Protein Secondary Structures, Thermal Stability, and Functionalities of Brewer's Spent Grain Proteins. *Int. J. Mol. Sci.* 25, 6369. <https://doi.org/10.3390/ijms25126369>
- Heggset, E.B., Aaen, R., Veslum, T., Henriksson, M., Simon, S., Syverud, K., 2020. Cellulose nanofibrils as rheology modifier in mayonnaise – A pilot scale demonstration. *Food Hydrocoll.* 108, 106084. <https://doi.org/10.1016/j.foodhyd.2020.106084>
- Heikal, Y.A.R., Hassan, A.A., Abou-Arab, A.A., Abu-Salem, F.M., Azab, D.E.-S.H., 2023. Nano formulated soy proteins as a fat replacer in low fat mayonnaise formula. *J. Saudi Soc. Agric. Sci.* 22, 469–479. <https://doi.org/10.1016/j.jssas.2023.04.006>
- Huang, Z.-X., Lin, W.-F., Zhang, Y., Tang, C.-H., 2022. Freeze-thaw-stable high internal phase emulsions stabilized by soy protein isolate and chitosan complexes at pH 3.0 as promising mayonnaise replacers. *Food Res. Int.* 156. <https://doi.org/10.1016/j.foodres.2022.111309>
- Huang, Zhi-Xuan, Lin, W.-F., Zhang, Y., Tang, C.-H., 2022. Outstanding Freeze-Thaw Stability of Mayonnaise Stabilized Solely by a Heated Soy Protein Isolate. *Food Biophys.* 17, 335–343. <https://doi.org/10.1007/s11483-022-09722-1>
- Islam, M., Huang, Y., Islam, S., Fan, B., Tong, L., Wang, F., 2022. Influence of the degree of hydrolysis on functional properties and antioxidant activity of enzymatic soybean protein hydrolysates. <https://doi.org/10.3390/molecules27186110>

- Isnaini, L., Estiasih, T., Suseno, S.H., Lestari, L.A., 2021. The role vegetable proteins to stabilize emulsion: a mini review. *IOP Conf. Ser. Earth Environ. Sci.* 924, 012036. <https://doi.org/10.1088/1755-1315/924/1/012036>
- Iwaniak, A., Minkiewicz, P., Darewicz, M., Hrynkiewicz, M., 2016. Food protein-originating peptides as tastants - Physiological, technological, sensory, and bioinformatic approaches. *Food Res. Int.* 89, 27–38. <https://doi.org/10.1016/j.foodres.2016.08.010>
- Jeong, M.-S., Cho, S.-J., 2024. Effect of pH-shifting on the water holding capacity and gelation properties of mung bean protein isolate. *Food Res. Int.* 177, 113912. <https://doi.org/10.1016/j.foodres.2023.113912>
- Jing, X., Cai, Y., Liu, T., Chen, B., Zhao, Q., Deng, X., Zhao, M., 2023. Formation, texture, and stability of yolk-free mayonnaise: Effect of soy peptide aggregates concentration. *Food Chem.* 403, 134337. <https://doi.org/10.1016/j.foodchem.2022.134337>
- Kulkarni, G., Kalyanaraman, A., Cannon, W.R., Baxter, D., 2009. A scalable parallel approach for peptide identification from large-scale mass spectrometry data. Presented at the Proceedings of the International Conference on Parallel Processing Workshops, pp. 423–430. <https://doi.org/10.1109/ICPPW.2009.41>
- Kusumah, S.H., Andoyo, R., Rialita, T., 2020. Protein isolation techniques of beans using different methods: A review, in: *IOP Conference Series: Earth and Environmental Science*. IOP Publishing, p. 012053.
- Lee, D.P.S., Gan, A.X., Kim, J.E., 2020. Incorporation of biovalorised okara in biscuits: Improvements of nutritional, antioxidant, physical, and sensory properties. *LWT* 134, 109902. <https://doi.org/10.1016/j.lwt.2020.109902>

- Lee, K.-Y., Han, C.-Y., Rahman, W.U., Harinarayanan, N.C., Park, C.-E., Choi, S.-G., 2024. Quality Characteristics of Vegan Mayonnaise Produced Using Supercritical Carbon Dioxide-Processed Defatted Soybean Flour. *Foods* 13. <https://doi.org/10.3390/foods13081170>
- Liang, Y., Guo, Y., Zheng, Y., Liu, S., Cheng, T., Zhou, L., Guo, Z., 2022. Effects of high-pressure homogenization on physicochemical and functional properties of enzymatic hydrolyzed soybean protein concentrate. *Front. Nutr.* 9. <https://doi.org/10.3389/fnut.2022.1054326>
- Liu, X., Guo, J., Wan, Z.-L., Liu, Y.-Y., Ruan, Q.-J., Yang, X.-Q., 2018. Wheat gluten-stabilized high internal phase emulsions as mayonnaise replacers. *Food Hydrocoll.* 77, 168–175. <https://doi.org/10.1016/j.foodhyd.2017.09.032>
- Lui, D.Y.M., Litster, J.D., White, E.T., 2007. Precipitation of soy proteins: Particle formation and protein separation. *AIChE J.* 53, 514–522. <https://doi.org/10.1002/aic.11070>
- Ma, B., 2017. Chapter 2: De novo Peptide Sequencing, in: *New Developments in Mass Spectrometry*. pp. 17–38. <https://doi.org/10.1039/9781782626732-00015>
- Maloy, S., 2013. Amino Acids, in: *Brenner's Encyclopedia of Genetics: Second Edition*. pp. 108–110. <https://doi.org/10.1016/B978-0-12-374984-0.00051-6>
- Marmon, S.K., Krona, A., Langton, M., Undeland, I., 2012. Changes in salt solubility and microstructure of proteins from herring (*clupea harengus*) after pH-shift processing. *J. Agric. Food Chem.* 60, 7965–7972. <https://doi.org/10.1021/jf301352s>
- Metri-Ojeda, J., Ramirez-Rodrigues, M., Rosas-Ordoñez, L., Baigts-Allende, D., 2022. Development and Characterization of a Low-Fat Mayonnaise Salad Dressing

Based on *Arthrospira platensis* Protein Concentrate and Sodium Alginate. *Appl. Sci.* 12, 7456. <https://doi.org/10.3390/app12157456>

Mirzaee, H., Ahmadi Gavlighi, H., Nikoo, M., Udenigwe, C.C., Khodayan, F., 2023. Relation of amino acid composition, hydrophobicity, and molecular weight with antidiabetic, antihypertensive, and antioxidant properties of mixtures of corn gluten and soy protein hydrolysates. *Food Sci. Nutr.* 11, 1257–1271. <https://doi.org/10.1002/fsn3.3160>

Mohammadi, S., Alimi, M., Shahidi, S., Shokoohi, S., 2024. Investigating the physicochemical, rheological, and sensory properties of low-fat mayonnaise prepared with amaranth protein as an egg yolk replacer. *Food Sci. Nutr.* 12, 5147–5161. <https://doi.org/10.1002/fsn3.4163>

Momen, S., Alavi, F., Aider, M., 2021. Alkali-mediated treatments for extraction and functional modification of proteins: Critical and application review. *Trends Food Sci. Technol.* 110, 778–797. <https://doi.org/10.1016/j.tifs.2021.02.052>

Ning, K., Chong, K.F., Leong, H.W., 2006. A database search algorithm for identification of peptides with multiple charges using tandem mass spectrometry. Presented at the Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), pp. 2–13. https://doi.org/10.1007/11691730_2

Noviana, A., Dieny, F.F., Rustanti, N., Anjani, G., Afifah, D.N., 2018. Antimicrobial activity of tempeh gembus hydrolyzate, in: *IOP Conference Series: Earth and Environmental Science*. IOP Publishing, p. 012044. <https://doi.org/10.1088/1755-1315/116/1/012044>

Nur Afifah, D., Rahma, A., Sarining Nuryandari, S., Alviche, L., Indriyanti Hartono, P., Marfuah Kurniawati, D., Sandi Wijayanti, H., Yudi Fitranti, D., Purwanti,

- R., 2019. Nutrition Content, Protein Quality, and Antioxidant Activity of Various *Tempeh Gembus* Preparations. *J. Food Nutr. Res.* 7, 605–612. <https://doi.org/10.12691/jfnr-7-8-8>
- Pei, Y., Zhang, Y., Ding, H., Li, B., Yang, J., 2023. Stability and Rheological Behavior of Mayonnaise-like Emulsion Co-Emulsified by Konjac Glucomannan and Whey Protein. *Foods* 12. <https://doi.org/10.3390/foods12152907>
- Pratiwi, Y.F., Sulchan, M., Afifah, D.N., Rauf, R., 2021. Amino Acids in Enteral Formula Based on Local Fermented food for Children with Protein Energy Malnutrition. *Potravinarstvo Slovak J. Food Sci.* 15, 254–261. <https://doi.org/10.5219/1480>
- Prayudani, A.P.G., Winarsih, W., Subarna, Syamsir, E., Astawan, M., 2023. Application of ultrasound in germinated soybean tempe protein concentrate production with various types of solvents. *Food Res.* 7, 249–256. [https://doi.org/10.26656/fr.2017.7\(S1\).2](https://doi.org/10.26656/fr.2017.7(S1).2)
- Rahmati, K., Mazaheri Tehrani, M., Daneshvar, K., 2014. Soy milk as an emulsifier in mayonnaise: physico-chemical, stability and sensory evaluation. *J. Food Sci. Technol.* 51, 3341–3347. <https://doi.org/10.1007/s13197-012-0806-9>
- Satriawan, T.U., Evanuarini, H., Thohari, I., 2022. Development of Low Fat Mayonnaise Using Whey Protein as a Natural Emulsifier. *J. Ilmu Dan Teknol. Has. Ternak* 17, 34–40. <https://doi.org/10.21776/ub.jitek.2022.017.01.5>
- Scott, G.G., Börner, T., Leser, M.E., Wooster, T.J., Tuttle, T., 2022. Directed Discovery of Tetrapeptide Emulsifiers. *Front. Chem.* 10, 822868. <https://doi.org/10.3389/fchem.2022.822868>

- Sitanggang, A.B., Lesmana, M., Budijanto, S., 2020. Membrane-based preparative methods and bioactivities mapping of tempe-based peptides. *Food Chem.* 329, 127193. <https://doi.org/10.1016/j.foodchem.2020.127193>
- Sun, H., Yu, H., Fan, H., Fu, H., Shan, D., Lyu, B., Song, B., Liu, S., 2020. Effects of the subunit-deficiency of α and α' on emulsifying properties of soy protein isolate. *Nongye Gongcheng Xuebao Transactions Chin. Soc. Agric. Eng.* 36, 261–268. <https://doi.org/10.11975/j.issn.1002-6819.2020.10.032>
- Sun, P., Zhang, Q., Zhao, Y., Zhao, D., Zhao, X., Jiang, L., Zhang, Y., Wu, F., Sui, X., 2023. Improving gel properties of soy protein isolate through alkaline pH-shifting, mild heat treatment, and TGase cross-linking. *Food Hydrocoll.* 144, 108924. <https://doi.org/10.1016/j.foodhyd.2023.108924>
- Sun, X., Cui, Q., Li, R., Hao, L., Liu, H., Wang, X., Xu, N., Zhao, X., 2022. Structural and emulsifying properties of soybean protein isolate glycosylated with glucose based on pH treatment. *J. Sci. Food Agric.* 102, 4462–4472. <https://doi.org/10.1002/jsfa.11800>
- Sun, X., Li, S., Okagu, O.D., Wang, H., Zhang, S., Liu, X., Udenigwe, C.C., 2023. Identification of peptides from defatted wheat germ proteins with dual functionality: Emulsifying activity and anti-adhesive activity against *Helicobacter pylori*. *Innov. Food Sci. Emerg. Technol.* 86, 103367. <https://doi.org/10.1016/j.ifset.2023.103367>
- Sun, X., Zhang, S., Udenigwe, C.C., Ren, J., Li, S., Wang, H., Liu, X., 2020. Wheat Germ-Derived Peptides Exert Antiadhesive Activity against *Helicobacter pylori*: Insights into Structural Characteristics of Identified Peptides. *J. Agric. Food Chem.* 68, 11954–11974. <https://doi.org/10.1021/acs.jafc.0c04367>

- Taghavi, E., Andriani, C., Nordin, N., Awang Seruji, A.Z.R., Wan Rasdi, N., Abdul Hadi, N., 2024. Rheological and stability of mayonnaise-based Pickering emulsions stabilised by modified rice starch granules as a plant-based emulsifier. *Int. J. Food Sci. Technol.* 59, 5651–5663. <https://doi.org/10.1111/ijfs.17292>
- Tang, L., Hu, M., Bai, S., Wang, B., Fan, B., Zhang, L., Wang, F., 2024. Extraction of insoluble soybean fiber by alternating ultrasonic/alkali and its improved superior physicochemical and functional properties. *Int. J. Biol. Macromol.* 263, 130505. <https://doi.org/10.1016/j.ijbiomac.2024.130505>
- Unnikrishnan, P., Puthenveetil Kizhakkethil, B., Anant Jadhav, M., Sivam, V., Ashraf, P.M., Ninan, G., Aliyamveetil Abubacker, Z., 2020. Protein hydrolysate from yellowfin tuna red meat as fortifying and stabilizing agent in mayonnaise. *J. Food Sci. Technol.* 57, 413–425. <https://doi.org/10.1007/s13197-019-04069-x>
- Wei, Z., Zhu, D., 2012. De novo peptide sequencing based on vertex contraction algorithm. Presented at the Proceedings of the 2012 5th International Joint Conference on Computational Sciences and Optimization, CSO 2012, pp. 48–52. <https://doi.org/10.1109/CSO.2012.19>
- Wu, J.Y., Wee, S., Ler, S.G., Henry, C.J., Gunaratne, J., 2025. Unraveling the impact of tempeh fermentation on protein nutrients: An in vitro proteomics and peptidomics approach. *Food Chem.* 474, 143154. <https://doi.org/10.1016/j.foodchem.2025.143154>
- Yang, C., Liu, J., Hu, Y., Dai, Z., Liang, Z., Shan, Y., Zhang, L., Zhang, Y., 2020. Combination of continuous digestion by peptidase and spectral similarity comparisons for peptide sequencing. *J. Sep. Sci.* 43, 3665–3673. <https://doi.org/10.1002/jssc.202000459>

- Yang, J., Zamani, S., Liang, L., Chen, L., 2021. Extraction methods significantly impact pea protein composition, structure and gelling properties. *Food Hydrocoll.* 117, 106678. <https://doi.org/10.1016/j.foodhyd.2021.106678>
- Yildirim, M., Sumnu, G., Sahin, S., 2016. Rheology, particle-size distribution, and stability of low-fat mayonnaise produced via double emulsions. *Food Sci. Biotechnol.* 25, 1613–1618. <https://doi.org/10.1007/s10068-016-0248-7>
- Yu, C., Wu, F., Cha, Y., Zou, H., Bao, J., Xu, R., Du, M., 2018. Effects of high-pressure homogenization on functional properties and structure of mussel (*Mytilus edulis*) myofibrillar proteins. *Int. J. Biol. Macromol.* 118, 741–746. <https://doi.org/10.1016/j.ijbiomac.2018.06.134>
- Zhao, X., Zhang, X., Liu, H., Zhang, G., Ao, Q., 2018. Functional, nutritional and flavor characteristic of soybean proteins obtained through reverse micelles. *Food Hydrocoll.* 74, 358–366. <https://doi.org/10.1016/j.foodhyd.2017.08.024>
- Zhao, X., Zhu, H., Zhang, B., Chen, J., Ao, Q., Wang, X., 2015. XRD, SEM, and XPS Analysis of Soybean Protein Powders Obtained Through Extraction Involving Reverse Micelles. *JAACS J. Am. Oil Chem. Soc.* 92, 975–983. <https://doi.org/10.1007/s11746-015-2657-9>