

DAFTAR PUSTAKA

- Ahsol, H., L. Lukman, dan W. Setiawati. 2020. Teknologi Pengendalian Hama Lalat Buah. IAARD Press, Badan Penelitian dan Pengembangan Pertanian, Jakarta.
- Allwood, A.J., A. Chinajariyawong, S. Kritsaneepaiboon, R.A.I. Drew, E.L. Hamacek, D.L. Hancock, C. Hengswad, J.C. Jipanin, M. Jirasurat, C.K. Krong, C.T.S. Leong, and S. Vijaysegaran. 1999. Catatan tanaman inang lalat buah (Diptera: Tephritidae) di Asia Tenggara. Buletin Zoologi Raffles 47: 1–92.
- Aluja, M., F. Diaz-Fleischer, D.R. Papaj, G. Lagunes, and J. Sivinski. 2001. Effect of age, diet, female density and host resources on egg load in *Anastrepha ludens* and *A. obliqua* (Diptera: Tephritidae). Journal of Insect Physiology 47: 975–988.
- Antwis, R.E., R.L. Haworth, D.J. Engelmoer, V. Ogilvy, A.L. Fidgett, and R.F. Preziosi. 2014. Ex situ diet influences the bacterial community associated with the skin of red-eyed tree frogs (*Agalychnis callidryas*). PLOS ONE 9: e85563.
- Arnalds, O., B. Marteinsdóttir, S.H. Brink, and J. Þorsson. 2023. A framework model for current land condition in Iceland. PloS one, 18(7): e0287764.
- Aryuwandari, V. E., Y. A. Trisyono, S. Suputa, S. De Faveri, and S. Vijaysegaran. 2020. Survey of fruit flies (Diptera: Tephritidae) from 23 species of fruits collected in Sleman, Yogyakarta. Jurnal Perlindungan Tanaman Indonesia 24(2): 122-132.
- Ayyasamy, A., V. Kempraj, and K.J.P. Damodaram. 2021. Endosymbiotic bacteria aid to overcome temperature-induced stress in the oriental fruit fly, *Bactrocera dorsalis*. Microbial Ecology 82: 783–792.
- Barik, T.K., B. Sahu, and V. Swain. 2009. A review on *Anopheles culicifacies*: from bionomics to control with special reference to Indian subcontinent. Acta Tropica 109: 87–97.
- Baumann, P. 2005. Biology of bacteriocyte-associated endosymbionts of plant sap-sucking insects. Annual Review of Microbiology 59: 155–189.
- Behar, A., B. Yuval, and E. Jurkevitch. 2005. Enterobacteria-mediated nitrogen fixation in natural populations of the fruit fly *Ceratitis capitata*. Molecular Ecology 14: 2637–2643.
- Behar, A., B. Yuval, and E. Jurkevitch. 2008. Gut bacterial communities in the Mediterranean fruit fly (*Ceratitis capitata*) and their impact on host longevity. Journal of Insect Physiology 54(9): 1377–1383.
- Ben-Ami, E., B. Yuval, and E. Jurkevitch. 2010. Manipulation of the microbiota of mass-reared Mediterranean fruit flies *Ceratitis capitata* (Diptera: Tephritidae) improves sterile male sexual performance. The ISME Journal 4(1): 28–37.
- Ben-Yosef, M., Z. Pasternak, E. Jurkevitch, and B. Yuval. 2014. Symbiotic bacteria enable olive flies (*Bactrocera oleae*) to exploit intractable sources of nitrogen. Journal of Evolutionary Biology 27: 2695–2705.
- Blin, C., V. Passet, M. Touchon, E.P.C. Rocha, and S. Bricse. 2017. Metabolic diversity of the emerging pathogenic lineages of *Klebsiella pneumoniae*. Environmental Microbiology 19(5): 1881–1898.
- CABI. 2019. *Bactrocera dorsalis* (Oriental fruit fly) [Original text by Luc Leblanc]. In Invasive Species Compendium. CAB International, Wallingford, UK. <http://www.cabi.org/isc>, diakses 19 Oktober 2024.

- CABI. 2020. *Bactrocera carambolae* (Carambola fruit fly). In Invasive Species Compendium. CAB International, Wallingford, UK. <http://www.cabi.org/isc>, diakses pada 19 Oktober 2024.
- Capinera, J.L. 2008. Encyclopedia of Entomology. Springer, Dordrecht.
- Castilho, A.P., J. Pasinato, J.E.V.D. Santos, A. Costa, D.E. Nava, C.R.D. Jesus, and R. Adaime. 2020. Biology of *Bactrocera carambolae* (Diptera: Tephritidae) on four hosts. *Revista Brasileira de Entomologia* 63: 302–307.
- Chandler, J.A., J.M. Lang, S. Bhatnagar, J.A. Eisen, and A. Kopp. 2011. Bacterial communities of diverse *Drosophila* species: ecological context of a host–microbe model system. *PLOS Genetics* 7(9): e1002272.
- Chen, H.C., M.J. Sheu, L.Y. Lin, and C.M. Wu. 2007. Nutritional composition and volatile compounds in guava. *Fresh Procedure* 1(2): 132–139.
- Cheng, Z., Q. Liu, and X. Huang. 2024. Partial correspondence between host plant-related differentiation and symbiotic bacterial community in a polyphagous insect. *Animals* 14(283): 1–14.
- Cladis, D.P., A.M.R. Simpson, K.J. Cooper, C.H. Nakatsu, M.G. Ferruzzi, C.M. Weaver. 2021. Blueberry polyphenols alter gut microbiota phenolic metabolism in rats. *Food Funct* 12: 2442–2456.
- Clarke, A.R., A. Allwood, A. Chinajariyawong, R.A.I. Drew, C. Hengsawad, M. Jirasurat, C.K. Krong, S. Kritsaneepaiboon, and S. Vijaysegaran. 2001. Seasonal abundance and host use patterns of seven *Bactrocera macquart* species (Diptera: Tephritidae) in Thailand and Peninsular Malaysia. *Raffles Bulletin of Zoology* 49: 207–220.
- Colman, D.R., E.C. Toolson, and C.D. Takacs-Vesbach. 2012. Do diet and taxonomy influence insect gut bacterial communities? *Molecular Ecology* 21(20): 5124–5137.
- Craig, T.P., J.D. Horner, and J.K. Itami. 2001. Genetics, experience, and host-plant preference in *Eurosta solidaginis*: implications for host shifts and speciation. *Evolution* 55(4): 773–782.
- Dhara, J., Saha, S. K., Saha, P. S., and Chakraborty, R. 2024. Star Fruit (*Averrhoa carambola*): Exploring its nutritional value, health benefits, and consideration for potential risk and future application in biotechnology and medicine. *Current Pharmacology Reports* 11(1): 7.
- Dongmo, M.A.K., K.K.M. Fiaboe, S. Kekeunou, S.N. Nanga, A.F. Kuate, H.E.Z. Tonnang, D. Gnanvossou, and R. Hanna. 2021. Temperature-based phenology model to predict the development, survival, and reproduction of the oriental fruit fly *Bactrocera dorsalis*. *Journal of Thermal Biology* 97.
- Douglas, A. E. 2007. Symbiotic microorganisms: Untapped resources for insect pest control. *Trends in Biotechnology* 25(8): 338–342.
- Douglas, A.E. 1998. Nutritional interactions in insect-microbial symbioses: Aphids and their symbiotic bacteria *Buchnera*. *Annual Review of Entomology* 43: 17–37.
- Drew, R.A.I. and A.C. Lloyd. 1987. Relationship of fruit flies (Diptera: Tephritidae) and their bacteria to host plants. *Annals of the Entomological Society of America* 80: 629–636.
- Drew, R.A.I., S. Raghu, and P. Halcoop. 2008. Bridging the morphological and biological species concepts: studies on the *Bactrocera dorsalis* (Hendel) complex (Diptera: Tephritidae: Dacinae) in South-east Asia. *Biological Journal of the Linnean Society* 93: 217–226.
- Egert, M., S. Marhan, B. Wagner, S. Scheu, and M.W. Friedrich. 2004. Molecular profiling of 16S rRNA genes reveals diet-related differences of microbial communities in soil, gut, and casts of *Lumbricus terrestris* L. (Oligochaeta: Lumbricidae). *FEMS Microbiology Ecology* 48: 187–197.

- Fontellas, B. T. M. L., & Zucoloto, F. S. 2004. Selection of oviposition sites by wild *Anastrepha obliqua* (Macquart) (Diptera: Tephritidae) based on nutritional composition. *Neotropical Entomology* 33: 557–562.
- Garros, C., W. Van Bortel, H.D. Trung, M. Coosemans, and S. Manguin. 2006. Review of the minimus complex of Anopheles, main malaria vector in Southeast Asia: from taxonomic issues to vector control strategies. *Tropical Medicine and International Health* 11: 102–114.
- Gavriel, S., E. Jurkevitch, Y. Gazit, and B. Yuval. 2011. Bacterially enriched diet improves sexual performance of sterile male Mediterranean fruit flies. *Journal of Applied Entomology* 135(7): 564–573.
- Geiger, A., M.L. Fardeau, P. Grebaut, G. Vatunga, T. Josénando, S. Herder, G. Cuny, P. Truc, and B. Ollivier. 2009. First isolation of *Enterobacter*, *Enterococcus*, and *Acinetobacter* spp. as inhabitants of the tsetse fly (*Glossina palpalis palpalis*) midgut. *Infection, Genetics and Evolution* 9(6): 1364–1370.
- Grimont, P.A.D. and F. Grimont. 1978. The genus *Serratia*. *Annual Review of Microbiology* 32: 221–248.
- Gripenberg, S., P.J. Mayhew, M. Parnell, and T. Roslin. 2010. A meta-analysis of preference-performance relationships in phytophagous insects. *Ecology Letters* 13: 383–393.
- Gujjar, N.R., S. Govindan, A. Verghese, S. Subramaniam, and R. More. 2017. Diversity of the cultivable gut bacterial communities associated with the fruit flies *Bactrocera dorsalis* and *Bactrocera cucurbitae* (Diptera: Tephritidae). *Phytoparasitica* 45: 453–460.
- Hitesh, K. and A. Tejpal. 2016. Starfruit: A fruit for healthy life. *Journal of Pharmacognosy and Phytochemistry* 5(3): 132–137.
- Hosokawa, T., Y. Kikuchi, M. Shimada, and T. Fukatsu. 2007. Obligate symbiont involved in pest status of host insect. *Proceedings of the Royal Society B: Biological Sciences* 274 (1621): 1979–1984.
- Huang, K., J. Wang, J. Huang, S. Zhang, A.P. Vogler, Q. Liu, Y. Li, M. Yang, Y. Li, and X. Zhou. 2021. Host phylogeny and diet shape gut microbial communities within bamboo-feeding insects. *Frontiers in Microbiology* 12: 633075.
- Jiang, J., C. Alvarez, P. Kukutla, W. Yu, and J. Xu. 2012. Draft genome sequences of *Enterobacter* sp. isolate Ag1 from the midgut of the malaria mosquito *Anopheles gambiae*. *Journal of Bacteriology* 194(19): 5481.
- Kempaj, V., J. Auth, D.H. Cha, & C.J. Mason. 2024. Impact of larval food source on the stability of the *Bactrocera dorsalis* microbiome. *Microbial Ecology* 87(1): 46.
- Koswanudin, D., A. Basukriadi, I.M. Samudra, and R. Ubaidillah. 2018. Host preference fruit flies *Bactrocera carambolae* (Drew & Hancock) and *Bactrocera dorsalis* (Drew and Hancock) (Diptera: Tephritidae). *Jurnal Entomologi Indonesia* 15(1): 40–40.
- Koswanudin, D., H. Widyanto, D. Hutapea, R. Yuniawati, V.N.O. Subagyo, S. Utami, and W. Darwiati. 2025. Ecological population dynamics, host preferences, and associated parasitoids of *Bactrocera carambolae* and *Bactrocera papayae* on fruits. *Global Journal of Environmental Science and Management* 11(2): 631–652.
- Krainacker, D.A., J.R. Carey, and R.I. Vargas. 1987. Effect of larval host on life history traits of the Mediterranean fruit fly, *Ceratitidis capitata*. *Oecologia* 73: 583–590.

- Krams, I.A., S. Kecko, P. Joers, G. Trakimas, and D. Elferts. 2017. Microbiome symbionts and diet diversity incur costs on the immune system of insect larvae. *Journal of Experimental Biology* 220: 4204–4212.
- Lauzon, C.R., T.G. Bussert, R.E. Sjogren, and R.J. Prokopy. 2003. *Serratia marcescens* as a bacterial pathogen of *Rhagoletis pomonella* flies (Diptera: Tephritidae). *European Journal of Entomology* 100: 87–92.
- Leger, R. J., & C. Wang. 2010. Genetic engineering of fungal biocontrol agents to achieve greater efficacy against insect pests. *Applied Microbiology and Biotechnology* 85(4): 901–907.
- Mangan, R.L. 2003. Adult diet and male female contact effect on female reproductive potential in Mexican fruit fly *Anastrepha ludens* (Loew) (Diptera: Tephritidae). *Journal of Economic Entomology* 96: 341–347.
- Manrakhan, A., J.H. Daneel, P.R. Stephen, and V. Hattingh. 2022. Cold tolerance of immature stages of *Ceratitidis capitata* and *Bactrocera dorsalis* (Diptera: Tephritidae). *Journal of Economic Entomology* 115: 482–492.
- Mikkelsen, D., and J. Harper. 2022. Microbiota Analysis & Bioinformatics Workshop. University of Queensland, Australia.
- Minard, G., F.H. Tran, F.N. Raharimalala, E. Hellard, P. Ravelonandro, P. Mavingui, and C. Valiente Moro. 2013. Prevalence, genomic and metabolic profiles of *Acinetobacter* and *Asaia* associated with field-caught *Aedes albopictus* from Madagascar. *FEMS Microbiology Ecology* 83(1): 63–73.
- Nakabachi, A. and H. Ishikawa. 1999. Provision of riboflavin to the host aphid, *Acyrtosiphon pisum*, by endosymbiotic bacteria, *Buchnera*. *Journal of Insect Physiology* 45: 1–6.
- Nishida, R., T.E. Shelly, and K.Y. Kaneshiro. 1997. Acquisition of female attractive fragrance by males of the oriental fruit fly from a Hawaiian lei flower, *Fagraea berteriana*. *Journal of Chemical Ecology* 23: 2275–2285.
- Pasinato, J., L.R. Redaelli, M. Botton, and C.R. Jesus-Barros. 2019. Biology and fertility life table of *Bactrocera carambolae* on grape and acerola. *Revista Brasileira de Entomologia* 63: 217–223.
- Pontes, M. H., & C. Dale. 2006. Culture and manipulation of insect facultative symbionts. *Trends in Microbiology* 14(9): 406–412.
- Putra, N.S. and Suputa. 2013. Lalat Buah Hama: Bioekologi dan Strategi tepat Mengelola Populasinya. Smartania Publishing, Yogyakarta.
- Putra, T.B. 2015. Komunitas Bakteri pada Lalat Buah Genus *Bactrocera* (Diptera: Tephritidae) Monofag, Oligofag, dan Polifag. Skripsi. Fakultas Pertanian, Universitas Gadjah Mada.
- Raghuvanshi, A.K., S. Satpathy, and D.S. Mishra. 2012. Role of abiotic factors on seasonal abundance and infestation of fruit fly, *Bactrocera cucurbitae* (Coq.) on bitter gourd. *Journal of Plant Protection Research* 52: 264–267.
- Ramadan, N.S., L.A. Wessjohann, A. Mocan, D.C. Vodnar, H. El-Sayed, N.A. El-Toumy, S. Abdou Mohamed, D. Abdel Aziz, A. Ehrlich, and M.A. Farag. 2020. Nutrient and sensory metabolites profiling of *Averrhoa carambola* L. (Starfruit) in the context of its origin and ripening stage by GC/MS and chemometric analysis. *Molecules* 25(10): 2423.
- Rebollar, E.A., M.C. Hughey, D. Medina, R.N. Harris, R. Ibanez, and L.K. Belden. 2016. Skin bacterial diversity of Panamanian frogs is associated with host susceptibility and presence of *Batrachochytrium dendrobatidis*. *ISME Journal* 10: 1682–1695.
- Robinson, C. J., P. Schloss, Y. Ramos, K. Raffa, and J. Handelsman. 2010. Robustness of the bacterial community in the cabbage white butterfly larval midgut. *Microbial Ecology*, 59(1): 199–211.

- Saleh, M.S., M.J. Siddiqui, A. Mediani, N.H. Ismail, Q.U. Ahmed, S.Z.M. So'ad, and S. Saidi-Besbes. 2018. *Salacca zalacca*: A short review of the palm botany, pharmacological uses and phytochemistry. *Asian Pacific Journal of Tropical Medicine* 11(12): 645–652.
- Salmah, M., N.A. Adam, R. Muhamad, W.H. Lau, & H. Ahmad. 2017. Infestation of fruit fly, *Bactrocera* (Diptera: Tephritidae) on mango (*Mangifera indica* L.) in Peninsular Malaysia. *Journal of Fundamental and Applied Sciences* 9(2S): 799-812.
- Sartika, W.D., S.B. Ginting, and D. Afriyanto. 2022. Distribusi lalat buah *Bactrocera* sp. (Diptera: Tephritidae) pada buah jambu biji di Kota Bengkulu. *Jurusan Perlindungan Tanaman Fakultas Pertanian Universitas Bengkulu* 1: 128–144.
- Sauers, M.A.V. 2005. Host plants of the carambola fruit fly, *Bactrocera carambolae* Drew & Hancock (Diptera: Tephritidae), in Suriname, South America. *Neotropical Entomology* 34: 203–214.
- Silva, R., K. Merkel, and A.R. Clarke. 2020. Memory duration is positively correlated with host fruit preference and offspring performance in a polyphagous frugivore. *Austral Entomology* 59(3): 572–581.
- Siwi, S.S., P. Hidayat, and Suputa. 2006. Taksonomi dan Bioekologi Lalat Buah Penting di Indonesia (Diptera: Tephritidae). Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumber Daya Genetik Pertanian.
- Skidmore, I.H., and A.K. Hansen. 2017. The evolutionary development of plant-feeding insects and their nutritional endosymbionts. *Insect Science* 24: 910–928.
- Sohrab, C., Prasad, and W. Hasan. 2018. Study on the biology and life cycle of cucurbit fruit fly, *Bactrocera cucurbitae* (Coquillett). *Journal of Pharmacognosy and Phytochemistry* 1(3): 223–226.
- Suputa, A. Cahyani, A. Kustaryati, M. Issusulaningtyas, M. Railan, and W.P. Mardiasih. 2006. Pedoman Identifikasi Hama Lalat Buah. Direktorat Perlindungan Tanaman Hortikultura, Jakarta.
- Suputa, Y. Trisyono, E. Martono, and S.S. Siwi. 2010. Pembaruan informasi kisaran inang spesies lalat buah di Indonesia. *Jurnal Perlindungan Tanaman Indonesia* 16(2): 62–75.
- Yong, H.S., S.L. Song, K.O. Chua, and P.E. Lim. 2017a. Microbiota associated with *Bactrocera carambolae* and *B. dorsalis* (Insecta: Tephritidae) revealed by next-generation sequencing of 16S rRNA gene. *Meta Gene* 11: 189–196.
- Yong, H.S., S.L. Song, K.O. Chua, and P.E. Lim. 2017b. High diversity of bacterial communities in developmental stages of *Bactrocera carambolae* (Insecta: Tephritidae) revealed by Illumina MiSeq sequencing of 16S rRNA gene. *Current Microbiology* 74(9): 1076–1082.
- Yun, J.H., S.W. Roh, T.W. Whon, M.J. Jung, M.S. Kim, D.S. Park, C. Yoon, Y.D. Nam, Y.J. Kim, J.H. Choi, J.Y. Kim, N.R. Shin, S.H. Kim, W.J. Lee, and J.W. Bae. 2014. Insect gut bacterial diversity determined by environmental habitat, diet, developmental stage, and phylogeny of host. *Applied and Environmental Microbiology* 80(17): 5254–5264.
- Zhang, C., D. Wang, Y. Li, Y. Wang, Y. Xu, H. Huang, and L. Ge. 2024. Gut microbial symbiont *Acinetobacter baumannii* improves host resistance against fungal entomopathogen in the brown planthopper. *Communications Biology* 7: Article 26.
- Zhao, X., X. Zhang, Z. Chen, Z. Wang, Y. Lu, and D. Cheng. 2018. The divergence in bacterial components associated with *Bactrocera dorsalis* across developmental stages. *Frontiers in Microbiology* 114(9): 1–10.

Zindel, R., Y. Gottlieb, & A. Aebi. 2011. Arthropod symbioses: A neglected parameter in pest-and disease-control programmes. *Journal of Applied Ecology* 48(4): 864–872.