

DAFTAR PUSTAKA

- Adike, A., Matthew, R.B., Suryakanth, R.G., Jonathan, A.L., Douglas O.F., Kevin C.R. *et al.* 2018. Is the level of cleanliness using segmental Boston bowel preparation scale associated with a higher adenoma detection rate?. *Annals of Gastroenterology*. 31 (2):217-223
- Almadi, M., Alharbi, O., Azzam, N., Altayeb, M., Thaniah, S., & Aljebreen, A. (2018). Bowel preparation quality between hospitalized patients and outpatient colonoscopies *Saudi Journal of Gastroenterology* (Vol. 24, Issue 2, pp. 93–99). Wolters Kluwer Medknow Publications. https://doi.org/10.4103/sjg.SJG_485_17
- Arora M, Senadhi V, Arora D, Weinstock J, Dubin E, Okolo III PI, *et al.* A critical evaluation and a search for the ideal colonoscopic preparation. *Clin Res Hepatol Gastroenterol*. 2013;37(2):200-6.
- Asmae, S., Mrabti S., Benhamdane A., Berraida R., Sentissi S., Rouibaa F., Benkirane A., Seddik H. 2023. Risk Factors for Inadequate Bowel Preparation. *Journal of Community Med Public Health*. Vol 7 (352) : 3
- Belsey J, Epstein O, Heresbach D. Systematic review: oral bowel preparation for colonoscopy. *Aliment Pharmacol Ther*. 2007 Feb 15;25(4):373-84.
- Bucci, C., Rotondano, G., Hassan, C., Rea, M., Bianco, M.A., Cipolletta, L. *et al.* 2014. Optimal bowel cleansing for colonoscopy: split the dose! A series of meta-analyses of controlled studies. *Gastrointestinal endoscopy*. Vol 8 (4): 573-575
- Bucci, C., Rotondano, G., Marmo, R. and Cipolletta, L., 2016. Optimizing bowel preparation timing for colonoscopy: A real-world evidence analysis. *Gastrointestinal Endoscopy*, 97(4), doi: 10.20524/aog.2016.0005
- Chen C-C, Basch CE, Yamada T. An Evaluation of Colonoscopy Use: Implications for Health Education. *J Cancer Educ*. 2010;25(2):160-5.
- Chen, G., Zhao, Y., Xie, F., Shi, W., Yang, Y., Yang, A., & Wu, D. (2021). Educating Outpatients for Bowel Preparation Before Colonoscopy Using Conventional Methods vs Virtual Reality Videos Plus Conventional Methods. *JAMA Network Open*, 4(11), E2135576. <https://doi.org/10.1001/jamanetworkopen.2021.35576>

- Choi, H.I., Lee, M. & Cha, J.M., 2025. Obesity and Body Mass Index Are Not Associated with Suboptimal Quality of Bowel Preparation for Colonoscopy. *Digestive Diseases and Sciences. Dig Dis Sci.* doi:10.1007/s10620-025-09195-5
- Chung YW, Han DS, Park KH, Kim KO, Park CH, Hahn T, *et al.* Patient factors predictive of inadequate bowel preparation using polyethylene glycol: a prospective study in Korea. *J Clin Gastroenterol.* 2009 May-Jun;43(5):448-52.
- Committee AT, Mamula P, Adler DG, Conway JD, Diehl DL, Farraye FA, *et al.* Colonoscopy preparation. *Gastrointest Endosc.* 2009 Jun;69(7):1201- 9.
- Connor, A., Tolan, D., Hughes, S., Carr, N., & Tomson, C. (2012). Consensus guidelines for the safe prescription and administration of oral bowel-cleansing agents. *In Gut* (Vol. 61, Issue 11, pp. 1525–1532). <https://doi.org/10.1136/gutjnl-2011-300861>
- Davis GR, Santa Ana CA, Morawski SG, Fordtran JS. Development of a lavage solution associated with minimal water and electrolyte absorption or secretion. *Gastroenterology.* 1980 May;78(5 Pt 1):991-5
- Fayad NF, Imperiale TF, Abd El-Jawad K, Shin A, Shah S, Lane KA, *et al.* Su1335 Association of Body-Mass Index and Split Bowel Preparation Quality- Interim Analysis. *Gastrointestinal endoscopy.* 2012;75(4):AB297.
- Froehlich F, Wietlisbach V, Gonvers JJ, Burnand B, Vader JP. Impact of colonic cleansing on quality and diagnostic yield of colonoscopy: the European Panel of Appropriateness of Gastrointestinal Endoscopy European multicenter study. *Gastrointest Endosc.* 2005 Mar;61(3):378-84
- Gao, Y., & Lin, X. J. (2023). Effect of Bowel Preparation to Colonoscopy Interval on Preparation Quality and Colonoscopy Outcomes: A Meta- Analysis. *Turkish Journal of Gastroenterology*, 34(1), 26–34. <https://doi.org/10.5152/tjg.2022.22033>
- G. A., Jue, T. L., Sharaf, R., Fisher, D. A., Evans, J. A., Foley, K., ... Acosta, R. D. (2015). *Bowel preparation before colonoscopy.* *Gastrointestinal Endoscopy*, 81(4), 781–794. <https://doi.org/10.1016/j.gie.2014.09.048>
- Garber, A., Sarvepalli, S., Burke, C. A., Bhatt, A., Ibrahim, M., McMichael, J., Morris-Stiff, G., Rizk, M. K., Vargo, J. J., & Rothberg, M. B. (2019). Modifiable factors associated with quality of bowel preparation among hospitalized patients undergoing colonoscopy. *Journal of Hospital Medicine*, 14(5), 278–283. <https://doi.org/10.12788/jhm.3173>

- Halbert CH, Barg FK, Guerra CE, Shea JA, Armstrong K, Ferguson M, *et al.* Cultural, Economic, and Psychological Predictors of Colonoscopy in a National Sample. *J Gen Intern Med.* 2011;26(11):1311-6.
- Harewood GC, Sharma VK, de Garmo P. Impact of colonoscopy preparation quality on detection of suspected colonic neoplasia. *Gastrointest Endosc.* 2003 Jul;58(1):76-9.
- Hassan C, Bretthauer M, Kaminski MF, Polkowski M, Rembacken B, Saunders B, *et al.* Bowel preparation for colonoscopy: European Society of Gastrointestinal Endoscopy (ESGE) Guideline. *Endoscopy.* 2013 Feb;45(2):142-55.
- Hassan, C., East, J., Radaelli, F., Spada, C., Benamouzig, R. *et al.*, 2019. Bowel preparation for colonoscopy: European Society of Gastrointestinal Endoscopy (ESGE) Guideline – Update 2019. *Endoscopy*, 51(8), pp.775–794. Available at: DOI: 10.1055/a-0959-0505
- Hassan C, Fuccio L, Bruno M, Pagano N, Spada C, Carrara S, *et al.* 2012. A predictive model identifies patients most likely to have inadequate bowel preparation for colonoscopy. *Clin Gastroenterol Hepatol.* 10(5):501-6
- Herman, T., Wongjarupong, N., Wilson, N., Megna, B., Are, V., Westanmo, A., Lou, S., Bilal, M., & Hanson, B. J. (2024). Single-center experience with intraprocedural cleansing system to improve inadequate bowel preparation during colonoscopy. *Endoscopy International Open*, 12(06), E750–E756. <https://doi.org/10.1055/a-2316-7638>
- Hsu CW, Imperiale TF. Meta-analysis and cost comparison of polyethylene glycol lavage versus sodium phosphate for colonoscopy preparation. *Gastrointest Endosc.* 1998 Sep;48(3):276-82
- Ishtiaq, R., Zulfiqar, L., Gangwani, M. K., & Aziz, M. (2023). Adenoma detection rate vs. adenoma per colonoscopy as quality indicators for colon cancer screening. In *Translational Gastroenterology and Hepatology* (Vol. 8). AME Publishing Company. <https://doi.org/10.21037/tgh-22-92>
- Johnson, D. A., Barkun, A. N., Cohen, L. B., Dominitz, J. A., Kaltenbach, T., Martel, M., & Robertson, D. J. (2014). Optimizing adequacy of bowel cleansing for colonoscopy: Recommendations from the U.S. Multi-Society Task Force on Colorectal Cancer. *Gastrointestinal Endoscopy*, 80(4), 543–562. <https://doi.org/10.1016/j.gie.2014.08.002>

- Juluri R, Eckert G, Imperiale TF. Polyethylene glycol vs. sodium phosphate for bowel preparation: a treatment arm meta-analysis of randomized controlled trials. *BMC Gastroenterol.* 2011;11:38.
- Kambe H, Yamaji Y, Sugimoto T, Yamada A, Watabe H, Yoshida H, *et al.* A randomized controlled trial of sodium phosphate tablets and polyethylene glycol solution for polyp detection. *J Dig Dis.* 2012;13(7):374-80.
- Klabunde CN, Lanier D, Nadel MR, McLeod C, Yuan G, Vernon SW. Colorectal cancer screening by primary care physicians: recommendations and practices, 2006-2007. *Am J Prev Med.* 2009 Jul;37(1):8-16.
- Lai EJ, Calderwood AH, Doros G, Fix OK, Jacobson BC. The Boston bowel preparation scale: a valid and reliable instrument for colonoscopy-oriented research. *Gastrointest Endosc.* 2009 Mar;69(3 Pt 2):620-5.
- Lebwohl B, Kastrinos F, Glick M, Rosenbaum AJ, Wang T, Neugut AI. The impact of suboptimal bowel preparation on adenoma miss rates and the factors associated with early repeat colonoscopy. *Gastrointest Endosc.* 2011 6//;73(6):1207-14.
- Lebwohl B, Wang TC, Neugut AI. Socioeconomic and other predictors of colonoscopy preparation quality. *Dig Dis Sci.* 2010 Jul;55(7):2014-20.
- Lieberman D, Nadel M, Smith RA, Atkin W, Duggirala SB, Fletcher R, *et al.* Standardized colonoscopy reporting and data system: report of the Quality Assurance Task Group of the National Colorectal Cancer Roundtable. *Gastrointest Endosc.* 2007 May;65(6):757-66.
- Liu X, Luo H, Zhang L, Leung FW, Liu Z, Wang X, *et al.* Telephone-based re-education on the day before colonoscopy improves the quality of bowel preparation and the polyp detection rate: a prospective, colonoscopist-blinded, randomised, controlled study. *Gut.* 2014 Jan;63(1):125-30.
- Liu X, Tavanapong W, Wong J, Oh J, de Groen PC. Automated measurement of quality of mucosa inspection for colonoscopy. *Procedia Computer Science.* 2010 May;1(1):951-60.
- Mansouri D, McMillan DC, Crighton EM, Horgan PG. Screening for colorectal cancer: What is the impact on the determinants of outcome?. *Crit Rev Oncol Hematol.* 2013 Mar;85(3):342-9.

- Marshall, J.B. 2014. High Quality Bowel Preparation – A Cornerstone to the Effectiveness of Colonoscopy as a Cancer Prevention Tool. *American Society For Gastrointestinal Endoscopy*. Vol 4 (2) : 2
- Martel, M., Barkun, A.N., Menard, C., Restellini, S., Kherad, O., Vanasse, A. 2015. Split-Dose Preparations Are Superior to Day-Before Bowel Cleansing Regimens: A Meta-analysis. *Gastroenterology*. Vol 149 (1) : 83-85
- Messmann H, Barnert J. *Atlas of Colonoscopy : Techniques, Diagnosis, Interventional Procedures*. New York, NY, USA: Thieme Medical Publishers, Incorporated; 2005.
- Ness RM, Manam R, Hoen H, Chalasani N. Predictors of inadequate bowel preparation for colonoscopy. *Am J Gastroenterol*. 2001 Jun;96(6):1797-802.
- Nguyen DL, Wieland M. Risk factors predictive of poor quality preparation during average risk colonoscopy screening: the importance of health literacy. *J Gastrointestin Liver Dis*. 2010 Dec;19(4):369-72.
- Parente F, Marino B, Crosta C. Bowel preparation before colonoscopy in the era of mass screening for colo-rectal cancer: a practical approach. *Dig Liver Dis*. 2009 Feb;41(2):87-95.
- Park, J. H., Kim, S. J., Hyun, J. H., Han, K. S., Kim, B. C., Hong, C. W., Lee, S.
- PEGI (Perhimpunan Endoskopi Gastrointestinal Indonesia), (2016), *Konsensus Nasional (Revisi) Persiapan Kolon Pada Pemeriksaan Kolonoskopi Dewasa*. Interna Publising, Pusat Penerbitan Ilmu Penyakit Dalam.
- Rex DK, Petrini JL, Baron TH, Chak A, Cohen J, Deal SE, *et al*. Quality indicators for colonoscopy. *Am J Gastroenterol*. 2006 Apr;101(4):873- 85
- Rex, D. K., Boland, C. R., Dominitz, J. A., Giardiello, F. M., Johnson, D. A., Kaltenbach, T., Levin, T. R., Lieberman, D., & Robertson, D. J. (2017). Colorectal cancer screening: Recommendations for physicians and patients from the U.S. Multi-Society Task Force on Colorectal Cancer. *Gastrointestinal Endoscopy*, 86(1), 18–33.
<https://doi.org/10.1016/j.gie.2017.04.003>
- Rostom A, Jolicoeur E, Dubé C, Grégoire S, Patel D, Saloojee N, *et al*. A randomized prospective trial comparing different regimens of oral sodium phosphate and polyethylene glycol–based lavage solution in the

preparation of patients for colonoscopy. *Gastrointest endosc.* 2006;64(4):544-52.

Rostom A, Jolicoeur E. Validation of a new scale for the assessment of bowel preparation quality. *Gastrointest Endosc.* 2004 Apr;59(4):482-6.

Sara, B., Ghinwa, H., Layla, M., Mahmoud, H., Ali, K., & Remy, M. (2024). *Split doses versus whole dose bowel preparation using polyethylene glycol for colonoscopy: A multicentric prospective Lebanese randomized trial between 2021 and 2023.* *Health Science Reports*, 7(4). <https://doi.org/10.1002/hsr2.2047>

Seo, E. H., Kim, T. O., Park, M. J., Joo, H. R., Heo, N. Y., Park, J., Park, S. H., Yang, S. Y., & Moon, Y. S. (2012). Optimal preparation-to-colonoscopy interval in split-dose PEG bowel preparation determines satisfactory bowel preparation quality: An observational prospective study. *Gastrointestinal Endoscopy*, 75(3), 583–590. <https://doi.org/10.1016/j.gie.2011.10.008>

Shahini, E., Sinagra, E., Vitello, A., Ranaldo, R., Contaldo, A., Facciorusso, A., & Maida, M. (2023). Factors affecting the quality of bowel preparation for colonoscopy in hard-to-prepare patients: Evidence from the literature. In *World Journal of Gastroenterology* (Vol. 29, Issue 11, pp. 1685–1707). Baishideng Publishing Group Inc. <https://doi.org/10.3748/wjg.v29.i11.1685>

Shi, L., Liao, F., Liao, W., Zhu, Y., Chen, Y., & Shu, X. (2023). Risk factors for inadequate bowel preparation before colonoscopy: a retrospective cohort study. *BMC Gastroenterology*, 23(1). <https://doi.org/10.1186/s12876-023-02796->

Shin, S. Y., Ga, K. S., Kim, I. Y., Park, Y. M., Jung, D. H., Kim, J. H., Youn, Y. H., Park, H., & Park, J. J. (2019). Predictive factors for inadequate bowel preparation using low-volume polyethylene glycol (PEG) plus ascorbic acid for an outpatient colonoscopy. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-56107-5>

Singhal S, Singh M, Basi PS, Mathur S, Bahga H, Momeni M, *et al.* Tu1410 Does Obesity Have an Impact on Bowel Preparation for Screening Colonoscopy? A Prospective Study Using the Boston Bowel Preparation Score. *Gastrointestinal endoscopy.* 2011;73(4):AB399- AB400.

Society AC. Colorectal Cancer Facts & Figures 2011-2013. *American Cancer Society Atlanta, GA*; 2011.

- Taylor C, Schubert ML. Decreased efficacy of polyethylene glycol lavage solution (golytely) in the preparation of diabetic patients for outpatient colonoscopy: a prospective and blinded study. *Am J Gastroenterol*. 2001 Mar;96(3):710-4.
- Thomas-Gibson S, Rogers P, Cooper S, Man R, Rutter MD, Suzuki N, *et al*. Judgement of the quality of bowel preparation at screening flexible sigmoidoscopy is associated with variability in adenoma detection rates. *Endoscopy*. 2006 May;38(5):456-60.
- Wang, L., Sprung, B.S., DeCross, A.J. *et al*. Split-Dose Bowel Preparation Reduces the Need for Early Repeat Colonoscopy Without Improving Adenoma Detection Rate. *Dig Dis Sci* 63, 1320–1326 (2018). <https://doi.org.ezproxy.ugm.ac.id/10.1007/s10620-017-4877-3>
- Wexner SD, Beck DE, Baron TH, Fanelli RD, Hyman N, Shen B, *et al*. A consensus document on bowel preparation before colonoscopy: prepared by a task force from the American Society of Colon and Rectal Surgeons (ASCRS), the American Society for Gastrointestinal Endoscopy (ASGE), and the Society of American Gastrointestinal and Endoscopic Surgeons (SAGES). *Gastrointest Endosc*. 2006 Jun;63(7):894-909.

LAMPIRAN



MEDICAL AND HEALTH RESEARCH ETHICS COMMITTEE (MHREC)
FACULTY OF MEDICINE, PUBLIC HEALTH AND NURSING
UNIVERSITAS GADJAH MADA – DR. SARDJITO GENERAL HOSPITAL



ETHICS COMMITTEE APPROVAL

Ref. No. : KE/FK/0818/EC/2025

Title of the Research Protocol : Perbandingan Bersihan Kolon Antara Dosis Tunggal Oral Sodium Phosphate dengan Dosis Terbagi pada Persiapan Kolonoskopi di RSUP Dr Sardjito Yogyakarta

Document(s) Approved and version : 1. Study Protocol version 05 2025
2. Information for Subjects version 03 2025
3. Informed consent form version 03 2025

Principle Investigator : Tatag Primiawan

Participating Investigator(s) : 1. dr. Putut Bayupurnama, Sp.PD-KGEH.
2. dr. Fahmi Indrarti, Sp.PD-KGEH.

Date of Approval : **23 MAY 2025**
(Valid for one year beginning from the date of approval)

Institution(s)/place(s) of research : Pusat endoskopi sub bagian Gastroentero-hepatologi Penyakit Dalam RSUP Dr. Sardjito Yogyakarta

The Medical and Health Research Ethics Committee (MHREC) states that the document above meets the ethical principle outlined in the International and National Guidelines on ethical standards and procedures for researches with human beings.

The Medical and Health Research Ethics Committee (MHREC) has the right to monitor the research activities at any time.

The investigator(s) is/are obliged to submit:

- Progress report as a continuing review (state its due time)
- Report of any serious adverse events (SAE)
- Final report upon the completion of the study

Prof. Dr. dr. Eti Nurwening S., M.Kes, M.Med.Ed, Sp.KKLP
Panel's vice chairperson

dr. Agus Surono, M.Sc, Ph.D, Sp.THT-KL(K)
Panel's secretary

P.S: This letter uses signature scan of the panel's chairperson and Secretary of the Ethics Committee. The hardcopy official letter with authority's signature will be issued when it is possible and are kept as an archive of the Ethics Committee

Validation number :
682fe66cca36f
(<http://komisietik.fk.ugm.ac.id/validasi>)

