DAFTAR PUSTAKA

Agregán, R., Popova, T., López-Pedrouso, M., Cantalapiedra, J., Lorenzo, J.M., Franco, D., 2022. Fatty acids, in: Food Lipids: Sources, Health Implications, and Future Trends. Elsevier Inc., pp: 257–286. https://doi.org/10.1016/B978-0-12-823371-9.00015-0

Alayón, A. N., Ortega Avila, J.G., Echeverri Jiménez, I., 2018. Carbohydrate metabolism and gene expression of sirtuin 1 in healthy subjects after Sacha inchi oil supplementation: A randomized trial. Food Funct. 9(3):1570–1577. https://doi.org/10.1039/c7fo01956d

Alayón, Alicia Norma, Ortega Ávila, J.G., Echeverri Jiménez, I., 2018. Metabolic status is related to the effects of adding of sacha inchi (Plukenetia volubilis L.) oil on postprandial inflammation and lipid profile: Randomized, crossover clinical trial. J Food Biochem. (e12703):1–8. https://doi.org/10.1111/jfbc.12703

Albuquerque, D., Nóbrega, C., Manco, L., Padez, C., 2017. The contribution of genetics and environment to obesity. Br Med Bull. 123:159–173. https://doi.org/10.1093/bmb/ldx022

Ambulay, J.P., Rojas, P.A., Timoteo, O.S., Barreto, T. V., Colarossi, A., 2020. Effect of the emulsion of Sacha Inchi (Plukenetia huayabambana) oil on oxidative stress and inflammation in rats induced to obesity. J Funct Foods. 64 (2020):103631. https://doi.org/10.1016/j.jff.2019.103631

Aranceta, J., Pérez-Rodrigo, C., 2012. Recommended dietary reference intakes, nutritional goals and dietary guidelines for fat and fatty acids: A systematic review. British Journal of Nutrition. 107(Suppl.2):S8-S22. https://doi.org/10.1017/S0007114512001444

Arifin, W.N., Zahiruddin, W.M., 2017. Sample size calculation in animal studies using resource equation approach. Malaysian Journal of Medical Sciences. 24(5):101-105. https://doi.org/10.21315/mjms2017.24.5.11

Bastías-Pérez, M., Serra, D., Herrero, L., 2020. Dietary options for rodents in the study of obesity. Nutrients. 12(11):1-18. https://doi.org/10.3390/nu12113234

Bolsoni-Lopes, A., Alonso-Vale, M.I.C., 2015. Lipolysis and lipases in white adipose tissue – An update. Arch Endocrinol Metab. 59(4):335-342. https://doi.org/10.1590/2359-3997000000067

Bravo-Ruiz, I., Medina, M.Á., Martínez-Poveda, B., 2021. From food to genes: Transcriptional regulation of metabolism by lipids and carbohydrates. Nutrients. 13(5):1-24. https://doi.org/10.3390/nu13051513

Brown, L.H., Mutch, D.M., 2020. Mechanisms underlying N3-PUFA regulation of white adipose tissue endocrine function. Curr Opin Pharmacol. 52:40–46. https://doi.org/10.1016/j.coph.2020.04.009

Butruille, L., Marousez, L., Pourpe, C., Oger, F., Lecoutre, S., Catheline, D., Görs, S., Metges, C.C., Guinez, C., Laborie, C., Deruelle, P., Eeckhoute, J., Breton, C., Legrand, P., Lesage, J., Eberlé, D., 2019. Maternal high-fat diet during suckling programs visceral adiposity and epigenetic regulation of adipose tissue stearoyl-CoA desaturase-1 in offspring. Int J Obes. 43(12):2381–2393. https://doi.org/10.1038/s41366-018-0310-z

Carreiro, A.L., Buhman, K.K., 2019. Absorption of Dietary Fat and Its Metabolism in Enterocytes, in: The Molecular Nutrition of Fats. Academic Press, pp: 33–48. https://doi.org/10.1016/B978-0-12-811297-7.00003-2

Chandel, N.S., 2021. Lipid metabolism. Cold Spring Harb Perspect Biol. 13(9):a040576. https://doi.org/10.1101/CSHPERSPECT.A040576

Chen, X., Luo, Y., Wang, R., Zhou, B., Huang, Z., Jia, G., Zhao, H., Liu, G., 2016. Effects of fatty acid transport protein 1 on proliferation and differentiation of porcine intramuscular preadipocytes. Animal Science Journal. 88(5): 731–738. https://doi.org/10.1111/ASJ.12701

de Castro, G.S., Cardoso, J.F.R., Calder, P.C., Jordão, A.A., Vannucchi, H., 2015. Fish oil decreases hepatic lipogenic genes in rats fasted and refed on a high fructose diet. Nutrients. 7(3):1644–1656. https://doi.org/10.3390/nu7031644

de Oliveira, S.M., Garcia, J.L., Vileigas, D.F., de Campos, D.H.S., Francisqueti-Ferron, F.V., Ferron, A.J.T., da Silva-Bertani, D.C.T., Padovani, C.R., Corrêa, C.R., Cicogna, A.C., 2021. Cardiac Remodeling in Obesity-Resistance Model is not Related to Collagen I and III Protein Expression. International Journal of Cardiovascular Sciences. 34(6):656-664. https://doi.org/10.36660/ijcs.20200058

Dentin, R., Benhamed, F., Pégorier, J.P., Foufelle, F., Viollet, B., Vaulont, S., Girard, J., Postic, C., 2005. Polyunsaturated fatty acids suppress glycolytic and lipogenic genes through the inhibition of ChREBP nuclear protein translocation. Journal of Clinical Investigation. 115(10):2843–2854. https://doi.org/10.1172/JCI25256

Dixon, E.D., Nardo, A.D., Claudel, T., Trauner, M., 2021. The role of lipid sensing nuclear receptors (Ppars and lxr) and metabolic lipases in obesity, diabetes and nafld. Genes (Basel). 12(5):1-30. https://doi.org/10.3390/genes12050645

Festuccia, W.T., Blanchard, P.-G., Richard, D., Deshaies, Y., 2010. Basal adrenergic tone is required for maximal stimulation of rat brown adipose tissue UCP1 expression by chronic PPAR-activation. Am J Physiol Regul Integr Comp Physiol. 299:159–167. https://doi.org/10.1152/ajpregu.00821.2009.-We

Flores-Dorantes, M.T., Díaz-López, Y.E., Gutiérrez-Aguilar, R., 2020. Environment and Gene Association With Obesity and Their Impact on Neurodegenerative and Neurodevelopmental Diseases. Front Neurosci. 14(863):1-24. https://doi.org/10.3389/fnins.2020.00863

Gianotti, T.F., Burgueño, A., Mansilla, N.G., Pirola, C.J., Sookoian, S., 2013. Fatty Liver Is Associated with Transcriptional Downregulation of Stearoyl-CoA Desaturase and Impaired Protein Dimerization. PLoS One. 8(9):e76912. https://doi.org/10.1371/journal.pone.0076912

Gonzalez-Aspajo, G., Belkhelfa, H., Haddioui-Hbabi, L., Bourdy, G., Deharo, E., 2015. Sacha Inchi Oil (Plukenetia volubilis L.), effect on adherence of Staphylococus aureus to human skin explant and keratinocytes in vitro. J Ethnopharmacol. 171:330–334. https://doi.org/10.1016/j.jep.2015.06.009

Goyal, A., Tanwar, B., Kumar Sihag, M., Sharma, V., 2022. Sacha inchi (Plukenetia volubilis L.): An emerging source of nutrients, omega-3 fatty acid and phytochemicals. Food Chem. 373(131459):1-18. https://doi.org/10.1016/j.foodchem.2021.131459

Gray, S., Feinberg, M.W., Hull, S., Kuo, C.T., Watanabe, M., Sen, S., Depina, A., Haspel, R., Jain, M.K., 2002. The Krüppel-like factor KLF15 regulates the insulin-sensitive glucose transporter GLUT4. Journal of Biological Chemistry. 277(37):34322–34328. https://doi.org/10.1074/jbc.M201304200

Guney, C., Bal, N.B., Akar, F., 2023. The impact of dietary fructose on gut permeability, microbiota, abdominal adiposity, insulin signaling and reproductive function. Heliyon. 9(8): e18896. https://doi.org/10.1016/j.heliyon.2023.e18896

Hanssen, H.P., Schmitz-Hübsch, M., 2011. Sacha Inchi (Plukenetia volubilis L.) Nut Oil and Its Therapeutic and Nutritional Uses, in: Nuts and Seeds in Health and Disease Prevention. Elsevier Inc., pp:991–994. https://doi.org/10.1016/B978-0-12-375688-6.10117-3

Hariri, N., Thibault, L., 2010. High-fat diet-induced obesity in animal models. Nutr Res Rev. 23(2):270–299. https://doi.org/10.1017/S0954422410000168

Harshitha, R., Arunraj, D.R., 2021. Real-time quantitative PCR: A tool for absolute and relative quantification. Biochemistry and Molecular Biology Education. 49(5):800–812. https://doi.org/10.1002/bmb.21552

Hashimoto, M., Hossain, S., 2018. Fatty Acids: From Membrane Ingredients to Signaling Molecules, in: Biochemistry and Health Benefits of Fatty Acids. IntechOpen. https://doi.org/10.5772/INTECHOPEN.80430

Hatch, G.M., Smith, A.J., Xu, F.Y., Hall, A.M., Bernlohr, D.A., 2002. FATP1 channels exogenous FA into 1,2,3-triacyl-sn-glycerol and down-regulates sphingomyelin and cholesterol metabolism in growing 293 cells. Journal Lipid Research. 43:1380–1389. https://doi.org/10.1194/jlr.M200130-JLR200

Herman, M.A., Peroni, O.D., Villoria, J., Schön, M.R., Abumrad, N.A., Blüher, M., Klein, S., Kahn, B.B., 2012. A novel ChREBP isoform in adipose tissue regulates systemic glucose metabolism. Nature. 484(7394):333–338. https://doi.org/10.1038/nature10986

Hernández-Díazcouder, A., Romero-Nava, R., Carbó, R., Sánchez-Lozada, L.G., Sánchez-Muñoz, F., 2019. High fructose intake and adipogenesis. Int J Mol Sci. 20(11):1-18. https://doi.org/10.3390/ijms20112787

Honoré, S.M., Grande, M.V., Rojas, J.G., Sánchez, S.S., 2018. Smallanthus sonchifolius (Yacon) flour improves visceral adiposity and metabolic parameters in High-Fat-Diet-Fed rats. J Obes. 2018(5341384):1-15. https://doi.org/10.1155/2018/5341384

Horwitz, A., Birk, R., 2023. Adipose Tissue Hyperplasia and Hypertrophy in Common and Syndromic Obesity—The Case of BBS Obesity. Nutrients. 15(15): 3445. https://doi.org/10.3390/nu15153445

Huang, J., Zhu, R., Shi, D., 2021. The role of FATP1 in lipid accumulation: a review. Mol Cell Biochem. 476(4): 1897-1903. https://doi.org/10.1007/s11010-021-04057-w

Iizuka, K., 2023. Recent Progress on Fructose Metabolism—Chrebp, Fructolysis, and Polyol Pathway. Nutrients. 15(7):1778. https://doi.org/10.3390/nu15071778

Iizuka, K., 2017. The transcription factor carbohydrate-response element-binding protein (ChREBP): A possible link between metabolic disease and cancer. Biochim Biophys Acta Mol Basis Dis. 1863(2):474–485. https://doi.org/10.1016/j.bbadis.2016.11.029

Iizuka, K., 2013. Recent progress on the role of ChREBP in glucose and lipid metabolism. Endocr J. 60(5):543–555.

Iizuka, K., Takao, K., Yabe, D., 2020. ChREBP-Mediated Regulation of Lipid Metabolism: Involvement of the Gut Microbiota, Liver, and Adipose Tissue. Front Endocrinol (Lausanne). 11(587189). https://doi.org/10.3389/fendo.2020.587189

Isesele, P., Vaidya, H., Gill, R., Cheema, S.K., 2022. Treatment of preadipocytes with fish oil, mixed oil, or soybean oil-based lipid emulsions have differential effects on the regulation of lipogenic and lipolytic genes in mature 3T3-L1 adipocytes. Prostaglandins Leukot Essent Fatty Acids.177(102396). https://doi.org/10.1016/j.plefa.2022.102396

Ji, T., Fang, B., Wu, F., Liu, Y., Cheng, L., Li, Y., Wang, R., Zhu, L., 2023. Diet Change Improves Obesity and Lipid Deposition in High-Fat Diet-Induced Mice. Nutrients.15(23):4978. https://doi.org/10.3390/nu15234978

Jim, E.L., 2013. Metabolisme Lipoprotein. Jurnal Biomedik. 5(3):149–156.

Jin, X., Qiu, T., Li, L., Yu, R., Chen, X., Li, C., Proud, C.G., Jiang, T., 2023. Pathophysiology of obesity and its associated diseases. Acta Pharm Sin B. 13(6):2403-2424. https://doi.org/10.1016/j.apsb.2023.01.012

Jois, T., Howard, V., Youngs, K., Cowley, M.A., Sleeman, M.W., 2016. Dietary macronutrient composition directs chrebp isoform expression and glucose metabolism in mice. PLoS One. 11(12):e0168797. https://doi.org/10.1371/journal.pone.0168797

Kandeil, M.A., Hashem, R.M., Mahmoud, M.O., Hetta, M.H., Tohamy, M.A., 2019. Zingiber officinale extract and omega-3 fatty acids ameliorate endoplasmic reticulum stress in a nonalcoholic fatty liver rat model. J Food Biochem. 43(12):e13076. https://doi.org/10.1111/jfbc.13076

Kelm-Nelson, C.A., Stevenson, S.A., Ciucci, M.R., 2016. Data in support of qPCR primer design and verification in a Pink1 −/− rat model of Parkinson disease. Data Brief. 8:360-363. https://doi.org/10.1016/J.DIB.2016.05.056

Kementerian Kesehatan Republik Indonesia (Kemenkes RI), 2023. Survei Kesehatan Indonesia Tahun 2023.

Kim, M.S., Krawczyk, S.A., Doridot, L., Fowler, A.J., Wang, J.X., Trauger, S.A., Noh, H.L., Kang, H.J., Meissen, J.K., Blatnik, M., Kim, J.K., Lai, M., Herman, M.A., 2016. ChREBP regulates fructose-induced glucose production independently of insulin signaling. Journal of Clinical Investigation. 126(11):4372–4386. https://doi.org/10.1172/JCI81993

Legeza, B., Marcolongo, P., Gamberucci, A., Varga, V., Bánhegyi, G., Benedetti, A., Odermatt, A., 2017. Fructose, Glucocorticoids and Adipose Tissue: Implications for the Metabolic Syndrome. Nutrients. 9(5):426. https://doi.org/10.3390/nu9050426

Leopoldo, A.S., Lima-Leopoldo, A.P., Nascimento, A.F., Luvizotto, R.A.M., Sugizaki, M.M., Campos, D.H.S., Da Silva, D.C.T., Padovani, C.R., Cicogna, A.C., 2016. Classification of different degrees of adiposity in sedentary rats.

Brazilian Journal of Medical and Biological Research. 49(4):e5028. https://doi.org/10.1590/1414-431X20155028

Li, F., Duan, Y., Li, Y., Tang, Y., Geng, M., Oladele, O.A., Kim, S.W., Yin, Y., 2015. Effects of dietary n-6:n-3 PUFA ratio on fatty acid composition, free amino acid profile and gene expression of transporters in finishing pigs. British Journal of Nutrition. 113(5):739–748. https://doi.org/10.1017/S0007114514004346

Li, J. xiu, Ke, D. zhi, Yao, L., Wang, S., Ma, P., Liu, L., Zuo, G. wei, Jiang, L. rong, Wang, J. wei, 2017. Response of genes involved in lipid metabolism in rat epididymal white adipose tissue to different fasting conditions after long-term fructose consumption. Biochem Biophys Res Commun. 484(2):336–341. https://doi.org/10.1016/j.bbrc.2017.01.119

Li, P., Huang, J., Xiao, N., Cai, X., Yang, Y., Deng, J., Zhang, L.H., Du, B., 2020. Sacha inchi oil alleviates gut microbiota dysbiosis and improves hepatic lipid dysmetabolism in high-fat diet-fed rats. Food Funct. 11:5827–5841. https://doi.org/10.1039/d0fo01178a

Li, X.Z., Yan, C.G., Yu, J., Gao, Q.S., Choi, S.H., Shin, J.S., Smith, S.B., 2017. Dietary whole and cracked linseed increases the proportion of oleic and α-linolenic acids in adipose tissues and decreases stearoyl-coenzyme a desaturase, acetyl-coenzyme a carboxylase, and fatty acid synthase gene expression in the longissimus thoracis muscle of Yanbian Yellow cattle. J Anim Sci. 95(2):718–726. https://doi.org/10.2527/jas2016.1050

Ling, B., Alcorn, J., 2010. LPS-induced inflammation downregulates mammary gland glucose, fatty acid, and l-carnitine transporter expression at different lactation stages. Res Vet Sci. 89(2):200–202. https://doi.org/10.1016/j.rvsc.2010.03.004

Lionetti, L., Mollica, M.P., Donizzetti, I., Gifuni, G., Sica, R., Pignalosa, A., Cavaliere, G., Gaita, M., De Filippo, C., Zorzano, A., Putti, R., 2014. High-lard and high-fish-oil diets differ in their effects on function and dynamic behaviour of rat hepatic mitochondria. PLoS One. 9(3):e92753. https://doi.org/10.1371/journal.pone.0092753

Liu, X., Li, S., Wang, L., Zhang, W., Wang, Y., Gui, L., Zan, L., Zhao, C., 2021. The effect of FATP1 on Adipocyte Differentiation in Qinchuan Beef Cattle. Animals. 11(10): 2789. https://doi.org/10.3390/ani11102789

Lobo, S., Wiczer, B.M., Smith, A.J., Hall, A.M., Bernlohr, D.A., 2007. Fatty acid metabolism in adipocytes: functional analysis of fatty acid transport proteins 1 and 4. Journal Lipid Research. 48:609–620. https://doi.org/10.1194/jlr.M600441-JLR200

Longo, M., Zatterale, F., Naderi, J., Parrillo, L., Formisano, P., Raciti, G.A., Beguinot, F., Miele, C., 2019. Adipose Tissue Dysfunction as Determinant of Obesity-Associated Metabolic Complications. Int J Mol Sci. 20(9):2358. https://doi.org/10.3390/ijms20092358

Lozano, I., Van Der Werf, R., Bietiger, W., Seyfritz, E., Peronet, C., Pinget, M., Jeandidier, N., Maillard, E., Marchioni, E., Sigrist, S., Dal, S., 2016. High-fructose and high-fat diet-induced disorders in rats: Impact on diabetes risk, hepatic and vascular complications. Nutr Metab (Lond). 13(15):1-13. https://doi.org/10.1186/s12986-016-0074-1

Lu, L., Liu, G., Wang, X.H., Lou, S.J., 2016. Effects of supplement of corn peptides combined with aerobic exercise on lipolysis key enzymes:adipose triglyceride lipase and lipoprotein lipase of obese rats. Chinese journal of applied physiology. 32(4):326–331. https://doi.org/10.13459/J.CNKI.CJAP.2016.04.010

Lundholm, L., 2007. Molecular Mechanisms of Estrogen Action in Relation to Metabolic Disease. Karolinska Institutet, Solna.

Lupi, A., Halimathusyakhdyah, Alessandro Panias Gulo, H., Wilson Putri, M., Okta Maema, N., Ali Akbar, M., Nazzal, S., Permadi, A., 2025. Composition analysis of Indonesian sacha inchi (Plukenetia volubilis L.) oil and potential for food nutrition, in: BIO Web of Conferences. EDP Sciences. 148(04009). https://doi.org/10.1051/bioconf/202414804009

Majeed, M., Majeed, S., Nagabhushanam, K., Gnanamani, M., Mundkur, L., 2021. Lesser investigated natural ingredients for the management of obesity. Nutrients 13(2):510. https://doi.org/10.3390/nu13020510

Maya, I., Sriwidodo, 2022. Review: Potensi Minyak Biji Sacha Inchi (Plukenetia Volubilis) Sebagai Anti-Aging Dalam Formula Kosmetik. Majalah Farmasetika. 7(5):407–423. https://doi.org/10.24198/mfarmasetika.v7i5.39510

Meng, J., Feng, M., Dong, W., Zhu, Y., Li, Y., Zhang, P., Wu, L., Li, M., Lu, Ying, Chen, H., Liu, X., Lu, Yan, Sun, H., Tong, X., 2016. Identification of HNF-4α as a key transcription factor to promote ChREBP expression in response to glucose. Sci Rep. 6(23944):1-14. https://doi.org/10.1038/srep23944

Merino, B., Fernández-Díaz, C.M., Cózar-Castellano, I., Perdomo, G., 2020. Intestinal fructose and glucose metabolism in health and disease. Nutrients. 12(1):94. https://doi.org/10.3390/nu12010094

Mhd Rodzi, N.A.R., Mohd Sopian, M., Lee, L.K., 2025. Effects of Sacha Inchi (Plukenetia volubilis L.) Oil Supplementation on Hyperglycaemia, Hypertension and Hyperlipidaemia (3Hs) Patients: A Preliminary Human

Trial. Plant Foods for Human Nutrition. 80(1):1-5. https://doi.org/10.1007/s11130-025-01309-8

Morigny, P., Boucher, J., Arner, P., Langin, D., 2021. Lipid and glucose metabolism in white adipocytes: pathways, dysfunction and therapeutics. Nat Rev Endocrinol. 17(5):276-295. https://doi.org/10.1038/s41574-021-00471-8

Morigny, P., Houssier, M., Mairal, A., Ghilain, C., Mouisel, E., Benhamed, F., Masri, B., Recazens, E., Denechaud, P.D., Tavernier, G., Caspar-Bauguil, S., Virtue, S., Sramkova, V., Monbrun, L., Mazars, A., Zanoun, M., Guilmeau, S., Barquissau, V., Beuzelin, D., Bonnel, S., Marques, M., Monge-Roffarello, B., Lefort, C., Fielding, B., Sulpice, T., Astrup, A., Payrastre, B., Bertrand-Michel, J., Meugnier, E., Ligat, L., Lopez, F., Guillou, H., Ling, C., Holm, C., Rabasa-Lhoret, R., Saris, W.H.M., Stich, V., Arner, P., Rydén, M., Moro, C., Viguerie, N., Harms, M., Hallén, S., Vidal-Puig, A., Vidal, H., Postic, C., Langin, D., 2019. Interaction between hormone-sensitive lipase and ChREBP in fat cells controls insulin sensitivity. Nat Metab. 1(1):133–146. https://doi.org/10.1038/s42255-018-0007-6

Muir, L.A., Neeley, C.K., Meyer, K.A., Baker, N.A., Brosius, A.M., Washabaugh, A.R., Varban, O.A., Finks, J.F., Zamarron, B.F., Flesher, C.G., Chang, J.S., DelProposto, J.B., Geletka, L., Martinez-Santibanez, G., Kaciroti, N., Lumeng, C.N., O'Rourke, R.W., 2016. Adipose tissue fibrosis, hypertrophy, and hyperplasia: Correlations with diabetes in human obesity. Obesity. 24(3):597–605. https://doi.org/10.1002/oby.21377

Nabatame, Y., Hosooka, T., Aoki, C., Hosokawa, Y., Imamori, M., Tamori, Y., Okamatsu-Ogura, Y., Yoneshiro, T., Kajimura, S., Saito, M., Ogawa, W., 2021. Kruppel-like factor 15 regulates fuel switching between glucose and fatty acids in brown adipocytes. J Diabetes Investig. 12(7):1144–1151. https://doi.org/10.1111/jdi.13511

Novelli, E.L.B., Diniz, Y.S., Galhardi, C.M., Ebaid, G.M.X., Rodrigues, H.G., Mani, F., Fernandes, A.A.H., Cicogna, A.C., Filho, N., 2007. Anthropometrical parameters and markers of obesity in rats. Laboratory Animals. 41:111–119

Ortega-Prieto, P., Postic, C., 2019. Carbohydrate sensing through the transcription factor ChREBP. Front Genet. 10:472. https://doi.org/10.3389/fgene.2019.00472

Parlee, S.D., Lentz, S.I., Mori, H., MacDougald, O.A., 2014. Quantifying size and number of adipocytes in adipose tissue, in: Methods in Enzymology. Academic Press Inc., pp: 93–122. https://doi.org/10.1016/B978-0-12-411619-1.00006-9

Patterson, E., Wall, R., Fitzgerald, G.F., Ross, R.P., Stanton, C., 2012. Health implications of high dietary omega-6 polyunsaturated fatty acids. J Nutr Metab. 2012: 539426. https://doi.org/10.1155/2012/539426

Prince, P.D., Santander, Y.A., Gerez, E.M., Höcht, C., Polizio, A.H., Mayer, M.A., Taira, C.A., Fraga, C.G., Galleano, M., Carranza, A., 2017. Fructose increases corticosterone production in association with NADPH metabolism alterations in rat epididymal white adipose tissue. Journal of Nutritional Biochemistry. 46:109–116. https://doi.org/10.1016/j.jnutbio.2017.02.021

Richard, A.J., White, U., Elks, C.M., Stephens, J.M., 2020. Adipose Tissue: Physiology to Metabolic Dysfunction. Endotext. In: Feingold KR, Ahmed SF, Anawalt B, et al., editors. Endotext [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2000-. Available from: https://www.ncbi.nlm.nih.gov/books/NBK555602/

Rincón-Cervera, M.Á., Valenzuela, R., Hernandez-Rodas, M.C., Barrera, C., Espinosa, A., Marambio, M., Valenzuela, A., 2016. Vegetable oils rich in alpha linolenic acid increment hepatic n-3 LCPUFA, modulating the fatty acid metabolism and antioxidant response in rats. Prostaglandins Leukot Essent Fatty Acids. 111:25–35. https://doi.org/10.1016/j.plefa.2016.02.002

Rodrigues, A.H., Moreira, C.C.L., Neves, M.J., Botion, L.M., Chaves, V.E., 2018. Replacement of soybean oil by fish oil increases cytosolic lipases activities in liver and adipose tissue from rats fed a high-carbohydrate diets. Journal of Nutritional Biochemistry. 56:74–80. https://doi.org/10.1016/j.jnutbio.2018.01.010

Rodwell, V.W., Bender, D.A., Botham, K.M., Kennelly, P.J., Weil, P.A., 2015. Harpers Illustrated Biochemistry, 30th edition. ed. McGraw-Hill.

Rojanaverawong, W., Wongmanee, N., Hanchang, W., 2023. Sacha Inchi (Plukenetia volubilis L.) Oil Improves Hepatic Insulin Sensitivity and Glucose Metabolism through Insulin Signaling Pathway in a Rat Model of Type 2 Diabetes. Prev Nutr Food Sci. 28(1):30–42. https://doi.org/10.3746/pnf.2023.28.1.30

Samrit, T., Osotprasit, S., Chaiwichien, A., Suksomboon, P., Chansap, S., Athipornchai, A., Changklungmoa, N., Kueakhai, P., 2024. Cold-Pressed Sacha Inchi Oil: High in Omega-3 and Prevents Fat Accumulation in the Liver. Pharmaceuticals. 17(2):220. https://doi.org/10.3390/ph17020220

Santin, A., Russo, M.T., Ferrante, M.I., Balzano, S., Orefice, I., Sardo, A., 2021. Highly Valuable Polyunsaturated Fatty Acids from Microalgae: Strategies to Improve Their Yields and Their Potential Exploitation in Aquaculture. Molecules. 26(24): 7697. https://doi.org/10.3390/molecules26247697

Schwingshackl, L., Hoffmann, G., 2012. Monounsaturated fatty acids and risk of cardiovascular disease: Synopsis of the evidence available from systematic reviews and meta-analyses. Nutrients. 4(12):1989–2007. https://doi.org/10.3390/nu4121989

Sharma, P., Agnihotri, N., 2020. Fish oil and corn oil induced differential effect on beiging of visceral and subcutaneous white adipose tissue in high-fat-diet-induced obesity. Journal of Nutritional Biochemistry. 84:108458. https://doi.org/10.1016/j.jnutbio.2020.108458

Shimada, M., Hibi, M., Nakagawa, T., Hayakawa, T., Field, C.J., 2021. High-fructose diet-induced hepatic expression of the Scd1 gene is associated with increased acetylation of histones H3 and H4 and the binding of ChREBP at the Scd1 promoter in rats. Biomedical Research (Tokyo). 42(2):85–88.

Shimada, M., Hibino, M., Takeshita, A., 2017. Dietary supplementation with myo-inositol reduces hepatic triglyceride accumulation and expression of both fructolytic and lipogenic genes in rats fed a high-fructose diet. Nutrition Research. 47:21–27. https://doi.org/10.1016/J.NUTRES.2017.08.005

Softic, S., Gupta, M.K., Wang, G.X., Fujisaka, S., O'Neill, B.T., Rao, T.N., Willoughby, J., Harbison, C., Fitzgerald, K., Ilkayeva, O., Newgard, C.B., Cohen, D.E., Kahn, C.R., 2017. Divergent effects of glucose and fructose on hepatic lipogenesis and insulin signaling. Journal of Clinical Investigation. 127(11):4059–4074. https://doi.org/10.1172/JCI94585

Song, Z., Xiaoli, A.M., Yang, F., 2018. Regulation and metabolic significance of De Novo lipogenesis in adipose tissues. Nutrients. 10(10):1383. https://doi.org/10.3390/nu10101383

Supriyanto, S., Imran, Z., Ardiansyah, R., Auliyai, B., Pratama, A., Kadha, F., 2022. The Effect of Cultivation Conditions on Sacha Inchi (Plukenetia volubilis L.) Seed Production and Oil Quality (Omega 3, 6, 9). Agronomy. 12(636):1-13. https://doi.org/10.3390/agronomy

Tang, Y., Wallace, M., Sanchez-Gurmaches, J., Hsiao, W.Y., Li, H., Lee, P.L., Vernia, S., Metallo, C.M., Guertin, D.A., 2016. Adipose tissue mTORC2 regulates ChREBP-driven de novo lipogenesis and hepatic glucose metabolism. Nat Commun. 7(11365):1-14. https://doi.org/10.1038/ncomms11365

Tietel, Z., Hammann, S., Meckelmann, S.W., Ziv, C., Pauling, J.K., Wölk, M., Würf, V., Alves, E., Neves, B., Domingues, M.R., 2023. An overview of food lipids toward food lipidomics. Compr Rev Food Sci Food Saf. 22(6):4302-4354. https://doi.org/10.1111/1541-4337.13225

Tranchida, F., Tchiakpe, L., Rakotoniaina, Z., Deyris, V., Ravion, O., Hiol, A., 2012. Long-term high fructose and saturated fat diet affects plasma fatty acid profile in rats. J Zhejiang Univ Sci B. 13(4):307–317. https://doi.org/10.1631/jzus.B1100090

Urrutia, O., Mendizabal, J.A., Alfonso, L., Soret, B., Insausti, K., Arana, A., 2020. Adipose tissue modification through feeding strategies and their implication on adipogenesis and adipose tissue metabolism in ruminants. Int J Mol Sci. 21(9):3183. https://doi.org/10.3390/ijms21093183

USDA, U.S.D.O.A., 2021. Sacha Inchi Oil [WWW Document]. FoodData Central. URL https://fdc.nal.usda.gov/fdc-app.html#/food-details/2174208/nutrients (*accessed* 9.10.24).

USDA, U.S.D.O.A., 2019. Butter, salted [WWW Document]. FoodData Central. URL https://fdc.nal.usda.gov/fdc-app.html#/food-details/173410/nutrients (*accessed* 10.18.24).

Varma, V., Boros, L.G., Nolen, G.T., Chang, C.W., Wabitsch, M., Beger, R.D., Kaput, J., 2015. Fructose alters intermediary metabolism of glucose in human adipocytes and diverts glucose to serine oxidation in the one–carbon cycle energy producing pathway. Metabolites. 5(2):364–385. https://doi.org/10.3390/metabo5020364

Waisundara, V.Y., 2018. Introductory Chapter: Fatty Acids in Modern Times, in: Biochemistry and Health Benefits of Fatty Acids. IntechOpen. https://doi.org/10.5772/INTECHOPEN.82440

Wang, C., Chu, X., Deng, Y., Wang, J., Qiu, T., Zhu, J., Yang, X., Pan, C., Xiong, J., Xie, J., Chang, Y., Zhang, J., 2021. PA and OA induce abnormal glucose metabolism by inhibiting KLF15 in adipocytes. Nutr Metab (Lond). 18(1):1-11. https://doi.org/10.1186/s12986-021-00628-2

Wołosowicz, M., Dajnowicz-Brzezik, P., Łukaszuk, B., Żebrowska, E., Maciejczyk, M., Zalewska, A., Kasacka, I., Chabowski, A., 2022. Diverse impact of N-acetylcysteine or alpha-lipoic acid supplementation during high-fat diet regime on fatty acid transporters in visceral and subcutaneous adipose tissue. Adv Med Sci. 67(2):216–228. https://doi.org/10.1016/j.advms.2022.05.001

World Health Organization (WHO), 2024. Obesity and Overweight [WWW Document]. URL https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight (*accessed* 9.23.24).

Wu, Q., Ortegon, A.M., Tsang, B., Doege, H., Feingold, K.R., Stahl, A., 2006. FATP1 Is an Insulin-Sensitive Fatty Acid Transporter Involved in Diet-Induced Obesity. Mol Cell Biol. 26(9):3455–3467. https://doi.org/10.1128/mcb.26.9.3455-3467.2006

Yang, Z.H., Chen, F.Z., Zhang, Y.X., Ou, M.Y., Tan, P.C., Xu, X.W., Li, Q.F., Zhou, S.B., 2024. Therapeutic targeting of white adipose tissue metabolic dysfunction in obesity: mechanisms and opportunities. MedComm (Beijing). 5(6):e560. https://doi.org/10.1002/mco2.560

Zhang, N., Kong, F., Jing, X., Zhou, J., Zhao, L., Soliman, M.M., Zhang, L., Zhou, F., 2022. Hongqu Rice Wines Ameliorate High-Fat/High-Fructose Diet-Induced Metabolic Syndrome in Rats. Alcohol and Alcoholism. 57(6):776–787. https://doi.org/10.1093/alcalc/agac033

Zhang, P., Kumar, A., Katz, L.S., Li, L., Paulynice, M., Herman, M.A., Scott, D.K., 2015. Induction of the ChREBPβ isoform is essential for glucose-stimulated β-cell proliferation. Diabetes. 64(12):4158–4170. https://doi.org/10.2337/db15-0239

Zhao, Z., Tian, H., Shi, B., Jiang, Y., Liu, X., Hu, J., 2019. Transcriptional regulation of the bovine fatty acid transport protein 1 gene by Krüppel-like factors 15. Animals. 9:654. https://doi.org/10.3390/ani9090654

Zubiría, M.G., Fariña, J.P., Moreno, G., Gagliardino, J.J., Spinedi, E., Giovambattista, A., 2013. Excess fructose intake-induced hypertrophic visceral adipose tissue results from unbalanced precursor cell adipogenic signals. FEBS Journal. 280(22):5864–5874. https://doi.org/10.1111/febs.12511