

DAFTAR PUSTAKA

- Amir, M., Kabo, P., Mappangara, I., Djafar, Z., Zainuddin, A. A., Warliani, M., *et al.* 2022. Peak oxygen uptake and metabolic equivalents explained by six-minute walk test: A prospective observational study in predicting heart failure patient readmission. *Annals of Medicine & Surgery*, 77.
- Anwar, S. L., Tampubolon, G., Hutajulu, S., Watkins, J., & Wulaningsih, W. 2017. Determinants of cancer screening awareness and participation among Indonesian women: A nationwide study. *Annals of Oncology*, 28, x187.
- Arena, R., Myers, J., Williams, M. A., Gulati, M., Kligfield, P., Balady, G. J., *et al.* 2007. Assessment of functional capacity in clinical and research settings. *Circulation*, 116(3), 329–343.
- Arnett, S. V., & Clark, I. A. 2012. Inflammatory fatigue and sickness behaviour — lessons for the diagnosis and management of chronic fatigue syndrome. *Journal of Affective Disorders*, 141(2–3), 130–142.
- Autenshlyus, A., Davletova, K., Varaksin, N., Marinkin, I., & Lyakhovich, V. 2021. Cytokines in various molecular subtypes of breast cancer. *International Journal of Immunopathology and Pharmacology*, 35, 205873842110340.
- Badawy, M.M. & Muaidi, Q.I. 2019. Cardio respiratory response: Validation of new modifications of Bruce Protocol for Exercise Testing and training in elite Saudi triathlon and soccer players. *Saudi Journal of Biological Sciences* 26(1): 105–111.
- Baker, G., Gray, S. R., Wright, A., Fitzsimons, C., Nimmo, M., Lowry, R., *et al.* 2008. The effect of a pedometer-based community walking intervention “Walking for wellbeing in the West” on physical activity levels and health outcomes: A 12-week randomized controlled trial. *International Journal of Behavioral Nutrition and Physical Activity*, 5(1), 44.
- Blaes AH, Nair C, Everson-Rose S. 2023. Psychological measures of stress and biomarkers of inflammation, aging, and endothelial dysfunction in breast cancer survivors on aromatase inhibitors. *Scientific Reports* 13(1).
- Bower, J. E. 2014. Cancer-related fatigue—mechanisms, risk factors, and treatments. *Nature Reviews Clinical Oncology*, 11(10), 597–609.
- Bower, J. E., Ganz, P. A., Irwin, M. R., Cole, S. W., Carroll, J., Kuhlman, K. R., *et al.* 2022. Acute and chronic effects of adjuvant therapy on inflammatory markers in breast cancer patients. *JNCI Cancer Spectrum*, 6(4).
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R. L., Torre, L. A., & Jemal, A. 2018. Global cancer statistics 2018: Globocan estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal for Clinicians*, 68(6), 394–424.

- Bruunsgaard, H., Galbo, H., Halkjaer-Kristensen, J., Johansen, T. L., MacLean, D. A., & Pedersen, B. K. 1997. Exercise-induced increase in serum interleukin-6 in humans is related to muscle damage. *The Journal of Physiology*, 499(3), 833–841.
- Burstein, H. J., Lacchetti, C., Anderson, H., Buchholz, T. A., Davidson, N. E., Gelmon, K. A., *et al.* 2019. Adjuvant endocrine therapy for women with hormone receptor-positive breast cancer: Asco clinical practice guideline focused update. *Journal of Clinical Oncology*, 37(5), 423–438.
- Butarbutar DT, Sudira PG, & Astuti. 2014. Reliability and Validity Test of Fatigue Severity Scale Questionnaire Indonesia Version For Resident Doctors in Dr. Sardjito General Hospital Yogyakarta. *Pertemuan Ilmiah Regional XXVI, Dokter Spesialis Saraf JOGLOSEMARMAS*.
- But-Hadzic, J., Dervisevic, M., Karpljuk, D., Videmsek, M., Dervisevic, E., Paravlic, A., *et al.* 2021. Six-minute walk distance in breast cancer survivors—a systematic review with meta-analysis. *International Journal of Environmental Research and Public Health*, 18(5), 2591.
- Cadmus LA, Salovey P, Yu H. 2009. Exercise and quality of life during and after treatment for breast cancer: Results of two randomized controlled trials. *Psycho-Oncology* 18(4): 343–352.
- Cardoso, F., Kyriakides, S., Ohno, S., Penault-Llorca, F., Poortmans, P., Rubio, I. T., *et al.* 2019. Early breast cancer: ESMO clinical practice guidelines for diagnosis, treatment and follow-up. *Annals of Oncology*, 30(8), 1194–1220.
- Chen, J., Wei, Y., Yang, W., Huang, Q., Chen, Y., Zeng, K., *et al.* 2022. IL-6: The link between inflammation, immunity and breast cancer. *Frontiers in Oncology*, 12.
- Chen, X., Zheng, Y., Zheng, W., Gu, K., Chen, Z., Lu, W., *et al.* 2009. The effect of regular exercise on quality of Life Among Breast Cancer Survivors. *American Journal of Epidemiology*, 170(7), 854–862.
- Cho, S. M. J., Lee, H. J., Shim, J. S., Song, B. M., *et al.* 2020. Associations between age and dyslipidemia are differed by education level: The Cardiovascular and Metabolic Diseases Etiology Research Center (CMERC) cohort. *Lipids in Health and Disease*, 19(1), 12. <https://doi.org/10.1186/s12944-020-1189-y>
- Christiansen, T., Paulsen, S. K., Bruun, J. M., Pedersen, S. B., & Richelsen, B. 2010. Exercise training versus diet-induced weight-loss on metabolic risk factors and inflammatory markers in obese subjects: A 12-week randomized intervention study. *American Journal of Physiology-Endocrinology and Metabolism*, 298(4).
- Collado-Hidalgo, A., Bower, J. E., Ganz, P. A., Cole, S. W., & Irwin, M. R. 2006. Inflammatory biomarkers for persistent fatigue in breast cancer survivors. *Clinical Cancer Research*, 12(9), 2759–2766.

- Conroy, S. M., Courneya, K. S., Brenner, D. R., Shaw, E., O'Reilly, R., Yasui, Y., *et al.* 2016. Impact of aerobic exercise on levels of IL-4 and IL-10: Results from two randomized intervention trials. *Cancer Medicine*, 5(9), 2385–2397.
- Couper, K.N., Blount, D.G. & Riley, E.M. 2008. IL-10: the master regulator of immunity to infection. *Journal of Immunology*, 180(9), pp.5771–5777
- Courneya, K. S., Segal, R. J., Gelmon, K., Reid, R. D., Mackey, J. R., Friedenreich, C. M., *et al.* 2007. Six-month follow-up of patient-rated outcomes in a randomized controlled trial of exercise training during breast cancer chemotherapy. *Cancer Epidemiology, Biomarkers & Prevention*, 16(12), 2572–2578.
- Corbett TK, Groarke A, & Devane D. 2019. The effectiveness of psychological interventions for fatigue in cancer survivors: Systematic review of Randomised Controlled Trials. *Systematic Reviews* 8(1).
- Crowley, E., Powell, C., Carson, B. P., & W. Davies, R. 2022. The effect of exercise training intensity on vo2max in healthy adults: An overview of systematic reviews and meta-analyses. *Translational Sports Medicine*, 2022, 1–10.
- da Cruz Fernandes, I. M., Pinto, R. Z., Ferreira, P., & Lira, F. S. 2018. Low back pain, obesity, and inflammatory markers: Exercise as potential treatment. *Journal of Exercise Rehabilitation*, 14(2), 168–174.
- de Jesus Leite, M. A., Puga, G. M., Arantes, F. J., Oliveira, C. J., Cunha, L. M., Bortolini, M. J., *et al.* 2018. Effects of combined and resistance training on the inflammatory profile in breast cancer survivors: A systematic review. *Complementary Therapies in Medicine*, 36, 73–81.
- DeNardo, D. G., & Coussens, L. M. 2007. Inflammation and breast cancer. balancing immune response: Crosstalk between adaptive and innate immune cells during breast cancer progression. *Breast Cancer Research*, 9(4). <https://doi.org/10.1186/bcr1746>
- Deshmukh, S. K., Srivastava, S. K., Poosarla, T., Dyess, D. L., Holliday, N. P., Singh, A. P., *et al.* 2019. Inflammation, immunosuppressive microenvironment and breast cancer: Opportunities for cancer prevention and therapy. *Annals of Translational Medicine*, 7(20), 593–593.
- Dethlefsen, C., Højfeldt, G., & Hojman, P. 2013. The role of intratumoral and systemic IL-6 in breast cancer. *Breast Cancer Research and Treatment*, 138(3), 657–664.
- Dimeo, F. C., Thomas, F., Raabe-Menssen, C., Propper, F., & Mathias, M. 2004. Effect of aerobic exercise and relaxation training on fatigue and physical performance of cancer patients after surgery. A randomised controlled trial. *Supportive Care in Cancer*, 12(11), 774–779.
- Dong, X., Yi, X., Gao, D., Gao, Z., Huang, S., Chao, M., *et al.* 2019. The effects of the combined exercise intervention based on internet and Social Media Software (CEIBISMS) on quality of life, Muscle Strength and

- cardiorespiratory capacity in Chinese postoperative breast cancer patients: A randomized controlled trial. *Health and Quality of Life Outcomes*, 17(1).
- Dorneles, G. P., Haddad, D. O., Fagundes, V. O., Vargas, B. K., Kloecker, A., Romão, P. R. T., *et al.* 2016. High intensity interval exercise decreases IL-8 and enhances the immunomodulatory cytokine interleukin-10 in lean and overweight–obese individuals. *Cytokine*, 77, 1–9.
- Doré, I., Plante, A., Peck, S. S., Bedrossian, N., & Sabiston, C. M. 2021. Physical activity and sedentary time: Associations with fatigue, pain, and depressive symptoms over 4 years post-treatment among breast cancer survivors. *Supportive Care in Cancer*, 30(1), 785–792.
- Esquivel-Velázquez, M., Ostoa-Saloma, P., Palacios-Arreola, M. I., Nava-Castro, K. E., Castro, J. I., & Morales-Montor, J. 2015. The Role of Cytokines in Breast Cancer Development and Progression. *Journal of Interferon & Cytokine Research*, 35(1), 1–16.
- Fabi, A., Bhargava, R., Fatigoni, S., Guglielmo, M., Horneber, M., Roila, F., *et al.* 2020. Cancer-related fatigue: ESMO Clinical Practice Guidelines for diagnosis and treatment. *Annals of Oncology*, 31(6), 713–723.
- Fichtlscherer, S., Breuer, S., Heeschen, C., Dimmeler, S., & Zeiher, A. M. 2004. Interleukin-10 serum levels and systemic endothelial vasoreactivity in patients with coronary artery disease. *Journal of the American College of Cardiology*, 44(1), 44–49. <https://doi.org/10.1016/j.jacc.2004.02.054>
- Gandhi, A., Samuel, S. R., Kumar, K. V., Saxena, P. P., & Mithra, P. 2020. Effect of a pedometer-based exercise program on cancer related fatigue and quality of life amongst patients with breast cancer receiving chemotherapy. *Asian Pacific Journal of Cancer Prevention*, 21(6), 1813–1818.
- Goldberg, J., & Schwertfeger, K. 2010. Proinflammatory cytokines in breast cancer: Mechanisms of action and potential targets for Therapeutics. *Current Drug Targets*, 11(9), 1133–1146.
- Gray, S. R., Baker, G., Wright, A., Fitzsimons, C. F., Mutrie, N., & Nimmo, M. A. 2009. The effect of a 12 week walking intervention on markers of insulin resistance and systemic inflammation. *Preventive Medicine*, 48(1), 39–44.
- Gómez, A. M., Martínez, C., Fiuza-Luces, C., Herrero, F., Pérez, M., Madero, L., *et al.* 2011. Exercise training and cytokines in breast cancer survivors. *International Journal of Sports Medicine*, 32(06), 461–467.
- Gómez-Rubio, P., and Trapero, I., 2019. The effects of exercise on IL-6 levels and cognitive performance in patients with schizophrenia. *Diseases*, 7(1), p.11.
- Goss, P. E., Ingle, J. N., Martino, S., Robert, N. J., Muss, H. B., Livingston, R. B., *et al.* 2013. Impact of premenopausal status at breast cancer diagnosis in women entered on the placebo-controlled NCIC CTG MA17 trial of extended adjuvant letrozole. *Annals of Oncology*, 24(2), 355–361.

- Guo, W., Fensom, G. K., Reeves, G. K., & Key, T. J. 2020. Physical activity and breast cancer risk: Results from the UK Biobank prospective cohort. *British Journal of Cancer*, 122(5), 726–732. <https://doi.org/10.1038/s41416-019-0700-6>
- Hagstrom, A. D., Marshall, P. W., Lonsdale, C., Papalia, S., Cheema, B. S., Toben, C., *et al.* 2016. The effect of resistance training on markers of immune function and inflammation in previously sedentary women recovering from breast cancer: A randomized controlled trial. *Breast Cancer Research and Treatment*, 155(3), 471–482.
- Hanson, N.J., Scheadler, C.M., & Lee TL. 2016. Modality determines vo₂max achieved in self-paced exercise tests: Validation with the bruce protocol. *European Journal of Applied Physiology* 116(7): 1313–1319.
- Harbeck, N., & Gnant, M. 2017. Breast cancer. *The Lancet*, 389(10074), 1134–1150.
- Heinzelmann, M., Lee, H., Rak, H., Livingston, W., Barr, T., Baxter, T., *et al.* 2014. Sleep restoration is associated with reduced plasma C-reactive protein and depression symptoms in military personnel with sleep disturbance after deployment. *Sleep Medicine*, 15(12), 1565–1570.
- Herdy AH., & Souza P de. 2019. Comparative analysis of direct and indirect methods for the determination of maximal oxygen uptake in sedentary young adults. *International Journal of Cardiovascular Sciences*.
- Hirano, Toshio. 2020. IL-6 in inflammation, autoimmunity and cancer. *International Immunology*, 33(3), 127–148.
- Hojman, P. 2011. Exercise-induced muscle-derived cytokines inhibit mammary cancer cell growth. *Clinical Cancer Research*, 17(5), pp.1301–1310.
- Hsu, H.-J., Jiang, S.-J., Chang, C.-M., & Lam, H. P. 2021. Interleukin-10: A double-edged sword in breast cancer. *Tzu Chi Medical Journal*, 33(3), 203.
- Jankord, R., & Jemiolo, B., 2004. Influence of physical activity on serum IL-6 and IL-10 levels in healthy older men. *Medicine & Science in Sports & Exercise*, 36(6), pp.960–964.
- Jain, M., Mishra, A., Yadav, V., Shyam, H., Kumar, S., Mishra, S. K., *et al.* 2022. Long-term yogic intervention decreases serum interleukins IL-10 and il-1 β and improves cancer-related fatigue and functional scale during radiotherapy/chemotherapy in breast cancer patients: A Randomized Control Study. *Supportive Care in Cancer*, 31(1).
- Jacquinot, Q., Meneveau, N., Chatot, M., Bonnetain, F., Degano, B., Bouhaddi, M., *et al.* 2017. A phase 2 randomized trial to evaluate the impact of a supervised exercise program on cardiotoxicity at 3 months in patients with HER2 overexpressing breast cancer undergoing adjuvant treatment by trastuzumab: Design of the CARDAPAC study. *BMC Cancer*, 17(1).
- Jones, L. W., & Courneya, K. S. 2002. Exercise counseling and programming preferences of cancer survivors. *Cancer Practice*, 10(4), 208–215.

- Jones, L.W. *et al.* 2010. Effects of exercise training on cardiorespiratory fitness in patients with breast cancer receiving chemotherapy: a randomized controlled trial. *Journal of Clinical Oncology*, 28(35), pp.4496–4504.
- Joshi, H., & Press, M. F. 2018. Molecular oncology of breast cancer. *The Breast*. <https://doi.org/10.1016/b978-0-323-35955-9.00022-2>
- Kaur, S., Bansal, Y., Kumar, R., & Bansal, G. 2020. A panoramic review of IL-6: Structure, pathophysiological roles and inhibitors. *Bioorganic & Medicinal Chemistry*, 28(5), 115327.
- Kehm, R. D., McDonald, J. A., Fenton, S. E., Kavanaugh-Lynch, M., Leung, K. A., McKenzie, K. E., *et al.* 2020. Inflammatory biomarkers and breast cancer risk: A systematic review of the evidence and future potential for Intervention Research. *International Journal of Environmental Research and Public Health*, 17(15), 5445.
- Kirkham, A. A., Bland, K. A., Wollmann, H., Bonsignore, A., McKenzie, D. C., Van Patten, C., *et al.* 2019. Maintenance of fitness and quality-of-life benefits from supervised exercise offered as supportive care for breast cancer. *Journal of the National Comprehensive Cancer Network*, 17(6), 695–702.
- Kohut, M. L., McCann, D. A., Russell, D. W., Konopka, D. N., Cunnick, J. E., Franke, W. D., *et al.* 2006. Aerobic exercise, but not flexibility/resistance exercise, reduces serum il-18, CRP, and IL-6 independent of β -blockers, BMI, and psychosocial factors in older adults. *Brain, Behavior, and Immunity*, 20(3), 201–209.
- Kokkonen, K., Saarto, T., Mäkinen, T., Pohjola, L., Kautio, H., Järvenpää, S., *et al.* 2016. The functional capacity and quality of life of women with advanced breast cancer. *Breast Cancer*, 24(1), 128–136.
- Kullo, I. J., Khaleghi, M., & Hensrud, D. D. 2007. Markers of inflammation are inversely associated with $\dot{V}O_2$ max in asymptomatic men. *Journal of Applied Physiology*, 102(4), 1374–1379.
- Lancaster, G.A., Dodd, S., & Williamson, P.R., 2004. Design and analysis of pilot studies: Recommendations for good practice. *Journal of Evaluation in Clinical Practice*, 10(2), pp.307–312.
- Lahart, I.M., Metsios, G.S., Nevill, A.M., & Carmichael, A.R., 2018. Physical activity for women with breast cancer after adjuvant therapy. *Cochrane Database of Systematic Reviews*, 2018(1).
- Liu, X., Yin, L., Shen, S., & Hou, Y. 2023. Inflammation and cancer: Paradoxical roles in tumorigenesis and implications in immunotherapies. *Genes & Diseases*, 10(1), 151–164.
- Lopes, W. S., Ferreira, É. C., Silva, S. S., Tomiotto- Pellissier, F., Costa, I. C., Pavanelli, W. R., *et al.* 2017. Physical training improves cardiopulmonary functional capacity and increases cytokine IL-10 levels in individuals with Chagas disease. *Tropical Journal of Pharmaceutical Research*, 16(2), 453.

- Gonzalez-Garza, M.T., Elva Cruz-Vega, D., & Maldonado-Bernal, C., 2021. IL10 as cancer biomarker. *Translational Research in Cancer*.
- Maharjan, C.K., Mo, J., Wang, L., Kim, M.-C., Wang, S., Borcharding, N., *et al.* 2021. Natural and synthetic estrogens in chronic inflammation and breast cancer. *Cancers*, 14(1), p.206.
- Manneville, F., Rotonda, C., Conroy, T., Bonnetain, F., Guillemin, F., & Omorou, A. Y. 2017. The impact of physical activity on fatigue and quality of life during and after adjuvant treatment for breast cancer. *Cancer*, 124(4), 797–806.
- Margraf, A., Ludwig, N., Zarbock, A., & Rossaint, J., 2020. Systemic inflammatory response syndrome after surgery: Mechanisms and protection. *Anesthesia & Analgesia*, 131(6), pp.1693–1707.
- McNeely, M. L. 2006. Effects of exercise on breast cancer patients and survivors: A systematic review and meta-analysis. *Canadian Medical Association Journal*, 175(1), 34–41.
- Montaño-Rojas, L.S., Romero-Pérez, E.M., Medina-Pérez, C., Reguera-García, M.M., & de Paz, J.A., 2020. Resistance training in breast cancer survivors: A systematic review of Exercise Programs. *International Journal of Environmental Research and Public Health*, 17(18), p.6511.
- McNeil, J., Fahim, M., Stone, C. R., O'Reilly, R., Courneya, K. S., & Friedenreich, C. M. 2021. Adherence to a lower versus higher intensity physical activity intervention in the breast cancer & physical activity level (BC-PAL) trial. *Journal of Cancer Survivorship*, 16(2), 353–365.
- Melzer, K., Heydenreich, J., Schutz, Y., Renaud, A., Kayser, B., & Mäder, U. 2016. Metabolic equivalent in adolescents, active adults and pregnant women. *Nutrients*, 8(7), 438.
- Meneses-Echávez, J. F., González-Jiménez, E., & Ramírez-Vélez, R. 2015. Effects of supervised exercise on cancer-related fatigue in breast cancer survivors: A systematic review and meta-analysis. *BMC Cancer*, 15(1).
- Metsios, G. S., Moe, R. H., & Kitas, G. D. 2020. Exercise and inflammation. *Best Practice & Research Clinical Rheumatology*, 34(2), 101504.
- Mills, R. C. 2017. Breast cancer survivors, common markers of inflammation, and exercise: A narrative review. *Breast Cancer: Basic and Clinical Research*, 11, 117822341774397.
- Milne, H. M., Wallman, K. E., Gordon, S., & Courneya, K. S. 2007. Effects of a combined aerobic and resistance exercise program in breast cancer survivors: A randomized controlled trial. *Breast Cancer Research and Treatment*, 108(2), 279–288.
- Minton, O., & Stone, P. 2009. A systematic review of the scales used for the measurement of cancer-related fatigue (CRF). *Annals of Oncology*, 20(1), 17–25.

- Mock V, Frangakis C, & Davidson NE. 2005. Exercise manages fatigue during breast cancer treatment: A randomized controlled trial. *Psycho-Oncology* 14(6): 464–477.
- Mock, V., Pickett, M., Ropka, M. E., Lin, E. M., Stewart, K. J., Rhodes, V. A., McDaniel, *et al.* 2001. Fatigue and quality of life outcomes of exercise during cancer treatment. *Cancer Practice*, 9(3), 119–127.
- Moghadam, B.H., Golestani, F., Bagheri, R., Cheraghloo, N., Eskandari, M., Wong, A., *et al.* 2021. The effects of high-intensity interval training vs. moderate-intensity continuous training on inflammatory markers, body composition, and physical fitness in overweight/obese survivors of breast cancer: A randomized controlled clinical trial. *Cancers*, 13(17), 4386.
- Mustian, K. M., Alfano, C. M., Heckler, C., Kleckner, A. S., Kleckner, I. R., Leach, C. R., *et al.* 2017. Comparison of pharmaceutical, psychological, and exercise treatments for cancer-related fatigue. *JAMA Oncology*, 3(7), 961.
- Mustian, K. M., Sprod, L. K., Janelins, M., Peppone, L. J., & Mohile, S. 2012. Exercise recommendations for cancer-related fatigue, cognitive impairment, sleep problems, depression, pain, anxiety, and physical dysfunction—a review. *Oncology & Hematology Review (US)*, 08(02), 81.
- Nehlsen-Cannarella, S. L., Fagoaga, O. R., Nieman, D. C., Henson, D. A., Butterworth, D. E., Schmitt, R. L., *et al.* 1997. Carbohydrate and the cytokine response to 2.5 h of running. *Journal of Applied Physiology*, 82(5), 1662–1667.
- Nyrop, K. A., Deal, A. M., Choi, S. K., Wagoner, C. W., Lee, J. T., Wood, A., *et al.* 2017. Measuring and understanding adherence in a home-based exercise intervention during chemotherapy for early breast cancer. *Breast Cancer Research and Treatment*, 168(1), 43–55.
- Ostrowski, K., Rohde, T., Zacho, M., Asp, S., & Pedersen, B. K. 1998. Evidence that interleukin-6 is produced in human skeletal muscle during prolonged running. *The Journal of Physiology*, 508(3), 949–953.
- Ostrowski, Kenneth, Rohde, T., Asp, S., Schjerling, P., & Pedersen, B. K. 1999. Pro- and anti-inflammatory cytokine balance in strenuous exercise in humans. *The Journal of Physiology*, 515(1), 287–291.
- Ozaki, H., Loenneke, J. P., Thiebaud, R. S., & Abe, T. 2013. Resistance training induced increase in vo2max in young and older subjects. *European Review of Aging and Physical Activity*, 10(2), 107–116.
- Parke, S. C., Ng, A., Martone, P., Gerber, L. H., Zucker, D. S., Engle, J., *et al.* 2021. Translating 2019 acsm cancer exercise recommendations for a physiatric practice: Derived recommendations from an international expert panel. *PM&R*, 14(8), 996–1009.
- Payne, J. K., Held, J., Thorpe, J., & Shaw, H. 2008. Effect of exercise on biomarkers, fatigue, sleep disturbances, and depressive symptoms in older

- women with breast cancer receiving hormonal therapy. *Oncology Nursing Forum*, 35(4), 635–642.
- Pedersen, Bente K., & Febbraio, M. A. 2008. Muscle as an endocrine organ: Focus on muscle-derived interleukin-6. *Physiological Reviews*, 88(4), 1379–1406.
- Pedersen, Bente Klarlund, & Hoffman-Goetz, L. 2000. Exercise and the immune system: Regulation, integration, and adaptation. *Physiological Reviews*, 80(3), 1055–1081.
- Pedersen, B. K & Petersen, A. M., 2006. The anti-inflammatory effect of exercise. *Journal of Applied Physiology*, 98(4), 1154–1162.
- Pedersen, B. K., Steensberg, A., Fischer, C., Keller, C., Keller, P., Plomgaard, P., et al. 2003. Searching for the exercise factor: is IL-6 a candidate? *Journal of Muscle Research and Cell Motility*, 24(2–3), 113–119. <https://doi.org/10.1023/a:1026070911202>
- Phillips, S. M., & Winett, R. A. 2010. Uncomplicated resistance training and health-related outcomes. *Current Sports Medicine Reports*, 9(4), 208–213.
- Polak, J., Klimcakova, E., Moro, C., Viguerie, N., Berlan, M., Hejnova, J., et al. 2006. Effect of aerobic training on plasma levels and subcutaneous abdominal adipose tissue gene expression of adiponectin, leptin, interleukin 6, and tumor necrosis factor α in obese women. *Metabolism*, 55(10), 1375–1381.
- Pournemati, P., & Moghadam, B. 2021. The effect of 12 weeks of interval and continuous training on serum levels of interleukin-17 and interleukin-10 in postmenopausal breast cancer survivors: A clinical trial. *Iranian Quarterly Journal of Breast Diseases*, 14(2), 4–15.
- Rahmawati, Y., Setyawati, Y., Widodo, I., Ghozali, A., & Purnomosari, D., 2018. Molecular Subtypes of Indonesian Breast Carcinomas – Lack of Association with Patient Age and Tumor size. *Asian Pac J Cancer Prev*, 19(1):161-166.
- Ramírez-Vélez R, Castro-Astudillo K, Correa-Bautista JE, et al. 2020. The effect of 12 weeks of different exercise training modalities or nutritional guidance on cardiometabolic risk factors, vascular parameters, and physical fitness in overweight adults: Cardiometabolic high-intensity interval training-resistance training randomized controlled study. *Journal of Strength and Conditioning Research* 34(8): 2178–2188.
- Reis, A.D., Pereira, P.T., Diniz, R.R., de Castro Filha, J.G., dos Santos, A.M., Ramallo, B.T., et al. 2018. Effect of exercise on pain and functional capacity in breast cancer patients. *Health and Quality of Life Outcomes*, 16(1).
- Rifa'i A, Kalim H, & Kusworini. 2016. Validity and reliability fatigue severity scale in patients with Systemic Lupus Erythematosus (SLE) in Indonesia. *Indonesian Journal of Rheumatology* 2016 Vol 8.
- Rogers, L. Q., Fogleman, A., Trammell, R., Hopkins-Price, P., Vicari, S., Rao, K., et al. 2012. Effects of a physical activity behavior change intervention on inflammation and related health outcomes in breast cancer survivors. *Integrative Cancer Therapies*, 12(4), 323–335.

- Rufa'i, A.A., Muda, W.A., Yen, S.H., Abd Shatar, A.K., Murali, B.V., & Tan, S.W., 2016. Design of a randomised intervention study: The effect of dumbbell exercise therapy on physical activity and quality of life among breast cancer survivors in Malaysia. *BMJ Global Health*, 1(1).
- Ryan, J.L. 2007. Mechanisms of cancer-related fatigue. *The Oncologist*, 12 (Suppl 1), pp.22–34
- Saligan, L. N., Olson, K., Filler, K., Larkin, D., Cramp, F., Sriram, Y., *et al.* 2015. The biology of cancer-related fatigue: A review of the literature. *Supportive Care in Cancer*, 23(8), 2461–2478.
- Saraiva, M., Vieira, P., & O'Garra, A. 2019. Biology and therapeutic potential of interleukin-10. *Journal of Experimental Medicine*, 217(1).
- Sasser, A. K., Sullivan, N. J., Studebaker, A. W., Hendey, L. F., Axel, A. E., & Hall, B. M. 2007. Interleukin- 6 is a potent growth factor for er- α - positive human breast cancer. *The FASEB Journal*, 21(13), 3763–3770.
- Sheikhpour, E., Neamatzadeh, H., Nasiri, R., Farahnak, S., Foroughi, E., & Noorbakhsh, P. 2018. *A survey on the role of interleukin-10 in breast cancer: A narrative*. Reports of biochemistry & molecular biology. <https://pubmed.ncbi.nlm.nih.gov/30324115/>
- Shephard, R. J. 2011. Combined resistance and aerobic exercise program reverses muscle loss in men undergoing androgen suppression therapy for prostate cancer without bone metastases: A randomized controlled trial. *Yearbook of Sports Medicine*, 2011, 277–280.
- Smolarz, B., Nowak, A. Z., & Romanowicz, H. 2022. Breast cancer—epidemiology, classification, pathogenesis and treatment (review of literature). *Cancers*, 14(10), 2569.
- Sprod, L. K., Palesh, O. G., Janelins, M. C., Peppone, L. J., Heckler, C. E., Adams, M. J., *et al.* 2010. Exercise, sleep quality, and mediators of sleep in breast and prostate cancer patients receiving radiation therapy. *Community Oncology*, 7(10), 463–471.
- Starkie, R. L., Arkinstall, M. J., Koukoulas, I., Hawley, J. A., & Febbraio, M. A. 2001. Carbohydrate ingestion attenuates the increase in plasma interleukin-6, but not skeletal muscle interleukin-6 mRNA, during exercise in humans. *The Journal of Physiology*, 533(2), 585–591.
- Starkie, R., Ostrowski, S. R., Jauffred, S., Febbraio, M., & Pedersen, B. K. 2003. Exercise and IL-6 infusion inhibit endotoxin-induced TNF- α production in humans. *The FASEB Journal*, 17(8), 1–10.
- Stefani, L., Galanti, G., & Klika, R. 2017. Clinical implementation of exercise guidelines for cancer patients: Adaptation of ACSM's guidelines to the Italian model. *Journal of Functional Morphology and Kinesiology*, 2(1), 4.
- Sturgeon, K. M., Ky, B., Libonati, J. R., & Schmitz, K. H. 2013. The effects of exercise on cardiovascular outcomes before, during, and after treatment for breast cancer. *Breast Cancer Research and Treatment*, 143(2), 219–226.

- Sullivan, N. J., Sasser, A. K., Axel, A. E., Vesuna, F., Raman, V., Ramirez, N., *et al.* 2009. Interleukin-6 induces an epithelial–mesenchymal transition phenotype in human breast cancer cells. *Oncogene*, 28(33), 2940–2947.
- Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., *et al.* 2021. Global cancer statistics 2020: Globocan estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal for Clinicians*, 71(3), 209–249.
- Tanaka, T., Narazaki, M., & Kishimoto, T., 2014. IL-6 in inflammation, immunity, and disease. *Cold Spring Harbor Perspectives in Biology*, 6(10).
- ter Horst, R., Jaeger, M., Smeekens, S. P., Oosting, M., Swertz, M. A., Li, Y., *et al.* 2016. Host and Environmental Factors Influencing Individual Human Cytokine Responses. *Cell*, 167(4).
- Thompson, D., Markovitch, D., Betts, J. A., Mazzatti, D., Turner, J., & Tyrrell, R. M. 2010. Time course of changes in inflammatory markers during a 6-mo exercise intervention in sedentary middle-aged men: A randomized-controlled trial. *Journal of Applied Physiology*, 108(4), 769–779.
- Thorsen, L., Skovlund, E., Strømme, S. B., Hornslien, K., Dahl, A. A., & Fosså, S. D. 2005. Effectiveness of physical activity on cardiorespiratory fitness and health-related quality of life in young and middle-aged cancer patients shortly after chemotherapy. *Journal of Clinical Oncology*, 23(10), 2378–2388. <https://doi.org/10.1200/JCO.2005.04.106>
- Tizdast, N., Ghazalian, F., & Gholami, M. 2016. The effect of exercise type on inflammatory markers in obese survivors with breast cancer: Randomized control trial. *Health Scope*, 5(4).
- Tommasi, C., Balsano, R., Corianò, M., Pellegrino, B., Saba, G., Bardanzellu, F., *et al.* 2022. Long-term effects of breast cancer therapy and care: Calm after the storm? *Journal of Clinical Medicine*, 11(23), p.7239.
- Tower, Ruppert, & Britt. 2019. The immune microenvironment of breast cancer progression. *Cancers*, 11(9), 1375.

- Ullah, A., Singla, R. K., Cao, D., Chen, B., & Shen, B. 2025. Age-related and postmenopausal breast cancer progression and treatment management: The significance of pro-inflammatory cytokines and CXC chemokines. *Genes & Diseases*, 12(5), 101606. <https://doi.org/10.1016/j.gendis.2025.101606>
- van der Most, R. G., Currie, A. J., Robinson, B. W., & Lake, R. A. 2007. Decoding dangerous death: How cytotoxic chemotherapy invokes inflammation, immunity or nothing at all. *Cell Death & Differentiation*, 15(1), 13–20.
- Velthuis, M. J., Agasi-Idenburg, S. C., Aufdemkampe, G., & Wittink, H. M. 2010. The effect of physical exercise on cancer-related fatigue during cancer treatment: A meta-analysis of randomised controlled trials. *Clinical Oncology*, 22(3), 208–221.
- Verheggen, R. J., Maessen, M. F., Green, D. J., Hermus, A. R., Hopman, M. T., & Thijssen, D. H. 2016. A systematic review and meta-analysis on the effects of exercise training versus hypocaloric diet: Distinct effects on body weight and visceral adipose tissue. *Obesity Reviews*, 17(8), 664–690.
- Waks, A. G., & Winer, E. P. 2019. Breast cancer treatment. *JAMA*, 321(3), 288.
- Wengström, Y., Bolam, K. A., Mijwel, S., Sundberg, C. J., Backman, M., Browall, et al. 2017. Optitrain: A randomised controlled exercise trial for women with breast cancer undergoing chemotherapy. *BMC Cancer*, 17(1).
- Widiana, I.K., & Irawan, H. 2020. Clinical and Subtypes of Breast Cancer in Indonesia. *Asian Pac J Cancer Care*, 5(4):281-285.
- Windsor, P. M., Nicol, K. F., & Potter, J. 2004. A randomized, controlled trial of aerobic exercise for treatment-related fatigue in men receiving radical external beam radiotherapy for localized prostate carcinoma. *Cancer*, 101(3), 550–557.
- Wirtz, P., & Baumann, F. T. 2018. Physical activity, exercise and breast cancer - what is the evidence for rehabilitation, Aftercare, and survival a review. *Breast Care*, 13(2), 92–100.
- Xing, Z., Gauldie, J., Cox, G., Baumann, H., Jordana, M., Lei, X. F., et al. 1998. IL-6 is an antiinflammatory cytokine required for controlling local or systemic acute inflammatory responses. *Journal of Clinical Investigation*, 101(2), 311–320.
- Yang, S., Chu, S., Gao, Y., Ai, Q., Liu, Y., Li, X., et al. 2019. A narrative review of cancer-related fatigue (CRF) and its possible pathogenesis. *Cells*, 8(7), 738.
- Yennurajalingam, S., Palmer, J. L., Zhang, T., Poulter, V., & Bruera, E. 2008. Association between fatigue and other cancer-related symptoms in patients with advanced cancer. *Supportive Care in Cancer*, 16(10), 1125–1130.
- Zimmer, P., Bloch, W., Schenk, A., Oberste, M., Riedel, S., Kool, J., et al. 2017. High-intensity interval exercise improves cognitive performance and reduces matrix metalloproteinases-2 serum levels in persons with multiple sclerosis:

A randomized controlled trial. *Multiple Sclerosis Journal*, 24(12), 1635–1644..