

- Ahmad, M., Rajapaksha, A. U., Lim, J. E., Zhang, M., Bolan, N., Mohan, D., Vithanage, M., Lee, S. S., & Ok, Y. S. (2014). Biochar as a sorbent for contaminant management in soil and water: A review. Dalam *Chemosphere* (Vol. 99, hlm. 19–33). Elsevier Ltd.
<https://doi.org/10.1016/j.chemosphere.2013.10.071>
- Akbari, M., Oyedun, A. O., & Kumar, A. (2019). Comparative energy and techno-economic analyses of two different configurations for hydrothermal carbonization of yard waste. *Bioresource Technology Reports*, 7. <https://doi.org/10.1016/j.biteb.2019.100210>
- AlNouss, A., McKay, G., & Al-Ansari, T. (2019). A techno-economic-environmental study evaluating the potential of oxygen-steam biomass gasification for the generation of value-added products. *Energy Conversion and Management*, 196, 664–676.
<https://doi.org/10.1016/j.enconman.2019.06.019>
- Anex, R. P., Aden, A., Kazi, F. K., Fortman, J., Swanson, R. M., Wright, M. M., Satrio, J. A., Brown, R. C., Daugaard, D. E., Platon, A., Kothandaraman, G., Hsu, D. D., & Dutta, A. (2010). Techno-economic comparison of biomass-to-transportation fuels via pyrolysis, gasification, and biochemical pathways. *Fuel*, 89(SUPPL. 1).
<https://doi.org/10.1016/j.fuel.2010.07.015>
- Awasthi, M. K., Sar, T., Gowd, S. C., Rajendran, K., Kumar, V., Sarsaiya, S., Li, Y., Sindhu, R., Binod, P., Zhang, Z., Pandey, A., & Taherzadeh, M. J. (2023). A comprehensive review on thermochemical, and biochemical conversion methods of lignocellulosic biomass into valuable end product. *Fuel*, 342. <https://doi.org/10.1016/j.fuel.2023.127790>
- Awasthi, M. K., Sarsaiya, S., Wainaina, S., Rajendran, K., Awasthi, S. K., Liu, T., Duan, Y., Jain, A., Sindhu, R., Binod, P., Pandey, A., Zhang, Z., & Taherzadeh, M. J. (2021). Techno-economics and life-cycle assessment of biological and thermochemical treatment of bio-waste. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 144). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2021.110837>
- Azis, M. M., Kristanto, J., & Purnomo, C. W. (2021). A techno-economic evaluation of municipal solid waste (Msw) conversion to energy in indonesia. *Sustainability (Switzerland)*, 13(13). <https://doi.org/10.3390/su13137232>
- Balsora, H. K., Kartik, A., Dua, V., Joshi, J. B., Kataria, G., Sharma, A., & Chakinala, A. G. (2022). Machine learning approach for the prediction of biomass pyrolysis kinetics from preliminary analysis. *Journal of Environmental Chemical Engineering*, 10(3).
<https://doi.org/10.1016/j.jece.2022.108025>

Bijok, N., Fiskari, J., Gustafson, R. R., & Alopaeus, V. (2023). Chip scale modelling of the kraft pulping process by considering the heterogeneous nature of the lignocellulosic feedstock. *Chemical Engineering Research and Design*, *193*, 13–27.

<https://doi.org/10.1016/j.cherd.2023.03.010>

CEPCI. (2023). *The Chemical Engineering Plant Cost Index*.

<https://www.chemengonline.com/site/plant-cost-index/>

Chen, C., Liang, W., Fan, F., & Wang, C. (2021). The Effect of Temperature on the Properties of Hydrochars Obtained by Hydrothermal Carbonization of Waste *Camellia oleifera* Shells. *ACS Omega*. <https://doi.org/10.1021/acsomega.1c01787>

Chen, F., Ding, L., Zhu, Y., Ren, G., Man, Y., Hong, K., Lang, L., Ström, H., & Xiong, Q. (2024). Comprehensive kinetic modeling and product distribution for pyrolysis of pulp and paper mill sludge. *Science of the Total Environment*, *924*.

<https://doi.org/10.1016/j.scitotenv.2024.171665>

Cheng, C., Guo, Q., Ding, L., Raheem, A., He, Q., Shiung Lam, S., & Yu, G. (2022).

Upgradation of coconut waste shell to value-added hydrochar via hydrothermal carbonization: Parametric optimization using response surface methodology. *Applied Energy*, *327*. <https://doi.org/10.1016/j.apenergy.2022.120136>

Coimbra, R. N., Paniagua, S., Escapa, C., Calvo, L. F., & Otero, M. (2015). Combustion of primary and secondary pulp mill sludge and their respective blends with coal: A thermogravimetric assessment. *Renewable Energy*, *83*, 1050–1058.

<https://doi.org/10.1016/j.renene.2015.05.046>

de Fournas, N., & Wei, M. (2022). Techno-economic assessment of renewable methanol from biomass gasification and PEM electrolysis for decarbonization of the maritime sector in California. *Energy Conversion and Management*, *257*.

<https://doi.org/10.1016/j.enconman.2022.115440>

Díaz, L., Fuentes, R., R-Díaz, J., Rodríguez, K. E., & González, L. A. (2024). Enhancing sustainable energy production in the Canary Islands: Valorization of local biomass resources through thermochemical processes. *Biomass and Bioenergy*, *188*.

<https://doi.org/10.1016/j.biombioe.2024.107327>

Do, T. X., Lim, Y. il, Yeo, H., Lee, U. do, Choi, Y. tai, & Song, J. hun. (2014). Techno-economic analysis of power plant via circulating fluidized-bed gasification from woodchips. *Energy*, *70*, 547–560. <https://doi.org/10.1016/j.energy.2014.04.048>



- Elgarahy, A. M., Eloffy, M. G., Alengebawy, A., El-Sherif, D. M., Gaballah, M. S., Elwakeel, K. Z., & El-Qelish, M. (2023). Sustainable management of food waste; pre-treatment strategies, techno-economic assessment, bibliometric analysis, and potential utilizations: A systematic review. Dalam *Environmental Research* (Vol. 225). Academic Press Inc. <https://doi.org/10.1016/j.envres.2023.115558>
- Elgarahy, A. M., Hammad, A., El-Sherif, D. M., Abouzid, M., Gaballah, M. S., & Elwakeel, K. Z. (2021). Thermochemical conversion strategies of biomass to biofuels, techno-economic and bibliometric analysis: A conceptual review. Dalam *Journal of Environmental Chemical Engineering* (Vol. 9, Nomor 6). Elsevier Ltd. <https://doi.org/10.1016/j.jece.2021.106503>
- Erdoğan, S. (2021). LHV and HHV prediction model using regression analysis with the help of bond energies for biodiesel. *Fuel*, 301. <https://doi.org/10.1016/j.fuel.2021.121065>
- Faubert, P., Barnabé, S., Bouchard, S., Côté, R., & Villeneuve, C. (2016). Pulp and paper mill sludge management practices: What are the challenges to assess the impacts on greenhouse gas emissions? Dalam *Resources, Conservation and Recycling* (Vol. 108, hlm. 107–133). Elsevier B.V. <https://doi.org/10.1016/j.resconrec.2016.01.007>
- Ferrera-Lorenzo, N., Fuente, E., Bermúdez, J. M., Suárez-Ruiz, I., & Ruiz, B. (2014). Conventional and microwave pyrolysis of a macroalgae waste from the Agar-Agar industry. Prospects for bio-fuel production. *Bioresource Technology*, 151, 199–206. <https://doi.org/10.1016/j.biortech.2013.10.047>
- Gao, N., Kamran, K., Quan, C., & Williams, P. T. (2020). Thermochemical conversion of sewage sludge: A critical review. Dalam *Progress in Energy and Combustion Science* (Vol. 79). Elsevier Ltd. <https://doi.org/10.1016/j.peccs.2020.100843>
- Giatman, M. (2011). *EKONOMI TEKNIK* (3 ed.). Rajagrafindo Persada.
- Gottumukkala, L. D., Haigh, K., Collard, F. X., van Rensburg, E., & Görgens, J. (2016). Opportunities and prospects of biorefinery-based valorisation of pulp and paper sludge. Dalam *Bioresource Technology* (Vol. 215, hlm. 37–49). Elsevier Ltd. <https://doi.org/10.1016/j.biortech.2016.04.015>
- Groß, B., Eder, C., Grziwa, P., Horst, J., & Kimmerle, K. (2008). Energy recovery from sewage sludge by means of fluidised bed gasification. *Waste Management*, 28(10), 1819–1826. <https://doi.org/10.1016/j.wasman.2007.08.016>
- Güleç, F., Şimşek, E. H., & Taniker Sarı, H. (2022). Prediction of Biomass Pyrolysis Mechanisms and Kinetics: Application of the Kalman Filter. *Chemical Engineering & Technology*, 45(1), 167–177. <https://doi.org/https://doi.org/10.1002/ceat.202100229>

- Gulsoy, S. K. (2023). Comparison of kraft and ternary deep eutectic solvent pulping of scots pine. *Industrial Crops and Products*, 206. <https://doi.org/10.1016/j.indcrop.2023.117596>
- Gupta, G. K., & Mondal, M. K. (2019). Bio-energy generation from sagwan sawdust via pyrolysis: Product distributions, characterizations and optimization using response surface methodology. *Energy*, 170, 423–437. <https://doi.org/10.1016/j.energy.2018.12.166>
- Hamaguchi, M., Kautto, J., & Vakkilainen, E. (2013). Effects of hemicellulose extraction on the kraft pulp mill operation and energy use: Review and case study with lignin removal. *Chemical Engineering Research and Design*, 91(7), 1284–1291. <https://doi.org/10.1016/j.cherd.2013.02.006>
- Hämäläinen, A., Kokko, M., Kinnunen, V., Hilli, T., & Rintala, J. (2022). Hydrothermal carbonization of pulp and paper industry wastewater treatment sludges - characterization and potential use of hydrochars and filtrates. *Bioresource Technology*, 355. <https://doi.org/10.1016/j.biortech.2022.127258>
- Hedayati Marzbali, M., Kundu, S., Patel, S., Halder, P., Paz-Ferreiro, J., Madapusi, S., & Shah, K. (2021). Hydrothermal carbonisation of raw and dewatered paunch waste: Experimental observations, process modelling and techno-economic analysis. *Energy Conversion and Management*, 245. <https://doi.org/10.1016/j.enconman.2021.114631>
- Hu, M., Ye, Z., Zhang, H., Chen, B., Pan, Z., & Wang, J. (2021). Thermochemical conversion of sewage sludge for energy and resource recovery: technical challenges and prospects. Dalam *Environmental Pollutants and Bioavailability* (Vol. 33, Nomor 1, hlm. 145–163). Taylor and Francis Ltd. <https://doi.org/10.1080/26395940.2021.1947159>
- Huang, Y. F., & Lo, S. L. (2020). Predicting heating value of lignocellulosic biomass based on elemental analysis. *Energy*, 191. <https://doi.org/10.1016/j.energy.2019.116501>
- Kambo, H. S., & Dutta, A. (2015). A comparative review of biochar and hydrochar in terms of production, physico-chemical properties and applications. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 45, hlm. 359–378). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2015.01.050>
- Kan, T., Strezov, V., & Evans, T. J. (2016). Lignocellulosic biomass pyrolysis: A review of product properties and effects of pyrolysis parameters. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 57, hlm. 1126–1140). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2015.12.185>
- Kaur, R., Tyagi, R. D., & Zhang, X. (2020). Review on pulp and paper activated sludge pretreatment, inhibitory effects and detoxification strategies for biovalorization. Dalam

<https://doi.org/10.1016/j.envres.2019.109094>

KEMENPERIN. (2021). *Mungkinkah Peran Industri Bersandar pada Industri Pulp dan Paper? Buku Analisis Pembangunan Industri Edisi IV*.

Khan, A. A., de Jong, W., Jansens, P. J., & Spliethoff, H. (2009). Biomass combustion in fluidized bed boilers: Potential problems and remedies. *Fuel Processing Technology*, 90(1), 21–50. <https://doi.org/10.1016/j.fuproc.2008.07.012>

Liu, G., Liao, Y., Guo, S., Ma, X., Zeng, C., & Wu, J. (2016). Thermal behavior and kinetics of municipal solid waste during pyrolysis and combustion process. *Applied Thermal Engineering*, 98, 400–408. <https://doi.org/10.1016/j.applthermaleng.2015.12.067>

Liu, J., Chen, X., Chen, W., Xia, M., Chen, Y., Chen, H., Zeng, K., & Yang, H. (2023). Biomass pyrolysis mechanism for carbon-based high-value products. *Proceedings of the Combustion Institute*, 39(3), 3157–3181. <https://doi.org/10.1016/j.proci.2022.09.063>

Maitlo, G., Ali, I., Mangi, K. H., Ali, S., Maitlo, H. A., Unar, I. N., & Pirzada, A. M. (2022). Thermochemical Conversion of Biomass for Syngas Production: Current Status and Future Trends. Dalam *Sustainability (Switzerland)* (Vol. 14, Nomor 5). MDPI. <https://doi.org/10.3390/su14052596>

Mäkelä, M., Benavente, V., & Fullana, A. (2016). Hydrothermal carbonization of industrial mixed sludge from a pulp and paper mill. *Bioresource Technology*, 200, 444–450. <https://doi.org/10.1016/j.biortech.2015.10.062>

Mäkelä, M., Forsberg, J., Söderberg, C., Larsson, S. H., & Dahl, O. (2018). Process water properties from hydrothermal carbonization of chemical sludge from a pulp and board mill. *Bioresource Technology*, 263, 654–659. <https://doi.org/10.1016/j.biortech.2018.05.044>

Mendes, I. S. F., Prates, A., & Evtuguin, D. V. (2021). Production of rayon fibres from cellulosic pulps: State of the art and current developments. Dalam *Carbohydrate Polymers* (Vol. 273). Elsevier Ltd. <https://doi.org/10.1016/j.carbpol.2021.118466>

Mendoza Martinez, C. L., Sermyagina, E., Saari, J., Silva de Jesus, M., Cardoso, M., Matheus de Almeida, G., & Vakkilainen, E. (2021). Hydrothermal carbonization of lignocellulosic agro-forest based biomass residues. *Biomass and Bioenergy*, 147. <https://doi.org/10.1016/j.biombioe.2021.106004>

Mendoza-Martinez, C., Sermyagina, E., Saari, J., Ramos, V. F., Vakkilainen, E., Cardoso, M., & Alves Rocha, E. P. (2023). Fast oxidative pyrolysis of eucalyptus wood residues to

replace fossil oil in pulp industry. *Energy*, 263.

<https://doi.org/10.1016/j.energy.2022.126076>

- Mohanty, P., Pant, K. K., Naik, S. N., Parikh, J., Hornung, A., & Sahu, J. N. (2014). Synthesis of green fuels from biogenic waste through thermochemical route - The role of heterogeneous catalyst: A review. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 38, hlm. 131–153). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2014.05.011>
- Monte, M. C., Fuente, E., Blanco, A., & Negro, C. (2009). Waste management from pulp and paper production in the European Union. *Waste Management*, 29(1), 293–308. <https://doi.org/10.1016/j.wasman.2008.02.002>
- Namazi, A. B., Allen, D. G., & Jia, C. Q. (2015). Microwave-assisted pyrolysis and activation of pulp mill sludge. *Biomass and Bioenergy*, 73, 217–224. <https://doi.org/10.1016/j.biombioe.2014.12.023>
- Park, H. J., Dong, J. I., Jeon, J. K., Park, Y. K., Yoo, K. S., Kim, S. S., Kim, J., & Kim, S. (2008). Effects of the operating parameters on the production of bio-oil in the fast pyrolysis of Japanese larch. *Chemical Engineering Journal*, 143(1–3), 124–132. <https://doi.org/10.1016/j.cej.2007.12.031>
- Peters, M. S., & Timmerhaus, K. D. (1991). *PLANT DESIGN AND ECONOMICS FOR CHEMICAL ENGINEERS*.
- Pola, L., Collado, S., Oulego, P., & Díaz, M. (2022). Kraft black liquor as a renewable source of value-added chemicals. Dalam *Chemical Engineering Journal* (Vol. 448). Elsevier B.V. <https://doi.org/10.1016/j.cej.2022.137728>
- Porcu, A., Sollai, S., Marotto, D., Mureddu, M., Ferrara, F., & Pettinau, A. (2019). Techno-economic analysis of a small-scale biomass-to-energy BFB gasification-based system. *Energies*, 12(3). <https://doi.org/10.3390/en12030494>
- Priyo, M. (2012). *EKONOMI TEKNIK*. Perpustakaan Nasional Republik Indonesia (PNRI).
- Puig-Arnabat, M., Bruno, J. C., & Coronas, A. (2010). Review and analysis of biomass gasification models. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 14, Nomor 9, hlm. 2841–2851). <https://doi.org/10.1016/j.rser.2010.07.030>
- Rathika, K., Kumar, S., & Yadav, B. R. (2024). Enhanced energy and nutrient recovery via hydrothermal carbonisation of sewage sludge: Effect of process parameters. *Science of the Total Environment*, 906. <https://doi.org/10.1016/j.scitotenv.2023.167828>
- Reckamp, J. M., Garrido, R. A., & Satrio, J. A. (2014). Selective pyrolysis of paper mill sludge by using pretreatment processes to enhance the quality of bio-oil and biochar

<https://doi.org/10.1016/j.biombioe.2014.10.003>

- Rezaei, M., Ghobadian, B., Samadi, S. H., & Karimi, S. (2018). Electric power generation from municipal solid waste: A techno-economical assessment under different scenarios in Iran. *Energy*, 152, 46–56. <https://doi.org/10.1016/j.energy.2017.10.109>
- Ridout, A. J., Carrier, M., & Görgens, J. (2015). Fast pyrolysis of low and high ash paper waste sludge: Influence of reactor temperature and pellet size. *Journal of Analytical and Applied Pyrolysis*, 111, 64–75. <https://doi.org/10.1016/j.jaap.2014.12.010>
- Saenger, M., Werther, J., & Ogada, T. (2001). *NO_x and N₂O emission characteristics from fluidised bed combustion of semi-dried municipal sewage sludge*.
www.elsevier.com/locate/fuel
- Saari, J., Sermyagina, E., Kuparinen, K., Lipiäinen, S., Kaikko, J., Hamaguchi, M., & Mendoza-Martinez, C. (2022). Improving Kraft Pulp Mill Energy Efficiency through Low-Temperature Hydrothermal Carbonization of Biological Sludge. *Energies*, 15(17). <https://doi.org/10.3390/en15176188>
- Safarian, S. (2023). Performance analysis of sustainable technologies for biochar production: A comprehensive review. Dalam *Energy Reports* (Vol. 9, hlm. 4574–4593). Elsevier Ltd. <https://doi.org/10.1016/j.egyr.2023.03.111>
- Salisu, J., Gao, N., & Quan, C. (2021). Techno-economic Assessment of Co-gasification of Rice Husk and Plastic Waste as an Off-grid Power Source for Small Scale Rice Milling - an Aspen Plus Model. *Journal of Analytical and Applied Pyrolysis*, 158. <https://doi.org/10.1016/j.jaap.2021.105157>
- Samarasinghe, K., & Wijayatunga, P. D. C. (2022). Techno-economic feasibility and environmental sustainability of waste-to-energy in a circular economy: Sri Lanka case study. *Energy for Sustainable Development*, 68, 308–317. <https://doi.org/10.1016/j.esd.2022.04.005>
- Sevilla, M., & Fuertes, A. B. (2009). The production of carbon materials by hydrothermal carbonization of cellulose. *Carbon*, 47(9), 2281–2289. <https://doi.org/10.1016/j.carbon.2009.04.026>
- Skoglund, N., Thyrel, M., Perrin, J., & Strandberg, A. (2023). Characterisation of ash particles from co-combustion of bark and sludges from pulp and paper industry. *Fuel*, 340. <https://doi.org/10.1016/j.fuel.2023.127597>
- Sousa, A. M., Pinto, I. S. S., Machado, L., Gando-Ferreira, L., & Quina, M. J. (2023). Sustainability of kraft pulp mills: Bleaching technologies and sequences with reduced

70). Korean Society of Industrial Engineering Chemistry.

<https://doi.org/10.1016/j.jiec.2023.05.033>

Stoica, A., Sandberg, M., & Holby, O. (2009). Energy use and recovery strategies within wastewater treatment and sludge handling at pulp and paper mills. *Bioresource Technology*, 100(14), 3497–3505. <https://doi.org/10.1016/j.biortech.2009.02.041>

Su, X., He, J., Khan, M. A., Chang, K., Liu, Y., Guo, G., Li, X., Jin, F., Kuang, M., Gouda, S., & Huang, Q. (2023). Potential Application Performance of Hydrochar from Kitchen Waste: Effects of Salt, Oil, Moisture, and pH. *Toxics*, 11(8).

<https://doi.org/10.3390/toxics11080679>

Sun, M., Wang, Y., Shi, L., & Klemeš, J. J. (2018). Uncovering energy use, carbon emissions and environmental burdens of pulp and paper industry: A systematic review and meta-analysis. Dalam *Renewable and Sustainable Energy Reviews* (Vol. 92, hlm. 823–833). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2018.04.036>

Tarelho, L. A. C., Hauschild, T., Vilas-Boas, A. C. M., Silva, D. F. R., & Matos, M. A. A. (2020). Biochar from pyrolysis of biological sludge from wastewater treatment. *Energy Reports*, 6, 757–763. <https://doi.org/10.1016/j.egyr.2019.09.063>

Unrean, P., Lai Fui, B. C., Rianawati, E., & Acda, M. (2018). Comparative techno-economic assessment and environmental impacts of rice husk-to-fuel conversion technologies. *Energy*, 151, 581–593. <https://doi.org/10.1016/j.energy.2018.03.112>

V, M., N, S., O, H., M, B., A, G., S, L., A, M., R, S., & A, S. (2023). *Clean Energy Technology Observatory: Bioenergy in the European Union - 2023 Status Report on Technology Development, Trends, Value Chains and Markets. KJ-NA-31-709-EN-N (online)*. <https://doi.org/10.2760/327569> (online)

Vasalos, I. A., Lappas, A. A., Kopalidou, E. P., & Kalogiannis, K. G. (2016). Biomass catalytic pyrolysis: Process design and economic analysis. *Wiley Interdisciplinary Reviews: Energy and Environment*, 5(3), 370–383. <https://doi.org/10.1002/wene.192>

Verma, S., Dregulo, A. M., Kumar, V., Bhargava, P. C., Khan, N., Singh, A., Sun, X., Sindhu, R., Binod, P., Zhang, Z., Pandey, A., & Awasthi, M. K. (2023). Reaction engineering during biomass gasification and conversion to energy. *Energy*, 266.

<https://doi.org/10.1016/j.energy.2022.126458>

Wang, G., Li, D., Xiong, L., Dan, J., Xu, K., Yuan, X., Kan, G., Ning, X., & Wang, C. (2023). Application of catalysts in biomass hydrothermal carbonization for the

<https://doi.org/10.1016/j.energy.2023.129147>

Wang, S., Persson, H., Yang, W., & Jönsson, P. G. (2020). Pyrolysis study of hydrothermal carbonization-treated digested sewage sludge using a Py-GC/MS and a bench-scale pyrolyzer. *Fuel*, 262. <https://doi.org/10.1016/j.fuel.2019.116335>

Wang, S., Wen, Y., Hammarström, H., Jönsson, P. G., & Yang, W. (2021). Pyrolysis behaviour, kinetics and thermodynamic data of hydrothermal carbonization–Treated pulp and paper mill sludge. *Renewable Energy*, 177, 1282–1292.

<https://doi.org/10.1016/j.renene.2021.06.027>

White, J. E., Catallo, W. J., & Legendre, B. L. (2011). Biomass pyrolysis kinetics: A comparative critical review with relevant agricultural residue case studies. Dalam *Journal of Analytical and Applied Pyrolysis* (Vol. 91, Nomor 1, hlm. 1–33). Elsevier B.V. <https://doi.org/10.1016/j.jaap.2011.01.004>

Xu, J., Liao, Y., Yu, Z., Cai, Z., Ma, X., Dai, M., & Fang, S. (2018). Co-combustion of paper sludge in a 750 t/d waste incinerator and effect of sludge moisture content: A simulation study. *Fuel*, 217, 617–625. <https://doi.org/10.1016/j.fuel.2017.12.118>

Yu, Y., Lau, A., & Sokhansanj, S. (2022a). Hydrothermal carbonization and pelletization of moistened wheat straw. *Renewable Energy*, 190, 1018–1028.

<https://doi.org/10.1016/j.renene.2022.03.152>

Yu, Y., Lau, A., & Sokhansanj, S. (2022b). Hydrothermal carbonization and pelletization of moistened wheat straw. *Renewable Energy*, 190, 1018–1028.

<https://doi.org/10.1016/j.renene.2022.03.152>

Zainuri, S. T. (2021). *EKONOMI TEKNIK*.

Zambare, V. P., & Christopher, L. P. (2020). Integrated biorefinery approach to utilization of pulp and paper mill sludge for value-added products. *Journal of Cleaner Production*, 274. <https://doi.org/10.1016/j.jclepro.2020.122791>

Zheng, C., Ma, X., Yao, Z., & Chen, X. (2019). The properties and combustion behaviors of hydrochars derived from co-hydrothermal carbonization of sewage sludge and food waste. *Bioresource Technology*, 285. <https://doi.org/10.1016/j.biortech.2019.121347>

Zimmermann, A. W., Wunderlich, J., Müller, L., Buchner, G. A., Marxen, A., Michailos, S., Armstrong, K., Naims, H., McCord, S., Styring, P., Sick, V., & Schomäcker, R. (2020). Techno-Economic Assessment Guidelines for CO₂ Utilization. Dalam *Frontiers in Energy Research* (Vol. 8). Frontiers Media S.A.

<https://doi.org/10.3389/fenrg.2020.00005>