

REFERENCES

- Abbas, and Abdul, K. (2020). The surprising story of IL-2 from experimental models to clinical application. *The American Journal of Pathology.*, 190(9), 10–19.
- Adi-Kusumo, F., and Winanda, R. (2016). Bifurcation analysis of the cervical cancer cells, effector cells, and IL-2 compounds interaction model with immunotherapy. *Far East Journal of Mathematical Sciences (FJMS)*, 99.
- Aisu, R., and Horita, T. (2012). Stochastic extinction of tumor cells due to synchronization effect through time periodic treatment in a tumor-immune interaction model. *Nonlinear Theory and Its Applications*, 3.
- Akkaya, T. and van Horssen, W.T. (2019). On boundary damping to reduce the rain-wind oscillations of an inclined cable with small bending stiffness. *Nonlinear Dyn.*, 95.
- Allison, E., Kurt, R., Shainheit, M., Colton, A., and Gorman, A. (2004). A mathematical model of the effector cell response to cancer. *Mathematical and Computer Modelling*, 39(11–12), 1313–1327.
- Anderson, A. R., and Chaplain, M. A. (1998). Continuous and discrete mathematical models of tumor-induced angiogenesis. *Bulletin of Mathematical Biology*, 60(5), 857–899.
- Andrianov, I., and Manevitch, L. (2002). *Asymptotology, mathematics and its applications*. Springer: Springer,.
- Andrianov, I. V., and van Horssen, W. T. (2008). On the transversal vibrations of a conveyor belt: Applicability of simplified models. *J. Sound Vib.*, 313(3-5), 822–829.

- Aryati, L., Adi-Kusumo, F., and Hardianti, M. S. (2018). Global stability of the disease free equilibrium in a cervical cancer model: a chance to recover. *Far East Journal of Mathematical Sciences (FJMS)*, *103*(10), 1535–1546.
- Asih, T. S., Lenhart, S., Wise, S., Aryati, L., Adi-Kusumo, F., Hardianti, M. S., and Forde, J. (2016). The dynamics of HPV infection and cervical cancer cells. *Bulletin of mathematical biology*, *78*(1), 4–20. doi: 10.1007/s11538-015-0124-2
- Aubry, M. M., P. (1999). Triangular sets for solving polynomial systems: a comparative implementation of four methods. *J. Symbolic Computation.*, *28*(-), 125-154.
- Banerjee, S., Sarkar, R., and Rup. (2008). Delay-Induced Model for Tumor-Immune Interaction and Control of Malignant Tumor Growth. *BioSystems*, *91*.
- Banerjee, S., and Tsygvintsev, A. (2015). Stability and bifurcations of equilibria in a delayed kirschner-panetta model. *Appl. Math. Lett.*, *40*, 65–71. doi: 10.1016/j.aml.2014.09.010
- Bender, C., and Orszag, S. (1999). *Mathematical Methods for Scientists and Engineers, Asymptotic Methods and Perturbation Theory.*, Springer: Springer.
- Bini, D., and Fiorentino, G. (2000). Design, analysis, and implementation of a multiprecision polynomial rootfinder. *Numer. Algorithms.*, *23*(23), 127–173.
- Bini, D., and Robol, L. (2014). Solving secular and polynomial equations: a multiprecision algorithm. *J. Comput. Appl. Math.*, *272*(272), 276–292.
- Boertjens, G. J., and van Horssen, W. T. (2000). Asymptotic theory for a weakly nonlinear beam equation with a quadratic perturbation. *SIAM J. Appl. Math.*, *60*(2), 602–632.

- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R. L., Torre, L. A., and Jemal, A. (2022). Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA. Cancer J. Clin.*, *68*(6), 394–424.
- Burd, E. (2003). Human papilloma virus and cervical cancer. *Clinical microbiology reviews*, *16*(1), 1–17.
- Byrne, H., and Chaplain, M. A. (1996). Mathematical models for tumour growth and invasion: A review. *Bulletin of Mathematical Biology*, *58*(4), 655–687.
- Cameron, R., T., and Graillat, S. (2021). On a compensated ehrlich-aberth method for the accurate computation of all polynomial roots. *Electronic Transactions on Numerical Analysis*, *55*, 401 – 423.
- Caravagna, G., d’Onofrio, A., Milazzo, P., and Barbuti, R. (2010). Tumour suppression by immune system through stochastic oscillations. *Journal of theoretical biology*, *265*(3), 336–345.
- Chen, D. S., and Mellman, I. (2013). Oncology meets immunology: the cancer-immunity cycle. *Immunity*, *39*(1), 1–10.
- Da, S., Enserro, D., and Mayadev, J. (2020). Immune activation in patients with locally advanced cervical cancer treated with ipilimumab following definitive chemoradiation. *Clin Cancer Res.*, *26*(21), 12-30.
- Dickenstein, A., and Emiris, I. (2005). Solving polynomial equations: Foundations, algorithms, and applications. *Algorithms and Computation in Mathematics*, *14*, 321–354.
- DKronik, N., Kogan, Y., Schlegel, P., and Wölfel, M. (2012). Improving T-cell immunotherapy for melanoma through a mathematically motivated strategy: efficacy in numbers. *Journal of Immunotherapy*, *35*(2).

- Dranoff, G. (2004). *Cytokines in cancer pathogenesis and cancer therapy* (Vol. 4) (No. 1).
- Dudley, M., Wunderlich, J. R., and Robbins, P. F. (2017). Cancer regression and autoimmunity in patients after clonal repopulation with antitumor lymphocytes. *Computational and Mathematical Methods in Medicine*, 290.
- Eppersen, J., F. (2013). *An introduction of method and analysis numeric*. Great Britain: Canada.
- Evan, G., Blackledge, and Yardley, P. (1998). *Analytic methods for partial differential equations*. Great Britain: Springer.
- Evriati, P., and Yasmon, A. (2019). Patogenesis human papiloma virus pada kanker serviks. *Jurnal Biotek Medisiana Indonesia*, 8(1), 23.
- Frascoli, F., Flood, E., and Kim, P. S. (2013). A model of the effects of cancer cell motility and cellular adhesion properties on tumour-immune dynamics. *Math. Med. Biol.*, 34.
- Frascoli, F., Kim, P. S., Hughes, B. D., and Landman, K. A. (2014). A dynamical model of tumour immunotherapy. *Mathematical Bioscience*, 253(1), 50–62.
- Gatenby, R. A., and Gawlinski, E. T. (1996). A reaction-diffusion model of cancer invasion. *Cancer Research*, 56(24), 5745–5753.
- Gupta, S., and Agarwal, N. (2016). Cancer immunotherapy with interleukin-2—current status and future developments. *Oncol. Hematol. Rev.*, 12(02), 82.
- Hamdan, F., and Cerullo, V. (2023). Cancer immunotherapies: A hope for the incurable? *Frontiers in Molecular Medicine*, 3.
- Hanahan, D., and Weinberg, R. A. (2000). The hallmarks of cancer. *Cell*, 100, 57–70.

- Harjanto, E., van Horsen, W., and Tuwankotta, J. (2021). On resonances in a weakly nonlinear microbeam due to an electric actuation. *Nonlinear Dyn.*, 104.
- Hill, J., Li, D., Hay, K., Green, M., Cherian, S., and Chen, X. (2018). Infectious complications of cd19-targeted chimeric antigen receptor-modified t-cell immunotherapy. *Blood*, 131.
- Holmes, M. (2010). *Introduction to perturbation methods 23*. New York: Springer,.
- Ibeanu, and A., O. (2011). Molecular pathogenesis of cervical cancer. *Cancer Biol. Ther.*, 11(3), 295–306.
- Jia, Y. (2020). Hopf bifurcation, bifurcation and pattern formation of a tumor-immune model with time-delay and diffusion. *Math. Comput. Simul.*, 178.
- Jiang, T., Zhou, C., and Ren, S. (2023). Cancer immunotherapies: A hope for the incurable? *Frontiers in Molecular Medicine*, 5(6).
- Jiang T, Z., C, R., and S. (2016). Role of il-2 in cancer immunotherapy. *Oncoimmunology*, 5(6).
- Johnson, R. (2005). *Singular perturbation theory*. New York: Springer,.
- Kajitani, N., Satsuka, A., Kawate, A., and Sakai, H. (2012). Productive lifecycle of human papillomaviruses that depends upon squamous epithelial differentiation. *Frontiers in microbiology*, 3(152).
- Kane, M., and Golovkina, T. (2010). Common threads in persistent viral infections. *Journal of virology*, 84(9), 4116–4123.
- Kemenkes. (2023). *Profil kesehatan indonesia*. Jakarta: Kementerian Kesehatan Republik Indonesia.

- Kerber, M., and Sagraloff, M. (2015). Root refinement for real polynomials using quadratic interval refinement. *Journal of Computational and Applied Mathematics*, 280, 377 – 395.
- Kevorkian, J., and Cole, J. (1993). *Multiple scale and singular perturbation methods*. New York: Springer.
- Kirschner, D., and Panetta, J. C. (1998). Modeling immunotherapy of the tumor - Immune interaction. *J. Math. Biol.*, 37(3), 235–252.
- Kirschner, D., and Tsygvintsev. (2009). On the global dynamics of a model for tumor immunotherapy. *Mathematical biosciences and engineering : MBE*, 6(3), 573–583.
- Ko, W., and Ahn, I. (2011a). Diffusive tumor-immune interaction systems under immunotherapy. *Nonlinear Anal. Real World Appl*, 12.
- Ko, W., and Ahn, I. (2011b). Stationary patterns and stability in a tumor-immune interaction model with immunotherapy. *J. Math. Anal. Appl*, 303.
- Kobel, A., Rouillier, F., and Sagraloff, M. (2016). Computing real roots of real polynomials and now for real! In (Vol. 20-22-July-2016, p. 303 – 310).
- Krummel, M. F., Bartumeus, F., and Gérard, A. (2016, mar). *T cell migration, search strategies and mechanisms* (Vol. 16) (No. 3). Nature Publishing Group.
- Logan D., J. (1994). *An introduction to non linear partial differential equations*. New York: John Wily and Sons.
- Luongo, A. F. M. (2015). Can a semi-simple eigenvalue admit fractional sensitivities? *Applied Mathematics and Computation.*, 225, 165-178.
- Mahlbacher, G. E., Reihmer, K. C., and Frieboes, H. B. (2019). Mathematical modeling of tumor-immune cell interactions. *J. Theor. Biol.*, 469, 47–60.

Retrieved from <https://doi.org/10.1016/j.jtbi.2019.03.002> doi: 10.1016/j.jtbi.2019.03.002

Miller, P. (2006). *Applied asymptotic analysis. graduate studies in mathematics, 75*,. Providence: AMS,.

Mo, F., Yu, Z., Li, P., Oh, J., Spolski, R., Zhao, L., ... Leonard. (2016). Periodically pulsed immunotherapy in a mathematical model of tumor, cd4+ t cells, and antitumor cytokine interactions. *Science*, 5(6).

Morotti, M., Albukhari, A., Alsaadi, A., Artibani, M., Brenton, J., Curbishley, S., ... Ahmed, A. (2021). Promises and challenges of adoptive t-cell therapies for solid tumours. *Br J Cancer*(124), 1759-1776.

Murdock, J. (1999). *Perturbations Theory and Methods: Classics in Applied Mathematics Series Number 27* . Philadelphia: SIAM.

NCI. (2024). *Chimeric antigen receptor t-cell therapy*. Retrieved from <https://www.cancer.gov> (Diakses pada 7 November 2024)

Neu, J. (2015). *Singular perturbation in the phsycal sciences, graduate studies in mathematics vol 167*,. Providence: AMS,.

Orbegoso, C., Murali, K., and Banerjee, S. (2018, nov). The current status of immunotherapy for cervical cancer. , *23*(6), 580–588. doi: 10.1016/j.rpor.2018.05.001

Pakdemirli, M., and Sari, G. (2013). A comprehensive perturbation theorem for estimating magnitudes of roots of polynomials. *LMS J. Comput. and Math.*, 16(-), 1-8.

Palefsky, J. (1995). Human papillomavirus-associated malignancies in HIV-positive men and women. *Curr Opin Oncol.*, 1995(7), 437–441.

Pan, V. (2001). *Structured matrices and polynomials: Unified superfast algorithms*. Birkhäuser/Springer: Springer.

- Pan, V. (2020). *Acceleration of subdivision root-finding for sparse polynomials*. Switzerland:: Springer Natures.
- Parthasakha, D., Pritha, D., and Samhita, D. (2019). An investigation on monod–haldane immune response based tumor-effector–interleukin-2 interactions with treatments. *Appl. Math. Comput.*, 361.
- Pisarciuc, C., Dan, I., and Cioară, R. (2023). The influence of mesh density on the results obtained by finite element analysis of complex bodies. *Materials*, 16.
- Qureshi, S., Argyros, I., Soomro, A., Gdawiec, K., Shaikh, A., and Hincal, E. (2024). New optimal root-finding iterative algorithm: local and semilocal analysis with polynomiography. *Numer Algor*, 95, 1715–1745.
- Rafei, M., and van Horsssen, W. T. (2012). Solving systems of nonlinear difference equations by the multiple scales perturbation method. *Nonlinear Dyn.*, 69(4), 1509–1516.
- Rafei, M., and van Horsssen, W. T. (2013). On constructing accurate approximations of first integrals for difference equations. *Commun. Nonlinear Sci. Numer. Simul.*, 18(4), 835–850.
- Rihan, F. A., Abdel Rahman, D. H., Lakshmanan, S., and Alkhajeh, A. S. (2014). A time delay model of tumour-immune system interactions: Global dynamics, parameter estimation, sensitivity analysis. *Appl. Math. Comput.*, 232.
- Rosen, M. (1995). Niels hendrik abel and equations of the fifth degree. *The American Mathematical Monthly*, 102(6), 495–505.
- Rosenberg, S., and A. (2014). Il-2: The first effective immunotherapy for human cancer. *J. Immunol*, 192, 5451-5458.

- Rosenberg, S. A. (2014). Il-2: The first effective immunotherapy for human cancer. *J. Immunol.*, *192*(12), 5451–5458.
- Sasagawa, T., Takagi, H., and Makinoda, S. (2012). Immune responses against human papillomavirus (HPV) infection and evasion of host defense in cervical cancer. *Journal of infection and chemotherapy : official journal of the Japan Society of Chemotherapy*, *18*(6), 807–815.
- Schiffman, M., Castle, P., Jeronimo, J., Rodriguez, A. C., and Wacholder, S. (2007). Human papillomavirus and cervical cancer. *Lancet (London, England)*, *370*(9590).
- Serrano, B., Brotons, M., Bosch, F. X., and Bruni, L. (2018). Epidemiology and burden of HPV-related disease. *Best Pract. Res. Clin. Obstet. Gynaecol.*, *47*, 14–26.
- Shams, M., Kausar, N., Araci, S., Kong, L., and Carpentieri, B. (2024). Highly efficient family of two-step simultaneous method for all polynomial roots. *AIMS Mathematics*, *9*(-), 1755–1771.
- Shamseddine, A., Burman, B., Lee, N., Zamarin, D., and Riaz, N. (2021). Tumor immunity and immunotherapy for hpv-related cancers. *Cancer Discov.*, *11*(8).
- Sihwal, R., Solaiman, O., and Ariffin, K. (2022). New robust hybrid jarratt–butterfly optimization algorithm for nonlinear models. *J. King Saud University – Comput. Inf. Sci.*, *34*(-), 8207–8220.
- Sihwal, R., Solaiman, O., Ariffin, K., Alswaitti, and Hashim, I. (2021). A hybrid approach for solving systems of nonlinear equations using harris hawks optimization and newton’s method. *IEEE Access*, *9*(-), 95791–95807.
- Simpson, M. J. (2015). Exact solutions of linear reaction-diffusion processes on a uniformly growing domain: Criteria for successful colonization. *PLoS ONE*, *10*(2).

- Smola, S. (2017). Immunopathogenesis of HPV-associated cancers and prospects for immunotherapy. *Viruses*, 9(9).
- Smola, S., Trimble, C., and Stern, P. L. (2017). Human papillomavirus-driven immune deviation: challenge and novel opportunity for immunotherapy. , 5(3).
- Solaiman, O., Sihwail, R., Shehadeh, H., Hashim, I., and Alieyan, K. (2023). Hybrid newton-sperm swarm optimization algorithm for nonlinear systems. *Mathematics*, 11(1473).
- Stanley, M. (2009). Immune responses to human papilloma viruses. *Indian J Med Res.*, 130(3), 266–276.
- Starkov, K. E., and Coria, L. N. (2013). Global dynamics of the Kirschner-Panetta model for the tumor immunotherapy. *Nonlinear Anal. Real World Appl.*, 14(3), 1425–1433.
- Sulasri, S., Adi-Kusumo, F., Aryati, L., and Gunardi. (2021). Reaction-diffusion on a spatial mathematical model of cancer immunotherapy with effector cells and il-2 compounds interactions. *International Journal of Differential Equations*, 3.
- Surov, A., Meyer, H., and Wienke, A. (2020). Apparent diffusion coefficient for distinguishing between malignant and benign lesions in the head and neck region. *A Systematic Review and Meta-Analysis. Front Oncol*, 8(9).
- Suweken, G., and van Horsssen, W. T. (2003a). On the transversal vibrations of a conveyor belt with a low and time-varying velocity. part ii: The beam-like case. *Journal of Sound and Vibration*, 267(5).
- Suweken, G., and van Horsssen, W. T. (2003b). On the transversal vibrations of a conveyor belt with a low and time-varying velocity. part i: The string-like case. *Journal of Sound and Vibration*, 264(1).

- Tan, S., Li, D., and Zhu, X. (2023). Cancer immunotherapy: Pros, cons and beyond. *Biomedicine & Pharmacotherapy*, 3.
- Tashiro, H., and Brenner, M. K. (2017). Immunotherapy against cancer-related viruses. *Cell Res.*, 27(1), 59–73.
- Tsygvintsev, A., and Banerjee, S. (2014). Bounded immune response in immunotherapy described by the deterministic delay kirschner-panetta model. *Appl. Math. Lett.*, 35(1), 90–94.
- van Horsssen, W. T. (1999). Perturbation method based on integrating vectors and multiple scales. *SIAM J. Appl. Math.*, 59(4), 1444–1467.
- van Horsssen, W. T. (2001). On a perturbation method based on integrating vectors. In *Nonlinear anal. theory, methods appl.* (Vol. 47, pp. 2133–2144).
- van Horsssen, W. T., Wang, Y., and Cao, G. (2018). On solving wave equations on fixed bounded intervals involving Robin boundary conditions with time-dependent coefficients. *J. Sound Vib.*, 424, 263–271.
- van Horsssen, W. T., and Zarubinskaya, M. (2003). On an elastic dissipation model for a cantilevered beam. *Quarterly of Applied Mathematics*, 61(3).
- Vanneman, M., and Dranoff, G. (2012). Combining immunotherapy and targeted therapies in cancer treatment. *Nature Reviews. Cancer*, 12(4).
- Verhulst, F. (2005). *Methods and applications of singular perturbations. texts in applied mathematics*. New York: Springer,.
- Veterans, G. (1991). Perioperative total parenteral nutrition in surgical patients. *The New England journal of medicine*, 325(8).
- Wei, C., Yu, L., and Hsu, Y. (2022). Periodically Pulsed Immunotherapy in a Mathematical Model of Tumor, CD4+ T Cells, and Antitumor Cytokine Interactions. *Science*, 298(5594).

- White, R. (2005). *Asymptotic analysis of differential equations*,. London: Imperial College Press,.
- Wilkinson, J. (1965). *The algebraic eigenvalue problem*. Oxford: Clarendon Press.
- Wrangle, J. M., Patterson, A., Johnson, C. B., Neitzke, D. J., Mehrotra, S., Denlinger, C. E., ... Rubinstein, M. P. (2018). Il-2 and beyond in cancer immunotherapy. *Journal of Interferon & Cytokine Research*, 38(8).
- Xiaoshen, W. (2014). A simple proof of descartes's rule of signs. *The American Mathematical Monthly*, 111(6), 525–526.
- Yafia, R. (2007). Hopf bifurcation in differential equations with delay for tumor-immune system competition model. *SIAM J. Appl. Math*, 67.
- Zhdanov, V. (2019). Spatio-temporal aspects of the interplay of cancer and the immune system. *Journal of biological physics*, 45(4), 395–400.