# DAFTAR PUSTAKA

Aboonabi, A., Meyer, R., and I. Singh, I., 2019. The association between metabolic syndrome components and the development of atherosclerosis. *Journal of Human Hypertension, vol. 33, no. 12*, pp. 844–855.

Ahmad, M., Mehta, P., Reddivari, A., Mungee, S. 2021. Percutaneous Coronary Intervention. *In: StatPearls Treasure Island (FL).* Stat Pearls Publishing. https://www.ncbi.nlm.nih.gov/books/NBK556123/

Alfaddagh, A., Khraishah, H., Rashed, W., Sharma, G., Blumenthal, R., Zubaid, M.. 2020. Clinical characteristics and outcomes of young adults with first myocardial infarction: results from Gulf COAST. *Int J Cardiol Heart Vasc*.31:100680

Alfonso F, Bastante T. Spontaneous coronary artery dissection: novel diagnostic insights from large series of patients [editorial]. Circ Cardiovasc Interv. 2014;7(5):638-641

Alwi, I., Setiati, S., Sudoyo, A. W., Simadibrata, M., Setiyohadi, B., Syam, A. F., 2014. Infark Miokard Akut dengan Elevasi ST. *Dalam : Buku Ajar Ilmu Penyakit Dalam Jilid II Edisi VI*. Jakarta: Interna Publishing.

Ansell BJ, Fonarow GC, Fogelman AM. High-density lipoprotein: is it always atheroprotective? Curr Atheroscler Rep. 2006;8:405-11.

Beheshti, S.O., Madsen, C.M., Varbo, A. and Nordestgaard, B.G., 2020. Worldwide prevalence of familial hypercholesterolemia: meta-analyses of 11 million subjects. *Journal of the American College of Cardiology*, 75(20), pp.2553–2566. https://doi.org/10.1016/j.jacc.2020.03.057

Bhargavi DM, Sreevani S, Sudarsi B, Sravan Kumar P, Manohar S. Clinical and Etiological Profile of Acute Myocardial Infarction in Young. International Journal of Scientific and Research Publications. 2015. 5(4)

Chen M, Fang C-y, Guo J-c, Pang L-m, Zhou Y, Hong Y, Yang L-f, Zhang J, Zhang T, Zhou B-f and Hu G-q (2023) Predictive value of atherogenic index of plasma and atherogenic index of plasma combined with low-density lipoprotein cholesterol for the risk of acute myocardial infarction. Front. Cardiovasc. Med. 10:1117362. doi: 10.3389/fcvm.2023.1117362

Conti Ricardo Augusto Slaibi, Maria Cecília Solimene, Protásio Lemos da Luz, Alexandre Miguel Benjo, Pedro Alves Lemos Neto, José Antônio Franchini Ramires. 2002.Comparison between young males and females with acute myocardial infarction. Arq Bras Cardiol. 2002 Nov;79(5):510-25.

Dahlan, Sopiyudin M. 2013. Besar Sampel dan Cara Pengambilan Sampel. Jakarta: Salemba Medika

DeFilippis, M., Singh, A., Divakaran, S., Gupta, A., Collins, B., 2018. et al.Cocaine and marijuana use among young adults with myocardial infarction. *J Am Coll Cardiol.*71:2540–2551.

Divakaran, S., Singh, A., Biery, D., Yang, J., DeFilippis, E., 2020. Diabetes is associated with worse long-term outcomes in young adults after

myocardial infarction: The Partners YOUNG-MI Registry. *Diabetes Care.*43:1843–1850.

Dobiasova M. Atherogenic Index Plasma [log(Triglycerides/HDLCholesterol)]: Theoretical and Practical Implications. Clinical Chemistry 2004; 50(7): 1113–4

Dugani, S.B., Hydoub, Y.M., Ayala, A.P., Reka, R., Nayfeh, T., Ding, J.F., McCafferty, S.N., Alzuabi, M., Farwati, M., Murad, M.H., Alsheikh-Ali, A.A. & Mora, S., 2021. *Risk factors for premature myocardial infarction: A systematic review and meta-analysis of 77 studies*. Mayo Clinic Proceedings: Innovations, Quality & Outcomes, 5(4), pp.783–794. https://doi.org/10.1016/j.mayocpiqo.2021.03.009.

Eleid MF, Tweet MS, Young PM, Williamson E, Hayes SN, Gulati R. Spontaneous coronary artery dissection: challenges of coronary computed tomography angiography. Eur Heart J Acute Cardiovasc Care. 2018;7(7):609-613.

Elkayam U, Jalnapurkar S, Barakkat MN, et al. Pregnancy-associated acute myocardial infarction: a review of contemporary experience in 150 cases between 2006 and 2011. Circulation. 2014;129(16):1695-1702.

Gao, H., Wang, Y., Shen, A., Chen, H., Li, H., 2021. Acute Myocardial Infarction in Young Men Under 50 Years of Age: Clinical Characteristics, Treatment, and Long-Term Prognosis. *Int J Gen Med*.14:9321-9331.

Gulati R, Behfar A, Narula J; Kanwar A, Lerman A, Cooper L, Singh M, Acute Myocardial Infarction in Young Individuals, Mayo Clin Proc. 2020;95(1):136-156

Gupta A, Wang Y, Spertus JA, et al. Trends in acute myocardial infarction in young patients and differences by sex and race, 2001 to 2010. J Am Coll Cardiol. 2014;64(4):337-345.

Gurevitz, C., Assali, A., Mohsan, J., Kornowski, R., 2023. The obesity paradox in patients with acute coronary syndrome over 2 decades-the ACIS registry 2000-2018. *Int J of cardiology.* Vol 380, P48-55.

Hales, C., Fryar, C., Carroll, M., Freedman, D., Ogden, C., 2018. Trends in obesity and severe obesity prevalence in US youth and adults by sex and age, 2007-2008 to 2015-2016. *JAMA.* 319(16):1723-1725

Hayes SN, Kim ESH, Saw J, et al; American Heart Association Council on Peripheral Vascular Disease; Council on Clinical Cardiology; Council on Cardiovascular and Stroke Nursing; Council on Genomic and Precision Medicine; and Stroke Council. Spontaneous coronary artery dissection: current state of the science: a scientific statement from the American Heart Association. Circulation. 2018;137(19): e523-e557.

Hermans M, et al. The Atherogenic Dyslipidemia Ratio (log(TG)/ HDL-C) is Associated With Residual Vascular Risk, Beta Cell Function Loss and Microangiopathy in Type 2 Diabetes Females. Lipids in Health and Disease, 2012; 11: 132. www.lipidworld. com on Oktober 9, 2012.

Ibanez, B., James, S., Agewall, S., Antunes, M., Bucciarelli-Ducci, C., Bueno, H., Caforio, A., Crea, F., Goudevenos, J.,, Halvorsen, S., Hindricks, G., Kastrati, A., Lenzen, M., Prescott, E., Roffi, M., Valgimigli, M.,

Varenhorst, C., Vranckx, P., Widimský, P. 2018. ESC Scientific Document Group. 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Society of Cardiology (ESC). *Eur Heart J.* Jan 7;39(2):119-177

Jortveit, J., Pripp, Hugo., Langorgen, J., Halvorsen, S., 2020. Incidence, risk factors and outcome of young patients with myocardial infarction. *Heartjnl*-2019-316067. doi:10.1136/heartjnl- 2019-316067

Kaski JC, Crea F, Meran D, et al. Local coronary supersensitivity to diverse vasoconstrictive stimuli in patients with variant angina. Circulation. 1986;74(6):1255-1265.

Kramer, A.I., Trinder, M. and Brunham, L.R., 2019. Estimating the prevalence of familial hypercholesterolemia in acute coronary syndrome: A systematic review and meta-analysis. *Canadian Journal of Cardiology*. [online] Available at: https://doi.org/10.1016/j.cjca.2019.06.017

Krittanawong, C., Luo, Y., Mahtta, D., Narasimhan, B., Wang, Z., Jneid, H., Virani, S., 2020. Non- traditional risk factors and the risk of myocardial infarction in the young in the US population- based cohort. *IJC Heart & Vasculature*, 30, 100634.

Kumar, Ajoy, Singh Vibuthi. Atherogenic Dyslipidemia and Diabetes Melitus. In : what's new in the management arena, Review Journal Vascular Health and Risk Management, 2010; 6: 665–9. www.amec.glp.net on Juli 24, 2010.

Kumar N, Kumar S, Kumar A, et al. (March 18, 2019) Lipid Profile of Patients with Acute Myocardial Infarction (AMI). Cureus 11(3): e4265. DOI 10.7759/cureus.4265

Kwiterovich PO. The metabolic pathways of high-density lipoprotein, low-density lipoprotein, and triglycerides: A current review. Am J Cardiol. 2000; 86: 5L10L.

Lavie, C., Laddu, D., Arena, R., Ortega, F., Alpert, M., Kushner, R., 2018. Healthy weight and obesity prevention: JACC Health Promotion Series. *J Am Coll Cardiol*. 72(13): 1506-1531

Leipsic, J., Abbara, S., Achenbach, S., Cury, R., Earls, J., Mancini, J., et al., 2014. SCCT guidelines for the interpretation and reporting of coronary CT angiography: A report of the Society of Cardiovascular Computed Tomography Guidelines Committee.*Journal of Cardiovascular Computed Tomography* 8.342 e358 3.

Lichtman JH, Bigger JT Jr, Blumenthal JA, et al. Depression and coronary heart disease: recommendations for screening, referral, and treatment; a science advisory from the American Heart Association Prevention Committee of the Council on Cardiovascular Nursing, Council on Clinical Cardiology, Council on Epidemiology and Prevention, and Interdisciplinary Council on Quality of Care and Outcomes Research: endorsed by the American Psychiatric Association. Circulation. 2008;118(17):1768-1775.

Mackness MI, Durrington PN, Mackness B. How high density lipoprotein protects against the effect of lipid peroxidation. Curr Opin Lipidol 2000; 11: 383-

388

McCance, Kathryn L., Huether, Sue E. (2006). Pathophysiology: The Biologic Basis for Disease in Adults and Children. Missouri: Elsevier Mosby. 1110-1115

Michel P Hermans, Sylvie A Ahn, Michel F Rousseau, 2012. The atherogenic dyslipidemia ratio [log(TG)/HDL-C] is associated with residual vascular risk, beta-cell function loss and microangiopathy in type 2 diabetes females. 11:132 http://www.lipidworld.com/content/11/1/132

Miller M, 2008 Lipid levels in the post-acute coronary syndrome setting: destabilizing another myth? *J Am Coll Cardiol.* 2008;51:1446–1447.

Montalescot G, Sechtem U, Achenbach S, Andreotti F, Arden C, Budaj A, dkk. 2013 ESC guidelines on the management of stable coronary artery disease. Eur Heart J. 2013; 34(8):2949–3003.

Mortensen KH, Thuesen L, Kristensen IB, Christiansen EH. Spontaneous coronary artery dissection: a Western Denmark Heart Registry study. Catheter Cardiovasc Interv. 2009;74(5): 710-717

Mozaffarian D, Benjamin EJ, Go AS, et al; American Heart Association Statistics Committee; Stroke Statistics Subcommittee. Executive summary: heart disease and stroke statisticsd2016 update: a report from the American Heart Association. Circulation. 2016;133(4):447-454

Murray.R.K., Granner, and Rodwell. 2003. Biokimia Harper. Penerjemah: Andry Hartono. Buku Kedokteran EGC. Jakarta

Murray C, Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Institute for Health Metrics

Naghavi, M., Libby, P., Falk, E., et al. 2003. From vulnerable plaque to vulnerable patient: a call for new definitions and risk assessment strategies: Part I. *Circulation*. 108(14):1664-1672.

Neumann, F. J., Sousa-Uva, M., Ahlsson, A., Alfonso, F., Banning, A. P., Benedetto, U., Byrne, R. A., Collet, J. P., Falk, V., Head, S. J., Jüni, P., Kastrati, A., Koller, A., Kristensen, S. D., Niebauer, J., Richter, D. J., Seferovic, P. M., Sibbing, D., Stefanini, G. G., Windecker, S., Yadav, R., Zembala, M. O. 2018. ESC/EACTS Guidelines on myocardial revascularization. *Eur Heart J,* 7;40(2):87-165.

Niroumand S, Khajedaluee M, KhademRezaiyan M, Abrishami M, Juya M, Khodaee G, Dadgarmoghaddam M. 2015. Atherogenic Index of Plasma (AIP) : A Marker of Cardiovascular Disease. Medical Journal of the Islamic Republic of Iran, 29(1), 627– 635.

Nishiguchi T, Tanaka A, Ozaki Y, et al. Prevalence of spontaneous coronary artery dissection in patients with acute coronary syndrome. Eur Heart J Acute Cardiovasc Care. 2016;5(3): 263-270 2003;108(14):1664-1672

Njajou O, et al. Association between oxidized LDL-C, obesity and type 2 diabetes, diabetes metab res rev,2009; 25(8): 733–9. www.ncbi.nlm.gov on Januari 31, 2012.

PERKI, 2018. Pedoman Tatalaksana Sindrom Koroner Akut. 4th ed. s.l.:Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.

Price, Sylvia A., & Wilson, Lorraine M., (2012). Patofisiologi: konsep klinis proses proses penyakit, 6 ed. vol. 1. Alih bahasa : Pendit BU, et al. Editor : Hartanto, H., et al. Jakarta: EGC

Prizel KR, Hutchins GM, Bulkley BH. Coronary artery embolism and myocardial infarction. Ann Intern Med. 1978;88(2): 155-161.

Raphael CE, Heit JA, Reeder GS, et al. Coronary embolus: an underappreciated cause of acute coronary syndromes. J Am Coll Cardiol Intv. 2018;11(2):172-180.

Ricardo Augusto Slaibi Conti, Maria Cecília Solimene, Protásio Lemos da Luz, Alexandre Miguel Benjó., 2002. Comparison between young males and females with acute myocardial infarction. Arq Bras Cardiol, volume 79 (nº 5), 518-25, 2002

Riskesdas. 2018, Laporan Nasional Riset Kesehatan Dasar 2018. *LPB*, Jakarta. 144-151

Rugulies R. Depression as a predictor for coronary heart disease: a review and meta-analysis. Am J Prev Med. 2002;23(1): 51-61

Safdar B, Spatz ES, Dreyer RP, et al. Presentation, clinical profile, and prognosis of young patients with myocardial infarction with nonobstructive coronary arteries (MINOCA): results from the VIRGO Study. J Am Heart Assoc. 2018;7(13): e009174.

Saw J, Aymong E, Sedlak T, et al. Spontaneous coronary artery dissection: association with predisposing arteriopathies and precipitating stressors and cardiovascular outcomes. Circ Cardiovasc Interv. 2014;7(5):645-655.

Saw J. Coronary angiogram classification of spontaneous coronary artery dissection. Catheter Cardiovasc Interv. 2014;84(7): 1115-1122.

Scalone G, Niccoli G, Crea F. Editor's Choiced Pathophysiology, diagnosis and management of MINOCA: an update. Eur Heart J Acute Cardiovasc Care. 2019;8(1):54-62.

Serruys PW, Morice MC, Kappetein AP, et al. Percutaneous coronary intervention versus coronary-artery bypass grafting for severe coronary artery disease. N Engl J Med. 2009;360(10): 961-972.

Shen, et al., Effect of aerobic exercise on the atherogenic index of plasma in middle-aged Chinese men with various body weights, Int J Cardiol (2016), http://dx.doi.org/10.1016/j.ijcard.2016.12.132

Shibata T, Kawakami S, Noguchi T, et al. Prevalence, clinical features, and prognosis of acute myocardial infarction attributable to coronary artery embolism. Circulation. 2015;132(4): 241-250.

Singh IM, Shishehbor MH, Ansell BJ. High-density lipoprotein as a therapeutic target: a systematic review. JAMA. 2007;298:786-98

Stack, C., Cole, J., 2021. Stroke: The Clinical approach to stroke in young adults. Brisbane: *Exon publications*.3:53-69.

Tian, X., Zhang, N., Tse, G., Li, G., Sun, Y. & Liu, T., 2024. Association between lipoprotein(a) and premature atherosclerotic cardiovascular disease: a systematic review and meta-analysis. *European Heart Journal Open*, 4(3), oeae031. https://doi.org/10.1093/ehjopen/oeae031

Trzeciak, P., Gierlotka, M., Poloński, L., Gąsior, M., 2017. Treatment and outcomes of patients under 40 years of age with acute myocardial infarction in Poland in 2009-2013: An analysis from the PL-ACS registry. *Pol Arch Intern Med.* 127:666–673.

Tim Riskesdas 2018, Laporan Nasional Riset Kesehatan Dasar 2018. LPB, Jakarta 2019; 144-151

Tornvall P, Gerbaud E, Behaghel A, et al. Myocarditis or "true" infarction by cardiac magnetic resonance in patients with a clinical diagnosis of myocardial infarction without obstructive coronary disease: a meta-analysis of individual patient data. Atherosclerosis. 2015;241(1):87-91.

Tweet MS, Akhtar NJ, Hayes SN, Best PJ, Gulati R, Araoz PA. Spontaneous coronary artery dissection: acute findings on coronary computed tomography angiography [published online ahead of print January 1, 2018]. Eur Heart J Acute Cardiovasc Care, https://doi.org/10.1177/2048872617753799

Vanzetto G, Berger-Coz E, Barone-Rochette G, et al. Prevalence, therapeutic management and medium-term prognosis of spontaneous coronary artery dissection: results from a database of 11,605 patients. Eur J Cardiothorac Surg. 2009; 35(2):250-254.

Waller BF. Atherosclerotic and nonatherosclerotic coronary artery factors in acute myocardial infarction. Cardiovasc Clin. 1989;20(1):29-104.

Wang WT, Hellkamp A, Doll JA, et al, 2018. Lipid testing and statin dosing after acute myocardial infarction. J Am Med Assoc. 2018;25:0.

WHO Guidelines on Physical Activity and Sedentary Behaviour. Geneva: World Health Organization; 2020. RECOMMENDATIONS. Available from: https://www.ncbi.nlm.nih.gov/books/NBK566046/

Yahagi K, Zarpak R, Sakakura K, et al. Multiple simultaneous plaque erosion in 3 coronary arteries. J Am Coll Cardiol Img. 2014;7(11):1172-1174.

Yandrapalli, S., Nabors, C., Goyal, A., Aronow, W., Frishman W., 2019. Modifiable risk factors in young adults with myocardial infection. *J Am Coll Cardiol*. 73:573–584

Yip A, Saw J. Spontaneous coronary artery dissectionda review. Cardiovasc Diagn Ther. 2015;5(1):37-48.