

## DAFTAR PUSTAKA

- Abbasi, A., Sabahi, S., Shahbazi, N., Karimi, A., & Barkhordari, H. (2023). Nano Lipid Carrier in Augmenting the Bioavailability of Functional Bio-compounds. *Biointerface Research in Applied Chemistry*, 13(1), 1–14. <https://doi.org/10.33263/BRIAC131.051>
- Aghbashlo, M., Mobli, H., Madadlou, A., & Rafiee, S. (2013). Influence of Wall Material and Inlet Drying Air Temperature on the Microencapsulation of Fish Oil by Spray Drying. *Food and Bioprocess Technology*, 6(6), 1561–1569. <https://doi.org/10.1007/s11947-012-0796-7>
- Agnihotri, N., Mishra, R., Goda, C., & Arora, M. (2012). Microencapsulation – A Novel Approach in Drug Delivery: A Review. *Indo Global Journal of Pharmaceutical Sciences*, 02(01), 01–20. <https://doi.org/10.35652/igjps.2012.01>
- Aguirrezábal, M. M., Mateo, J., Domínguez, M. C., & Zumalacárregui, J. M. (2000). The effect of paprika, garlic and salt on rancidity in dry sausages. *Meat Science*, 54(1), 77–81. [https://doi.org/10.1016/S0309-1740\(99\)00074-1](https://doi.org/10.1016/S0309-1740(99)00074-1)
- Aissa, A. F., Bianchi, M. L. P., Ribeiro, J. C., Hernandes, L. C., de Faria, A. F., Mercadante, A. Z., & Antunes, L. M. G. (2012). Comparative study of  $\beta$ -carotene and microencapsulated  $\beta$ -carotene: Evaluation of their genotoxic and antigenotoxic effects. *Food and Chemical Toxicology*, 50(5), 1418–1424. <https://doi.org/10.1016/j.fct.2012.02.030>
- Alfrecha, F., & Nyam, K. L. (2018). Microencapsulation of red palm oil and its stability during accelerated storage. *Malaysian Journal of Nutrition*, 24(4), 597–605.
- Alimentarius, C., 2022. (2022). *GENERAL STANDARD FOR CHEESE CXS 283-1978 Formerly CODEX STAN A-6-1973*.
- Ananda, H. D., Nuralang, Tarigan, I. L., Susanto, N. C. A., & Nelson. (2022). Jurnal Rekayasa Kimia dan Lingkungan Microencapsulation of Fermented Red Palm Oil with L casei as. *Jurnal Rekayasa Kimia & Lingkungan*, 17(2), 138–151.
- Anandharamakrishnan, C., Rielly, C. D., & Stapley, A. G. F. (2007). Effects of process variables on the denaturation of whey proteins during spray drying. *Drying Technology*, 25(5), 799–807. <https://doi.org/10.1080/07373930701370175>
- Anastasiou, E., Lorentz, K. O., Stein, G. J., & Mitchell, P. D. (2014). Prehistoric schistosomiasis parasite found in the Middle East. *The Lancet Infectious Diseases*, 14(7), 553–554. [https://doi.org/10.1016/S1473-3099\(14\)70794-7](https://doi.org/10.1016/S1473-3099(14)70794-7)
- Arpagaus, C., Collenberg, A., Rütli, D., Assadpour, E., & Jafari, S. M. (2018). Nano spray drying for encapsulation of pharmaceuticals. *International Journal of Pharmaceutics*, 546(1–2), 194–214. <https://doi.org/10.1016/j.ijpharm.2018.05.037>
- Asyhari, M. H., Sri Palupi, N., & Nur Faridah, D. (2018). Karakteristik Kimia Konjugat Isolat Protein Kedelai-Laktosa Yang Berpotensi Dalam Penurunan Alergenisitas. *Jurnal Teknologi Dan Industri Pangan*, 29(1), 39–48. <https://doi.org/10.6066/jtip.2018.29.1.39>
- Azarpazhooh, E., Sharayei, P., Zomorodi, S., & Ramaswamy, H. S. (2019). Physicochemical and Phytochemical Characterization and Storage Stability of Freeze-dried Encapsulated Pomegranate Peel Anthocyanin and In Vitro Evaluation of Its Antioxidant Activity. *Food and Bioprocess Technology*, 12(2), 199–210. <https://doi.org/10.1007/s11947-018-2195-1>

- Ba, F., Ursu, A. V., Laroche, C., & Djelveh, G. (2016). Haematococcus pluvialis soluble proteins: Extraction, characterization, concentration/fractionation and emulsifying properties. *Bioresource Technology*, 200, 147–152. <https://doi.org/10.1016/j.biortech.2015.10.012>
- Barbosa, M. I. M. J., Borsarelli, C. D., & Mercadante, A. Z. (2005). Light stability of spray-dried bixin encapsulated with different edible polysaccharide preparations. *Food Research International*, 38(8–9), 989–994. <https://doi.org/10.1016/j.foodres.2005.02.018>
- Benelhadj, S., Douiri, S., Ghouilli, A., Hassen, R. Ben, Keshk, S. M. A. S., El-kott, A., Attia, H., & Ghorbel, D. (2023). Extraction of Arthrospira platensis (Spirulina) proteins via Osborne sequential procedure: Structural and functional characterizations. *Journal of Food Composition and Analysis*, 115(June 2022), 104984. <https://doi.org/10.1016/j.jfca.2022.104984>
- Bhangare, D., Rajput, N., Jadav, T., Sahu, A. K., Tekade, R. K., & Sengupta, P. (2022). Systematic strategies for degradation kinetic study of pharmaceuticals: an issue of utmost importance concerning current stability analysis practices. *Journal of Analytical Science and Technology*, 13(1). <https://doi.org/10.1186/s40543-022-00317-6>
- Bleakley, S., & Hayes, M. (2017). Algal proteins: Extraction, application, and challenges concerning production. *Foods*, 6(5), 1–34. <https://doi.org/10.3390/foods6050033>
- Candraningrum, R. G. S., Setiowati, A. D., & Hidayat, C. (2023). Electrostatic-Maillard formation of coconut protein Concentrate-Pectin conjugate for Oil-in-Water Emulsion: Effects of Ratio, Temperature, and pH. *Journal of the Saudi Society of Agricultural Sciences*, 22(1), 18–24. <https://doi.org/10.1016/j.jssas.2022.05.004>
- Chandralekha, A., Prashanth, H. S., Tavanandi, H., & Raghavarao, K. S. M. S. (2021). A novel method for double encapsulation of C-phycoerythrin using aqueous two phase systems for extension of shelf life. *Journal of Food Science and Technology*, 58(5), 1750–1763. <https://doi.org/10.1007/s13197-020-04684-z>
- Chen, Li, F., Li, Z., McClements, D. J., & Xiao, H. (2017). Encapsulation of carotenoids in emulsion-based delivery systems: Enhancement of β-carotene water-dispersibility and chemical stability. *Food Hydrocolloids*, 69, 49–55. <https://doi.org/10.1016/j.foodhyd.2017.01.024>
- Chen, W., Ma, X., Wang, W., Lv, R., Guo, M., Ding, T., Ye, X., Miao, S., & Liu, D. (2019). Preparation of modified whey protein isolate with gum acacia by ultrasound maillard reaction. *Food Hydrocolloids*, 95, 298–307. <https://doi.org/10.1016/j.foodhyd.2018.10.030>
- Chew, S. C., Tan, C. P., Long, K., & Nyam, K. L. (2016). Effect of chemical refining on the quality of kenaf (hibiscus cannabinus) seed oil. *Industrial Crops and Products*, 89, 59–65. <https://doi.org/10.1016/j.indcrop.2016.05.002>
- Choudhury, N., Meghwal, M., & Das, K. (2021). Microencapsulation: An overview on concepts, methods, properties and applications in foods. *Food Frontiers*, 2(4), 426–442. <https://doi.org/10.1002/fft2.94>
- Chuyen, H. V., Roach, P. D., Golding, J. B., Parks, S. E., & Nguyen, M. H. (2019). Encapsulation of carotenoid-rich oil from Gac peel: Optimisation of the encapsulating process using a spray drier and the storage stability of encapsulated powder. *Powder Technology*, 344, 373–379. <https://doi.org/10.1016/j.powtec.2018.12.012>
- Correia-Filho, L. C., Lourenço, M. M., Moldaõ-Martins, M., & Alves, V. D. (2019). Microencapsulation of β-Carotene by Spray Drying: Effect of Wall Material Concentration and Drying Inlet Temperature. *International Journal of Food Science*, 2019. <https://doi.org/10.1155/2019/8914852>

- Correia, R., Grace, M. H., Esposito, D., & Lila, M. A. (2017). Wild blueberry polyphenol-protein food ingredients produced by three drying methods: Comparative physico-chemical properties, phytochemical content, and stability during storage. *Food Chemistry*, 235, 76–85. <https://doi.org/10.1016/j.foodchem.2017.05.042>
- Cuq, B., Rondet, E., & Abecassis, J. (2011). Food powders engineering, between knowhow and science: Constraints, stakes and opportunities. *Powder Technology*, 208(2), 244–251. <https://doi.org/10.1016/j.powtec.2010.08.012>
- Dattatreya, A., & Rankin, S. A. (2006). Moderately acidic pH potentiates browning of sweet whey powder. *International Dairy Journal*, 16(7), 822–828. <https://doi.org/10.1016/j.idairyj.2005.07.006>
- de-la-Haba, F., Antequera, T., Ruiz, J., Solomando, J. C., Pajuelo, A., & Pérez-Palacios, T. (2023). Suitability in the microencapsulation of fish oil and in vitro bioaccessibility of omega-3 fatty acids. *Food Bioscience*, 55(March). <https://doi.org/10.1016/j.fbio.2023.103027>
- Di Giorgio, L., Salgado, P. R., & Mauri, A. N. (2019). Encapsulation of fish oil in soybean protein particles by emulsification and spray drying. *Food Hydrocolloids*, 87(September 2018), 891–901. <https://doi.org/10.1016/j.foodhyd.2018.09.024>
- Dos Santos, F. H., Pereira e Silveira, B. M., de Souza, L. L., Cruz Duarte, A. K., Ribeiro, M. C., Pereira, K. C., & da Costa, J. M. G. (2020). Influence of wall materials on the microencapsulation of pequi oil by spray drying. *Brazilian Journal of Food Technology*, 23, 1–12. <https://doi.org/10.1590/1981-6723.13219>
- Drosou, C., & Krokida, M. (2024). A Comparative Study of Encapsulation of  $\beta$ -Carotene via Spray-Drying and Freeze-Drying Techniques Using Pullulan and Whey Protein Isolate as Wall Material. *Foods*, 13(12). <https://doi.org/10.3390/foods13121933>
- Drozińska, E., Kanclerz, A., & Kurek, M. A. (2019). Microencapsulation of sea buckthorn oil with  $\beta$ -glucan from barley as coating material. *International Journal of Biological Macromolecules*, 131, 1014–1020. <https://doi.org/10.1016/j.ijbiomac.2019.03.150>
- Du, G., Ye, F., Luo, H., Jing, G., Doi, M., & Meng, F. (2022). Modelling drying pathways of an evaporating soft matter droplet. *Communications in Theoretical Physics*, 74(9). <https://doi.org/10.1088/1572-9494/ac58ef>
- Du, J., Ge, Z. Z., Xu, Z., Zou, B., Zhang, Y., & Li, C. M. (2014). Comparison of the Efficiency of Five Different Drying Carriers on the Spray Drying of Persimmon Pulp Powders. *Drying Technology*, 32(10), 1157–1166. <https://doi.org/10.1080/07373937.2014.886259>
- Dumitrașcu, L., Borda, D., & Aprodu, I. (2023). Alternative Processing Options for Improving the Proteins Functionality by Maillard Conjugation. *Foods*, 12(19). <https://doi.org/10.3390/foods12193588>
- Elleuch, F., Hlima, H. Ben, Barkallah, M., Baril, P., Abdelkafi, S., Pichon, C., & Fendri, I. (2019). Carotenoids overproduction in *Dunaliella* sp.: Transcriptional changes and new insights through lycopene cyclase regulation. *Applied Sciences (Switzerland)*, 9(24). <https://doi.org/10.3390/app9245389>
- Emmanuel, O., Okezie, U. M., Iweala, E. J., & Ugbo, E. A. (2021). Pretreatment of red palm oil extracted from palm fruit (*Elaeis guineensis*) attenuates carbon tetrachloride induced toxicity in Wistar rats. *Phytomedicine Plus*, 1(4), 100079. <https://doi.org/10.1016/j.phyplu.2021.100079>

- Encina, C., Vergara, C., Giménez, B., Oyarzún-Ampuero, F., & Robert, P. (2016). Conventional spray-drying and future trends for the microencapsulation of fish oil. *Trends in Food Science and Technology*, *56*, 46–60. <https://doi.org/10.1016/j.tifs.2016.07.014>
- Eun, J. B., Maruf, A., Das, P. R., & Nam, S. H. (2020). A review of encapsulation of carotenoids using spray drying and freeze drying. *Critical Reviews in Food Science and Nutrition*, *60*(21), 3547–3572. <https://doi.org/10.1080/10408398.2019.1698511>
- Fallahasghari, E. Z., Højgaard Lynge, M., Espholin Gudnason, E., Munkerup, K., Mendes, A. C., & Chronakis, I. S. (2023). Carbohydrate Core–Shell Electrospayed Microcapsules for Enhanced Oxidative Stability of Vitamin A Palmitate. *Pharmaceutics*, *15*(11), 1–19. <https://doi.org/10.3390/pharmaceutics15112633>
- Falsafi, S. R., Karaca, A. C., Deng, L., Wang, Y., Li, H., Askari, G., & Rostamabadi, H. (2022). Insights into whey protein-based carriers for targeted delivery and controlled release of bioactive components. *Food Hydrocolloids*, *133*(July). <https://doi.org/10.1016/j.foodhyd.2022.108002>
- Favaro-Trindade, C. S., Santana, A. S., Monterrey-Quintero, E. S., Trindade, M. A., & Netto, F. M. (2010). The use of spray drying technology to reduce bitter taste of casein hydrolysate. *Food Hydrocolloids*, *24*(4), 336–340. <https://doi.org/10.1016/j.foodhyd.2009.10.012>
- Ferreira, C. D., da Conceição, E. J. L., Machado, B. A. S., Hermes, V. S., de Oliveira Rios, A., Druzian, J. I., & Nunes, I. L. (2016). Physicochemical Characterization and Oxidative Stability of Microencapsulated Crude Palm Oil by Spray Drying. *Food and Bioprocess Technology*, *9*(1), 124–136. <https://doi.org/10.1007/s11947-015-1603-z>
- Fu, J. jing, Fu, D. wen, Zhang, G. yao, Zhang, Z. hui, Shao, Z. wen, Ma, Z. hua, Tang, Y., Zhou, D. yong, & Song, L. (2022). Oxidative stability and in vitro release behaviour of microencapsulated Antarctic krill oil and fish oil: the effect of lipid class composition. *International Journal of Food Science and Technology*, *57*(12), 7634–7643. <https://doi.org/10.1111/ijfs.16099>
- Gallardo, G., Guida, L., Martinez, V., López, M. C., Bernhardt, D., Blasco, R., Pedroza-Islas, R., & Hermida, L. G. (2013). Microencapsulation of linseed oil by spray drying for functional food application. *Food Research International*, *52*(2), 473–482. <https://doi.org/10.1016/j.foodres.2013.01.020>
- Gandía-Herrero, F., Jiménez-Atiénzar, M., Cabanes, J., García-Carmona, F., & Escribano, J. (2010). Stabilization of the bioactive pigment of opuntia fruits through maltodextrin encapsulation. *Journal of Agricultural and Food Chemistry*, *58*(19), 10646–10652. <https://doi.org/10.1021/jf101695f>
- Garcia, E. S., Van Leeuwen, J. J. A., Safi, C., Sijtsma, L., Van Den Broek, L. A. M., Eppink, M. H. M., Wijffels, R. H., & Van Den Berg, C. (2018). Techno-Functional Properties of Crude Extracts from the Green Microalga *Tetraselmis suecica*. *Journal of Agricultural and Food Chemistry*, *66*(29), 7831–7838. <https://doi.org/10.1021/acs.jafc.8b01884>
- Garcia-Amezquita, L. E., Martinez-Alvarenga, M. S., Olivas, G. I., Zamudio-Flores, P. B., Acosta-Muñiz, C. H., & Sepulveda, D. R. (2014). Effect of Maillard reaction conditions on the degree of glycation and functional properties of whey protein isolate - Maltodextrin conjugates. *Food Hydrocolloids*, *38*, 110–118. <https://doi.org/10.1016/j.foodhyd.2013.11.006>
- Gharanjig, H., Gharanjig, K., Hosseinneshad, M., & Jafari, S. M. (2020). Differential scanning calorimetry (DSC) of nanoencapsulated food ingredients. In *Characterization of*

*Nanoencapsulated Food Ingredients*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-815667-4.00010-9>

- Gharsallaoui, A., Roudaut, G., Chambin, O., Voilley, A., & Saurel, R. (2007). Applications of spray-drying in microencapsulation of food ingredients: An overview. *Food Research International*, 40(9), 1107–1121. <https://doi.org/10.1016/j.foodres.2007.07.004>
- Ghizdareanu, A., Pasarin, D., Banu, A., Afilipoaei, A. I., Enascuta, C. E., & Vlaicu, A. (2023). Corn Starch Films. *Polymers MDPI*, 15(889).
- Guerrero, P., Kerry, J. P., & De La Caba, K. (2014). FTIR characterization of protein-polysaccharide interactions in extruded blends. *Carbohydrate Polymers*, 111, 598–605. <https://doi.org/10.1016/j.carbpol.2014.05.005>
- Halahlah, A., Abik, F., Suhonen, H., R  ikk  nen, H., Piironen, V., Mikkonen, K. S., & Ho, T. M. (2024). Combination of carboxymethylcellulose and wood hemicelluloses to enhance encapsulation efficiency and microcapsule wall thickness. *Future Foods*, 9(January). <https://doi.org/10.1016/j.fufo.2024.100366>
- Halahlah, A., Piironen, V., Mikkonen, K. S., & Ho, T. M. (2023). Wood Hemicelluloses as Innovative Wall Materials for Spray-Dried Microencapsulation of Berry Juice: Part 1—Effect of Homogenization Techniques on their Feed Solution Properties. *Food and Bioprocess Technology*, 16(4), 909–929. <https://doi.org/10.1007/s11947-022-02963-5>
- Han, L., Zhou, S., Zhang, X., Lu, K., Qi, B., & Li, Y. (2022). *Effect of carbohydrate type on the structural and functional properties of Maillard-reacted black bean protein*. <https://ift.onlinelibrary.wiley.com/doi/epdf/10.1111/1750-3841.15992>
- Han, M. M., Yi, Y., Wang, H. X., & Huang, F. (2017). Investigation of the Maillard reaction between polysaccharides and proteins from longan pulp and the improvement in activities. *Molecules*, 22(6), 5–8. <https://doi.org/10.3390/molecules22060938>
- He, W., Xiao, N., Zhao, Y., Yao, Y., Xu, M., Du, H., Wu, N., & Tu, Y. (2021). Effect of polysaccharides on the functional properties of egg white protein: A review. *Journal of Food Science*, 86(3), 656–666. <https://doi.org/10.1111/1750-3841.15651>
- He, Y., & Vardhanabhuti, B. (2021). Improved Heat Stability of Whey Protein Isolate by Glycation with Inulin. *Dairy*, 2(1), 135–147. <https://doi.org/10.3390/dairy2010013>
- Hendra Saputra, Azhar Basyri Rantawi, Ahdiat Leksi Siregar, Istianto Budhi Rahardja, & Dimas Frananta Simatupang. (2024). Red Palm Oil from Crude Palm Oil Refinement Using The Acid Degumming Method. *International Journal of Applied Research and Sustainable Sciences (IJARSS)*, 2(6), 455–464.
- Hens, B., Gonzalez-Alvarez, I., & Bermejo, M. (2022). Exploring the Predictive Power of the in Situ Perfusion Technique towards Drug Absorption: Theory, Practice, and Applications. *Molecular Pharmaceutics*, 19(3), 749–762. <https://doi.org/10.1021/acs.molpharmaceut.1c00861>
- Hu, Y., Zhang, Y., Xu, J., Zi, Y., Peng, J., Zheng, Y., Wang, X., & Zhong, J. (2022). Fish gelatin-polysaccharide Maillard products for fish oil-loaded emulsion stabilization: Effects of polysaccharide type, reaction time, and reaction pH. *Lwt*, 172(November). <https://doi.org/10.1016/j.lwt.2022.114220>
- Hussain, A., Hussain, M., Ashraf, W., Ali, K., Hussain, A., Phyto, H. M., Khalid, M. U., Hussain, M., & Lianfu, Z. (2024). Encapsulation, optimization, and characterization of lycopene using soy protein

- isolate-peach gum conjugate as wall material. *Food Bioscience*, 62(November), 105548. <https://doi.org/10.1016/j.fbio.2024.105548>
- Issa, A. A., & Maraie, N. K. (2022). Fabrication and Optimization of Prolonged-release Microcapsules Containing Protein Drug (Erythropioten). *International Journal of Drug Delivery Technology*, 12(2), 564–572. <https://doi.org/10.25258/ijddt.12.2.17>
- Jarunglumlert, T., Nakagawa, K., & Adachi, S. (2015). Influence of aggregate structure of casein on the encapsulation efficiency of  $\beta$ -carotene entrapped via hydrophobic interaction. *Food Structure*, 5, 42–50. <https://doi.org/10.1016/j.foostr.2015.05.001>
- Jiang, Bai, L. na, Yang, N., Feng, Z. biao, & Tian, B. (2017). Stability of  $\beta$ -carotene microcapsules with Maillard reaction products derived from whey protein isolate and galactose as coating materials. *Journal of Zhejiang University: Science B*, 18(10), 867–877. <https://doi.org/10.1631/jzus.B1700082>
- Jiang, Z., Huangfu, Y., Jiang, L., Wang, T., Bao, Y., & Ma, W. (2023). Structure and functional properties of whey protein conjugated with carboxymethyl cellulose through maillard reaction. *Lwt*, 174(December 2022), 114406. <https://doi.org/10.1016/j.lwt.2022.114406>
- Johnson, C. M. (2013). Differential scanning calorimetry as a tool for protein folding and stability. *Archives of Biochemistry and Biophysics*, 531(1–2), 100–109. <https://doi.org/10.1016/j.abb.2012.09.008>
- Kan, X., Chen, G., Zhou, W., & Zeng, X. (2021). Application of protein-polysaccharide Maillard conjugates as emulsifiers: Source, preparation and functional properties. *Food Research International*, 150(PA), 110740. <https://doi.org/10.1016/j.foodres.2021.110740>
- Kang, H., Fan, T., Lin, Z., Shi, Y., Xie, X., Li, L., Xiang, S., Yuan, X., Li, X., Li, B., & Chai, A. (2024). Development of chitosan/carrageenan macrobeads for encapsulation of *Paenibacillus polymyxa* and its biocontrol efficiency against clubroot disease in Brassica crops. *International Journal of Biological Macromolecules*, 264(P1), 130323. <https://doi.org/10.1016/j.ijbiomac.2024.130323>
- Kartik, A., Akhil, D., Lakshmi, D., Panchamoorthy Gopinath, K., Arun, J., Sivaramakrishnan, R., & Pugazhendhi, A. (2021). A critical review on production of biopolymers from algae biomass and their applications. *Bioresource Technology*, 329(November 2020). <https://doi.org/10.1016/j.biortech.2021.124868>
- Kaur, P., Elsayed, A., Subramanian, J., & Singh, A. (2021). Encapsulation of carotenoids with sucrose by co-crystallization: Physicochemical properties, characterization and thermal stability of pigments. *Lwt*, 140(December 2020), 110810. <https://doi.org/10.1016/j.lwt.2020.110810>
- Kim, S., & Shin, W. S. (2021). Formation of a novel coating material containing lutein and zeaxanthin via a Maillard reaction between bovine serum albumin and fucoidan. *Food Chemistry*, 343(September 2020), 128437. <https://doi.org/10.1016/j.foodchem.2020.128437>
- Kong, X., Jia, C., Zhang, C., Hua, Y., & Chen, Y. (2017). Characteristics of soy protein isolate/gum Arabic-stabilized oil-in-water emulsions: Influence of different preparation routes and pH. *RSC Advances*, 7(51), 31875–31885. <https://doi.org/10.1039/c7ra01472d>
- Kou, X., Zhang, X., Cheng, Y., Yu, M., Meng, Q., & Ke, Q. (2023). Mannitol Is a Good Anticaking Agent for Spray-Dried Hydroxypropyl-Beta-Cyclodextrin Microcapsules. *Molecules*, 28(3), 1–18. <https://doi.org/10.3390/molecules28031119>

- Kumar, A., Ramamoorthy, D., Verma, D. K., Kumar, A., Kumar, N., Kanak, K. R., Marwein, B. M., & Mohan, K. (2022). Antioxidant and phytonutrient activities of *Spirulina platensis*. *Energy Nexus*, 6(April), 100070. <https://doi.org/10.1016/j.nexus.2022.100070>
- Kurek, M. A., Moczowska, M., Pieczykolan, E., & Sobieralska, M. (2018). Barley  $\beta$ -D-glucan – modified starch complex as potential encapsulation agent for fish oil. *International Journal of Biological Macromolecules*, 120, 596–602. <https://doi.org/10.1016/j.ijbiomac.2018.08.131>
- Kusumastuti, M. R., Yuliani, S., Hidayat, C., & Setiowati, A. D. (2024). Modification techno-functional properties of spirulina protein concentrates (*Arthrospira Platensis*) as O/W emulsifier by conjugation and electrostatic complexations. *Innovative Food Science and Emerging Technologies*, 95(March), 103727. <https://doi.org/10.1016/j.ifset.2024.103727>
- Lavelli, V., & Sereikait, J. (2022). *Kinetic Study of Encapsulated  $\beta$ -Carotene Degradation in Dried Systems A Review*. 1–18.
- Lee, W. J., Tan, C. P., Sulaiman, R., & Chong, G. H. (2018). Solubility of red palm oil in supercritical carbon dioxide: Measurement and modelling. *Chinese Journal of Chemical Engineering*, 26(5), 964–969. <https://doi.org/10.1016/j.cjche.2017.09.024>
- Lee, W. J., Tan, C. P., Sulaiman, R., Smith, R. L., & Chong, G. H. (2018). Microencapsulation of red palm oil as an oil-in-water emulsion with supercritical carbon dioxide solution-enhanced dispersion. *Journal of Food Engineering*, 222, 100–109. <https://doi.org/10.1016/j.jfoodeng.2017.11.011>
- Lee, Y. Y., Tang, T. K., Phuah, E. T., Alitheen, N., Tan, C., & Lai, O. (2007). New Functionalities of Maillard Reaction Products As Emulsifier and Encapsulating Agent and Its Processing Parameters: A Brief Review. *Journal of Organizational Behavior*, 28(3), 303–325. <https://doi.org/10.1002/j>
- Li, D., Wu, G., Zhang, H., & Qi, X. (2020). The soy protein isolate-Octacosanol-polysaccharides nanocomplex for enhanced physical stability in neutral conditions: Fabrication, characterization, thermal stability. *Food Chemistry*, 322(March), 126638. <https://doi.org/10.1016/j.foodchem.2020.126638>
- Li, Z., Zheng, Y., Sun, Q., Wang, J., Zheng, B., & Guo, Z. (2021). Structural characteristics and emulsifying properties of myofibrillar protein-dextran conjugates induced by ultrasound Maillard reaction. *Ultrasonics Sonochemistry*, 72, 105458. <https://doi.org/10.1016/j.ultsonch.2020.105458>
- Lia, C., Wang, J., Shi, J., Huang, X., Peng, Q., & Xueb, F. (2015). Encapsulation of tomato oleoresin using soy protein isolate-gum aracia conjugates as emulsifier and coating materials. *Food Hydrocolloids*, 45, 301–308. <https://doi.org/10.1016/j.foodhyd.2014.11.022>
- Lima, P. M., Dacanal, G. C., Pinho, L. S., Pérez-Córdoba, L. J., Thomazini, M., Moraes, I. C. F., & Favaro-Trindade, C. S. (2021). Production of a rich-carotenoid colorant from pumpkin peels using oil-in-water emulsion followed by spray drying. *Food Research International*, 148(February). <https://doi.org/10.1016/j.foodres.2021.110627>
- Liu, G., Zhou, Y., & Chen, L. (2019). Intestinal uptake of barley protein-based nanoparticles for  $\beta$ -carotene delivery. *Acta Pharmaceutica Sinica B*, 9(1), 87–96. <https://doi.org/10.1016/j.apsb.2018.10.002>
- Lupatini Menegotto, A. L., Souza, L. E. S. de, Colla, L. M., Costa, J. A. V., Sehn, E., Bittencourt, P. R. S., Moraes Flores, É. L. de, Canan, C., & Colla, E. (2019). Investigation of techno-functional and physicochemical properties of *Spirulina platensis* protein concentrate for food enrichment. *Lwt*, 114(June), 108267. <https://doi.org/10.1016/j.lwt.2019.108267>

- Lyu, X., Wang, Y., Gao, S., Wang, X., Cao, W., & Cespedes-Acuña, C. L. (2022). Sea buckthorn leaf extract on the stability and antioxidant activity of microencapsulated sea buckthorn oil. *Food Bioscience*, 48(May). <https://doi.org/10.1016/j.fbio.2022.101818>
- Madhusankha, G. D. M. P., Siow, L. F., dos Santos Silva Amaral, M., Lee, S. Y., Marriott, P. J., & Thoo, Y. Y. (2025). Carbohydrate-based co-encapsulation of spice oleoresin blends: Impact on flavor release profiles, storage stability, and sensory acceptance. *Food Chemistry*, 471(December 2024), 142767. <https://doi.org/10.1016/j.foodchem.2025.142767>
- Magari, R. T., Munoz-Antoni, I., Baker, J., & Flagler, D. J. (2004). Determining Shelf Life by Comparing Degradations at Elevated Temperatures. *Journal of Clinical Laboratory Analysis*, 18(3), 159–164. <https://doi.org/10.1002/jcla.20016>
- Milea, Ștefania A., Aprodu, I., Enachi, E., Barbu, V., Râpeanu, G., Bahrim, G. E., & Stănciuc, N. (2021). Whey protein isolate-xylose maillard-based conjugates with tailored microencapsulation capacity of flavonoids from yellow onions skins. *Antioxidants*, 10(11). <https://doi.org/10.3390/antiox10111708>
- Mohammadi, M., Hamishehkar, H., McClements, D. J., Shahvalizadeh, R., & Barri, A. (2023). Encapsulation of Spirulina protein hydrolysates in liposomes: Impact on antioxidant activity and gastrointestinal behavior. *Food Chemistry*, 400(July 2022), 133973. <https://doi.org/10.1016/j.foodchem.2022.133973>
- Muhoza, B., Harindintwali, J. D., Qi, B., Zhang, S., & Li, Y. (2023). Conjugation Induced by Wet-Heating of Gelatin and Low Methoxyl Pectin Improves the Properties and Stability of Microcapsules Prepared by Complex Coacervation. *Food Biophysics*, 18(1), 95–106. <https://doi.org/10.1007/s11483-022-09754-7>
- Necas, J., & Bartosikova, L. (2013). Carrageenan: A review. *Veterinarni Medicina*, 58(4), 187–205. <https://doi.org/10.17221/6758-VETMED>
- Nguyen, V. H., Thuy, V. N., Van, T. V., Dao, A. H., & Lee, B. J. (2022). Nanostructured lipid carriers and their potential applications for versatile drug delivery via oral administration. *OpenNano*, 8(July), 100064. <https://doi.org/10.1016/j.onano.2022.100064>
- Nooshkam, M., & Varidi, M. (2020). Maillard conjugate-based delivery systems for the encapsulation, protection, and controlled release of nutraceuticals and food bioactive ingredients: A review. *Food Hydrocolloids*, 100(September 2019), 105389. <https://doi.org/10.1016/j.foodhyd.2019.105389>
- Nooshkam, M., Varidi, M., Zareie, Z., & Alkobeisi, F. (2023). Behavior of protein-polysaccharide conjugate-stabilized food emulsions under various destabilization conditions. *Food Chemistry: X*, 18(May), 100725. <https://doi.org/10.1016/j.fochx.2023.100725>
- Ntzimani, A., Tsevdou, M., Andrianos, E., Gounaris, D., Spiliotopoulos, T., Taoukis, P., & Giannakourou, M. C. (2025). Validating Accelerated Shelf Life Testing Methodology for Predicting Shelf Life in High-Pressure-Processed Meat Products. *Applied Sciences (Switzerland)*, 15(3). <https://doi.org/10.3390/app15031264>
- Perrechil, F. A., & Cunha, R. L. (2013). Stabilization of multilayered emulsions by sodium caseinate and  $\kappa$ -carrageenan. *Food Hydrocolloids*, 30(2), 606–613. <https://doi.org/10.1016/j.foodhyd.2012.08.006>
- Piñón-Balderrama, C. I., Leyva-Porras, C., Terán-Figueroa, Y., Espinosa-Solís, V., Álvarez-Salas, C., & Saavedra-Leos, M. Z. (2020). Encapsulation of active ingredients in food industry by spray-drying and nano spray-drying technologies. *Processes*, 8(8). <https://doi.org/10.3390/PR8080889>

- Pourashouri, P., Shabanpour, B., Heydari, S., & Raeisi, S. (2021). Encapsulation of fish oil by carrageenan and gum tragacanth as wall materials and its application to the enrichment of chicken nuggets. *Lwt*, *137*(May 2020), 110334. <https://doi.org/10.1016/j.lwt.2020.110334>
- Purdi, T. S., Setiowati, A. D., & Ningrum, A. (2023). Ultrasound-assisted extraction of *Spirulina platensis* protein: physicochemical characteristic and techno-functional properties. *Journal of Food Measurement and Characterization*, *17*(5), 5474–5486. <https://doi.org/10.1007/s11694-023-02051-y>
- Purnamayati, L., Dewi, E. N., & Kurniasih, R. A. (2018). Phycocyanin stability in microcapsules processed by spray drying method using different inlet temperature. *IOP Conference Series: Earth and Environmental Science*, *116*(1). <https://doi.org/10.1088/1755-1315/116/1/012076>
- Reboul, E. (2013). Absorption of vitamin A and carotenoids by the enterocyte: Focus on transport proteins. *Nutrients*, *5*(9), 3563–3581. <https://doi.org/10.3390/nu5093563>
- Rusli, Z., & Setiani, L. A. (2020). *Modifikasi Metode Analisis Daya Hambat terhadap Proses Denaturasi Protein yang Diinduksi oleh Panas Universitas Pakuan , Program Studi Farmasi , Indonesia \* email penulis : zaldy.rusli@unpak.ac.id Abstrak PENDAHULUAN Setiap sel pada manusia mengandung rib.* *3*(2), 55–62.
- Rutz, J. K., Borges, C. D., Zambiasi, R. C., Crizel-Cardozo, M. M., Kuck, L. S., & Noreña, C. P. Z. (2017). Microencapsulation of palm oil by complex coacervation for application in food systems. *Food Chemistry*, *220*, 59–66. <https://doi.org/10.1016/j.foodchem.2016.09.194>
- Rutz, J. K., Borges, C. D., Zambiasi, R. C., Da Rosa, C. G., & Da Silva, M. M. (2016). Elaboration of microparticles of carotenoids from natural and synthetic sources for applications in food. *Food Chemistry*, *202*, 324–333. <https://doi.org/10.1016/j.foodchem.2016.01.140>
- San, S. M., Jaturanpinyo, M., & Limwikrant, W. (2022). Effects of Wall Material on Medium-Chain Triglyceride (MCT) Oil Microcapsules Prepared by Spray Drying. *Pharmaceutics*, *14*(6). <https://doi.org/10.3390/pharmaceutics14061281>
- Savadkoochi, S., & Farahnaky, A. (2012). Dynamic rheological and thermal study of the heat-induced gelation of tomato-seed proteins. *Journal of Food Engineering*, *113*(3), 479–485. <https://doi.org/10.1016/j.jfoodeng.2012.06.010>
- Sedaghat Doost, A., Nikbakht Nasrabadi, M., Wu, J., A'yun, Q., & Van der Meeren, P. (2019). Maillard conjugation as an approach to improve whey proteins functionality: A review of conventional and novel preparation techniques. *Trends in Food Science and Technology*, *91*(June), 1–11. <https://doi.org/10.1016/j.tifs.2019.06.011>
- Selim, K. A., Alharthi, S. S., Abu El-Hassan, A. M., Elneairy, N. A., Rabee, L. A., & Abdel-Razek, A. G. (2021). The effect of wall material type on the encapsulation efficiency and oxidative stability of fish oils. *Molecules*, *26*(20). <https://doi.org/10.3390/molecules26206109>
- Šeregelj, V., Estivi, L., Brandolini, A., Četković, G., Tumbas Šaponjac, V., & Hidalgo, A. (2022). Kinetics of Carotenoids Degradation during the Storage of Encapsulated Carrot Waste Extracts. *Molecules*, *27*(24). <https://doi.org/10.3390/molecules27248759>
- Setiowati, A. D., Wijaya, W., & Van der Meeren, P. (2020). Whey protein-polysaccharide conjugates obtained via dry heat treatment to improve the heat stability of whey protein stabilized emulsions. *Trends in Food Science and Technology*, *98*(August 2019), 150–161. <https://doi.org/10.1016/j.tifs.2020.02.011>

- Shakoor, A., Zhang, C., Xie, J., & Yang, X. (2022). Maillard reaction chemistry in formation of critical intermediates and flavour compounds and their antioxidant properties. *Food Chemistry*, 393(May), 133416. <https://doi.org/10.1016/j.foodchem.2022.133416>
- Shao, B., Cui, C., Ji, H., Tang, J., Wang, Z., Liu, H., Qin, M., Li, X., & Wu, L. (2015). Enhanced oral bioavailability of piperine by self-emulsifying drug delivery systems: In vitro, in vivo and in situ intestinal permeability studies. *Drug Delivery*, 22(6), 740–747. <https://doi.org/10.3109/10717544.2014.898109>
- Shao, P., Xuan, S., Wu, W., & Qu, L. (2019). Encapsulation efficiency and controlled release of Ganoderma lucidum polysaccharide microcapsules by spray drying using different combinations of wall materials. *International Journal of Biological Macromolecules*, 125, 962–969. <https://doi.org/10.1016/j.ijbiomac.2018.12.153>
- Shkolnikov Lozober, H., Okun, Z., & Shpigelman, A. (2021). The impact of high-pressure homogenization on thermal gelation of Arthrospira platensis (Spirulina) protein concentrate. *Innovative Food Science and Emerging Technologies*, 74(August), 102857. <https://doi.org/10.1016/j.ifset.2021.102857>
- Silva, R. C., Trevisan, M. G., & Garcia, J. S. (2020). B-galactosidase Encapsulated in Carrageenan, Pectin and Carrageenan/Pectin: Comparative Study, Stability and Controlled Release. *Anais Da Academia Brasileira de Ciencias*, 92(1), 1–15. <https://doi.org/10.1590/0001-3765202020180609>
- Silva, S. C., Almeida, T., Colucci, G., Santamaria-Echart, A., Manrique, Y. A., Dias, M. M., Barros, L., Fernandes, Â., Colla, E., & Barreiro, M. F. (2022). Spirulina (Arthrospira platensis) protein-rich extract as a natural emulsifier for oil-in-water emulsions: Optimization through a sequential experimental design strategy. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 648(March). <https://doi.org/10.1016/j.colsurfa.2022.129264>
- Sridhar, K., Hamon, P., Ossemond, J., Bouhallab, S., Croguennec, T., Renard, D., & Lechevalier, V. (2024). Plant and animal protein mixed systems as wall material for microencapsulation of Mānuka essential Oil: Characterization and in vitro release kinetics. *Food Research International*, 187(March). <https://doi.org/10.1016/j.foodres.2024.114419>
- Srivastava, A. K., Pandey, A. K., Jain, S., & Misra, N. (2015). FT-IR spectroscopy, intra-molecular C-H $\cdots$ O interactions, HOMO, LUMO, MESP analysis and biological activity of two natural products, triclisine and rufescine: DFT and QTAIM approaches. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 136(PB), 682–689. <https://doi.org/10.1016/j.saa.2014.09.082>
- Stappaerts, J., Brouwers, J., Annaert, P., & Augustijns, P. (2015). In situ perfusion in rodents to explore intestinal drug absorption: Challenges and opportunities. *International Journal of Pharmaceutics*, 478(2), 665–681. <https://doi.org/10.1016/j.ijpharm.2014.11.035>
- Sun, X., Wang, H., Li, S., Song, Chunli, Zhang, Songyuan, Ren, J., & Udengwe, C. C. (2022). *Maillard-Type Protein–Polysaccharide Conjugates and Electrostatic Protein–Polysaccharide Complexes as Delivery Vehicles for Food Bioactive Ingredients: Formation, Types, and Applications*.
- Suroso A. (2013). Kualitas Minyak Goreng Habis Pakai Ditinjau dari Bilangan Peroksida , Bilangan Asam dan Kadar Air. *Jurnal Kefarmasian Indonesia*, Vol 3(2), 77–88.
- Tanoj K Singh, K. R. C. (2002). The Shelf Life of Foods : An Overview Tanoj K . Singh and Keith R . Cadwallader. *ACS Symposium Series; American Chemical Society: 2002*, 2–21.

- Tarone, A. G., Cazarin, C. B. B., & Marostica Junior, M. R. (2020). Anthocyanins: New techniques and challenges in microencapsulation. *Food Research International*, 133(December 2019). <https://doi.org/10.1016/j.foodres.2020.109092>
- Tomić, N. Z., Mustapha, A. N., AlMheiri, M., AlShehhi, N., & Antunes, A. (2022). Advanced application of drying oils in smart self-healing coatings for corrosion protection: Feasibility for industrial application. *Progress in Organic Coatings*, 172(July). <https://doi.org/10.1016/j.porgcoat.2022.107070>
- Tonon, R. V., Pedro, R. B., Grosso, C. R. F., & Hubinger, M. D. (2012). Microencapsulation of Flaxseed Oil by Spray Drying: Effect of Oil Load and Type of Wall Material. *Drying Technology*, 30(13), 1491–1501. <https://doi.org/10.1080/07373937.2012.696227>
- Udo, T., Mummaleti, G., Mohan, A., Singh, R. K., & Kong, F. (2023). Current and emerging applications of carrageenan in the food industry. *Food Research International*, 173(P2), 113369. <https://doi.org/10.1016/j.foodres.2023.113369>
- Urango, A. C. M., Meireles, M. A. A., & Silva, E. K. (2024). Maillard conjugates produced from proteins and prebiotic dietary fibers: Technological properties, health benefits and challenges. *Trends in Food Science and Technology*, 147(August 2023), 104438. <https://doi.org/10.1016/j.tifs.2024.104438>
- Wang, L., & Boh, T. (2012). Health-Promoting Food Ingredients and Functional Food Processing. *Nutrition, Well-Being and Health*. <https://doi.org/10.5772/25862>
- Wang, W., Sun, R., Ji, S., & Xia, Q. (2024). Effects of  $\kappa$ -carrageenan on the emulsifying ability and encapsulation properties of pea protein isolate-grape seed oil emulsions. *Food Chemistry*, 435(September 2023), 137561. <https://doi.org/10.1016/j.foodchem.2023.137561>
- Wang, Y., Gan, J., Li, Y., Nirasawa, S., & Cheng, Y. (2019). Conformation and emulsifying properties of deamidated wheat gluten-maltodextrin/citrus pectin conjugates and their abilities to stabilize  $\beta$ -carotene emulsions. *Food Hydrocolloids*, 87, 129–141. <https://doi.org/10.1016/j.foodhyd.2018.07.050>
- Wardana, D. K., Setiowati, A. D., & Hidayat, C. (2025). Influence of Oil Structuring Methods on the Application of Red Palm Oil as Fat Replacer: Emulsion Gelation, Oleogelation Template Emulsion, and Biphasic Gelation. *Food Biophysics*, 20(2), 1–17. <https://doi.org/10.1007/s11483-025-09978-3>
- Wen, C., Zhang, J., Qin, W., Gu, J., Zhang, H., Duan, Y., & Ma, H. (2020). Structure and functional properties of soy protein isolate-lentinan conjugates obtained in Maillard reaction by slit divergent ultrasonic assisted wet heating and the stability of oil-in-water emulsions. *Food Chemistry*, 331(June), 127374. <https://doi.org/10.1016/j.foodchem.2020.127374>
- Williams, P. A., & Phillips, G. O. (2009). Introduction to food hydrocolloids. In *Handbook of Hydrocolloids: Second Edition*. Woodhead Publishing Limited. <https://doi.org/10.1533/9781845695873.1>
- Wu, S., Hu, J., Wei, L., Du, Y., Shi, X., & Zhang, L. (2014). Antioxidant and antimicrobial activity of Maillard reaction products from xylan with chitosan/chito oligomer/glucosamine hydrochloride/taurine model systems. *Food Chemistry*, 148, 196–203. <https://doi.org/10.1016/j.foodchem.2013.10.044>



- Xu, D., Wang, X., Jiang, J., Yuan, F., & Gao, Y. (2012). Impact of whey protein - Beet pectin conjugation on the physicochemical stability of  $\beta$ -carotene emulsions. *Food Hydrocolloids*, 28(2), 258–266. <https://doi.org/10.1016/j.foodhyd.2012.01.002>
- Yang, X., Lv, Z., Han, C., Zhang, J., Duan, Y., & Guo, Q. (2024). Stability and encapsulation properties of daidzein in zein/carrageenan/sodium alginate nanoparticles with ultrasound treatment. *International Journal of Biological Macromolecules*, 262(P1), 130070. <https://doi.org/10.1016/j.ijbiomac.2024.130070>
- Yang, Z., Chen, L., Zeng, C., Guo, Z., Zhang, W., Tian, T., Huang, Z., & Jiang, L. (2024). Encapsulation and characterization of soy protein-based  $\omega$ -3 medium- and long- chain triacylglycerols microencapsulated with diverse homogenization techniques for improving oxidation stability. *Food Chemistry*, 444(February), 138601. <https://doi.org/10.1016/j.foodchem.2024.138601>
- Yuliasari, S., Fardiaz, D., Andarwulan, N., & Yuliani, S. (2016). Characteristics of red palm oil encapsulates enriched with  $\beta$ -carotene. *Informatika Pertanian*, 25(1), 107–116.
- Yu-Tong, D., Chun, C., Yue-Ming, J., Bao, Y., & Xiong, F. (2022). Glycosylation with bioactive polysaccharide obtained from *Rosa roxburghii* Tratt fruit to enhance the oxidative stability of whey protein isolate emulsion. *International Journal of Biological Macromolecules*, 218(May), 259–268. <https://doi.org/10.1016/j.ijbiomac.2022.07.078>
- Zhang, A., Yu, J., Wang, G., Wang, X., & Zhang, L. (2019). Improving the emulsion freeze-thaw stability of soy protein hydrolysate-dextran conjugates. *Lwt*, 116(August), 108506. <https://doi.org/10.1016/j.lwt.2019.108506>
- Zhang, X., Wang, D., Liu, L., Jiang, W., Xiang, W., Zhang, Q., & Tang, J. (2024). Microencapsulation of *Zanthoxylum schinifolium* essential oil through emulsification followed by spray drying: microcapsule characterization and functional evaluation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 687(February), 133484. <https://doi.org/10.1016/j.colsurfa.2024.133484>
- Zhang, Z., Holden, G., Wang, B., & Adhikari, B. (2023). Maillard reaction-based conjugation of Spirulina protein with maltodextrin using wet-heating route and characterisation of conjugates. *Food Chemistry*, 406(June 2022), 134931. <https://doi.org/10.1016/j.foodchem.2022.134931>
- Zhang, Z., Wang, B., Holden, G., Chen, J., & Adhikari, B. (2023). Improving functional properties of Spirulina protein by covalent conjugation followed by complex coacervation processes. *Future Foods*, 7(April). <https://doi.org/10.1016/j.fufo.2023.100239>
- Zhu, C., Cai, Y., Gertz, E. R., La Frano, M. R., Burnett, D. J., & Burri, B. J. (2015). Red palm oil-supplemented and biofortified cassava gari increase the carotenoid and retinyl palmitate concentrations of triacylglycerol-rich plasma in women. *Nutrition Research*, 35(11), 965–974. <https://doi.org/10.1016/j.nutres.2015.08.003>