

DAFTAR PUSTAKA

- Abcam, 2024. *Mature neuron markers*. [online]. <https://www.abcam.com/en-us/technical-resources/research-areas/marker-guides/mature-neuron-markers> [Diakses 26 Mei 2025].
- Aghaei, Z., Karbalaeei, N., Namavar, M.R., Haghani, M., Razmkhah, M., Ghaffari, M.K. and Nemati, M., 2023. Neuroprotective effect of Wharton’s jelly-derived mesenchymal stem cell-conditioned medium (WJMSC-CM) on diabetes-associated cognitive impairment by improving oxidative stress, neuroinflammation, and apoptosis. *Stem Cells International*, Article ID 7852394. <https://doi.org/10.1155/2023/7852394>
- Arvidsson, A., Collin, T., Kirik, D., Kokaia, Z. and Lindvall, O., 2002. Neuronal replacement from endogenous precursors in the adult brain after stroke. *Nature Medicine*, 8(9), pp.963–970.
- Baris, Y., Taylor, M.R.G., Aria, V. and Yeeles, J.T.P., 2022. Fast and efficient DNA replication with purified human proteins. *Nature*, 606(7912), pp.204–210. <https://doi.org/10.1038/s41586-022-04759-1>
- Bayer, S.A., 1982. Changes in the total number of dentate granule cells in juvenile and adult rats. *Experimental Brain Research*, 46, pp.315–323.
- Benner, E.J., Luciano, D., Jo, R., Abdi, K., Paez-Gonzalez, P., Ahlenius, H., Knoblach, S.M., Kempadoo, K.A., Vulchanova, L., Fan, X., Redmond, D.E. Jr, Tsirka, S.E. & Sofroniew, M.V. 2013. Glial scar borders are formed by newly proliferated astrocytes that derive from SVZ neural stem cells: a focal cerebral ischemia study in mice. *Journal of Clinical Investigation*, 123(12), pp. 5426–5437.
- Bernhardt, J., Hayward, K.S., Kwakkel, G., Ward, N.S., Wolf, S.L., Borschmann, K., Krakauer, J.W., Boyd, L.A., Carmichael, S.T., Corbett, D. and Cramer, S.C., 2017. Agreed definitions and a shared vision for new standards in stroke recovery research: The Stroke Recovery and Rehabilitation Roundtable taskforce. *International Journal of Stroke*, 12(5), pp.444–450. <https://doi.org/10.1177/1747493017711816>
- Bragado Alonso, S., Reinert, J., Marichal, N., Bragado Alonso, S., et al. 2019. An increase in neural stem cells and olfactory bulb adult neurogenesis improves discrimination of highly similar odorants. *The EMBO Journal*, 38(6), e98791. doi: 10.15252/embj.201798791.
- Brann, J.H. and Firestein, S.J., 2014. A lifetime of neurogenesis in the olfactory system. *Frontiers in Neuroscience*, 8, Article 182. <https://doi.org/10.3389/fnins.2014.00182>
- Bravo Ferrer, I., Cuartero, M.I., Zarruk, J.G., et al., 2017. Cannabinoid type 2 receptor drives neurogenesis and improves functional outcome after stroke. *Stroke*, 48(1), pp.204–212.

- Brill, M.S., Ninkovic, J., Winpenny, E., Hodge, R.D., Ozen, I., Yang, R., Lepier, A., Gascon, S., Erdelyi, F., Szabo, G., Parras, C., Guillemot, F., Frotscher, M., Berninger, B., Hevner, R.F., Raineteau, O. & Götz, M. 2009. Adult generation of glutamatergic olfactory bulb interneurons. *Nature Neuroscience*, 12, pp. 1524–1533.
- Brown, J.P., Couillard-Després, S., Cooper-Kuhn, C.M., Winkler, J., Aigner, L. and Kuhn, H.G., 2003. Transient expression of doublecortin during adult neurogenesis. *Journal of Comparative Neurology*, 467, pp.1–10.
- Burda, J.E. and Sofroniew, M.V., 2014. Reactive gliosis and the multicellular response to CNS damage and disease. *Neuron*, 81(2), pp.229–248. <https://doi.org/10.1016/j.neuron.2013.12.034>
- Cai, J., Hua, F., Yuan, L., Tang, W., Lu, J. and Yu, S., 2014. Potential therapeutic effects of neurotrophins for acute and chronic neurological diseases. *BioMed Research International*, Article ID 601084. <https://doi.org/10.1155/2014/601084>
- Calegari, F. & Huttner, W.B. 2003. An inhibition of cyclin-dependent kinases that lengthens, but does not arrest, neuroepithelial cell cycle induces premature neurogenesis. *Journal of Cell Science*, 116(24), pp. 4947–4955. doi: 10.1242/jcs.00825.
- Carmichael, S.T., Archibeque, I., Luke, L., Nolan, T., Momiy, J. and Li, S., 2005. Growth-associated gene expression after stroke: evidence for a growth-promoting region in peri-infarct cortex. *Experimental Neurology*, 193, pp.291–311. <https://doi.org/10.1016/j.expneurol.2005.01.004>
- Cazzalini, O., Sommatis, S., Tillhon, M., Dutto, I., Bachi, A., Rapp, A., Nardo, T., Scovassi, A.I., Necchi, D., Cardoso, M.C., Stivala, L.A. and Prosperi, E., 2014. CBP and p300 acetylate *Pcna* to link its degradation with nucleotide excision repair synthesis. *Nucleic Acids Research*, 42(13), pp.8433–8448. <https://doi.org/10.1093/nar/gku533>
- Che, Q.Q., Huang, T., Zhang, Y.D. and Qian, X.J., 2019. Effect of miR-124 on neuronal apoptosis in rats with cerebral infarction through Wnt/beta-catenin signaling pathway. *European Review for Medical and Pharmacological Sciences*, 23, pp.6657–6664. https://doi.org/10.26355/eurrev_201908_18556
- Chen, W.C., Chang, L.H., Huang, S.S., Huang, Y.J., Chih, C.L., Kuo, H.C., Lee, Y.H. & Lee, I.H. 2019. Aryl hydrocarbon receptor modulates stroke-induced astrogliosis and neurogenesis in the adult mouse brain. *Journal of Neuroinflammation*, 16(1), 187. doi: 10.1186/s12974-019-1572-7.
- Cheng, L.C., Pastrana, E., Tavazoie, M. and Doetsch, F., 2009. miR-124 regulates adult neurogenesis in the subventricular zone stem cell niche. *Nature Neuroscience*, 12, pp.399–408. <https://doi.org/10.1038/nn.2294>
- Chiang, C.P., Lang, M.J., Liu, B.Y., Wang, J.T., Leu, J.S. and Hahn, L.J., et al., 2000. Expression of proliferating cell nuclear antigen (*Pcna*) in oral submucous

- fibrosis, oral epithelial hyperkeratosis and oral epithelial dysplasia in Taiwan. *Oral Oncology*, 36(4), pp.353–359.
- Couillard-Després, S., Winner, B., Schaubeck, S., Aigner, R., Vroemen, M., Weidner, N., Bogdahn, U., Winkler, J., Kuhn, H.G. and Aigner, L., 2005. *Doublecortin* expression levels in adult brain reflect neurogenesis. *European Journal of Neuroscience*, 21(1), pp.1–14. <https://doi.org/10.1111/j.1460-9568.2004.03813.x>
- Darsalia, V., Heldmann, U., Lindvall, O. and Kokaia, Z., 2005. Stroke induced neurogenesis in aged brain. *Stroke*, 36(8), pp.1790–1795.
- Defterali, Ç., Moreno-Estellés, M., Crespo, C., Díaz-Guerra, E., Díaz-Moreno, M., Vergaño-Vera, E., Nieto-Estévez, V., Hurtado-Chong, A., Consiglio, A., Mira, H. & Vicario, C. 2021. Neural stem cells in the adult olfactory bulb core generate mature neurons in vivo. *Stem Cells*, 39(9), pp. 1253–1269. doi: 10.1002/stem.3393.
- Detante, O., Jaillard, A., Moisan, A., Barbieux, M., Favre, I.M., Garambois, K., Hommel, M. and Remy, C., 2014. Biotherapies in stroke. *Revue Neurologique*, 170(12), pp.779–798. <https://doi.org/10.1016/j.neurol.2014.10.005>
- Díaz-Guerra, E., Pignatelli, J., Nieto-Estévez, V. & Vicario-Abejón, C. 2013. Transcriptional regulation of olfactory bulb neurogenesis', *The Anatomical Record: Advances in Integrative Anatomy & Evolutionary Biology*, 296(9), pp. 1364–1382. doi: 10.1002/ar.22733.
- Doepfner, T.R., Traut, V., Heidenreich, A., Kaltwasser, B., Bosche, B., Bahr, M. and Hermann, D.M., 2017. Conditioned medium derived from neural progenitor cells induces long term post-ischemia neuroprotection, sustained neurological recovery, neurogenesis, and angiogenesis. *Molecular Neurobiology*, 54, pp.1531–1540.
- Dorado, L., Millán, M. and Dávalos, A., 2014. Reperfusion therapies for acute ischemic stroke: an update. *Current Cardiology Reviews*, 10(4), pp.327–335.
- Fluri, F., Schuhmann, M.K. and Kleinschnitz, C., 2015. Animal models of ischemic stroke and their application in clinical research. *Drug Design, Development and Therapy*, 9(7), pp.3445–3454.
- Fuentealba, L.C., Rompani, S.B., Parraguez, J.I., Obernier, K., Romero, R., Cepko, C.L. & Alvarez-Buylla, A. 2015. Embryonic origin of postnatal neural stem cells. *Cell*, 161(7), pp. 1644–1655. doi: 10.1016/j.cell.2015.05.041
- George, P.M. and Steinberg, G.K., 2015. Novel stroke therapeutics: unraveling stroke pathophysiology and its impact on clinical treatments. *Neuron*, 87(2), pp.297–309.
- Gheusi, G., Cremer, H., McLean, H., Chazal, G., Vincent, J. & Lledo, P. 2000. Importance of newly generated neurons in the adult olfactory bulb for odor discrimination. *Proceedings of the National Academy of Sciences of the United States of America*, 97(4), pp. 1823–1828. doi: 10.1073/pnas.97.4.1823.

- Gil-Mohapel, J., Brocardo, P.S., Choquette, W., Gothard, R., Simpson, J.M. & Christie, B.R. 2013. Hippocampal neurogenesis levels predict watermaze search strategies in the aging brain. *PLoS ONE*, 8(9), e75125. doi: 10.1371/journal.pone.0075125.
- Gleeson, J.G., Lin, P.T., Flanagan, L.A. and Walsh, C.A., 1999. *Doublecortin* is a microtubule-associated protein and is expressed widely by migrating neurons. *Neuron*, 23, pp.257–271.
- Gorup, D., Bohaček, I., Miličević, T., Pochet, R., Mitrečić, D., Križ, J. and Gajović, S., 2015. Increased expression and colocalization of GAP43 and CASP3 after brain ischemia lesion in mouse. *Neuroscience Letters*, 597, pp.176–182. <https://doi.org/10.1016/j.neulet.2015.04.042>
- Granada, A.E., Jiménez, A., Stewart-Ornstein, J., Blüthgen, N., Reber, S., Jambhekar, A. and Lahav, G., 2020. The effects of proliferation status and cell cycle phase on the responses of single cells to chemotherapy. *Molecular Biology of the Cell*, 31(8), pp.845–857. <https://doi.org/10.1091/mbc.E19-09-0515>
- Guo, J., Wang, J., Zhang, Z., Yan, J., Chen, M., Pang, T., Zhang, L. and Liao, H., 2013. proNGF inhibits neurogenesis and induces glial activation in adult mouse dentate gyrus. *Neurochemical Research*, 38, pp.1695–1703.
- Gusel'nikova, V.V. and Korzhevskiy, D.E., 2015. *Neun* as a neuronal nuclear antigen and neuron differentiation marker. *Acta Naturae*, 7(2), p.25.
- Han, M., Cao, Y. and Xue, H., 2020. Neuroprotective effect of mesenchymal stromal cell-derived extracellular vesicles against cerebral ischemia-reperfusion-induced neural functional injury: a pivotal role for AMPK and JAK2/STAT3/NF-κB signaling pathway modulation. *Drug Design, Development and Therapy*, 14, pp.2865–2876.
- Handayani, E.S., Nurmasitoh, T., Akhmad, A.S., Fauziah, A.N., Rizani, R. and Rahmawaty, Y.R. et al., 2018. Effect of BCCAO duration and animal models sex on brain ischemia volume after 24 hours reperfusion. *Bangladesh Journal of Medical Science*, 17(1), pp.29–37.
- Handayani, E.S., Susilowati, R., Setyopranoto, I. and Partadiredja, G., 2019. Transient bilateral common carotid artery occlusion (tBCCAO) of rats as a model of global cerebral ischemia. *Bangladesh Journal of Medical Science*, 18(3), pp.491–500.
- Jeppesen, D.K., Fenix, A.M., Franklin, J.L., Higginbotham, J.N., Zhang, Q., Zimmerman, L.J., Liebler, D.C., Ping, J., Liu, Q., Evans, R., Fissell, W.H., Patton, J.G., Rome, L.H., Burnette, D.T. and Coffey, R.J., 2019. Reassessment of exosome composition. *Cell*, 177, pp.428–445.e418.
- Jiang, C., Zuo, F., Wang, Y., Lu, H., Yang, Q. and Wang, J., 2017. Progesterone changes VEGF and BDNF expression and promotes neurogenesis after ischemic stroke. *Molecular Neurobiology*, 54, pp.571–581.

- Jiao, S., Liu, Y., Yao, Y. and Teng, J., 2018. miR-124 promotes proliferation and neural differentiation of neural stem cells through targeting DACT1 and activating Wnt/ β -catenin pathways. *Molecular and Cellular Biochemistry*, 449(1–2), pp.305–314. <https://doi.org/10.1007/s11010-018-3367-z>
- Joerger-Messerli, M., Giovannini-Spinelli, M., Oppliger, B., Thomi, G., Haesler, V., Mueller, M. and Surbek, D., 2018a. 797: Wharton's jelly stem cell-derived extracellular vesicles drive neural progenitor cells towards oligodendroglial identity. *American Journal of Obstetrics and Gynecology*, 218, p.S475. <https://doi.org/10.1016/j.ajog.2017.11.329>
- Joerger-Messerli, M., Giovannini-Spinelli, M., Thomi, G., Haesler, V., Müller, M. and Surbek, D., 2018b. Exosomes derived from Wharton's jelly stem cells switch neural progenitor cell fate to oligodendrogenesis. *Geburtshilfe und Frauenheilkunde*, 78. <https://doi.org/10.1055/s-0038-1671425>
- Johnson, W., Onuma, O., Owolabi, M. and Sachdev, S., 2016. Stroke: a global response is needed. *Bulletin of the World Health Organization*, 94(9), p.634.
- Jörger, M., Haesler, V., Thomi, G., Giovannini-Spinelli, M. and Surbek, D., 2019. 942: Exosomes from stem cells of the umbilical cord trigger oligodendroglial differentiation in neural/oligodendroglial progenitor cells. *American Journal of Obstetrics and Gynecology*, 220, p.S608. <https://doi.org/10.1016/j.ajog.2018.11.966>
- Kalogeris, T., Bao, Y. and Korthuis, R.J., 2014. Mitochondrial reactive oxygen species: a double edged sword in ischemia/reperfusion vs preconditioning. *Redox Biology*, 2, pp.702–714.
- Kementerian Kesehatan RI, 2023. *Kenali stroke dan penyebabnya*. [online] Tersedia di: <https://ayosehat.kemkes.go.id/kenali-stroke-dan-penyebabnya> [Diakses 5 Okt. 2025].
- Koizumi, H., Higginbotham, H., Poon, T., Tanaka, T., Brinkman, B.C. and Gleeson, J.G., 2006. *Doublecortin* maintains bipolar shape and nuclear translocation during migration in the adult forebrain. *Nature Neuroscience*, 9, pp.779–786.
- Lazarini, F. and Lledo, P., 2011. Is adult neurogenesis essential for olfaction? *Trends in Neurosciences*, 34, pp.20–30. <https://doi.org/10.1016/j.tins.2010.09.006>
- León-Moreno, L.C., Castañeda-Arellano, R., Rivas-Carrillo, J.D. and Dueñas-Jiménez, S.H., 2020. Challenges and improvements of developing an ischemia mouse model through bilateral common carotid artery occlusion. *Journal of Stroke and Cerebrovascular Diseases*, 29(5), p.104773. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2020>
- Li, J., Zhang, Q., Li, S., Niu, L., Ma, J. and Wen, L. et al., 2020. α 7nAChR mediates transcutaneous auricular vagus nerve stimulation-induced neuroprotection in a rat model of ischemic stroke by enhancing axonal plasticity. *Neuroscience Letters*, 730, p.135031. <https://doi.org/10.1016/j.neulet.2020.135031>
- Li, T., Pan, Y.-W., Wang, W., Abel, G. and Zou, J., 2013. Targeted deletion of the ERK5 MAP kinase impairs neuronal differentiation, migration, and survival

- during adult neurogenesis in the olfactory bulb. *PLoS ONE*, 8(4), p.e61948. <https://doi.org/10.1371/journal.pone.0061948>
- Li, Y. & Chopp, M. 2009. Marrow stromal cell transplantation in stroke and traumatic brain injury. *Neuroscience Letters*, 456, pp. 120–123. doi: 10.1016/j.neulet.2008.03.096
- Li, Z., Chen, H., Lv, J. and Zhao, R., 2017. The application and neuroprotective mechanisms of cerebral ischemia post-conditioning: a review. *Brain Research Bulletin*, 131, pp.39–46.
- Li, Z., Song, Y., He, T., Wen, R., Li, Y., Chen, T. et al., 2021. M2 microglial small extracellular vesicles reduce glial scar formation via the miR-124/STAT3 pathway after ischemic stroke in mice. *Theranostics*, 11, pp.1232–1248. <https://doi.org/10.7150/thno.48761>
- Liao, W., Xie, J., Zhong, J. et al., 2009. Therapeutic effect of human umbilical cord multipotent mesenchymal stromal cells in a rat model of stroke. *Transplantation*, 87, pp.350–359.
- Lin, G., Zhang, H., Sun, F., Lu, Z., Reed-Maldonado, A. and Lee, Y.C. et al., 2016. Brain-derived neurotrophic factor promotes nerve regeneration by activating the JAK/STAT pathway in schwann cells. *Translational Andrology and Urology*, 5, pp.167–175. <https://doi.org/10.21037/tau.2016.02.03>
- Ling, X., Zhang, G., Xia, Y., Zhu, Q., Zhang, J., Li, Q., Niu, X., Hu, G., Yang, Y., Wang, Y. and Deng, Z., 2020. Exosomes from human urine-derived stem cells enhanced neurogenesis via miR-26a/HDAC6 axis after ischaemic stroke. *Journal of Cellular and Molecular Medicine*, 24(1), pp.640–654. <https://doi.org/10.1111/jcmm.14774>
- Liu, C., Yang, T.H., Li, H.D., Li, G.Z., Liang, J. and Wang, P., 2023. Exosomes from bone marrow mesenchymal stem cells are a potential treatment for ischemic stroke. *Neural Regeneration Research*, 18(10), pp.2246–2251. <https://doi.org/10.4103/1673-5374.369114>
- Lledo, P.M. & Valley, M. 2016. Adult olfactory bulb neurogenesis. *Cold Spring Harbor Perspectives in Biology*, 8(8), a018945. doi: 10.1101/cshperspect.a018945. PMID: 27235474; PMCID: PMC4968158.
- Lopez-Verrilli, M.A., Picou, F. and Court, F.A., 2013. Schwann cell-derived exosomes enhance axonal regeneration in the peripheral nervous system. *Glia*, 61, pp.1795–1806.
- Lu, X.C., Zheng, J.Y., Tang, L.J., Huang, B.S., Li, K., Tao, Y. et al., 2015. miR-133b promotes neurite outgrowth by targeting RhoA expression. *Cell Physiology and Biochemistry*, 35, pp.246–258. <https://doi.org/10.1159/000369692>
- Lu, J., Manaenko, A. and Hu, Q., 2017. Targeting adult neurogenesis for poststroke therapy. *Stem Cells International*, Article ID 5868632.

- Marlin, M.C. and Li, G., 2015. Biogenesis and function of the NGF/TrkA signaling endosome. *International Review of Cell and Molecular Biology*, 314, pp.239–257. <https://doi.org/10.1016/bs.ircmb.2014.10.002>
- Mathieu, M., Martin-Jaular, L., Lavieue, G. and They, C., 2019. Specificities of secretion and uptake of exosomes and other extracellular vesicles for cell-to-cell communication. *Nature Cell Biology*, 21, pp.9–17.
- Merkle, F.T., Mirzadeh, Z. & Alvarez-Buylla, A. 2007. Mosaic organization of neural stem cells in the adult brain. *Science*, 317, pp. 381–384.
- Miller, D.J., Simpson, J.R. and Silver, B., 2011. Safety of thrombolysis in acute ischemic stroke: a review of complications, risk factors, and newer technologies. *Neurohospitalist*, 1(3), pp.138–147. <https://doi.org/10.1177/1941875211408731>
- Mobley, A.S., 2019. Chapter 7 - Adult neurogenesis in the subventricular zone. In: A.S. Mobley, ed. *Neural Stem Cells and Adult Neurogenesis*. London: Academic Press, pp.149–181.
- Moreno-Estellés, M., González-Gómez, P., Hortigüela, R., Díaz-Moreno, M., San Emeterio, J., Carvalho, A.L., Fariñas, I. & Mira, H. 2012. Symmetric expansion of neural stem cells from the adult olfactory bulb is driven by astrocytes via WNT7A. *Stem Cells*, 30(12), pp. 2796–2809. doi: 10.1002/stem.1243.
- Mu, J.D., Ma, L.X., Zhang, Z., Qian, X. and Zhang, Q.Y., 2023. The factors affecting neurogenesis after stroke and the role of acupuncture. *Frontiers in Neurology*, 14, Article 1082625. <https://doi.org/10.3389/fneur.2023.1082625>
- Nacher, J., Crespo, C. and McEwen, B.S., 2001. *Doublecortin* expression in the adult rat telencephalon. *European Journal of Neuroscience*, 14, pp.629–644.
- Nalamolu, K.R., Venkatesh, I., Mohandass, A., Klopfenstein, J.D., Pinson, D.M., Wang, D.Z. and Veeravalli, K.K., 2019. Exosomes treatment mitigates ischemic brain damage but does not improve post-stroke neurological outcome. *Cell Physiology and Biochemistry*, 52(6), pp.1280–1291. <https://doi.org/10.33594/000000090>
- Nicolae, C.M., Aho, E.R., Vlahos, A.H., Choe, K.N., De, S., Karras, G.I. and Moldovan, G.L., 2014. The ADP-ribosyltransferase PARP10/ARTD10 interacts with proliferating cell nuclear antigen (*Pcna*) and is required for DNA damage tolerance. *Journal of Biological Chemistry*, 289(19), pp.13627–13637. <https://doi.org/10.1074/jbc.M114.556340>
- Nogueira, N.G.H.M., Parma, J.O., Leão, S.E.S.A., Sales, I.S., Macedo, L.C., Galvão, A.C.D.R., de Oliveira, D.C., Murça, T.M., Fernandes, L.A., Junqueira, C., Lage, G.M. and Ferreira, B.P., 2021. Mirror therapy in upper limb motor recovery and activities of daily living, and its neural correlates in stroke individuals: A systematic review and meta-analysis. *Brain Research Bulletin*, 177, pp.217–238. <https://doi.org/10.1016/j.brainresbull.2021.10.003>

- Nygren, J., Wieloch, T., Pesic, J. et al., 2006. Enriched environment attenuates cell genesis in subventricular zone after focal ischemia in mice. *Stroke*, 37(11), pp.2824–2829.
- Ocbina, P.J., Dizon, M.L., Shin, L. and Szele, F.G., 2006. *Doublecortin* is necessary for the migration of adult subventricular zone cells from neurospheres. *Molecular and Cellular Neuroscience*, 33, pp.126–135.
- Ojaghhighi, S., Vahdati, S.S., Mikaeilpour, A. and Ramouz, A., 2017. Comparison of neurological clinical manifestation in patients with hemorrhagic and ischemic stroke. *World Journal of Emergency Medicine*, 8(1), pp.34–38.
- Ospel, J.M., Hill, M.D. and Goyal, M., 2020. Recent acute ischemic stroke trials: reason for hope and excitement. *Neuroradiology*, 62, pp.1059–1060. <https://doi.org/10.1007/s00234-020-02470-4>
- Palma-Tortosa, S., García-Culebras, A., Moraga, A. et al., 2017. Specific features of SVZ neurogenesis after cortical ischemia: a longitudinal study. *Scientific Reports*, 7, Article 16343. <https://doi.org/10.1038/s41598-017-16109-7>
- Papagiannakopoulos, T. and Kosik, K.S., 2009. MicroRNA-124: Micromanager of neurogenesis. *Cell Stem Cell*, 4(5), pp.487–490. <https://doi.org/10.1016/j.stem.2009.04.007>
- Prabhakaran, S., Ruff, I. and Bernstein, R.A., 2015. Acute stroke intervention: a systematic review. *JAMA*, 313(14), pp.1451–1462. <https://doi.org/10.1001/jama.2015.2329>
- Qin, C., Yang, S., Chu, Y., Zhang, H., Pang, X., Chen, L., Zhou, L., Chen, M., Tian, D. and Wang, W., 2022. Signaling pathways involved in ischemic stroke: molecular mechanisms and therapeutic interventions. *Signal Transduction and Targeted Therapy*, 7, Article 215.
- Rahman, A.A., Amruta, N., Pinteaux, E. & Bix, G.J., 2020. Neurogenesis after stroke: a therapeutic perspective. *Translational Stroke Research*, 6(6), pp.1–14.
- Rahmawati, R.Y., Mulyaningrum, U. & Handayani, E.S., 2022. Routine blood profiles of global ischemia rats based on ischemia durations. *Eksakta: Journal of Science and Data Analysis*, 3(1), pp.50–58. doi:10.20885/EKSAKTA.vol3.iss1.art6.
- Raucci, F. et al., 2006. Proliferative activity in the frog brain: a Pcnâ€™a-immunohistochemistry analysis. *Journal of Chemical Neuroanatomy*, 32, pp.127–142.
- Silvas-Baltazar, M. et al., 2023. Olfactory neurogenesis and its role in fear memory modulation. *Frontiers in Behavioral Neuroscience*, 17, 1278324. doi:10.3389/fnbeh.2023.1278324.
- Smirnova, L. et al., 2005. Regulation of miRNA expression during neural cell specification. *European Journal of Neuroscience*, 21, pp.1469–1477. <https://doi.org/10.1111/j.1460-9568.2005.03978.x>

- Soni, N. et al., 2022. MicroRNA-enriched exosomes from different sources of mesenchymal stem cells can differentially modulate functions of immune cells and neurogenesis. *Biomedicines*, 10, p.69. <https://doi.org/10.3390/biomedicines10010069>
- Su, L.N. et al., 2018. Network analysis of microRNAs, transcription factors, and target genes involved in axon regeneration. *Journal of Zhejiang University Science B*, 19, pp.293–304. <https://doi.org/10.1631/jzus.B1700179>
- Tajiri, S. et al., 2004. Ischemia-induced neuronal cell death is mediated by the endoplasmic reticulum stress pathway involving CHOP. *Cell Death and Differentiation*, (advance online publication).
- The Human Protein Atlas, 2025. *Pcna – Proliferating cell nuclear antigen*. [online] Available at: <https://www.proteinatlas.org/ENSG00000132646-Pcna> [Accessed 27 May 2025].
- Tobin, M.K. et al., 2014. Neurogenesis and inflammation after ischemic stroke: what is known and where we go from here. *Journal of Cerebral Blood Flow & Metabolism*, 34(9), pp.1573–1584. <https://doi.org/10.1038/jcbfm.2014.130>
- Ventura, R.E. & Goldman, J.E. (2007) ‘Dorsal radial glia generate olfactory bulb interneurons in the postnatal murine brain’, *Journal of Neuroscience*, 27, pp. 4297–4302.
- Walgrave, H. et al., 2021. Restoring miR-132 expression rescues adult hippocampal neurogenesis and memory deficits in Alzheimer’s disease. *Cell Stem Cell*, 28(10). <https://doi.org/10.1016/j.stem.2021.07.006>
- Wei, C., Ren, L., Li, K. & Lu, Z., 2018. The regulation of survival and differentiation of neural stem cells by miR-124 via modulating PAX3. *Neuroscience Letters*, 683, pp.19–26. <https://doi.org/10.1016/j.neulet.2018.05.051>
- Wei, Z. et al., 2017. Coding and noncoding landscape of extracellular RNA released by human glioma stem cells. *Nature Communications*, 8, 1145.
- Whitman, M.C. & Greer, C.A., 2009. Adult neurogenesis and the olfactory system. *Progress in Neurobiology*, 89, pp.162–175. [doi:10.1016/j.pneurobio.2009.07.003](https://doi.org/10.1016/j.pneurobio.2009.07.003)
- Winpenny, E., Lebel-Potter, M., Fernandez, M.E., Brill, M.S., Götz, M., Guillemot, F. & Raineteau, O. (2011) ‘Sequential generation of olfactory bulb glutamatergic neurons by Neurog2-expressing precursor cells’, *Neural Development*, 6, p. 12.
- Wu, K.J. et al., 2017. Improving neurorepair in stroke brain through endogenous neurogenesis-enhancing drugs. *Cell Transplantation*, 26, pp.1596–1600.
- Xa, Z. et al., 2019. LncRNA SNHG6 functions as a ceRNA to regulate neuronal cell apoptosis by modulating miR-181c-5p/BIM signalling in ischaemic stroke. *Journal of Cellular and Molecular Medicine*, 23(9), pp.6120–6130.

- Xiao, W.Z. et al., 2015. Role of miRNA-146 in proliferation and differentiation of mouse neural stem cells. *Bioscience Reports*, 35, e00245. doi:10.1042/BSR20150088
- Xie, F., Liu, H. & Liu, Y., 2020. Adult neurogenesis following ischemia stroke and implications for cell-based therapeutic approaches. *World Neurosurgery*, 138, pp.474–480. <https://doi.org/10.1016/j.wneu.2020.02.010>
- Xin, H. et al., 2013. Systemic administration of exosomes released from mesenchymal stromal cells promote functional recovery and neurovascular plasticity after stroke in rats. *Journal of Cerebral Blood Flow & Metabolism*, 33, pp.1711–1715.
- Yan, T., Chopp, M. & Chen, J., 2015. Experimental animal models and inflammatory cellular changes in cerebral ischemia and hemorrhagic stroke. *Neuroscience Bulletin*, 31(6), pp.717–734.
- Zhang, Y. et al., 2017. Effects of BDNF-transfected BMSCs on neural functional recovery and synaptophysin expression in rats with cerebral infarction. *Molecular Neurobiology*, 54, pp.3813–3824.
- Zhang, H. et al., 2020. miR-124 promotes proliferation and inhibits apoptosis of oral cancer cells through MAPK/ERK signaling pathway. *European Review for Medical and Pharmacological Sciences*, 24(7), pp.3710–3716.
- Zhang, Z. et al., 2021. Human umbilical cord mesenchymal stem cell-derived exosomal miR-146a-5p reduces microglial-mediated neuroinflammation via suppression of the IRAK1/TRAF6 signaling pathway after ischemia stroke. *Aging*, 13(2), pp.3060–3079. doi:10.18632/aging.202466
- Zhang, W., Xiao, D. & Mao, Q., 2023. Role of neuroinflammation in neurodegeneration development. *Signal Transduction and Targeted Therapy*, 8, Article 267. <https://doi.org/10.1038/s41392-023-01486-5>
- Zhou, Y. et al., 2013. Exosomes released by human umbilical cord mesenchymal stem cells protect against cisplatin-induced renal oxidative stress and apoptosis in vivo and in vitro. *Stem Cell Research & Therapy*, 4, Article 34. <https://doi.org/10.1186/scrt199>