

DAFTAR PUSTAKA

- Accotto G.P., Sardo L. 2010. Transovaril transmission of Begomovirus in *Bemisia tabaci*. Di dalam: Stansly PA, Naranjo SE, editor. *Bemisia: Bionomics and Management of a Global Pest*. Springer Science + Business Media B.V. hlm 339-345
- Adilah, N. F dan S. H. Hidayat. 2014. Keparahan penyakit daun keriting dan pertumbuhan populasi kutukebul pada beberapa genotipe cabai. *Jurnal Fitopatologi Indonesia*. 10(6): 195-201.
- Akhter, A. Sakhtar., M. Saeed., & S. Mansoor. 2014. Chili leaf curl betasatellite enhances symptoms induced by tomato leaf curl new Delhi virus, a bipartite Begomovirus. *International Journal of Agriculture and Biology*. 16(6): 1225–1228
- Anbutsu H., Goto S., Fukatsu T. 2008. High and low temperatures differently affect infection density and vertical transmission of male-killing *Spiroplasma* symbionts in *Drosophila* hosts. *Appl Environ Microbiol* 74: 6053–6059.
- Ansari, P. G., Singh, R. K., Kaushik, S., Krishna, A., Wada, T., & Noda, H. 2017. Detection of symbionts and virus in the whitefly *Bemisia tabaci* (Hemiptera: Aleyrodidae), vector of the Mungbean yellow mosaic India virus in Central India. *Applied Entomol Zoology*, 54(2), 567-579
- Atikah, A. 2019. Deteksi dan identifikasi molekuler endosimbion *Wolbachia* pada *Bemisia tabaci* (Hemiptera: Aleyrodidae). Sekolah Pascasarjana Universitas Gadjah Mada. Tesis.
- Baumann P. 2005. Biology of bacteriocyte-associated endosymbionts of plant sap-sucking insects. *Annu Rev Microbiol* 59:155–189.
- Bedford I.D., Briddon R.W., Markham P.G., Brown J.K., Rosell R.C. 1992. *Bemisia tabaci*: biotype characterization and the threat of this whitefly species to agriculture. *Proceedings of the 1992 British Crop Protection Conference Pest and Disease* 3: 1235-1240
- Bing, X.L., Y. Ruan., Q. Rao., X. Wang., & S. Liu. 2012. Diversity of secondary endosymbionts among different putative species of the whitefly *Bemisia tabaci*. *Insect Science*, 1-13
- Brumin M., Kontsedalov S., Ghanim M. 2011. *Rickettsia* influences thermotolerance in the whitefly *Bemisia tabaci* B biotype. *Insect Sci* 18:57–66
- Brumin M., Lebedev G., Kontsedalov S., Ghanim M. 2019. Levels of the endosymbiont *Rickettsia* in the whitefly *Bemisia tabaci* are influenced by the expression of vitellogenin. *Insect Mol Biol* 29: 241–255
- Burke, G., Fiehn, O., and Moran, N. 2010. Effects of facultative symbionts and heat stress on the metabolome of pea aphids. *ISME J* 4: 242-252.
- Bustin, S. A., Benes, V., Garson, J. A., Hellemans, J., Huggett, J., Kubista, M., Mueller, R., Nolan, T., Pfaffl, M. W., Shipley, G. L., Vandesompele, J., & Wittwer, C. T. 2009. The MIQE guidelines: minimum information for publication of quantitative real-time PCR experiments. *Clinical chemistry*, 55(4), 611–622

- Caciagli, P., Medina Piles, V., Marian, D., Vecchiati, M., Masenga, V., Mason, G., Falcioni, T.; Noris, E. 2009. Virion Stability Is Important for the Circulative Transmission of Tomato Yellow Leaf Curl Sardinia Virus by *Bemisia tabaci*, but Virion Access to Salivary Glands Does Not Guarantee Transmissibility. *J. Virol.* 83, 5784–5795
- Casem, M.L. 2016. Case Study in Cell Biology. Academic Press, Massachusetts.
- Caspi-Fluger A., Inbar M., Mozes-Daube N., Mouton L., Hunter M.S., Zchori-Fein E. 2011. Rickettsia 'in' and 'out': two different localization patterns of a bacterial symbiont in the same insect species. *PLoS One* 6:e21096
- Cerca, J., C. Meyer, D. Stateczny, D. Siemon, J. Wegbrod, G. Purschke, D. Dimitrov & T. H. Struck. 2019. Deceleration of morphological evolution in a cryptic species complex and its link to paleontological stasis. *Evolution*, 74: 116 – 131
- Chaumeau, V., Andolina, C., Fustec, B., Ndam, N.T., Brengues, C., Herder, S., Cerqueira, D., Chareonviriyaphap, T., Nosten, F. and Corbel, V. 2016. 'Comparison of the Performances of Five Primer Sets for the Detection and Quantification of Plasmodium in Anopheline Vectors by Real Time PCR', *PLoS ONE*, 11(7), pp. 1–15
- Chen, C.Y., Lai, C.Y., & Kuo, M.H. 2009. Temperature effect on the growth of *Buchnera* endosymbiont in *Aphis craccivora* (Hemiptera: Aphididae). *Symbiosis*, 49(1), 53–59.
- Chu, D., Tao, Y.L., Chi, H. 2012. Influence of plant combinations on population characteristics of *Bemisia tabaci* biotypes B and Q. *J Econ Entomol* 105:930–935
- Crowder D.W., Horowitz A.R., De Barro P.J. 2010. Mating behaviour, life history and adaptation to insecticides determine species exclusion between whiteflies. *J Anim Ecol* 79:563–570
- Czosnek H., Hariton-Shalev A., Sobol I., Gorovits R., Ghanim M. 2017. The incredible journey of Begomoviruses in their whitefly vector. *Viruses*. 9(10). doi:10.3390/v9100273
- David. BV 2001. Elements of economic entomology (revised and enlarged edition). Popular Book Depot. Chennai. India, 590
- De Barro P.J., Hidayati S.H., Frohlich D., Subandiyah S., Ueda S. 2008. A virus and its vector, *Pepper yellow leaf curl virus* and *Bemisia tabaci*, two new invaders of Indonesia. *Biological Invasions* 10:411– 433
- De Marchi, B. R., & Smith, H. A. 2020. Bacterial endosymbiont diversity among *Bemisia tabaci* (Hemiptera: Aleyrodidae) populations in Florida. *Insects*, 11(3): 179
- Dhanasekaran, S., Doherty, T. M., Kenneth, J., & TB Trials Study Group. 2010. Comparison of different standards for real-time PCR-based absolute quantification. *Journal of immunological methods*, 354(1-2), 34–39.

- Duong, T., McAllister, J., Eldahan, K., Wang, J., Onishi, E., Shen, K., Schrock, R., Gu, B., & Wang, P. 2023. Improvement of Precision in Recombinant Adeno-Associated Virus Infectious Titer Assay with Droplet Digital PCR as an Endpoint Measurement. *Human gene therapy*, 34(15-16), 742–757
- Fan, Y., & Wernegreen, J. J. (2013). Can't take the heat: high temperature depletes bacterial endosymbionts of ants. *Microbial ecology*, 66(3), 727–733.
- Fang Y.W., Liu L.Y., Zhang H.L., Jiang D.F., Chu D. 2014. Competitive ability and fitness differences between two introduced populations of the invasive whitefly *Bemisia tabaci* Q in China
- Fauquet C.M., Bisaro D.M., Briddon R.W., Brown J.K., Harrison B.D., Rybicki E.P., Stenger D.C., Stanley J. 2003. Revision of taxonomic criteria for species demarcation in the family Geminiviridae, and an updated list of begomovirus species. *Archives of Virology* 148:405– 421
- Fauquet C.M, Mayo M.A, Maniloff J., Desselberger U., Ball L.A. 2005. Virus Taxonomy. Eight Report of the International Committee on Taxonomy of Viruses. San Diego: Virol Div Int Union of Microb Soc
- Fauquet, C. M., Briddon, R. W., Brown, J. K., Moriones, E., Stanley, J., Zerbini, M., & Zhou, X. 2008. Geminivirus strain demarcation and nomenclature. *Archives of virology*, 153(4), 783–821
- Gangwar, R., and Gangwar, C. 2018. Lifecycle, distribution, nature of damage and economic importance of whitefly, *Bemisia tabaci* (Gennadius). *Acta Scientific Agriculture*, 2(4): 36–39
- Garcia, D., Farnier, P. A., Beitia, F., Zchori-Fein, E., Vavre, F., Mouton, L., Moya, A., Latorre, A., & Silva, F. J. 2012. Complete genome sequence of "Candidatus *Portiera aleyrodidarum*" BT-QVLC, an obligate symbiont that supplies amino acids and carotenoids to *Bemisia tabaci*. *Journal of bacteriology*, 194(23), 6654–6655
- Ghanim M, Medina V. 2007. Localization of *Tomato yellow leaf curl virus* in its whitefly vector *Bemisia tabaci*. In Czosnek H, Ed. *Tomato yellow leaf curl virus* disease: management, molecular biology, breeding for resistance.
- Ghozali, Imam. 2011. "Aplikasi Analisis Multivariate Dengan Program SPSS". Semarang: Badan Penerbit Universitas Diponegoro.
- Ghosh, S., Bouvaine, S., & Maruthi, M. N. 2015. Prevalence and genetic diversity of endosymbiotic bacteria infecting cassava whiteflies in Africa. *BMC Microbiology*, 15, 93
- Gottlieb Y., Ghanim M., Chiel E., Gerling D., Portnoy V., Steinberg S., Tzuri G., Horowitz A. R., Belausov E., Mozes-Daube N., Kotsedalov S., Gershon M., Gal S., Katzir N., and Zchori-Fein E. 2006. Identification and localization of a Rickettsia sp. in *Bemisia tabaci* (Homoptera: Aleyrodidae). *Applied and Environmental Microbiology*, 72:3646-3652
- Gueguen G., Vavre F., Gnankine O. 2010. Endosymbiont metacommunities, mtDNA diversity and the evolution of the *Bemisia tabaci* (Hemiptera: Aleyrodidae) species complex. *Mol Ecol* 19:4365–4376

- Haerunisa, R., G. Suastika, dan T. A. Damayanti. 2016. Identifikasi Begomovirus yang berasosiasi dengan penyakit kuning pada mentimun di Jawa Barat dan Bali. *Jurnal Hortikultura Indonesia*. 7(1): 9–20
- Hashmi, T. R., Devi, S. R., Ahmad, A., Meshram, N. M., & Prasad, R. 2019. Genetic status and endosymbionts diversity of *Bemisia tabaci* (Gennadius) on hosts belonging to family Malvaceae in India. *Neotropical Entomology*, 48(2), 207–218.
- Hague, M. T. J., Shropshire, J. D., Caldwell, C. N., Statz, J. P., Stanek, K. A., Conner, W. R., & Cooper, B. S. (2022). Temperature effects on cellular host-microbe interactions explain continent-wide endosymbiont prevalence. *Current biology : CB*, 32(4), 878–888
- Hasyim, A., W. Setiawati., dan Liferdi. 2016. Kutukebul *Bemisia tabaci* Gennadius (Hemiptera: Aleyrodidae) Penyebar Penyakit Virus Mosaik Kuning pada Tanaman Terung. Pusat Penelitian dan Pengembangan Holtikultura
- Hidayat, P. 2024. Kutukebul (Aleyrodidae, Hemiptera) di Jawa: Deskripsi Morfologi dan Kunci identifikasi. IPB Press
- Hidayat, P. Kurniawan, HA. Afifah, L. dan Triwidodo, H. 2017. Siklus hidup dan statistik demografi kutukebul *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) biotipe B dan non-B pada tanaman cabai (*Capsicum annum* L.). *Jurnal Entomologi Indonesia*, 14(3): 143–151
- Hoffman, A. A., P. A. Ross, and G. Rasic. 2015. *Wolbachia* strains for disease control: ecological and evolutionary considerations. *Evol. Appl.* 8: 751–768
- Horowitz A.R., Podoler H., Gerling D. 1984. Life table analysis of the tobacco whitefly *Bemisia tabaci* (Gennadius) in cotton fields in Israel. *Acta Oecol/Oecol. Appl.* 5:221-233
- Hu F. Y., & Tsai C. W. 2020. Nutritional relationship between *Bemisia tabaci* and its primary endosymbiont, *Portiera aleyrodidarum*, during host plant acclimation. *Insects*; 11(8): 498
- Hussain, M., Akutse, K. S., Ravindran, K., Lin, Y., Bamisile, B. S., Qasim, M., Dash, C. K., & Wang, L. 2017. Effects of different temperature regimes on survival of *Diaphorina citri* and its endosymbiotic bacterial communities. *Environmental microbiology*, 19(9), 3439–3449
- Hwang, S.Y., Kim, S.H., Lee, G.Y., Hang, V.T.T., Moon, C.S., Shin, J.H., Koo, W.L., Kim, S.Y., Park, H.J., Park, H.O. and Kho, W.G. 2011. A novel real-time PCR assay for the detection of *Plasmodium falciparum* and *Plasmodium vivax* malaria in low parasitized individuals. *Acta Tropica*, 120(1–2), pp. 40–45
- Kalshoven, L. G. E. 1981. The Pests of Crops in Indonesia (Revised and Translated by P. A. Van der Laan). Ichtar Baru, Jakarta
- Kanakala S. dan Ghanim M. 2019. Global genetic diversity and geographical distribution of *Bemisia tabaci* and its bacterial endosymbionts. *J PLoS ONE* 14(3): 30213946
- Kintasari, T., Septariani, D. W. N., Sulandari, S., & Hidayat, S. H. 2013. *Tomato yellow leaf curl Kanchanaburi virus* penyebab penyakit mosaik kuning pada tanaman terung di Jawa. *Jurnal Fitopatologi Indonesia*, 9(4), 127–131.

- Kenyon, L., Tsai, W.S., Shih, S.L., Lee, L.M. Kemunculan dan keragaman begomovirus yang menginfeksi tanaman solanaceae di Asia Timur dan Tenggara. *Res Virus*.2014,186, 104–113
- Kesumawati E, Sabaruddin, Asdhani M, Sofyan. 2018. Correlation between virus attacks at the several phases of growth with yield of chili pepper (*Capsicum annuum* L.) in Lowland. Proceeding The International Seminar on Tropical Horticulture. Bogor, Dec 10th 2018
- Khamis F.M., Ombura F.L., Ajene I.J., Akutse K.S., Subramanian S., Mohamed S.A., Dubois T., Tanga C.M., Ekesi S. 2021. Mitogenomic analysis of diversity of key whitefly pests in Kenya and its implication to their sustainable management. *Scientific reports* 11(1): 1-11
- King A.M.Q., Adams M.J., Carstens E.B., Lefkowitz E.J. 2011. *Virus taxonomy*. Ninth Report of the ICTV. Elsevier/Academic Press London: 351 –373
- Kubista, M., Andrade, J.M., Bengtsson, M., Forootan, A., Jonák, J., Lind, K., & Zoric, N. 2006. The real-time polymerase chain reaction. *Molecular Aspects of Medicine*, 27(2-3), 95–125
- Jones, R. A. C., & Naidu, R. A. 2019. Global Dimensions of Plant Virus Diseases: Current Status and Future Perspectives. *Annual review of virology*, 6(1), 387–409.
- Kaur, R., Singh, S., & Joshi, N. 2022. Pervasive Endosymbiont Arsenophonus Plays a Key Role in the Transmission of Cotton Leaf Curl Virus Vected by Asia II-1 Genetic Group of Bemisia tabaci. *Environmental entomology*, 51(3), 564–577.
- Lavenia, D., dan Kuswanto. Evaluasi ketahanan galur-galur terung (*Solanum melongena* L.) terhadap virus kuning (*Tomato yellow leaf curl Kanchanaburi virus* (TYLCV)). *Jurnal Produksi Tanaman*. 9(5): 314-322
- Lestari, S. M., P. Hidayat, S. H. Hidayat, J. Shim, and K. Lee. 2021. *Bemisia tabaci* in Java, Indonesia: genetic diversity and the relationship with secondary endosymbiotic bacteria. *Symbiosis* 83: 317–333
- Li R., Sarbagh S., Hurtt S. 2004. Detection of Begomoviruses in sweetpotato by polymerase chain reaction. *Plant Dis*. 88:1347-1351
- Li, S. J., Ahmed, M. Z., Lv, N., Shi, P. Q., Wang, X. M., Huang, J. L., & Qiu, B. L. 2016. Plant-mediated horizontal transmission of *Wolbachia* between whiteflies. *ISME Journal*, 11, 1019–1028
- Luan, J. B., Chen, W., Hasegawa, D. K., Simmons, A. M., Wintermantel, W. M., Ling, K. S., Fei, Z., Liu, S. S., & Douglas, A. E. 2015. Metabolic Coevolution in the Bacterial Symbiosis of Whiteflies and Related Plant Sap-Feeding Insects. *Genome biology and evolution*, 7(9), 2635–2647.
- Lukman R, Afifuddin, Deynze AV, Hill T, Jimenez R. 2019. A survey of mixed Begomoviruses infecton solanaceae and fabaceae at different altitudes in East Java, Indonesia. *Archives of Phytophatology and Plant Protection*. Vol 52 (3-4): 385-406

- Luthfi, M. 2023. Deteksi molekuler bakteri endosimbion pada kutu kebul (*Bemisia tabaci* Gennadius) (Hemiptera: Aleyrodidae) di Yogyakarta. Fakultas Pertanian Universitas Gadjah Mada. Yogyakarta. Skripsi.
- Lv, N., Peng, J., He, Z.Q., Wen, Q., Su, Z.Q., Ali, S., Liu, C.Z., & Qiu, B.L. 2023. The Dynamic Distribution of *Wolbachia* and *Rickettsia* in Asiatic *Bemisia tabaci*. *Insects*, 14(4), 401
- Medina V., Pinner M.S., Bedford I.D., Achon M.A., Gemeno C. 2006. Immunolocalization of *Tomato yellow leaf curl* Sardinia virus in natural host plants and its vector *Bemisia tabaci*. *J Plant Pathol* 88: 299–308
- Milenovic, M., Gouttepifre, A., Eickermann, M., Junk, J., & Rapisarda, C. 2022. Plant-mediated rifampicin treatment of *Bemisia tabaci* disrupts but does not eliminate endosymbionts. *Scientific reports*, 12(1), 20766.
- Ningrum, E. P. 2018. Metode multiplex RT-PCR untuk deteksi simultan *Crinivirus* dan *Begomovirus* pada tanaman tomat. Tesis. Fakultas Pertanian, Universitas Gadjah Mada
- Oliveira M.R.V., Henneberry T.J., and Anderson P. 2001. History, current status, and collaborative research projects for *Bemisia tabaci*. *Crop Protection* 20(9):709-723
- Pan H., Li X., Ge D., Wang S., Wu Q., Xie W., Jiao X., Chu D., Liu B., Xu B., Zhang Y. 2012. Factors affecting population dynamics of maternally transmitted endosymbionts in *Bemisia tabaci*. *PLoS One* 7: e30760
- Pan, H., Su, Q., Jiao, X., Zhou, L., Liu, B., Xie, W. 2013. Relative amount of symbionts in *Bemisia tabaci* (Gennadius) Q changes with host plant and establishing the method of analyzing free amino acid in *Bemisia tabaci*. *Communicative and Integrative Biology*, 6, e23397
- Pandey, V., Srivastava, A. and Gaur, R.K. 2021. Begomovirus: a Curse for the Agricultural Crops, *Archives of Phytopathology and Plant Protection*, Taylor & Francis, 54(15–16); 949–978
- Polston, J. E., & Capobianco, H. 2013. Transmitting plant viruses using whiteflies. *Journal of visualized experiments : JoVE*, (81), e4332
- Pratap, D., A.R. Kashikar, S.K. Mukherjee. 2011. Molecular characterization and infectivity of a Tomato leaf curl New Delhi virus variant associated with newly emerging yellow mosaic disease of eggplant in India. *Virology*. 8(305): 1- 13.
- Rahayuwati, S., Hidayat, P., dan Hidayat, S. H. 2020. Variasi morfologi puparium (*Bemisia tabaci* Gennadius) (Hemiptera: Aleyrodidae) pada berbagai inang dan ketinggian tempat dari daerah endemik penyakit kuning cabai di Wilayah Sundaland. *Jurnal Entomologi Indonesia*, 17(2): 61-72
- Rana V.S., Singh S.T., Priya N.G., Kumar J., Ellango R. 2012. Diversity and phylogenetic analysis of endosymbiotic bacteria from field caught *Bemisia tabaci* from different locations of North India based on 16S rDNA library screening. *Infect Genet Evol* 12: 411–9
- Rehman M., Chakraborty P., Tanti B., Mandal B., Ghosh A. 2021. Occurrence of a new cryptic species of *Bemisia tabaci* (Hemiptera: Aleyrodidae): an updated record of cryptic diversity in India. *Phytoparasitica* 49: 869-882

- Roy, B., Chakraborty, P., Ghosh, A. 2021. How many Begomovirus copies are acquired and inoculated by its vector, whitefly (*Bemisia tabaci*) during feeding? PLoS ONE 16(10)
- Sambrook J., and Russell D. 2001. Molecular Cloning: A Laboratory Manual, 3rd edn. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press
- Sani, I., Izera Ismail, S., Abdullah, S., Jalinas, J., Jamian, S., and Saad, N. 2020. Insects a review of the biology and control of whitefly, *Bemisia tabaci* (Hemiptera: Aleyrodidae), with special reference to biological control using entomopathogenic fungi. 11, 619
- Setiawati, W., B. K. Udiarto., dan T. A. Soetiarso. 2006. Pengaruh varietas dan system tanam cabai merah terhadap penekanan populasi hama kutukebul. Jurnal Holtikultura 18(1); 55-61
- Shan H.W., Luan J.B., Liu Y.Q., Douglas A.E., Liu S.S. 2019. The inherited bacterial symbiont Hamiltonella influences the sex ratio of an insect host. P Roy Soc B 286:20191677
- Sharma, P., Kobayashi, and Tsuyoshi. 2014. Are “universal” DNA primers really universal?. Journal of Applied Genetics 55(4): 485-496
- Sidik, E.A., Hartono, S., Sulandari, S. 2023. Infeksi ganda spesies begomovirus pada tanaman terung dan cabai di Sleman, Yogyakarta. Prosiding Semnas Biologi XI Tahun 2023. FMIPA. Universitas Negeri Semarang
- Simala. 2009. Whitefly species (Hemiptera: Aleyrodidae) recorded on imported ornamental plant in Croatia. In Proceedings of The 9th Interantional Symposium on Plant Protection, 4(5): 389-396
- Singh, S.T., Kumar, J., Thomas, A., Ramamurthy, V.V., and Rajagopal, R., 2013. Detection and localization of *Rickettsia* sp in mealybug. Environ. Entomol. 42 (4), 711–716
- Singla, R., Kaur, R., Kaur, M. 2025. Assessment of bacterial endosymbionts associated with *Bemisia tabaci* (Hemiptera: Aleyrodidae) in cotton-vegetative agro ecosystem. *Int J Trop Insect Sci* 45, 1401–1413
- Su, Q., Xie, W., Wang, S., Wu, Q., Ghanim, M., & Zhang, Y. (2014). Location of symbionts in the whitefly *Bemisia tabaci* affects their densities during host development and environmental stress. PLoS ONE, 9(3), 1–11.
- Subagyo V.O., Hidayat P., Rauf A., Sartiami D. 2015. Thrips (Thysanoptera: Thripidae) associated with horticultural crops in West Java and key to species. J. Entomol. Indones. 12(2):59-72. DOI: 10.5994/jei.12.2.59
- Sudiono dan Purnomo. 2009. Hubungan antara populasi kutu kebul (*Bemisia tabaci* Genn.) dan penyakit kuning pada cabai di Lampung Barat. Jurnal HPT Tropika. 9(2): 115-119
- Sugiarmn, Hidayat S.H. 2000. Evaluasi ketahanan beberapa kultivar tomat (*Lycopersicon esculentum* Mill.) terhadap infeksi virus gemini. Jurnal Hayati 7:113 – 116
- Sulandari, S., S. H. Hidayat., R. Suseno., H. Jumanto., & Sosromarsono. 2001. Keberadaan virus gemini pada cabai di DIY. Kongres Nasional dan Seminar Ilmiah PFI ke XVI. Bogor, Agustus 2001

- Tay, W.T., G. A. Evans, L. M. Boykin, P. J. De Barro. 2012. Will the real *Bemisia tabaci* please stand up?. Plos One 7(11): 1 – 5
- Tian P.P., Chang C.Y., Miao N.H., Li M.Y., Liu X.D. 2019. Infections with *Arsenophonus* facultative endosymbionts alter performance of aphids (*Aphis gossypii*) on an amino-acid deficient diet. Appl Environ Microbiol 85: 19
- Toju H., Fukatsu T. 2011. Diversity and infection prevalence of endosymbionts in natural populations of the chestnut weevil: relevance of local climate and host plants. Mol Ecol 20: 853–868
- Trisno, J., Hidayat S.H., Jamsari, Habazar, T., Manti, I. 2010. Identifikasi molekuler Begomovirus penyebab penyakit keriting kuning pada tanaman Cabai (*Capsicum annum* L.) di Sumatera Barat. Jurnal Natur Indonesia. 13(1):41-46
- Tsuchida, T., Koga R., Fukatsu T. 2004. Host plant specialization governed by facultative symbiont. Science 303: 1989
- Wang, K. & Tsai, J.H. 1996. Development and Reproduction of *Bemisia argentifolii* (Homoptera: Aleyrodidae) on Five Host Plants. *Environmental Entomology*, 25, 810-816.
- Zchori Fein E., Brown J.K. 2002. Diversity of prokaryotes associated with *Bemisia tabaci* (Gennadius) (Homoptera: Aleyrodidae). Annals of the Entomological Society of America, 95(6); 711-718
- Zhao D.X., Hoffmann A.A., Zhang Z.C., Niu H.T., Guo H.F. 2018. Interactions between facultative symbionts *Hamiltonella* and *Cardinium* in *Bemisia tabaci* (Homoptera: Aleyrodoidea): cooperation or conflict? J. Econ Entomol 111:2660–2666