



## DAFTAR PUSTAKA

- Abdelaziz, S., Mahmoud Ahmed, A. M., Eltahan, A. M., & Abd Elhamid, A. M. I. (2023). Long-Term Stochastic Modeling of Monthly Streamflow in River Nile. *Sustainability (Switzerland)*, 15(3), 2170. <https://doi.org/10.3390/su15032170>
- Ahmad, M. J., & Choi, K. S. (2024). Climate-associated risks for reliability, resilience, vulnerability and sustainability of irrigation reservoirs in small ungauged watersheds. *Catena*, 234, 107632. <https://doi.org/10.1016/j.catena.2023.107632>
- Allen, R. G., Pereira, L. S., Raes, D., & Smith, M. (1998). *Crop Evapotranspiration: guidelines for computing crop water requirements. FAO Paper-56*. Rome: FAO United Nations.
- Amitaba, I. W., Juwono, P. T., Limantara, L. M., & Asmaranto, R. (2024). Real Time Operation Simulation Model with Early Release Reservoir Storage. *Journal of Human, Earth, and Future*, 5(4), 574–590. <https://doi.org/10.28991/HEF-2024-05-04-03>
- Barnes, B. S. (1939). The structure of discharge-recession curves. *Transactions of the American Geophysical Union*, 20(4), 721–725.
- Beiranvand, B., & Ashofteh, P. S. (2023). A Systematic Review of Optimization of Dams Reservoir Operation Using the Meta-heuristic Algorithms. *Water Resources Management*, 37(9), 3457–3526. <https://doi.org/10.1007/s11269-023-03510-3>
- Biemans, H., Haddeland, I., Kabat, P., Ludwig, F., Hutjes, R. W. A., Heinke, J., ... Gerten, D. (2011). Impact of reservoirs on river discharge and irrigation water supply during the 20th century. *Water Resources Research*, 47(3). <https://doi.org/10.1029/2009WR008929>
- Blöschl, G. (2006). Rainfall-Runoff Modeling of Ungauged Catchments. Dalam *Encyclopedia of Hydrological Sciences*. John Wiley and Sons Inc.
- Chaleeraktragoon, C., & Kangrang, A. (2007). Dynamic programming with the principle of progressive optimality for searching rule curves. *Canadian Journal of Civil Engineering*, 34(2), 170–176. <https://doi.org/10.1139/L06-087>
- Chow, V. Te, Maidment, D. R., & Mays, L. W. (1988). *Applied Hydrology. Applied Hydrology*. New York: McGraw Hill International Editions.
- Durán, A., Favereau, M., Lorca, Á., Vicuña, S., Melo, Ó., & Negrete-Pincetic, M. (2024). Evaluation of Multipurpose Reservoir Operating Policies at Basin and Electric Power System Scales. *Journal of Water Resources Planning and Management*, 150(7), 1–16.
- Eekhout, J. P. C., Boix-Fayos, C., Pérez-Cutillas, P., & de Vente, J. (2020). The impact of reservoir construction and changes in land use and climate on ecosystem services in a large Mediterranean catchment. *Journal of Hydrology*, 590, 125208.
- Geressu, R. T., & Harou, J. J. (2015). Screening reservoir systems by considering the efficient trade-offs - Informing infrastructure investment decisions on the Blue Nile. *Environmental Research Letters*, 10(12). <https://doi.org/10.1088/1748-9326/10/12/125008>
- Giuliani, M., Herman, J. D., Castelletti, A., & Reed, P. (2014). Many-objective reservoir policy identification and refinement to reduce policy inertia and myopia in water management. *Water Resources Research*, 50(4), 5375–5377.
- Gómez-Limón, J. A., Gutiérrez-Martín, C., & Montilla-López, N. M. (2020). Agricultural Water Allocation under Cyclical Scarcity : *Water*, 12, 1835.



- Gutiérrez-Martín, C., Gómez-Limón, J. A., & Montilla-López, N. M. (2022). Priority Water Rights for Irrigation at the River Basin Level. Do They Improve Economic Efficiency During Drought Periods? *Water Resources Management*, 36(10), 3737–3758.
- Hadthya, R., Jayadi, R., & Pratiwi, E. P. A. (2020). Optimasi Pemanfaatan Air Waduk Tukul Menggunakan Model Simulasi Operasi Waduk Multi Kriteria. Dalam *Prosiding Seminar Nasional Teknik Sipil UMS ke-X* (hal. 193–200).
- Hanson, B. R., Orloff, S., & Peters, D. (2000). Monitoring soil moisture hebs refine irriation manaaement. *California Agriculture*, 54(3), 38–42.
- Hashimoto, T., Stedinger, J. R., & Loucks, D. P. (1982). Reliability, resiliency, and vulnerability criteria for water resource system performance evaluation. *Water Resources Research*, 18(1), 14–20. <https://doi.org/10.1029/WR018i001p00014>
- Hatmoko, W., & Triweko, W. (2011). *Pengelolaan Alokasi Air di Wilayah Sungai*. Surakarta: Pusat Penelitian dan Pengembangan Sumber Daya Air, Kementerian Pekerjaan Umum RI.
- Huang, Y., Cai, Y., Xie, Y., Zhang, F., He, Y., Zhang, P., ... Qi, Z. (2022). An optimization model for water resources allocation in Dongjiang River Basin of Guangdong-Hong Kong-Macao Greater Bay Area under multiple complexities. *Science of the Total Environment*, 820(153198). <https://doi.org/10.1016/j.scitotenv.2022.153198>
- Ingrao, C., Strippoli, R., Lagioia, G., & Huisinigh, D. (2023). Water scarcity in agriculture: An overview of causes, impacts and approaches for reducing the risks. *Heliyon*, 9(8).
- Jamil, F. F. S., Darsono, S., & Suharyanto. (2019). Optimization of Logung Reservoir Performance. Dalam *IOP Conference Series: Earth and Environmental Science* (Vol. 328). IOP Publishing Ltd. <https://doi.org/10.1088/1755-1315/328/1/012017>
- Jaya, R. P. (2019). Optimization of Embung Jinggring for Water Resources Development of the Sadar Watershed, Mojokerto, East Java. *Journal of the Civil Engineering Forum*, 5(1), 57–64. <https://doi.org/10.22146/jcef.41133>
- Jayanti, M., Sabar, A., Ariesyady, H. D., Marselina, M., & Qadafi, M. (2023). A comparison of three water discharge forecasting models for monsoon climate region: A case study in cimanuk-jatigede watershed Indonesia. *Water Cycle*, 4, 17–25.
- Jing, X., Luo, J., Wang, J., Zuo, G., & Wei, N. (2022). A Multi-imputation Method to Deal With Hydro-Meteorological Missing Values by Integrating Chain Equations and Random Forest. *Water Resources Management*, 36(4), 1159–1173.
- Kohli, A., & Frenken, K. (2015). *Evaporation from artificial lakes and reservoirs*. *FAO AQUASTAT Reports*.
- KSO PT. Bina Buana Raya dan PT. Tricons Karya Mandiri. (2022). *Laporan Akhir SID/DD D.I. Jlantah. Pekerjaan SIT DD D.I. Jlantah Kab. Karanganyar*. Sukoharjo.
- KSO PT. Virama Karya dan PT. WECON. (2023). *Laporan Rencana Manual Operasi dan Pemeliharaan (OP) Bendungan Jlantah. Supervisi Bendungan Jlantah*. Karanganyar.
- Lai, V., Huang, Y. F., Koo, C. H., Ahmed, A. N., & El-Shafie, A. (2022). A Review of Reservoir Operation Optimisations: from Traditional Models to Metaheuristic Algorithms. *Archives of Computational Methods in Engineering*, 29(5), 3435–3457.
- Lamontagne, J. R., & Stedinger, J. R. (2018). Generating Synthetic Streamflow Forecasts with Specified Precision. *Journal of Water Resources Planning and Management*, 144(4).



- Lee, E., Ji, J., Lee, S., Yoon, J., Yi, S., & Yi, J. (2023). Development of an Optimal Water Allocation Model for Reservoir System Operation. *Water (Switzerland)*, 15(20).
- Liu, J., Yang, H., Gosling, S. N., Kumm, M., Flörke, M., Pfister, S., ... Oki, T. (2017). Water scarcity assessments in the past, present, and future. *Earth's Future*, 5(6), 545–559.
- Loucks, D. P., & Beek, E. van. (2017). *Water Resource Systems Planning and Management: An Introduction to Methods, Models, and Applications*. Switzerland: Springer International Publishing AG. <https://doi.org/https://doi.org/10.1007/978-3-319-44234-1>
- Maillet, E. (1905). Flow of underground and river waters. *Nature*, 72(1854), 25–26.
- Mateus, M. C., & Tullios, D. (2017). Reliability, Sensitivity, and Vulnerability of Reservoir Operations under Climate Change. *Journal of Water Resources Planning and Management*, 143(4), 1–14. [https://doi.org/10.1061/\(asce\)wr.1943-5452.0000742](https://doi.org/10.1061/(asce)wr.1943-5452.0000742)
- Mock, F. J. (1973). Land capability appraisal Indonesia - Water availability appraisal. Bogor: Food and Agriculture Organization of the United Nations.
- Muhammad, I., Jayadi, R., & Istiarto. (2025). Optimasi Pemanfaatan Air Waduk Jlantah untuk Pemenuhan Kebutuhan Air Irigasi dan Air Baku. Dalam *Simposium Nasional Teknologi Infrastruktur* (Vol. 3, hal. 1–6). Yogyakarta: Departemen Teknik Sipil dan Lingkungan, Fakultas Teknik, Universitas Gadjah Mada.
- Mujiburrahman, M. (2024). *PENGEMBANGAN KONSEP POLA OPERASI WADUK DAN EVALUASI PENERAPANNYA DENGAN SIMULASI MONTE CARLO (Studi Kasus: Sistem Terintegrasi Bendung Gerak Segawe, Bendungan Serbaguna Wonorejo, dan Bendung Gerak Tiudan, Kabupaten Tulungagung)*. Tesis. Universitas Gadjah Mada.
- Pianosi, F., Beven, K., Freer, J., Hall, J. W., Rougier, J., Stephenson, D. B., & Wagener, T. (2016). Sensitivity analysis of environmental models: A systematic review with practical workflow. *Environmental Modelling and Software*, 79, 214–232.
- Połomski, M., & Wiatkowski, M. (2023). Impounding Reservoirs, Benefits and Risks: A Review of Environmental and Technical Aspects of Construction and Operation. *Sustainability*, 15(22), 16020. <https://doi.org/10.3390/su152216020>
- Pratiwi, M. A., Jayadi, R., & Kironoto, B. A. (2022). Kajian Potensi Pemanfaatan Waduk Bener Untuk Pemenuhan Air Baku dan Air Irigasi. *Jurnal Teknik Pengairan*, 13(1), 12–22.
- Pusdiklat SDA dan Konstruksi Kementerian PUPR. (2017). Modul Operasi Waduk. *Pelatihan Alokasi Air*. Jakarta: BPSDM Kementerian PUPR.
- Raju, B. C. K., Gowda C, C., & BS, K. (2020). Optimization of Reservoir Operation using Linear Programming. *International Journal of Recent Technology and Engineering (IJRTE)*, 8(5), 1028–1032. <https://doi.org/10.35940/ijrte.e6174.018520>
- Ratliff, L. F., Ritchie, J. T., & Cassel, D. K. (1983). Field-Measured Limits of Soil Water Availability as Related to Laboratory-Measured Properties. *Soil Science Society of America Journal*, 47(4), 770–775.
- Rediasti, F. N. K., Jayadi, R., & Triatmodjo, B. (2023). Optimizing the Use of Meninting Multipurpose Reservoir Water in West Lombok District. *Journal of the Civil Engineering Forum*, 9(May), 217–226. <https://doi.org/10.22146/jcef.7161>
- Rizki, S. D. (2021). Peningkatan kualitas air dengan menggunakan sistem filtrasi pada pengolahan air baku. *REKAYASA: Jurnal Ilmiah Fakultas Teknik Universitas Lampung*, 25(1), 19–22. <https://doi.org/10.23960/rekrjts.v25i1.20>



- Safaa, R. F., Sachro, S. S., & Wulandari, D. A. (2023). Studi Optimasi Operasi Waduk Bili-Bili Dengan Program Dinamik. *Jurnal Arsip Rekayasa Sipil dan Perencanaan*, 6(1), 65–75. <https://doi.org/10.24815/jarsp.v6i1.27522>
- Setiadi, P. A., Wijayanti, Y., Cahyono, C., & Juliastuti. (2022). FJ.Mock Method for Hydrological model in Water Reliability Study at Jatiluhur Estate, Purwakarta. Dalam *IOP Conference Series: Earth and Environmental Science* (Vol. 998). IOP Publishing Ltd.
- Setyawan Alfandhani, R., Rahmawati Hizbaron, D., & Widyastuti, M. (2021). Study of The Influence of Water Cacthment Area Conditions on Space Utilization Patterns in Jlantah-Walikun Subwatershed in The Bengawan Solo Watershed Area Upstream. *Jurnal Wana Lestari*, 3(2), 225–232. <https://doi.org/https://doi.org/10.35508/wanalestari.v5i02.6224>
- Simonovic, S. P., & Arunkumar, R. (2016). Comparison of static and dynamic resilience for a multipurpose reservoir operation. *Water Resources Research*, 52(11), 8630–8649.
- SNI 6738:2015. (2015). Perhitungan debit andalan sungai dengan kurva durasi debit. *Standar Nasional Indonesia*. Jakarta: Badan Standardisasi Nasional.
- Sudira, P., Purwadi, T., Sukresno, & Nurlaili, M. (2005). Prediksi Aliran Permukaan Menggunakan Modifikasi Model Bilangan Kurva. *Agritech*, 25(1), 10–14.
- Tang, R., Zhang, J., Wang, Y., & Zhang, X. (2024). Study on the Basic Form of Reservoir Operation Rule Curves for Water Supply and Power Generation. *Water (Switzerland)*, 16(2), 276. <https://doi.org/10.3390/w16020276>
- Tao, B., Sun, Q., Wang, J., Zhang, J., & Xing, Z. (2024). Optimizing Multi-Scenario Water Resource Allocation in Reservoirs Considering Trade-Offs between Water Demand and Ecosystem Services. *Water (Switzerland)*, 16(4), 563. <https://doi.org/10.3390/w16040563>
- Tawakal, F. I., Bisri, M., Limantara, L. M., & Andawayanti, U. (2023). Assessment of Water Distribution for the Effectiveness of Water Allocation Modeling. *Journal of Hunan University Natural Sciences*, 50(3), 65–74.
- Thomas, H. A., & Fiering, M. B. (1962). Mathematical Synthesis of Streamflow Sequences for the Analysis of River Basins by Simulation. Dalam *Design of Water Resource Systems* (hal. 460–493). Cambridge, Massachusetts: Harvard University Press.
- Tukimat, N. N. A., & Harun, S. (2021). Evaluation the Performances of Stochastic Streamflow Models for the Multi Reservoirs. *International Journal of Integrated Engineering*, 13(1), 303–310. <https://doi.org/10.30880/ijie.2021.13.01.027>
- Utami, D. D. (2016). *Analisa Ketersediaan Air dengan Menggunakan Gabungan Metode Mock dan Model Tank di Kali Samin Kabupaten Karanganyar*. Skripsi. Program Studi Teknik Sipil, Fakultas Teknik, Universitas Muhammadiyah Surakarta.
- Utomo, M. T. D. (2014). *Pemanfaatan Penginderaan Jauh dan Sistem Informasi Geografi untuk Pemetaan Daerah Rawan Kekeringan di Kabupaten Karanganyar, Provinsi Jawa Tengah*. Tugas Akhir. Universitas Gadjah Mada.
- Utomowati, R. (2017). Dinamika Temporal Tutupan Lahan Dan Pengaruhnya Terhadap Indeks Fungsi Lindung Daerah Aliran Sungai (DAS) Jlantah Hulu Kabupaten Karanganyar Tahun 2010 – 2016. Dalam *Prosiding Seminar Nasional Geografi UMS 2017 PENGELOLAAN SUMBERDAYA WILAYAH BERKELANJUTAN* (hal. 103–117). Surakarta: Universitas Muhammadiyah Surakarta.
- Valipour, E., Ketabchi, H., Shali, R. S., & Morid, S. (2024). Water Resources Allocation:



- Interactions Between Equity/Justice and Allocation Strategies. *Water Resources Management*, 38(2), 505–535. <https://doi.org/10.1007/s11269-023-03682-y>
- Wang, H., & Ma, T. (2024). Optimal water resource allocation considering virtual water trade in the Yellow River Basin. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-023-50319-6>
- Wang, J., Huang, Q., Huang, J., & Rozelle, S. (2016). Water Allocation Through Water Rights Institution. Dalam *Managing Water on China's Farms* (hal. 237–252).
- Widiatiningsih, A., Mujiyo, M., & Suntoro, S. (2018). Study of Soil Degradation Status at Jatipurno District, Keduang Sub-Watersheds, Wonogiri Regency, Central Java. *SAINS TANAH - Journal of Soil Science and Agroclimatology*, 15(1), 1.
- Wu, J., Yuan, X., Yao, H., Chen, X., & Wang, G. (2021). Reservoirs regulate the relationship between hydrological drought recovery water and drought characteristics. *Journal of Hydrology*, 603, 127127. <https://doi.org/10.1016/j.jhydrol.2021.127127>
- Wu, S. J., Kuo, C. Y., Yeh, K. C., Wang, C. Der, & Wang, W. J. (2021). Reliability analysis for reservoir water supply due to uncertainties in hydrological factors, rainfall-runoff routing and operating rule curves. *Journal of Hydro-Environment Research*, 34(April 2019), 24–45. <https://doi.org/10.1016/j.jher.2021.01.002>
- Xu, Z., Gong, Z., Cheng, H., & Cheng, J. (2023). Optimal water allocation integrated with water supply, replenishment, and spill in the in-series reservoir based on an improved decomposition and dynamic programming aggregation method. *Journal of Hydroinformatics*, 25(3). <https://doi.org/10.2166/hydro.2023.208>
- Yunanto, M. K., Nugraha, S., & Utomowati, R. (2014). Analisis Daya Dukung Lahan Berdasarkan Ketersediaan dan Kebutuhan Air di Daerah Aliran Sungai Jlantah Hulu Kabupaten Karanganyar Tahun 2013 (Untuk Substansi Pembelajaran Geografi pada Kompetensi Dasar Pemanfaatan dan Pelestarian Lingkungan Hidup Kelas XI). *Jurnal Pendidikan Geografi*, 4(2).
- Zanaga, D., Van De Kerchove, R., Daems, D., De Keersmaecker, W., Brockmann, C., Kirches, G., ... Arino, O. (2022). ESA WorldCover 10 m 2021 v200. Zenodo. <https://doi.org/https://doi.org/10.5281/zenodo.7254221>
- Zhang, F., Wu, Z., Di, D., & Wang, H. (2023). Water resources allocation based on water resources supply-demand forecast and comprehensive values of water resources. *Journal of Hydrology: Regional Studies*, 47(101421). <https://doi.org/10.1016/j.ejrh.2023.101421>
- Zhou, J., Jia, B., Chen, X., Qin, H., He, Z., & Liu, G. (2019). Identifying efficient operating rules for hydropower reservoirs using system dynamics approach-A case study of three Gorges Reservoir, China. *Water (Switzerland)*, 11(12).
- Zotarelli, L., Dukes, M. D., & Morgan, K. T. (2010). Interpretation of Soil Moisture Content to Determine Soil Field Capacity and Avoid Over-Irrigating Sandy Soils Using Soil Moisture Sensors. *EDIS*, (2), 1–4. <https://doi.org/https://doi.org/10.32473/edis-ae460-2010>