



REFERENCE

- Adachi, N., & Oku, T. (2000). PCR-mediated Detection of *Xanthomonas oryzae* pv. *oryzae* by Amplification of the 16S–23S rDNA Spacer Region Sequence. *Journal of General Plant Pathology*, 66(4), 303–309. <https://doi.org/10.1007/PL00012969>
- Adedibu, P. A., Son, O., Tekutyeva, L., & Balabanova, L. (2024). Pathogenomic Insights into *Xanthomonas oryzae* pv. *oryzae*'s Resistome, Virulome, and Diversity for Improved Rice Blight Management. *Life*, 14(12). <https://doi.org/10.3390/life14121690>
- Agarwal, V., Stubits, R., Nassrullah, Z., & Dillon, M. M. (2023). Pangenome insights into the diversification and disease specificity of *Xanthomonas* outbreaks worldwide. *Frontiers in Microbiology*, 14. <https://doi.org/10.3389/fmicb.2023.1213261>
- Asysyuura, A., Nawangsih, A. A., Mutaqin, K. H., & Sudir, S. (2017). Identifikasi Patotipe *Xanthomonas oryzae* pv. *oryzae* dari Tanaman Padi di Sulawesi Selatan. *Jurnal Fitopatologi Indonesia*, 13(3), 73–80. <https://doi.org/10.14692/jfi.13.3.73>
- Bhatt, S., & Chatterjee, S. (2022). Fluoroquinolone antibiotics: Occurrence, mode of action, resistance, environmental detection, and remediation – A comprehensive review. *Environmental Pollution*, 315, 120440. <https://doi.org/10.1016/j.envpol.2022.120440>
- BPS (Badan Pusat Statistika). (2025). *Produksi padi menurut provinsi (bulanan), Januari–Juli 2025*. <https://www.bps.go.id/assets/statistics-table/2/MjUwNiMy/produksi-padi-menurut-provinsi--bulanan-.html>
- CABI. (2021). *Xanthomonas oryzae* pv. *oryzae* (rice leaf blight). In *CABI Compendium*. <https://doi.org/10.1079/cabicompendium.56956>
- CARD (The Comprehensive Antibiotic Resistance) Database. (2025). *Antibiotic Resistance Ontology entries from CARD*. McMaster University. <https://card.mcmaster.ca/ontology>
- CERIS. (2016). *Xanthomonas oryzae* pv. *oryzae* isolation and identification protocol. <https://download.ceris.purdue.edu/file/3055>
- Chen, N. W. G., Serres-Giardi, L., Ruh, M., Briand, M., Bonneau, S., Darrasse, A., Barbe, V., Gagnevin, L., Koebnik, R., & Jacques, M. A. (2018). Horizontal gene transfer plays a major role in the pathological convergence of *Xanthomonas* lineages on common bean. *BMC Genomics*, 19(1). <https://doi.org/10.1186/s12864-018-4975-4>



EPPO (European and Mediterranean Plant Protection Organization). (2007). *Xanthomonas oryzae* pv. *oryzae*. EPPO Global Database. https://gd.eppo.int/taxon/XANTOR/download/datasheet_pdf

Gillings, M. R. (2014). Integrons: Past, Present, and Future. *Microbiology and Molecular Biology Reviews*, 78(2), 257–277. <https://doi.org/10.1128/MMBR.00056-13>

Gonçalves, E. R., & Rosato, Y. B. (2002). Phylogenetic analysis of *Xanthomonas* species based upon 16S-23S rDNA intergenic spacer sequences. *International Journal of Systematic and Evolutionary Microbiology*, 52(2), 355–361. <https://doi.org/10.1099/00207713-52-2-355>

Heuer, H., Schmitt, H., & Smalla, K. (2011). Antibiotic resistance genes spread due to manure application on agricultural fields. In *Current Opinion in Microbiology* (Vol. 14, Issue 3, pp. 236–243). <https://doi.org/10.1016/j.mib.2011.04.009>

Islam, T., Haque, M. A., Barai, H. R., Istiaq, A., & Kim, J.-J. (2024). Antibiotic Resistance in Plant Pathogenic Bacteria: Recent Data and Environmental Impact of Unchecked Use and the Potential of Biocontrol Agents as an Eco-Friendly Alternative. *Plants*, 13(8), 1135. <https://doi.org/10.3390/plants13081135>

Jiang, H., Dong, Y., Jiao, X., Tang, B., Feng, T., Li, P., & Fang, J. (2024). *In vivo* fitness of *sul* gene-dependent sulfonamide-resistant *Escherichia coli* in the mammalian gut. *MSystems*, 9(9). <https://doi.org/10.1128/msystems.00836-24>

Jones-Dias, D., Manageiro, V., Ferreira, E., Barreiro, P., Vieira, L., Moura, I. B., & Caniça, M. (2016). Architecture of Class 1, 2, and 3 Integrons from Gram Negative Bacteria Recovered among Fruits and Vegetables. *Frontiers in Microbiology*, 7. <https://doi.org/10.3389/fmicb.2016.01400>

Kurenbach, B., Marjoshi, D., Amábile-Cuevas, C. F., Ferguson, G. C., Godsoe, W., Gibson, P., & Heinemann, J. A. (2015). Sublethal exposure to commercial formulations of the herbicides dicamba, 2,4-dichlorophenoxyacetic acid, and Glyphosate cause changes in antibiotic susceptibility in *Escherichia coli* and *Salmonella enterica* serovar Typhimurium. *MBio*, 6(2). <https://doi.org/10.1128/mBio.00009-15>

Latif, M. A., Rahman, L., Islam, N., Kayess, Md. O., Rashid, Md. M., Hasan, Md. A.-I., & Khan, M. A. I. (2024). Pathotypic diversity of *Xanthomonas oryzae* pv. *oryzae*, and stringent evaluation of resistance lines of Rice in Bangladesh. *European Journal of Plant Pathology*, 170(2), 305–318. <https://doi.org/10.1007/s10658-024-02900-6>



- Lee, C.-W., Tseng, Y.-H., Deng, F.-S., Lin, J.-W., Tseng, Y.-H., & Weng, S.-F. (2012). Contribution of Phe-7 to Tat-Dependent Export of β -Lactamase in *Xanthomonas campestris*. *Antimicrobial Agents and Chemotherapy*, 56(7), 3597–3602. <https://doi.org/10.1128/AAC.06031-11>
- Lee, D.-Y., & M, V. C. (2014). Specificity of Multiplex PCR in the Detection of *Xanthomonas oryzae* pv. *oryzae* and *Xanthomonas oryzae* pv. *oryzicola* in Rice (*Oryza sativa* L.) Seeds. *Journal of the Korean Society of International Agriculture*, 26(4), 425–429. <https://doi.org/10.12719/KSIA.2014.26.4.425>
- Lerminiaux, N. A., & Cameron, A. D. S. (2019). Horizontal transfer of antibiotic resistance genes in clinical environments. *Canadian Journal of Microbiology*, 65(1), 34–44. <https://doi.org/10.1139/cjm-2018-0275>
- McManus, P. S., Stockwell, V. O., Sundin, G. W., & Jones, A. L. (2002). Antibiotic Use in Plant Agriculture. *Annual Review of Phytopathology*, 40(1), 443–465. <https://doi.org/10.1146/annurev.phyto.40.120301.093927>
- Munita, J. M., & Arias, C. A. (2016). Mechanisms of Antibiotic Resistance. *Microbiology Spectrum*, 4(2). <https://doi.org/10.1128/microbiolspec.VMBF-0016-2015>
- Muteeb, G., Rehman, M. T., Shahwan, M., & Aatif, M. (2023). Origin of Antibiotics and Antibiotic Resistance, and Their Impacts on Drug Development: A Narrative Review. *Pharmaceuticals*, 16(11), 1615. <https://doi.org/10.3390/ph16111615>
- Octavia, S., Xu, W., Ng, O. T., Marimuthu, K., Venkatachalam, I., Cheng, B., Lin, R. T. P., & Teo, J. W. P. (2020). Identification of AbaR4 *Acinetobacter baumannii* resistance island in clinical isolates of *bla* OXA-23-positive *Proteus mirabilis*. *Journal of Antimicrobial Chemotherapy*, 75(3), 521–525. <https://doi.org/10.1093/jac/dkz472>
- Pfaller, M. A., Boyken, L., Hollis, R. J., Kroeger, J., Messer, S. A., Tendolkar, S., Jones, R. N., Turnidge, J., & Diekema, D. J. (2010). Wild-Type MIC Distributions and Epidemiological Cutoff Values for the Echinocandins and *Candida* spp. *Journal of Clinical Microbiology*, 48(1), 52–56. <https://doi.org/10.1128/JCM.01590-09>
- Ramnarine, S. D. B., Jayaraman, J., & Ramsubhag, A. (2024). Crucifer Lesion-Associated *Xanthomonas* Strains Show Multi-Resistance to Heavy Metals and Antibiotics. *Current Microbiology*, 81(5), 136. <https://doi.org/10.1007/s00284-024-03646-4>



Republik Indonesia. (2014). *Undang-Undang Republik Indonesia Nomor 41 Tahun 2014 Tentang Peternakan dan Kesehatan Hewan.*

Republik Indonesia. (2019). *Surat Edaran Menteri Pertanian Republik Indonesia No. 09160/PK.350/F/12/2019 Tentang Larangan Penggunaan CColistin pada Hewan.*

Rhouma, M., Madec, J.-Y., & Laxminarayan, R. (2023). Colistin: from the shadows to a One Health approach for addressing antimicrobial resistance. *International Journal of Antimicrobial Agents*, 61(2), 106713. <https://doi.org/10.1016/j.ijantimicag.2023.106713>

Shi, X., Xia, Y., Wei, W., & Ni, B. J. (2022). Accelerated spread of antibiotic resistance genes (ARGs) induced by non-antibiotic conditions: Roles and mechanisms. In *Water Research* (Vol. 224). Elsevier Ltd. <https://doi.org/10.1016/j.watres.2022.119060>

Silva, K. P. T., & Khare, A. (2024). Antibiotic resistance mediated by gene amplifications. *Npj Antimicrobials and Resistance*, 2(1), 35. <https://doi.org/10.1038/s44259-024-00052-5>

Skwor, T., Jones, D. C., Cahak, C., & Newton, R. J. (2024). First Report and Characterization of a Plasmid-Encoded blaSFO-1 in a Multi-Drug-Resistant *Aeromonas hydrophila* Clinical Isolate. *Microorganisms*, 12(3), 494. <https://doi.org/10.3390/microorganisms12030494>

Sundin, G. W., & Wang, N. (2018). Antibiotic Resistance in Plant-Pathogenic Bacteria. *Annual Review of Phytopathology*, 56(1), 161–180. <https://doi.org/10.1146/annurev-phyto-080417-045946>

Taylor, P., & Reeder, R. (2020). Antibiotic use on crops in low and middle-income countries based on recommendations made by agricultural advisors. *CABI Agriculture and Bioscience*. <https://doi.org/10.1186/s43170-020-00001-y>

Tripathi, V., & Tripathi, P. (2017). *Antibiotic Resistance Genes: An Emerging Environmental Pollutant* (pp. 183–201). https://doi.org/10.1007/978-3-319-46248-6_9

van Dam, R. M. (2020). A Global Perspective on White Rice Consumption and Risk of Type 2 Diabetes. *Diabetes Care*, 43(11), 2625–2627. <https://doi.org/10.2337/dci20-0042>

Weng, S.-F., Chen, C.-Y., Lee, Y.-S., Lin, J.-W., & Tseng, Y.-H. (1999). Identification of a Novel β -Lactamase Produced by *Xanthomonas campestris*, a Phytopathogenic Bacterium. *Antimicrobial Agents and Chemotherapy*, 43(7), 1792–1797. <https://doi.org/10.1128/AAC.43.7.1792>



- Xia, C., Chen, H., & Zhu, X. (2012). Identification, Mapping, Isolation of the Genes Resisting to Bacterial Blight and Application in Rice. *Molecular Plant Breeding*. <https://doi.org/10.5376/mpb.2012.03.0012>
- Xiao, K.-Q., Li, B., Ma, L., Bao, P., Zhou, X., Zhang, T., & Zhu, Y.-G. (2016). Metagenomic profiles of antibiotic resistance genes in paddy soils from South China. *FEMS Microbiology Ecology*, 92(3), fiw023. <https://doi.org/10.1093/femsec/fiw023>
- Xu, Y., Luo, Q. quan, & Zhou, M. guo. (2013). Identification and Characterization of Integron-Mediated Antibiotic Resistance in the Phytopathogen *Xanthomonas oryzae* pv. *oryzae*. *PLoS ONE*, 8(2). <https://doi.org/10.1371/journal.pone.0055962>
- Xu, Y., Zhu, X. F., Zhou, M. G., Kuang, J., Zhang, Y., Shang, Y., & Wang, J. X. (2010). Status of streptomycin resistance development in *xanthomonas oryzae* pv. *oryzae* and *xanthomonas oryzae* pv. *oryzicola* in China and their resistance characters. *Journal of Phytopathology*, 158(9), 601–608. <https://doi.org/10.1111/j.1439-0434.2009.01657.x>
- Yahav, D., Shepshelovich, D., & Tau, N. (2021). Cost Analysis of New Antibiotics to Treat Multidrug-Resistant Bacterial Infections: Mind the Gap. *Infectious Diseases and Therapy*, 10(1), 621–630. <https://doi.org/10.1007/s40121-021-00412-y>
- Yoshii, A., Moriyama, H., & Fukuhara, T. (2012). The Novel Kasugamycin 2- N - Acetyltransferase Gene *aac(2')-IIa*, Ccarriedby the IncP Island, Confers Kasugamycin Resistance to Rice-Pathogenic Bacteria. *Applied and Environmental Microbiology*, 78(16), 5555–5564. <https://doi.org/10.1128/AEM.01155-12>
- Zhu, Y. G., Johnson, T. A., Su, J. Q., Qiao, M., Guo, G. X., Stedtfeld, R. D., Hashsham, S. A., & Tiedje, J. M. (2013). Diverse and abundant antibiotic resistance genes in Chinese swine farms. *Proceedings of the National Academy of Sciences of the United States of America*, 110(9), 3435–3440. <https://doi.org/10.1073/pnas.1222743110>