

BAB IV. DAFTAR PUSTAKA

- Abubakari, A., S. Avramidis, L.C. Oliveira. 2012. *Impact of Radio Frequencing Heating Pre-Treatment on The Kiln Drying Characteristics of Sub-Alpine Fir*. European Journal of Wood Products 70: 245-251
- Aris, W., M. Na'iem, S. Indriko, J. Sunarto, D. Novitasari, Widiyatno. 2021. *Jati Plus Perhutani untuk Peningkatan Produktivitas, Kelestarian Usaha dan Kesejahteraan Masyarakat*. Cepu: Perum Perhutani
- Avramidis, S., Lazarescu, C., & Rahimi, S. (2023). *Basics of wood drying*. In P. Niemz et al. (Eds.), *Springer Handbook of Wood Science and Technology* (Chapter 13). Springer Nature. https://doi.org/10.1007/978-3-030-81315-4_13
- Baryeh, E. A., Addo-Danso, S. D., & Frimpong-Mensah, K. (2011). *Log conversion efficiency in sawmilling: A case study of logs from Bobiri Forest Reserve*. Journal of Forest Products & Industries, 1(2), 18-25.
- Basri, E., & Wahyudi, I. 2013. *Sifat Dasar Kayu Jati Plus Perhutani dari Berbagai Umur dan Kaitannya dengan Sifat dan Kualitas Pengeringan (Wood Basic Properties of Jati Plus Perhutani from Different Ages and Their Relationships to Drying Properties and Qualities)*. Jurnal Penelitian Hasil Hutan, 31(1), 21-30.
- Bond, B.H., Espinoza, O. *A Decade of Improved Lumber Drying Technology*. Curr Forestry Rep 2, 106–118 (2016). <https://doi.org/10.1007/s40725-016-0034-z>
- Bowyer, J.L., R. Shmulsky, J.G. Heygreen. 2003. *Forest Products and Wood Science: Introduction*. Iowa State. Iowa
- Broman, O., & Fredriksson, M. 2012. *Wood material features and technical defects that affect yield in a finger joint production process*. Wood Material Science & Engineering, 7(4), 167–175
- Carlsson, P., J. Arvidsson. 2000. *Optimized wood drying*. Journal of Drying Technology 18(8): 1779-1796
- Cheng, T., Li, D., Avramidis, S., Wählinder, M. E. P., & Zhou, D.-g. 2017. *Response of Hygroscopicity to Heat Treatment and Its Relation To Durability Of Thermally Modified Wood*. Construction and Building Materials, 144, 671-676. <https://doi.org/10.1016/j.conbuildmat.2017.03.083>
- Darmawan W, Nandika D, Kartikasari R, Sitompul A, Rahayu I, Gardner D .2015. *Juvenile and mature wood characteristics of short and long rotation teak in Java*. IAWA J 36(4):429–443
- Duchesne, I. 2006. *Effect of Rotation Age on Lumber Grade Yield, Bending Strength and Stiffness in Jack pine (Pinus banksiana lamb.) natural*

- stands.*" Wood and Fiber Science **38**(1): 84-94 Güngör, N. M., Kurtoglu, A., & Korkut, S. (2009). *Solid wood flooring and multilayered parquet industries in Turkey. Scientific Research and Essay*, 4(11), 1243–1247. <https://doi.org/10.5897/SRE.2009.1224>
- Hajian, E., Huber, J. A. J., Hansson, L., & Sandberg, D. (2024). *High temperature drying of sawn timber—A review*. *Drying Technology*, 42(11), 1397–1414. <https://doi.org/10.1080/07373937.2024.2365858>
- Hardjodarsono, S. 1985. *Ekologi dan Silvikultur Jati di Indonesia*. Perhutani Press.
- Haygreen, J.G., & Bowyer, J.L. 1996. *Forest Products and Wood Science: An Introduction*. Iowa State University Press.
- Heyne, K. 1987. *Tumbuhan Berguna Indonesia. Jilid I dan II. Terj. Badan Libang Kehutanan*. Cetakan I. Jakarta Pusat: Koperasi karyawan Departemen Kehutanan.
- Heidari, M. D., Bergman, R., Salazar, J., Hubbard, S. S., & Bowe, S. A. (2023). *Life-cycle assessment of solid hardwood flooring in the eastern United States* (Research Paper). Forest Products Laboratory. <https://doi.org/10.2737/FPL-RP-717>
- Hildebrand, R. 1970. *Kiln Drying of Sawn Timber*. Nuertingen: Robert Hildebrand
- Hosseini, S. M., & Peer, A. 2022. *Wood products manufacturing optimization: A survey*. *IEEE Access*, 10, 121381–121400. <https://doi.org/10.1109/ACCESS.2022.3223053>
- Indrawan, D. A., Damayanti, R., Ozarska, B., Illic, J., Pari, G., Krisdianto, Dewi, L. M., Pari, R., Agustiningrum, D. A., Adi, D. S., Sofianto, I. A., Djarwanto, & Rahmanto, R. G. H. 2024. *Assessing the potential utilization of super teak for furniture, flooring, veneer, pulp paper, and wood pellets*. *AIP Conference Proceedings*, 2973(1), 070010. <https://doi.org/10.1063/5.0186253>
- Klement, I., Vilkovský, P., Vilkovská, T., Orłowski, K. A., Barański, J., Chuchala, D., & Suchta, A. 2021. *The influence of drying temperature on color change of hornbeam and maple wood used as surface and inner layers of wood composites*. *Applied Sciences*, 11(22), 10673. <https://doi.org/10.3390/app112210673>
- KTimber. 2023. *11 cacat kayu umum yang harus dihindari oleh pedagang grosir*. K-Timber. <https://k-timbers.com/id/11-cacat-kayu-umum-yang-harus-dihindari-oleh-pedagang-grosir> diakses 12 Desember 2024
- Kollmann, F.F.P. & Côté, W.A. (1984). *Principles of Wood Science and Technology: Solid Wood*. Springer-Verlag
- Kaosa-ard, A. 1981. *Teak (Tectona grandis Linn. f.) Its natural distribution and related factors*. *Natural History Bulletin of the Siam Society*.

- Landscheidt, S., & Kans, M. 2019. *Evaluating factory of the future principles for the wood products industry: Three case studies*. Elsevier Procedia Manufacturing, 38, 1394–1401. <https://doi.org/10.1016/j.promfg.2019.06.174>
- Langrish, T. Dan J.C.F. Walker. 2006. *Drying of Timber*. Wood Primary Processing, Walker, J.C.F (ed.), Dordrecht: Springer
- Listyanto, T., K. Ando, H. Yamaguchi, N. Hattori. 2013. *Microwave and steam injection drying of CO2 laser incised sugi lumber*. Journal of Wood Science 59(4): 282-289
- Listyanto, T. 2016. *Teknologi Pengeringan Kayu dan Aplikasinya di Indonesia*. Gadjah Mada University Press. Yogyakarta
- Lianbai, G. 2007. *Recent Research and Development in Wood Drying Technologies in China*. Drying Technology, 25(3), 463–469. doi:10.1080/07373930601183900
- Lowell, E. C., et al. 2018. *Effect of rotation age and thinning regime on visual and structural lumber grades of douglas-fir logs.* *Forests* 9(9).
- Lukmandaru, Ganis et al. 2017. *Teknologi Penanganan Tegakan Jati Berumur Muda dan Kayu Hasil Tebangannya sebagai Material Berkualitas untuk Mendukung Percepatan Pembangunan Infrastruktur dan Perumahan TAHUN KE 2. Laporan Akhir Penelitian*. Yogyakarta. Fakultas Kehutanan Universitas Gadjah Mada.
- Martawijaya, A., I. Kartasujana, K. Kosasi dan S.A. Prawira. 1981. *Atlas Kayu Indonesia. Jilid I*. Balai Penelitian Hasil Hutan. Bogor
- Monserud, R. A., et al. 2004. *Recovery from simulated sawn logs with sweep*. *New Zealand Journal of Forestry Science* 34(2): 190-205
- Niggli, J. 2023. *Wood warping: What, why, and how to prevent it*. InTouch Quality. <https://www.intouch-quality.com/blog/wood-warping-what-why-and-how-to-prevent-it> diakses 12 Desember 2024
- Naiem, M. 2001. *Early performance of the clonal test of teak*. In Proceedings of the Third Regional Seminar on Teak. Gadjah Mada University
- Panshin, A. J., & de Zeeuw, C. 1980. *Textbook of Wood Technology*. McGraw-Hill.
- Keputusan Direksi Perum Perhutani Nomor 332/KPTS/Dir/2016 tentang Prosedur Kerja Pengujian dan Penandaan Gubal Tebal kayu Hasil Hutan Jenis Jati
- Perhutani. 2023. *Annual Report Perum Perhutani- Function Value Chain*. Jakarta: Perum Perhutani.
- Perhutani. 2023. *Kajian Market Share Produk Kayu dan Non Kayu Perhutani Tahun 2023*. Perum Perhutani

- Perhutani. 2023. *Klon Unggulan Jati Tumbuh di Atas Lahan 200 Ribu Hektare*. <https://www.perhutani.co.id/klon-unggul-jati-tumbuh-di-atas-lahan-200-ribu-hektare/>. Diakses 14/10/2024 jam 22.30.
- Perhutani. 2024. *Laporan Persediaan Kayu Perum Perhutani sd September 2024*. Direktorat Komersial. Tidak dipublikasikan.
- Perhutani. 2024. *Rencana Jangka Panjang Perusahaan (RJPP) Perum Perum Perhutani Periode 2025-2029*. Jakarta: Perum Perhutani
- Perré, P. (Ed.). 2007. *Fundamentals of wood drying*. A.R.BO.LOR.
- Poerwokoesoemo, S. 1956. *Studi tentang Jati di Indonesia*. Fakultas Kehutanan, Universitas Gadjah Mada.
- Purnama, J., & Puspanantasari Putri, E. 2022. *Sustainable strategies in conserving teak wood forest for furniture products with interpretive structural modeling (ISM) approach*. In 2022 International Conference on Environmental Quality Concern, Control and Conservation, May 5, 2022, Kaohsiung, Taiwan ROC. https://www.researchgate.net/publication/373076820_EQC-22-069_Sustainable_Strategies_in_Conserving_Teak_Wood_Forest_for_Furniture_Products_with_Interpretive_Structural_Modeling_ISM_Approach diakses pada tanggal 27 November 2024, 15.07 WIB
- Purnomo, H., Guizol, P., & Muhtaman, D. R. 2009. Governing the teak furniture business: A global value-chain system dynamic modeling approach. *Environmental Modelling & Software*, 24(12), 1391-1400. <https://doi.org/10.1016/j.envsoft.2009.04.004>
- Pratt, G.H. 1974. *Timber Drying Manual*. Department of the Building Research Establishment. London
- Research, G.V. 2024. *Asia Pacific Wood And Laminate Flooring Market Size & Outlook 2024*. Web. 1 Dec. 2024. <https://www.grandviewresearch.com/horizon/outlook/wood-and-laminate-flooring-market/asia-pacific>.
- Rahmawati, M. D., Sudrajat, R., Wahyudi, I., & Arifien, J. 2022. Physical and Mechanical Properties of 20-Year-Old Clonal Teak Trees in Ngawi, East Java, Indonesia. *Biodiversitas*, 23(8), 4180–4188. ResearchGate
- Rizanti, D. E., Darmawan, W., George, B., Merlin, A., Dumarcay, S., Chapuis, H., Gérardin, C., Gelhaye, E., Raharivelomanana, P., Sari, R. K., Syafii, W., Mohamed, R., & Gerardin, P. (2018). Comparison of teak wood properties according to forest management: Short versus long rotation. *Annals of Forest Science*, 75(39). <https://doi.org/10.1007/s13595-018-0716-8>
- Sarjono, S. 1984. *Analisis Abu Kayu Jati: Kandungan Kalsium dan Unsur Lainnya*. Jurnal Ilmu Kehutanan.

- Sastrosumarto, S., & Suhaendi, H. 1985. *Laporan Penelitian tentang Penyebaran dan Produktivitas Jati di Indonesia*. Jakarta: Badan Litbang Kehutanan.
- Shmulsky, R., & Jones, P. D. 2011. *Forest products and wood science: An introduction* (6th ed.). West Sussex: Wiley-Blackwell. <https://doi.org/10.1002/9780470960035>
- Simpson, W. T. 1991. *Dry Kiln Operator's Manual*. USDA Forest Service, Agriculture Handbook 188.
- Soeseno, S., et al. 1995. *Pemuliaan Tanaman Jati: Aspek Genetika dan Pengelolaannya*. Bogor: Pusat Penelitian dan Pengembangan Hutan dan Konservasi Alam, Badan Penelitian dan Pengembangan Kehutanan
- Teischinger, A., Avramidis, S., Hansmann, C., Mayrhofer, A. (2023). Sawn Timber Steaming and Drying. In: Niemz, P., Teischinger, A., Sandberg, D. (eds) Springer Handbook of Wood Science and Technology. Springer Handbooks. Springer, Cham. https://doi.org/10.1007/978-3-030-81315-4_23
- Terazawa. 1965. *Methods for easy determination of kiln drying schedules of wood*. Japan Wood Industry 20: 216-226
- Thomas, R. E. and U. Buehlmann (2022). "The Effect of Kerf Thickness on Hardwood Log Recovery." *Forest Products Journal* 72(1): 44-51.
- Torgovnikov, G. dan P. Vinden. 2010. Microwave wood modification technology and its applications. *Forest Product Journal* 60 (2): 173-182
- Wengert, E. M., & Meyer, D. 1993. *Warp in drying: Causes and cures for warpage when drying lumber* (Forestry Facts No. 68). School of Natural Resources, Department of Forestry. Retrieved August 21, 2025, from https://www.woodweb.com/knowledge_base/Warp_in_Drying.html
- Widiyatno, Wibowo, A., Novitasari, D., Seta, G. W., Prehaten, D., Hidayati, F., Nugroho, W. D., Hardiwinoto, S., Na'iem, M., & Tani, N. 2024. Effect of improved planting stock on tree growth, wood properties, and soil fertility of teak plantations 10 years after planting. *Forest Science and Technology*, 20(1), 8–15. <https://doi.org/10.1080/21580103.2023.2277190>
- Yuniarti, K., & Basri, E. 2017. High temperature drying properties and basic drying schedule of 5 lesser-known species from Riau (*Sifat pengeringan suhu tinggi dan bagan pengeringan dasar 5 jenis kayu kurang dikenal asal Riau*). *Jurnal Penelitian Kehutanan Wallacea*, 6(2), 91–99. <https://doi.org/10.18330/jwallacea.2017.vol6iss2pp91-99>
- Zhao, F., Chen, Y.-P., Salmaki, Y., Drew, B. T., Wilson, T. C., Scheen, A.-C., Celep, F., Bräuchler, C., Bendiksby, M., Wang, Q., Min, D.-Z., Peng, H., Olmstead, R. G., Li, B., & Xiang, C.-L. 2021. *An updated tribal classification of Lamiaceae based on plastome phylogenomics*. *BMC Biology*, 19(1), 192. <https://doi.org/10.1186/s12915-020-00931-z>

Zobel, B. J., & Sprague, J. R. (1998). *Juvenile Wood in Forest Trees*. Springer

Zulkahfi, Z. (2024). *Kadar Ekstraktif dan Sifat Warna Kayu Jati Plus Perhutani Umur 11 Tahun*. *Jurnal Ilmu Kehutanan UGM*, 14(2), 213–227.