

DAFTAR PUSTAKA

- [1] K. Xu, C. Wang, and L. Bin, “Compound flood models in coastal areas: A review of methods and uncertainty analysis,” *Natural Hazards*, vol. 116, no. 1, pp. 469–496, 2023.
- [2] C. Murtiaji, M. Irfani, I. Fauzi, A. Marta, C. Sukmana, and D. Wulandari, “Methods for addressing tidal floods in coastal cities: An overview,” in *IOP Conference Series: Earth and Environmental Science*, vol. 1224, no. 1. IOP Publishing, 2023, p. 012019.
- [3] Q. Yao, X. Shan, M. Li, and J. Wang, “The impact of floods on the mobility of automobile commuters in shanghai under climate change,” *International Journal of Disaster Risk Science*, vol. 15, no. 6, pp. 986–1000, 2024.
- [4] J. Petzold and J. Scheffran, “Climate change and human security in coastal regions,” *Cambridge Prisms: Coastal Futures*, vol. 2, p. e5, 2024.
- [5] Y. Liu, T. Zhang, Y. Ding, A. Kang, X. Lei, and J. Li, “Exploring the driving factors of compound flood severity in coastal cities: A comprehensive analytical approach,” *Hydrology and Earth System Sciences Discussions*, vol. 2024, pp. 1–34, 2024.
- [6] X. Ruan, H. Sun, W. Shou, and J. Wang, “The impact of climate change and urbanization on compound flood risks in coastal areas: A comprehensive review of methods,” *Applied Sciences*, vol. 14, no. 21, p. 10019, 2024.
- [7] J. Lian, K. Xu, and C. Ma, “Joint impact of rainfall and tidal level on flood risk in a coastal city with a complex river network: A case study of fuzhou city, china,” *Hydrology and Earth System Sciences*, vol. 17, no. 2, pp. 679–689, 2013.
- [8] A. I. Pathan, P. G. Agnihotri, D. Patel, and C. Prieto, “Identifying the efficacy of tidal waves on flood assessment study—a case of coastal urban flooding,” *Arabian Journal of Geosciences*, vol. 14, no. 20, p. 2132, 2021.
- [9] P. B. Rizqi, D. R. Perwitasari, and I. Mandang, “Studi perubahan fase bulan terhadap nilai tunggang pasang surut dan slack water dari penanggalan hijriah,” *Geosains Kutai Basin*, vol. 4, no. 2, 2022.
- [10] W. Yudosadewo, “Perhitungan prediksi pasang surut berdasarkan periode pergerakan bulan, bumi, dan matahari selama 10 tahun,” *Jurnal Online Mahasiswa (JOM) Bidang Teknik Geodesi*, vol. 1, no. 1, 2021.
- [11] A. Mosavi, P. Ozturk, and K.-W. Chau, “Flood prediction using machine learning models: Literature review,” *Water*, vol. 10, no. 11, p. 1536, 2018.
- [12] V. Kumar, H. M. Azamathulla, K. V. Sharma, D. J. Mehta, and K. T. Maharaj, “The state of the art in deep learning applications, challenges, and future prospects: A comprehensive review of flood forecasting and management,” *Sustainability*, vol. 15, no. 13, p. 10543, 2023.

- [13] Y. Wu, Z. Zhang, X. Qi, W. Hu, and S. Si, "Prediction of flood sensitivity based on logistic regression, extreme gradient boosting, and random forest modeling methods," *Water Science & Technology*, vol. 89, no. 10, pp. 2605–2624, 2024.
- [14] A. M. Rugină, "The use of recurrent neural networks (s-rnn, lstm, gru) for flood forecasting based on data extracted from classical hydraulic modeling," *Modelling in Civil and Environmental Engineering*, no. 3, pp. 1–18, 2023.
- [15] M. Khan, H. Wang, A. Riaz, A. Elfatyany, and S. Karim, "Bidirectional lstm-rnn-based hybrid deep learning frameworks for univariate time series classification," *The Journal of Supercomputing*, vol. 77, pp. 7021–7045, 2021.
- [16] J. Snoek, H. Larochelle, and R. P. Adams, "Practical bayesian optimization of machine learning algorithms," *Advances in Neural Information Processing Systems*, vol. 25, 2012.
- [17] B. Shahriari, K. Swersky, Z. Wang, R. P. Adams, and N. De Freitas, "Taking the human out of the loop: A review of bayesian optimization," *Proceedings of the IEEE*, vol. 104, no. 1, pp. 148–175, 2015.
- [18] E. Brochu, V. M. Cora, and N. De Freitas, "A tutorial on bayesian optimization of expensive cost functions, with application to active user modeling and hierarchical reinforcement learning," *arXiv Preprint arXiv:1012.2599*, 2010.
- [19] C. Molnar, T. Freiesleben, G. König, J. Herbringer, T. Reisinger, G. Casalicchio, M. N. Wright, and B. Bischl, "Relating the partial dependence plot and permutation feature importance to the data generating process," in *World Conference on Explainable Artificial Intelligence*. Springer, 2023, pp. 456–479.
- [20] Z. Yuehua, P. Tao, and S. Ruiqin, "Research progress on risk assessment of heavy rainfall and flood disasters in china," *Torrential Rain and Disasters*, vol. 38, no. 5, pp. 494–501, 2019.
- [21] M. Weidong, L. Fenggui, Z. Qiang, C. Qiong, Z. Cungui, L. Fei, L. Yanyan, and Z. Pei, "Estimation of critical rainfall for flood disasters in the qinghai-tibet plateau," *Journal of Resources and Ecology*, vol. 12, no. 5, pp. 600–608, 2021.
- [22] J. Singh and B. Tyagi, "Investigating lunar phases impact on natural disasters over india," *Advances in Research*, vol. 2, no. 12, pp. 926–934, 2014.
- [23] M. M. Nazeer *et al.*, "Solar, lunar and venus roles in some global climatic events," *Open Access Library Journal*, vol. 7, no. 09, p. 1, 2020.
- [24] N. Razali, S. Ismail, and A. Mustapha, "Machine learning approach for flood risks prediction," *IAES International Journal of Artificial Intelligence*, vol. 9, no. 1, p. 73, 2020.
- [25] K. E. Trenberth, "Changes in precipitation with climate change," *Climate Research*, vol. 47, no. 1-2, pp. 123–138, 2011.
- [26] C. Schär, P. L. Vidale, D. Lüthi, C. Frei, C. Häberli, M. A. Liniger, and C. Appenzeller, "The role of increasing temperature variability in european summer heatwaves," *Nature*, vol. 427, no. 6972, pp. 332–336, 2004.

- [27] L. Alfieri, B. Bisselink, F. Dottori, G. Naumann, A. de Roo, P. Salamon, K. Wyser, and L. Feyen, “Global projections of river flood risk in a warmer world,” *Earth’s Future*, vol. 5, no. 2, pp. 171–182, 2017.
- [28] P. L. Woodworth, M. Menéndez, and W. Roland Gehrels, “Evidence for century-timescale acceleration in mean sea levels and for recent changes in extreme sea levels,” *Surveys in Geophysics*, vol. 32, pp. 603–618, 2011.
- [29] J. Hunter, “Estimating sea-level extremes under conditions of uncertain sea-level rise,” *Climatic Change*, vol. 99, no. 3, pp. 331–350, 2010.
- [30] R. J. Nicholls and A. Cazenave, “Sea-level rise and its impact on coastal zones,” *Science*, vol. 328, no. 5985, pp. 1517–1520, 2010.
- [31] S. H. Tiatama, W. Atmodjo, and R. Widiaratih, “Analisis keterkaitan fenomena supermoon terhadap komponen pasang surut di perairan semarang, jawa tengah,” *Indonesian Journal of Oceanography*, vol. 6, no. 2, pp. 114–120, 2024.
- [32] J. Schmidhuber, “Deep learning in neural networks: An overview,” *Neural Networks*, vol. 61, pp. 85–117, 2015.
- [33] I. D. Mienye, T. G. Swart, and G. Obaido, “Recurrent neural networks: A comprehensive review of architectures, variants, and applications,” *Information*, vol. 15, no. 9, p. 517, 2024.
- [34] M. Waqas and U. W. Humphries, “A critical review of rnn and lstm variants in hydrological time series predictions,” *MethodsX*, vol. 13, p. 102946, 2024.
- [35] B. C. Mateus, M. Mendes, J. T. Farinha, R. Assis, and A. M. Cardoso, “Comparing lstm and gru models to predict the condition of a pulp paper press,” *Energies*, vol. 14, no. 21, p. 6958, 2021.
- [36] S. Hochreiter and J. Schmidhuber, “Long short-term memory,” *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, 1997.
- [37] A. Graves, S. Fernández, and J. Schmidhuber, “Bidirectional lstm networks for improved phoneme classification and recognition,” in *International Conference on Artificial Neural Networks*. Springer, 2005, pp. 799–804.
- [38] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, “Dropout: A simple way to prevent neural networks from overfitting,” *The Journal of Machine Learning Research*, vol. 15, no. 1, pp. 1929–1958, 2014.
- [39] G. Huang, Z. Liu, L. Van Der Maaten, and K. Q. Weinberger, “Densely connected convolutional networks,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, 2017, pp. 4700–4708.
- [40] V. Nair and G. E. Hinton, “Rectified linear units improve restricted boltzmann machines,” in *Proceedings of the 27th International Conference on Machine Learning (ICML-10)*, 2010, pp. 807–814.
- [41] X. Glorot, A. Bordes, and Y. Bengio, “Deep sparse rectifier neural networks,” in *Proceedings of the Fourteenth International Conference on Artificial Intelligence and Statistics*. JMLR Workshop and Conference Proceedings, 2011, pp. 315–323.

- [42] D. M. Powers, "Evaluation: From precision, recall and f-measure to roc, informedness, markedness and correlation," *arXiv Preprint arXiv:2010.16061*, 2020.
- [43] J. Huang and C. X. Ling, "Using auc and accuracy in evaluating learning algorithms," *IEEE Transactions on Knowledge and Data Engineering*, vol. 17, no. 3, pp. 299–310, 2005.
- [44] J. Liang, "Confusion matrix: Machine learning," *POGIL Activity Clearinghouse*, vol. 3, no. 4, 2022.
- [45] C. Strobl, A.-L. Boulesteix, T. Kneib, T. Augustin, and A. Zeileis, "Conditional variable importance for random forests," *BMC Bioinformatics*, vol. 9, pp. 1–11, 2008.
- [46] R. Kohavi *et al.*, "A study of cross-validation and bootstrap for accuracy estimation and model selection," in *Ijcai*, vol. 14, no. 2. Montreal, Canada, 1995, pp. 1137–1145.
- [47] S. Raschka, "Model evaluation, model selection, and algorithm selection in machine learning," *arXiv Preprint arXiv:1811.12808*, 2018.
- [48] R. P. Sheridan, "Time-split cross-validation as a method for estimating the goodness of prospective prediction," *Journal of Chemical Information and Modeling*, vol. 53, no. 4, pp. 783–790, 2013.
- [49] Y. Feng, Y. Zhang, and Y. Wang, "Out-of-sample volatility prediction: Rolling window, expanding window, or both?" *Journal of Forecasting*, vol. 43, no. 3, pp. 567–582, 2024.
- [50] J. T. Hancock and T. M. Khoshgoftaar, "Survey on categorical data for neural networks," *Journal of big data*, vol. 7, no. 1, p. 28, 2020.
- [51] I. Lopez-Arevalo, E. Aldana-Bobadilla, A. Molina-Villegas, H. Galeana-Zapién, V. Muñoz-Sanchez, and S. Gausin-Valle, "A memory-efficient encoding method for processing mixed-type data on machine learning," *Entropy*, vol. 22, no. 12, p. 1391, 2020.
- [52] M. Lepot, J.-B. Aubin, and F. H. Clemens, "Interpolation in time series: An introductory overview of existing methods, their performance criteria and uncertainty assessment," *Water*, vol. 9, no. 10, p. 796, 2017.
- [53] M. Kazijevs and M. D. Samad, "Deep imputation of missing values in time series health data: A review with benchmarking," *Journal of biomedical informatics*, vol. 144, p. 104440, 2023.
- [54] B. Deepa and K. Ramesh, "Epileptic seizure detection using deep learning through min max scaler normalization," *Int. J. Health Sci*, vol. 6, pp. 10981–10996, 2022.
- [55] V. G. Raju, K. P. Lakshmi, V. M. Jain, A. Kalidindi, and V. Padma, "Study the influence of normalization/transformation process on the accuracy of supervised classification," in *2020 Third International Conference on Smart Systems and Inventive Technology (ICSSIT)*. IEEE, 2020, pp. 729–735.

- [56] A. O. Victor and M. I. Ali, “Enhancing time series data predictions: A survey of augmentation techniques and model performances,” in *Proceedings of the 2024 Australasian Computer Science Week*. ACM Digital Library, 2024, pp. 1–13.
- [57] K. G. Ranjan, D. S. Tripathy, B. R. Prusty, and D. Jena, “An improved sliding window prediction-based outlier detection and correction for volatile time-series,” *International Journal of Numerical Modelling: Electronic Networks, Devices and Fields*, vol. 34, no. 1, p. e2816, 2021.
- [58] Y. Yu, Y. Zhu, S. Li, and D. Wan, “Time series outlier detection based on sliding window prediction,” *Mathematical Problems in Engineering*, vol. 2014, no. 1, p. 879736, 2014.
- [59] P. C. Oddo, J. D. Bolten, S. V. Kumar, and B. Cleary, “Deep convolutional lstm for improved flash flood prediction,” *Frontiers in Water*, vol. 6, p. 1346104, 2024.
- [60] M. Ghaith, A. Yosri, and W. El-Dakhakhni, “Synchronization-enhanced deep learning early flood risk predictions: The core of data-driven city digital twins for climate resilience planning,” *Water*, vol. 14, no. 22, p. 3619, 2022.
- [61] A. de la Cruz Huayanay, J. L. Bazán, and C. M. Russo, “Performance of evaluation metrics for classification in imbalanced data,” *Computational Statistics*, pp. 1–27, 2024.
- [62] P. Sibandze, A. M. Kalumba, A. H. Aljaddani, L. Zhou, and G. A. Afuye, “Geospatial mapping and meteorological flood risk assessment: A global research trend analysis,” *Environmental Management*, pp. 1–18, 2024.
- [63] X. Zhao, H. Li, Q. Cai, Y. Pan, and Y. Qi, “Managing extreme rainfall and flooding events: A case study of the 20 july 2021 zhengzhou flood in china,” *Climate*, vol. 11, no. 11, p. 228, 2023.
- [64] H. Huang, Y. Pan, C. Wang, and X. Wang, “Nonlinear flood responses to tide level and land cover changes in small watersheds,” *Land*, vol. 12, no. 9, p. 1743, 2023.
- [65] Y.-D. Jhong, C.-S. Chen, B.-C. Jhong, C.-H. Tsai, and S.-Y. Yang, “Optimization of lstm parameters for flash flood forecasting using genetic algorithm,” *Water Resources Management*, vol. 38, no. 3, pp. 1141–1164, 2024.
- [66] A.-R. Zakaria, T. Oommen, and P. Lautala, “Automated flood prediction along railway tracks using remotely sensed data and traditional flood models,” *Remote Sensing*, vol. 16, no. 13, p. 2332, 2024.