

DAFTAR PUSTAKA

- Alherech, M., Omolabake, S., Holland, C. M., Klinger, G. E., Hegg, E. L., & Stahl, S. S. (2021). From Lignin to Valuable Aromatic Chemicals: Lignin Depolymerization and Monomer Separation via Centrifugal Partition Chromatography. *ACS Central Science*, 7(11), 1831–1837.
<https://doi.org/10.1021/acscentsci.1c00729>
- Avelar Molina, G., Schaller, K., Kari, J., Schiano-di-Cola, C., Peters, G. H. J., Borch, K., & Westh, P. (2024). *Interrelationship of Substrate Crystallinity, Enzyme Binding Strength, and Cellulase Activity*.
<https://doi.org/10.1101/2024.08.20.607150>
- Benatti, A. L. T., & Polizeli, M. de L. T. de M. (2023). Lignocellulolytic Biocatalysts: The Main Players Involved in Multiple Biotechnological Processes for Biomass Valorization. In *Microorganisms* (Vol. 11, Issue 1). MDPI. <https://doi.org/10.3390/microorganisms11010162>
- Buswell, J. A., Cai, Y., & Chang, S. (1995). Effect of nutrient nitrogen and manganese on manganese peroxidase and laccase production by *Lentinula (Lentinus) edodes*. *FEMS Microbiology Letters*, 128(1), 81–87.
<https://doi.org/10.1111/j.1574-6968.1995.tb07504.x>
- Callaghan, T. M., Podmirseg, S. M., Hohlweck, D., Edwards, J. E., Puniya, A. K., Dagar, S. S., & Griffith, G. W. (2015). *Buwchfawromyces eastonii* gen. nov., sp. nov.: A new anaerobic fungus (Neocallimastigomycota) isolated from buffalo faeces. *MycKeys*, 9, 11–28.
<https://doi.org/10.3897/mycokeys.9.9032>
- Castelló, E., Nunes Ferraz-Junior, A. D., Andreani, C., Anzola-Rojas, M. del P., Borzacconi, L., Buitrón, G., Carrillo-Reyes, J., Gomes, S. D., Maintinguer, S. I., Moreno-Andrade, I., Palomo-Briones, R., Razo-Flores, E., Schiappacasse-Dasati, M., Tapia-Venegas, E., Valdez-Vázquez, I., Vesga-Baron, A., Zaiat, M., & Etchebehere, C. (2020). Stability problems in the hydrogen production by dark fermentation: Possible causes and solutions. In *Renewable and Sustainable Energy Reviews* (Vol. 119). Elsevier Ltd.
<https://doi.org/10.1016/j.rser.2019.109602>
- Chesson, A. (1988). Lignin-Polysaccharide Complexes of the Plant Cell Wall and Their Effect on Microbial Degradation in the Rumen. In *Animal Feed Science and Technology* (Vol. 21).
- CHESSON, A. (1978). The Maceration of Linen Flax under Anaerobic Conditions. *Journal of Applied Bacteriology*, 45(2), 219–230.
<https://doi.org/10.1111/j.1365-2672.1978.tb04217.x>
- Cichosz, S., & Masek, A. (2020). IR study on cellulose with the varied moisture contents: Insight into the supramolecular structure. *Materials*, 13(20), 1–22.
<https://doi.org/10.3390/ma13204573>

- Dagar, S. S., Kumar, S., Griffith, G. W., Edwards, J. E., Callaghan, T. M., Singh, R., Nagpal, A. K., & Puniya, A. K. (2015). A new anaerobic fungus (*Oontomyces anksri* gen. nov., sp. nov.) from the digestive tract of the Indian camel (*Camelus dromedarius*). *Fungal Biology*, *119*(8), 731–737. <https://doi.org/10.1016/j.funbio.2015.04.005>
- Dagar, S. S., Kumar, S., Mudgil, P., Singh, R., & Puniya, A. K. (2011). D1/D2 domain of large-subunit ribosomal DNA for differentiation of *Orpinomyces* spp. *Applied and Environmental Microbiology*, *77*(18), 6722–6725. <https://doi.org/10.1128/AEM.05441-11>
- Edwards, J. E. (2019). Equine Anaerobic Fungi : Key taxa of Central Importance to Dietary Fibre Degradation. *European Equine Health and Nutrition Congress, January*.
- Estela, R., & Luis, J. (2013). Hydrolysis of Biomass Mediated by Cellulases for the Production of Sugars. In *Sustainable Degradation of Lignocellulosic Biomass - Techniques, Applications and Commercialization*. InTech. <https://doi.org/10.5772/53719>
- Fernandes, A. N., Thomas, L. H., Altaner, C. M., Callow, P., Forsyth, V. T., Apperley, D. C., Kennedy, C. J., & Jarvis, M. C. (2011). Nanostructure of cellulose microfibrils in spruce wood. *PNAS*, *108*(47). <https://doi.org/10.1073/pnas.1108942108/-/DCSupplemental>
- Fliegerova, K. O., Podmirseg, S. M., Vinzelj, J., Grilli, D. J., Kvasnov, S., Schierov, D., Sechovcov, H., Siddi, G., Arenas, G. N., & Moniello, G. (2021). *The Effect of a High-Grain Diet on the Rumen Microbiome of Goats with a Special Focus on Anaerobic Fungi*.
- Gail Lorenz, M. (1959). Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *Analytical Chemistry*, *31*(3), 426–428.
- Ghose, T. K. (1987). INTERNATIONAL UNION OF PURE AND APPLIED CHEMISTRY APPLIED CHEMISTRY DIVISION COMMISSION ON BIOTECHNOLOGY* MEASUREMENT OF CELLULASE ACTIVITIES. In *Pure & Appl. Chem* (Vol. 59, Issue 2).
- Gruninger, R. J., Puniya, A. K., Callaghan, T. M., Edwards, J. E., Youssef, N., Dagar, S. S., Fliegerova, K., Griffith, G. W., Forster, R., Tsang, A., Mcallister, T., & Elshahed, M. S. (2014). Anaerobic fungi (phylum Neocallimastigomycota): Advances in understanding their taxonomy, life cycle, ecology, role and biotechnological potential. *FEMS Microbiology Ecology*, *90*(1), 1–17. <https://doi.org/10.1111/1574-6941.12383>
- Haitjema, C. H., Solomon, K. V., Henske, J. K., Theodorou, M. K., & O'Malley, M. A. (2014). Anaerobic gut fungi: Advances in isolation, culture, and cellulolytic enzyme discovery for biofuel production. *Biotechnology and Bioengineering*, *111*(8), 1471–1482. <https://doi.org/10.1002/bit.25264>

- Hanafy, R. A., Dagar, S. S., Griffith, G. W., Pratt, C. J., Youssef, N. H., & Elshahed, M. S. (2022). Taxonomy of the anaerobic gut fungi (Neocallimastigomycota): a review of classification criteria and description of current taxa. In *International Journal of Systematic and Evolutionary Microbiology* (Vol. 72, Issue 7). Microbiology Society. <https://doi.org/10.1099/ijsem.0.005322>
- Hanafy, R. A., Elshahed, M. S., & Youssef, N. H. (2018). *Feromyces austinii*, gen. nov., sp. nov., an anaerobic gut fungus from rumen and fecal samples of wild Barbary Sheep and fallow deer. *Mycologia*, 0(0). <https://doi.org/10.1080/00275514.2018.1466610>
- Hasan, S., Anwar, Z., Khalid, W., Afzal, F., Zafar, M., Ali, U., Refai, M. Y., Afifi, M., AL-Farga, A., & Aljobair, M. O. (2023). Laccase Production from Local Biomass Using Solid State Fermentation. *Fermentation*, 9(2). <https://doi.org/10.3390/fermentation9020179>
- Hodrov, B., & Kdg, J. (1998). *Orpinomyces joyonii* and *Caecomyces communis*. 417–427.
- Kalra, K., Chauhan, R., Shavez, M., & Sachdeva, S. (2013a). Isolation of laccase producing *Trichoderma* spp. and effect of PH and temperature on its activity. *International Journal of ChemTech Research*, 5(5), 2229–2235.
- Kalra, K., Chauhan, R., Shavez, M., & Sachdeva, S. (2013b). Isolation Of Laccase Producing *Trichoderma* Spp. And Effect Of PH And Temperature On Its Activity. In *International Journal of ChemTech Research CODEN(USA* (Vol. 5, Issue 5).
- Kazemi Shariat Panahi, H., Dehghani, M., Guillemin, G. J., Gupta, V. K., Lam, S. S., Aghbashlo, M., & Tabatabaei, M. (2022). A comprehensive review on anaerobic fungi applications in biofuels production. *Science of the Total Environment*, 829. <https://doi.org/10.1016/j.scitotenv.2022.154521>
- Kumar, R., Kaur, J., Jain, S., & Kumar, A. (2016). Optimization of laccase production from *Aspergillus flavus* by design of experiment technique: Partial purification and characterization. *Journal of Genetic Engineering and Biotechnology*, 14(1), 125–131. <https://doi.org/10.1016/j.jgeb.2016.05.006>
- Kungulovski, D. (2017). *Biodiversity of Anaerobic Fungi from Ruminants in Republic of Macedonia. October*. <https://doi.org/10.15406/bij.2017.01.00016>
- Leck, A. (1999). Preparation of Lactophenol Cotton Blue Slide Mounts. *Community Eye Health*, 12 No. 30, 24.
- Li, J., Heath, I. B., & Bauchop, T. (1990). *Piromyces mae* and *Piromyces dumbonica*, two new species of uniflagellate anaerobic chytridiomycete fungi from the hindgut of the horse and elephant. *Canadian Journal of Botany*, 68(5), 1021–1033. <https://doi.org/10.1139/b90-129>
- Liang, J., Liu, S., Du, Z., Zhang, R., Lv, L., Sun, L., Nabi, M., Zhang, G., &

- Zhang, P. (2024). Recent advances in methane and hydrogen production from lignocellulosic degradation with anaerobic fungi. In *Bioresource Technology* (Vol. 413). Elsevier Ltd.
<https://doi.org/10.1016/j.biortech.2024.131544>
- Lowe, S. E., & Others, A. N. D. (1987). *The Life Cycle and Growth Kinetics of an Anaerobic Rumen Fungus*.
- Ma, J., Zhong, P., Li, Y., Sun, Z., Sun, X., Aung, M., Hao, L., Cheng, Y., & Zhu, W. (2022). Hydrogenosome, Pairing Anaerobic Fungi and H₂-Utilizing Microorganisms Based on Metabolic Ties to Facilitate Biomass Utilization. In *Journal of Fungi* (Vol. 8, Issue 4). MDPI.
<https://doi.org/10.3390/jof8040338>
- Orpin, C. . (1975). Studies on the Rumen Flagellate *Neocallimastix frontalis* The vast increase in the. In *Journal of General Microbiology* (Vol. 91).
- Orpin, C. G. (1976). Studies on the Rumen Flagellate *Sphaeromonas communis*. In *Journal of General Microbiology* (Vol. 94).
- Panico, A., D'Antonio, G., Esposito, G., Frunzo, L., Iodice, P., & Pirozzi, F. (2014). The effect of substrate-bulk interaction on hydrolysis modeling in anaerobic digestion process. *Sustainability (Switzerland)*, 6(12), 8348–8363.
<https://doi.org/10.3390/su6128348>
- Park, S., Baker, J. O., Himmel, M. E., Parilla, P. A., & Johnson, D. K. (2010). Cellulose crystallinity index: Measurement techniques and their impact on interpreting cellulase performance. *Biotechnology for Biofuels*, 3(May).
<https://doi.org/10.1186/1754-6834-3-10>
- Peter, Z. (2021). Order in cellulose: Historical review of crystal structure research on cellulose. In *Carbohydrate Polymers* (Vol. 254). Elsevier Ltd.
<https://doi.org/10.1016/j.carbpol.2020.117417>
- Riondet, C., Vaux, A. De, Alcaraz, G., & Fonty, G. (1998). *Comparison of metabolic activities between *Piromyces citronii*, an equine fungal species, and *Piromyces communis*, a ruminal species*. 8401(97).
- Saye, L. M. G., Navaratna, T. A., Chong, J. P. J., O'malley, M. A., Theodorou, M. K., & Reilly, M. (2021). The anaerobic fungi: Challenges and opportunities for industrial lignocellulosic biofuel production. In *Microorganisms* (Vol. 9, Issue 4). MDPI AG. <https://doi.org/10.3390/microorganisms9040694>
- Silva Rabelo, C. A. B., Dionizio, B. S., Moura, A. G. L., Malagó-Jr, W., & Varesche, M. B. A. (2022). Dilution strategy to obtain H₂ in the 2nd acidogenic phase from enzymatically pre-treated sugarcane bagasse. *International Journal of Hydrogen Energy*, 47(76), 32455–32472.
<https://doi.org/10.1016/j.ijhydene.2022.07.131>
- Sivaramanan, S. (2014). Biodegradation of Saw in Plant Fertilizer. *Research Journal of Agriculture and Forestry Sciences*, 2(2), 13–19.

<https://doi.org/10.13140/2.1.1798.4008>

- Sridhar, M., Kumar, D., Anandan, S., Prasad, C. ., & Sampath, K. . (2010). Morphological and Molecular Characterization of Polycentric Rumen Fungi Belonging to the Genus Orpinomyces Isolated from Indian Cattle and Buffaloes. *Research Journal of Microbiology*, 5(7), 581–594.
- Teunissen, M. J., & Op den Camp, H. J. (1993). Anaerobic fungi and their cellulolytic and xylanolytic enzymes Historical perspective. In *Antonie van Leeuwenhoek* (Vol. 63).
- Umar, A., & Ahmed, S. (2022). Optimization, purification and characterization of laccase from *Ganoderma leucocontextum* along with its phylogenetic relationship. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-06111-z>
- Wang, X., Liu, X., & Groenewald, J. Z. (2017). Phylogeny of anaerobic fungi (phylum Neocallimastigomycota), with contributions from yak in China. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 110(1), 87–103. <https://doi.org/10.1007/s10482-016-0779-1>
- Youssef, N. H., Couger, M. B., Struchtemeyer, C. G., Liggenstoffer, A. S., Prade, R. A., Najjar, F. Z., Atiyeh, H. K., Wilkins, M. R., & Elshahed, M. S. (2013). The genome of the anaerobic fungus orpinomyces sp. strain c1a reveals the unique evolutionary history of a remarkable plant biomass degrader. *Applied and Environmental Microbiology*, 79(15), 4620–4634. <https://doi.org/10.1128/AEM.00821-13>
- Zhang, W., Wang, W., Wang, J., Shen, G., Yuan, Y., Yan, L., Tang, H., & Wang, W. (2021). *Isolation and Characterization of a Novel Laccase for Lignin Degradation, LacZ1*. <https://doi.org/10>
- Afriani, A., Kardiansyah Pusat Penelitian Kelapa Sawit, T., Brigjen Katamsno No, J., Balai Besar Pulp dan Kertas, M., & Alherech, M., Omolabake, S., Holland, C. M., Klinger, G. E., Hegg, E. L., & Stahl, S. S. (2021). From Lignin to Valuable Aromatic Chemicals: Lignin Depolymerization and Monomer Separation via Centrifugal Partition Chromatography. *ACS Central Science*, 7(11), 1831–1837. <https://doi.org/10.1021/acscentsci.1c00729>
- Avelar Molina, G., Schaller, K., Kari, J., Schiano-di-Cola, C., Peters, G. H. J., Borch, K., & Westh, P. (2024). *Interrelationship of Substrate Crystallinity, Enzyme Binding Strength, and Cellulase Activity*. <https://doi.org/10.1101/2024.08.20.607150>
- Benatti, A. L. T., & Polizeli, M. de L. T. de M. (2023). Lignocellulolytic Biocatalysts: The Main Players Involved in Multiple Biotechnological Processes for Biomass Valorization. In *Microorganisms* (Vol. 11, Issue 1). MDPI. <https://doi.org/10.3390/microorganisms11010162>
- Buswell, J. A., Cai, Y., & Chang, S. (1995). Effect of nutrient nitrogen and

- manganese on manganese peroxidase and laccase production by *Lentinula (Lentinus) edodes*. *FEMS Microbiology Letters*, 128(1), 81–87.
<https://doi.org/10.1111/j.1574-6968.1995.tb07504.x>
- Callaghan, T. M., Podmirseg, S. M., Hohlweck, D., Edwards, J. E., Puniya, A. K., Dagar, S. S., & Griffith, G. W. (2015). *Buwchfawromyces eastonii* gen. nov., sp. nov.: A new anaerobic fungus (Neocallimastigomycota) isolated from buffalo faeces. *MycKeys*, 9, 11–28.
<https://doi.org/10.3897/mycokeys.9.9032>
- Castelló, E., Nunes Ferraz-Junior, A. D., Andreani, C., Anzola-Rojas, M. del P., Borzacconi, L., Buitrón, G., Carrillo-Reyes, J., Gomes, S. D., Maintinguer, S. I., Moreno-Andrade, I., Palomo-Briones, R., Razo-Flores, E., Schiappacasse-Dasati, M., Tapia-Venegas, E., Valdez-Vázquez, I., Vesga-Baron, A., Zaiat, M., & Etchebere, C. (2020). Stability problems in the hydrogen production by dark fermentation: Possible causes and solutions. In *Renewable and Sustainable Energy Reviews* (Vol. 119). Elsevier Ltd.
<https://doi.org/10.1016/j.rser.2019.109602>
- Chesson, A. (1988). Lignin-Polysaccharide Complexes of the Plant Cell Wall and Their Effect on Microbial Degradation in the Rumen. In *Animal Feed Science and Technology* (Vol. 21).
- CHESSON, A. (1978). The Maceration of Linen Flax under Anaerobic Conditions. *Journal of Applied Bacteriology*, 45(2), 219–230.
<https://doi.org/10.1111/j.1365-2672.1978.tb04217.x>
- Cichosz, S., & Masek, A. (2020). IR study on cellulose with the varied moisture contents: Insight into the supramolecular structure. *Materials*, 13(20), 1–22.
<https://doi.org/10.3390/ma13204573>
- Dagar, S. S., Kumar, S., Griffith, G. W., Edwards, J. E., Callaghan, T. M., Singh, R., Nagpal, A. K., & Puniya, A. K. (2015). A new anaerobic fungus (*Oontomyces anksri* gen. nov., sp. nov.) from the digestive tract of the Indian camel (*Camelus dromedarius*). *Fungal Biology*, 119(8), 731–737.
<https://doi.org/10.1016/j.funbio.2015.04.005>
- Dagar, S. S., Kumar, S., Mudgil, P., Singh, R., & Puniya, A. K. (2011). D1/D2 domain of large-subunit ribosomal DNA for differentiation of *Orpinomyces* spp. *Applied and Environmental Microbiology*, 77(18), 6722–6725.
<https://doi.org/10.1128/AEM.05441-11>
- Edwards, J. E. (2019). Equine Anaerobic Fungi : Key taxa of Central Importance to Dietary Fibre Degradation. *European Equine Health and Nutrition Congress, January*.
- Estela, R., & Luis, J. (2013). Hydrolysis of Biomass Mediated by Cellulases for the Production of Sugars. In *Sustainable Degradation of Lignocellulosic Biomass - Techniques, Applications and Commercialization*. InTech.
<https://doi.org/10.5772/53719>

- Fernandes, A. N., Thomas, L. H., Altaner, C. M., Callow, P., Forsyth, V. T., Apperley, D. C., Kennedy, C. J., & Jarvis, M. C. (2011). Nanostructure of cellulose microfibrils in spruce wood. *PNAS*, *108*(47).
<https://doi.org/10.1073/pnas.1108942108/-/DCSupplemental>
- Fliegerova, K. O., Podmirseg, S. M., Vinzelj, J., Grilli, D. J., Kvasnov, S., Schierov, D., Sechovcov, H., Siddi, G., Arenas, G. N., & Moniello, G. (2021). *The Effect of a High-Grain Diet on the Rumen Microbiome of Goats with a Special Focus on Anaerobic Fungi*.
- Gail Lorenz, M. (1959). Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *Analytical Chemistry*, *31*(3), 426–428.
- Ghose, T. K. (1987). INTERNATIONAL UNION OF PURE AND APPLIED CHEMISTRY APPLIED CHEMISTRY DIVISION COMMISSION ON BIOTECHNOLOGY* MEASUREMENT OF CELLULASE ACTIVITIES. In *Pure & Appl. Chem* (Vol. 59, Issue 2).
- Gruninger, R. J., Puniya, A. K., Callaghan, T. M., Edwards, J. E., Youssef, N., Dagar, S. S., Fliegerova, K., Griffith, G. W., Forster, R., Tsang, A., Mcallister, T., & Elshahed, M. S. (2014). Anaerobic fungi (phylum Neocallimastigomycota): Advances in understanding their taxonomy, life cycle, ecology, role and biotechnological potential. *FEMS Microbiology Ecology*, *90*(1), 1–17. <https://doi.org/10.1111/1574-6941.12383>
- Haitjema, C. H., Solomon, K. V., Henske, J. K., Theodorou, M. K., & O'Malley, M. A. (2014). Anaerobic gut fungi: Advances in isolation, culture, and cellulolytic enzyme discovery for biofuel production. *Biotechnology and Bioengineering*, *111*(8), 1471–1482. <https://doi.org/10.1002/bit.25264>
- Hanafy, R. A., Dagar, S. S., Griffith, G. W., Pratt, C. J., Youssef, N. H., & Elshahed, M. S. (2022). Taxonomy of the anaerobic gut fungi (Neocallimastigomycota): a review of classification criteria and description of current taxa. In *International Journal of Systematic and Evolutionary Microbiology* (Vol. 72, Issue 7). Microbiology Society.
<https://doi.org/10.1099/ijsem.0.005322>
- Hanafy, R. A., Elshahed, M. S., & Youssef, N. H. (2018). *Feramyces austinii*, gen. nov., sp. no., an anaerobic gut fungus from rumen and fecal samples of wild Barbary Sheep and fallow deer. *Mycologia*, *0*(0).
<https://doi.org/10.1080/00275514.2018.1466610>
- Hasan, S., Anwar, Z., Khalid, W., Afzal, F., Zafar, M., Ali, U., Refai, M. Y., Afifi, M., AL-Farga, A., & Aljobair, M. O. (2023). Laccase Production from Local Biomass Using Solid State Fermentation. *Fermentation*, *9*(2).
<https://doi.org/10.3390/fermentation9020179>
- Hodrovd, B., & Kdg, J. (1998). *Orpinomyces joyonii* and *Caecomyces communis*. 417–427.

- Kalra, K., Chauhan, R., Shavez, M., & Sachdeva, S. (2013a). Isolation of laccase producing *Trichoderma* spp. and effect of PH and temperature on its activity. *International Journal of ChemTech Research*, 5(5), 2229–2235.
- Kalra, K., Chauhan, R., Shavez, M., & Sachdeva, S. (2013b). Isolation Of Laccase Producing *Trichoderma* Spp. And Effect Of PH And Temperature On Its Activity. In *International Journal of ChemTech Research CODEN(USA* (Vol. 5, Issue 5).
- Kazemi Shariat Panahi, H., Dehghani, M., Guillemin, G. J., Gupta, V. K., Lam, S. S., Aghbashlo, M., & Tabatabaei, M. (2022). A comprehensive review on anaerobic fungi applications in biofuels production. *Science of the Total Environment*, 829. <https://doi.org/10.1016/j.scitotenv.2022.154521>
- Kumar, R., Kaur, J., Jain, S., & Kumar, A. (2016). Optimization of laccase production from *Aspergillus flavus* by design of experiment technique: Partial purification and characterization. *Journal of Genetic Engineering and Biotechnology*, 14(1), 125–131. <https://doi.org/10.1016/j.jgeb.2016.05.006>
- Kungulovski, D. (2017). *Biodiversity of Anaerobic Fungi from Ruminants in Republic of Macedonia. October*. <https://doi.org/10.15406/bij.2017.01.00016>
- Leck, A. (1999). Preparation of Lactophenol Cotton Blue Slide Mounts. *Community Eye Health*, 12 No. 30, 24.
- Li, J., Heath, I. B., & Bauchop, T. (1990). *Piromyces mae* and *Piromyces dumbonica*, two new species of uniflagellate anaerobic chytridiomycete fungi from the hindgut of the horse and elephant. *Canadian Journal of Botany*, 68(5), 1021–1033. <https://doi.org/10.1139/b90-129>
- Liang, J., Liu, S., Du, Z., Zhang, R., Lv, L., Sun, L., Nabi, M., Zhang, G., & Zhang, P. (2024). Recent advances in methane and hydrogen production from lignocellulosic degradation with anaerobic fungi. In *Bioresource Technology* (Vol. 413). Elsevier Ltd. <https://doi.org/10.1016/j.biortech.2024.131544>
- Lowe, S. E., & Others, A. N. D. (1987). *The Life Cycle and Growth Kinetics of an Anaerobic Rumen Fungus*.
- Ma, J., Zhong, P., Li, Y., Sun, Z., Sun, X., Aung, M., Hao, L., Cheng, Y., & Zhu, W. (2022). Hydrogenosome, Pairing Anaerobic Fungi and H₂-Utilizing Microorganisms Based on Metabolic Ties to Facilitate Biomass Utilization. In *Journal of Fungi* (Vol. 8, Issue 4). MDPI. <https://doi.org/10.3390/jof8040338>
- Orpin, C. . (1975). Studies on the Rumen Flagellate *Neocallimastix frontalis* The vast increase in the. In *Journal of General Microbiology* (Vol. 91).
- Orpin, C. G. (1976). Studies on the Rumen Flagellate *Sphaeromonas communis*. In *Journal of General Microbiology* (Vol. 94).

- Panico, A., D'Antonio, G., Esposito, G., Frunzo, L., Iodice, P., & Pirozzi, F. (2014). The effect of substrate-bulk interaction on hydrolysis modeling in anaerobic digestion process. *Sustainability (Switzerland)*, 6(12), 8348–8363. <https://doi.org/10.3390/su6128348>
- Park, S., Baker, J. O., Himmel, M. E., Parilla, P. A., & Johnson, D. K. (2010). Cellulose crystallinity index: Measurement techniques and their impact on interpreting cellulase performance. *Biotechnology for Biofuels*, 3(May). <https://doi.org/10.1186/1754-6834-3-10>
- Peter, Z. (2021). Order in cellulose: Historical review of crystal structure research on cellulose. In *Carbohydrate Polymers* (Vol. 254). Elsevier Ltd. <https://doi.org/10.1016/j.carbpol.2020.117417>
- Riondet, C., Vaux, A. De, Alcaraz, G., & Fonty, G. (1998). *Comparison of metabolic activities between Piromyces citronii, an equine fungal species, and Piromyces communis, a ruminal species*. 8401(97).
- Saye, L. M. G., Navaratna, T. A., Chong, J. P. J., O'malley, M. A., Theodorou, M. K., & Reilly, M. (2021). The anaerobic fungi: Challenges and opportunities for industrial lignocellulosic biofuel production. In *Microorganisms* (Vol. 9, Issue 4). MDPI AG. <https://doi.org/10.3390/microorganisms9040694>
- Silva Rabelo, C. A. B., Dionizio, B. S., Moura, A. G. L., Malagó-Jr, W., & Varesche, M. B. A. (2022). Dilution strategy to obtain H₂ in the 2nd acidogenic phase from enzymatically pre-treated sugarcane bagasse. *International Journal of Hydrogen Energy*, 47(76), 32455–32472. <https://doi.org/10.1016/j.ijhydene.2022.07.131>
- Sivaramanan, S. (2014). Biodegradation of Saw in Plant Fertilizer. *Research Journal of Agriculture and Forestry Sciences*, 2(2), 13–19. <https://doi.org/10.13140/2.1.1798.4008>
- Sridhar, M., Kumar, D., Anandan, S., Prasad, C. ., & Sampath, K. . (2010). Morphological and Molecular Characterization of Polycentric Rumen Fungi Belonging to the Genus Orpinomyces Isolated from Indian Cattle and Buffaloes. *Research Journal of Microbiology*, 5(7), 581–594.
- Teunissen, M. J., & Op den Camp, H. J. (1993). Anaerobic fungi and their cellulolytic and xylanolytic enzymes Historical perspective. In *Antonie van Leeuwenhoek* (Vol. 63).
- Umar, A., & Ahmed, S. (2022). Optimization, purification and characterization of laccase from *Ganoderma leucocontextum* along with its phylogenetic relationship. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-06111-z>
- Wang, X., Liu, X., & Groenewald, J. Z. (2017). Phylogeny of anaerobic fungi (phylum Neocallimastigomycota), with contributions from yak in China. *Antonie van Leeuwenhoek, International Journal of General and Molecular*

- Microbiology*, 110(1), 87–103. <https://doi.org/10.1007/s10482-016-0779-1>
- Youssef, N. H., Couger, M. B., Struchtemeyer, C. G., Liggenstoffer, A. S., Prade, R. A., Najjar, F. Z., Atiyeh, H. K., Wilkins, M. R., & Elshahed, M. S. (2013). The genome of the anaerobic fungus orpinomyces sp. strain c1a reveals the unique evolutionary history of a remarkable plant biomass degrader. *Applied and Environmental Microbiology*, 79(15), 4620–4634. <https://doi.org/10.1128/AEM.00821-13>
- Zhang, W., Wang, W., Wang, J., Shen, G., Yuan, Y., Yan, L., Tang, H., & Wang, W. (2021). *Isolation and Characterization of a Novel Laccase for Lignin Degradation, LacZ1*. <https://doi.org/10>
- Raya Dayeuhkolot No, J. (2015). *Potensi Dan Peluang Tandan Kosong Sawit Sebagai Bahan Baku Pulp Dan Kertas: Studi Kasus Di Indonesia Potency And Opportunity Of Oil Palm Empty Fruit Bunch As Raw Material For Pulp And Paper: A Case Study In Indonesia*. www.ditjenbun.permentan.go.id,
- Andlar, M., Rezić, T., Marđetko, N., Kracher, D., Ludwig, R., & Šantek, B. (2018). Lignocellulose degradation: An overview of fungi and fungal enzymes involved in lignocellulose degradation. In *Engineering in Life Sciences* (Vol. 18, Issue 11, pp. 768–778). Wiley-VCH Verlag. <https://doi.org/10.1002/elsc.201800039>
- Benatti, A. L. T., & Polizeli, M. de L. T. de M. (2023). Lignocellulolytic Biocatalysts: The Main Players Involved in Multiple Biotechnological Processes for Biomass Valorization. In *Microorganisms* (Vol. 11, Issue 1). MDPI. <https://doi.org/10.3390/microorganisms11010162>
- Denman, S. E., & McSweeney, C. S. (2006). Development of a real-time PCR assay for monitoring anaerobic fungal and cellulolytic bacterial populations within the rumen. *FEMS Microbiology Ecology*, 58(3), 572–582. <https://doi.org/10.1111/j.1574-6941.2006.00190.x>
- Dollhofer, V., Callaghan, T. M., Griffith, G. W., Lebuhn, M., & Bauer, J. (2017). Presence and transcriptional activity of anaerobic fungi in agricultural biogas plants. *Bioresource Technology*, 235, 131–139. <https://doi.org/10.1016/j.biortech.2017.03.116>
- Dwivedi, P., Vivekanand, V., Pareek, N., Sharma, A., & Singh, R. P. (2011). Co-cultivation of mutant *Penicillium oxalicum* SAU E-3.510 and *Pleurotus ostreatus* for simultaneous biosynthesis of xylanase and laccase under solid-state fermentation. *New Biotechnology*, 28(6), 616–626. <https://doi.org/10.1016/j.nbt.2011.05.006>
- Gilmore, S. P., Lankiewicz, T. S., Wilken, S. E., Brown, J. L., Sexton, J. A., Henske, J. K., Theodorou, M. K., Valentine, D. L., & O'Malley, M. A. (2019). Top-Down Enrichment Guides in Formation of Synthetic Microbial

- Consortia for Biomass Degradation. *ACS Synthetic Biology*, 8(9), 2174–2185. <https://doi.org/10.1021/acssynbio.9b00271>
- Gunawan, F. E., Homma, H., Brodjonegoro, S. S., Hudin, A. B. B., & Zainuddin, A. B. (2009). Mechanical Properties of Oil Palm Empty Fruit Bunch Fiber. *Journal of Solid Mechanics and Materials Engineering*, 3(7), 943–951. <https://doi.org/10.1299/jmmp.3.943>
- Hibbett, D. S., Binder, M., Bischoff, J. F., Blackwell, M., Cannon, P. F., Eriksson, O. E., Huhndorf, S., James, T., Kirk, P. M., Lücking, R., Thorsten Lumbsch, H., Lutzoni, F., Matheny, P. B., McLaughlin, D. J., Powell, M. J., Redhead, S., Schoch, C. L., Spatafora, J. W., Stalpers, J. A., ... Zhang, N. (2007). A higher-level phylogenetic classification of the Fungi. *Mycological Research*, 111(5), 509–547. <https://doi.org/10.1016/j.mycres.2007.03.004>
- Hidayah, N., & Wusko, I. U. (2020). Characterization and Analysis of Oil Palm Empty Fruit Bunch (OPEFB) Waste of PT Kharisma Alam Persada South Borneo. *Majalah Obat Tradisional*, 25(3), 154–160. <https://doi.org/10.22146/mot.52715>
- Jameel, M. K., Mustafa, M. A., Ahmed, H. S., Mohammed, A. jassim, Ghazy, H., Shakir, M. N., Lawas, A. M., Mohammed, S. khudhur, Idan, A. H., Mahmoud, Z. H., Sayadi, H., & Kianfar, E. (2024). Biogas: Production, properties, applications, economic and challenges: A review. In *Results in Chemistry* (Vol. 7). Elsevier B.V. <https://doi.org/10.1016/j.rechem.2024.101549>
- Juliastuti, S. R., Hendrianie, N., Sabar, K. R., & Anggita, S. (2022). Glucose production from oil palm empty fruit bunch (OPEFB) using microwave and fungal treatment method. *IOP Conference Series: Earth and Environmental Science*, 963(1). <https://doi.org/10.1088/1755-1315/963/1/012053>
- Kazemi Shariat Panahi, H., Dehghani, M., Guillemin, G. J., Gupta, V. K., Lam, S. S., Aghbashlo, M., & Tabatabaei, M. (2022a). A comprehensive review on anaerobic fungi applications in biofuels production. *Science of the Total Environment*, 829. <https://doi.org/10.1016/j.scitotenv.2022.154521>
- Keller, E. (1988). SCHAKAL88. A Fortran Program for the Graphic Representation of Molecular and Crystallographic Models. Freiburg, Germany. Kim, T. H., Taylor, F., & Hicks, K. B. (2008). Bioethanol production from barley hull using SAA (soaking in aqueous ammonia) pretreatment. *Bioresource Technology*, 99(13), 5694–5702. <https://doi.org/10.1016/j.biortech.2007.10.055>

- Kracher, D., & Ludwig, R. (2016). Cellobiose dehydrogenase: An essential enzyme for lignocellulose degradation in nature - A review. In *Bodenkultur* (Vol. 67, Issue 3, pp. 145–163). <https://doi.org/10.1515/boku-2016-0013>
- Lankiewicz, T. S., Lillington, S. P., & O'Malley, M. A. (2022a). Enzyme Discovery in Anaerobic Fungi (Neocallimastigomycetes) Enables Lignocellulosic Biorefinery Innovation. *Microbiology and Molecular Biology Reviews*, 86(4). <https://doi.org/10.1128/mmbr.00041-22>
- Lankiewicz, T. S., Lillington, S. P., & O'Malley, M. A. (2022b). Enzyme Discovery in Anaerobic Fungi (Neocallimastigomycetes) Enables Lignocellulosic Biorefinery Innovation. *Microbiology and Molecular Biology Reviews*, 86(4). <https://doi.org/10.1128/mmbr.00041-22>
- Lokapirnasari, W. P., Nazar, D. S., Nurhajati, T., Supranianondo, K., & Yulianto, A. B. (2015). Production and assay of cellulolytic enzyme activity of *Enterobacter cloacae* WPL 214 isolated from bovine rumen fluid waste of Surabaya abattoir, Indonesia. *Veterinary World*, 8(3), 367–371. <https://doi.org/10.14202/vetworld.2015.367-371>
- Meegoda, J. N., Li, B., Patel, K., & Wang, L. B. (2018). A review of the processes, parameters, and optimization of anaerobic digestion. In *International Journal of Environmental Research and Public Health* (Vol. 15, Issue 10). MDPI AG. <https://doi.org/10.3390/ijerph15102224>
- Naranjo-Ortiz, M. A., & Gabaldón, T. (2019). Fungal evolution: diversity, taxonomy and phylogeny of the Fungi. *Biological Reviews*, 94(6), 2101–2137. <https://doi.org/10.1111/brv.12550>
- Nugroho, N., & Susanto, D. (2021). Natural Fiber Waste from Palm Oil Tree: An Overview of Potential Usage for Indonesia's Affordable House Building Materials. *Journal of Architectural Research and Design Studies*, 5(1). <https://doi.org/10.20885/jars.vol5.iss1.art3>
- Orpin, C. G. (1975). Studies on the Rumen Flagellate *Neocallimastix frontalis* The vast increase in the. In *Journal of General Microbiology* (Vol. 91).
- Palamae, S., Dechatiwongse, P., Choorit, W., Chisti, Y., & Prasertsan, P. (2017). Cellulose and hemicellulose recovery from oil palm empty fruit bunch (EFB) fibers and production of sugars from the fibers. *Carbohydrate Polymers*, 155, 491–497. <https://doi.org/10.1016/j.carbpol.2016.09.004>
- Panico, A., D'Antonio, G., Esposito, G., Frunzo, L., Iodice, P., & Pirozzi, F. (2014). The effect of substrate-bulk interaction on hydrolysis modeling in anaerobic digestion process. *Sustainability (Switzerland)*, 6(12), 8348–8363. <https://doi.org/10.3390/su6128348>

- Ramli, M. N. (2022). Pengomposan Tandan Kosong Kelapa Sawit (*Elaeis Guineensis*) Dengan Beberapa Pemberian Mikroorganisme Lokal (Mol) Composting Of Empty Bunches Of Oil Palm (*Elaeis Guineensis*) With Some Feeding Of Local Microorganisms (Moles). *ARview Jurnal Ilmiah*, 1, 27–37.
- Ranganathan, A., Smith, O. P., Youssef, N. H., Struchtemeyer, C. G., Atiyeh, H. K., & Elshahed, M. S. (2017). Utilizing anaerobic fungi for two-stage sugar extraction and biofuel production from lignocellulosic biomass. *Frontiers in Microbiology*, 8(APR). <https://doi.org/10.3389/fmicb.2017.00635>
- Sánchez, C. (2009). Lignocellulosic residues: Biodegradation and bioconversion by fungi. In *Biotechnology Advances* (Vol. 27, Issue 2, pp. 185–194). <https://doi.org/10.1016/j.biotechadv.2008.11.001>
- Santi, L. P., Kalbuadi, D. N., & Goenadi, D. H. (2019). Empty Fruit Bunches as Potential Source for Biosilica Fertilizer for Oil Palm. *Journal of Tropical Biodiversity and Biotechnology*, 4(3), 90–96. <https://doi.org/10.22146/jtbb.38749>
- Saye, L. M. G., Navaratna, T. A., Chong, J. P. J., O'malley, M. A., Theodorou, M. K., & Reilly, M. (2021a). The anaerobic fungi: Challenges and opportunities for industrial lignocellulosic biofuel production. In *Microorganisms* (Vol. 9, Issue 4). MDPI AG. <https://doi.org/10.3390/microorganisms9040694>
- Saye, L. M. G., Navaratna, T. A., Chong, J. P. J., O'malley, M. A., Theodorou, M. K., & Reilly, M. (2021b). The anaerobic fungi: Challenges and opportunities for industrial lignocellulosic biofuel production. In *Microorganisms* (Vol. 9, Issue 4). MDPI AG. <https://doi.org/10.3390/microorganisms9040694>
- Stahmann, M. A., Abramson, P., & Wu, L.-C. (1975). A Chromatographic Method for Estimating Fungal Growth by Glucosamine Analysis of Diseased Tissues. *Biochemie Und Physiologie Der Pflanzen*, 168(1–4), 267–276. [https://doi.org/10.1016/s0015-3796\(17\)30123-3](https://doi.org/10.1016/s0015-3796(17)30123-3)
- Scotti, C. T., Vergoignan, C., Feron, G., & Durand, A. (2001). Glucosamine measurement as indirect method for biomass estimation of *Cunninghamella elegans* grown in solid state cultivation conditions. In *Biochemical Engineering Journal* (Vol. 7).
- Teunissen, M. J., & Op den Camp, H. J. (1993). Anaerobic fungi and their cellulolytic and xylanolytic enzymes Historical perspective. In *Antonie van Leeuwenhoek* (Vol. 63).
- Uddin, M. M., & Wright, M. M. (2023). Anaerobic digestion fundamentals, challenges, and technological advances. *Physical Sciences Reviews*, 8(9), 2819–2837. <https://doi.org/10.1515/psr-2021-0068>

- Weete, J. D., Abril, M., & Blackwell, M. (2010). Phylogenetic distribution of fungal sterols. *PLoS ONE*, 5(5).
<https://doi.org/10.1371/journal.pone.0010899>
- Yang, X., Zhang, Z., Li, S., He, Q., Peng, X., Du, X., Feng, K., Wang, S., & Deng, Y. (2022). Fungal dynamics and potential functions during anaerobic digestion of food waste. *Environmental Research*, 212.
<https://doi.org/10.1016/j.envres.2022.113298>
- Yang, Z., Wang, W., He, Y., Zhang, R., & Liu, G. (2018). Effect of ammonia on methane production, methanogenesis pathway, microbial community and reactor performance under mesophilic and thermophilic conditions. *Renewable Energy*, 125, 915–925.
<https://doi.org/10.1016/j.renene.2018.03.032>
- Youssef, N. H., Couger, M. B., Struchtemeyer, C. G., Liggenstoffer, A. S., Prade, R. A., Najjar, F. Z., Atiyeh, H. K., Wilkins, M. R., & Elshahed, M. S. (2013). The genome of the anaerobic fungus orpinomyces sp. strain c1a reveals the unique evolutionary history of a remarkable plant biomass degrader. *Applied and Environmental Microbiology*, 79(15), 4620–4634.
<https://doi.org/10.1128/AEM.00821-13>
- Zhu, W.-Y., Theodorou, M. K., Longland, A. C., Nielsen, B. B., Dijkstra, J., & Trinci, A. P. J. (1996). *Growth and Survival of Anaerobic Fungi in Batch and Continuous-Flow Cultures*.
- Zinatizadeh, A. A. L., Mohamed, A. R., Abdullah, A. Z., Mashitah, M. D., Hasnain Isa, M., & Najafpour, G. D. (2006). Process modeling and analysis of palm oil mill effluent treatment in an up-flow anaerobic sludge fixed film bioreactor using response surface methodology (RSM). *Water Research*, 40(17), 3193–3208. <https://doi.org/10.1016/j.watres.2006.07.005>