

DAFTAR PUSTAKA

- Abbaspour, N., Hurrell, R., & Kelishadi, R. (2014). Review on Iron and Its Importance for Human Health. *J. Res. Med. Sci.* 19 : 164–74.
- Abdullah, S.M. (2011). The Effect of Repeated Blood Donations on The Iron Status of Male Saudi Blood Donors. *Blood Transfus.* 9 : 167–171.
- Agustina, A.I., Samad, R., Juliyani, S., & Arif, M. (2023). Analysis of Reticulocyte Hemoglobin Equivalent in Routine and Non-Routine Blood Donors in Makassar. *Indones. J. Clin. Pathol. Med. Lab.* 29 : 159–163.
- Akbari, P., Vuckovic, D., Stefanucci, L., Jiang, T., Kundu, K., Kreuzhuber, R., *et al.* (2023). A Genome-wide Association Study of Blood Cell Morphology Identifies Cellular Proteins Implicated in Disease Aetiology. *Nat. Commun.* 14 : 1–19.
- Al-Naseem, A., Sallam, A., Choudhury, S., & Thachil, J. (2021). Iron Deficiency Without Anaemia: A Diagnosis That Matters. *Clin. Med. J. R. Coll. Physicians London* 21 : 107–113.
- Amer, J. (2022). A Retrospective Study Using Mentzer Index for Prevalence of Iron Deficiency Anemia Among Infants Visiting Maternal Centers at the Age of One Year. *Anemia* 2022 : 8–12.
- Amir, N., Md Noor, S., Subbiah, I., Osman, M., & Seman, Z. (2019). Percentage of Hypochromic Red Cells as a Potential Screening Test to Evaluate Iron Status in Blood Donors. *Int. J. Lab. Hematol.* 41 : 418–423.
- Andani, K.R., & Ernawaty (2022). Literature Review: Cost Calculation of Blood Services in Some Countries (Based on HDI Level). *Unnes J. Public Heal.* 11 : 33–45.
- Anderson, G.J., Frazer, D.M., & McLaren, G.D. (2009). Iron Absorption And Metabolism. *Curr. Opin. Gastroenterol.* 25 : 129–135.
- Anju, J., Abhishekh, B., Debdatta, B., Bobby, Z., & Sharan, M. (2022). Assessment of Iron Status in Regular Blood Donors in a Tertiary Care Hospital in Southern India. *Asian J. Transfus. Sci.* 16 : 186.
- Anshori, F. (2020). Evaluasi Penampilan Diagnostik Content Hemoglobin Reticulocyte(CHr) dalam Mendeteksi Defisiensi Besi pada Pendonor Darah Rutin. Tesis. Universitas Gadjah Mada.
- Anshori, F., Ratnaningsih, T., & Triyono, T. (2021). Hematology and Iron Status Evaluation Based on Donation Characteristics in Dr. Sardjito Hospital, Yogyakarta. *Indones. J. Clin. Pathol. Med. Lab.* 27 : 249–253.
- Atipo-Tsiba, F.O.G., Mouyabi, E.Q.G., Angounda, B.M., Mokono, S.O., Gokaba, L.T.O., & Dokekias, A.E. (2023). Prevalence of Iron Deficiency, Anemia, and Associated Factors in a Blood Donor Population in Brazzaville, Congo. *Anemia* 2023 : 1–6.
- Audiyandana, D., Prihatni, D., Surata, N., & Sugianli, A.K. (2024). The Utility of Micro-R/Hypo-He Ratio Cut-off for Distinguishing Iron Deficiency Anemia and Minor Thalassemia. *Indones. J. Clin. Pathol. Med. Lab.* 31 : 17–22.
- Bani, M., & Giussani, B. (2010). Gender Differences in Giving Blood: A Review of The Literature. *Blood Transfus.* 8 : 278–287.

- Brittenham, G.M. (2011). Iron Deficiency in Whole Blood Donors. *Transfusion* 51 : 458–61.
- Busti, F., Campostrini, N., Martinelli, N., & Girelli, D. (2014). Iron Deficiency in the Elderly Population, Revisited in the Hepcidin Era. *Front. Pharmacol.* 5 APR : 1–9.
- Butina, M. (2020). Erythrocyte Production and Destruction, in: *Rodak's Hematology: Clinical Principles and Applications*. pp. 62–77, Canada : Elsevier.
- Buttarello, M., Pajola, R., Novello, E., Mezzapelle, G., & Plebani, M. (2016). Evaluation of The Hypochromic Erythrocyte and Reticulocyte Hemoglobin Content Provided by The Sysmex XE-5000 Analyzer in Diagnosis of Iron Deficiency Erythropoiesis. *Clin. Chem. Lab. Med.* 54 : 1–7.
- Cable, R.G., Glynn, S.A., Kiss, J.E., Mast, A.E., Steele, W.R., Murphy, E.L., *et al.* (2012). Iron Deficiency in Blood Donors: The REDS-II Donor Iron Status Evaluation (RISE) Study. *Transfusion* 52 : 702–711.
- Cable, R.G., Glynn, S.A., Kiss, J.E., Mast, A.E., Steele, W.R., Murphy, E.L., *et al.* (2011). Iron Deficiency in Blood Donors: Analysis of Enrollment Data from The REDS-II Donor Iron Status Evaluation (RISE) study. *Transfusion* 51 : 511–522.
- Camaschella, C. (2019). Iron Deficiency. *Blood* 133 : 30–39.
- Caporal, F.A., & Comar, S.R. (2013). Evaluation of RDW-CV, RDW-SD, and MATH-1SD for The Detection of Erythrocyte Anisocytosis Observed by Optical Microscopy. *J. Bras. Patol. e Med. Lab.* 49 : 324–331.
- Cappellini, M.D., Musallam, K.M., & Taher, A.T. (2020). Iron Deficiency Anaemia Revisited. *J. Intern. Med.* 287 : 153–170.
- Cappellini, M.D., Santini, V., Braxs, C., & Shander, A. (2022). Iron Metabolism and Iron Deficiency Anemia in Women. *Fertil. Steril.* 118 : 607–614.
- Clifton, L., Birks, J., & Clifton, D.A. (2019). Comparing Different Ways of Calculating Sample Size for Two Independent Means : A Worked Example. *Contemp. Clin. Trial Commun.* 13 : 1–7.
- Collins, J.F., Wessling-Resnick, M., & Knutson, M.D. (2008). Hepcidin Regulation of Iron Transport. *J. Nutr.* 138 : 2284–2288.
- Crielaard, B.J., Lammers, T., & Rivella, S. (2017). Targeting Iron Metabolism in Drug Discovery and Delivery. *Nat. Rev. Drug Discov.* 16 : 400–423.
- Crocco, A., & D'Elia, D. (2007). Adverse Reactions During Voluntary Donation of Blood and/or Blood Components. A Statistical-epidemiological Study. *Blood Transfus.* 5 : 143–152.
- Datta, S., Pal, M., & Ghosh, C. (2013). Effect of Frequent Blood Donation on Iron Status of Blood Donors in Burdwan, West Bengal, India. *J. Drug Deliv. Ther.* 3 : 66–69.
- Deivita, Y., Syafruddin, S., Andi Nilawati, U., Aminuddin, A., Burhanuddin, B., & Zahir, Z. (2021). Overview of Anemia; Risk Factors and Solution Offering. *Gac. Sanit.* 35 : S235–S241.
- Depalma, R.G., Hayes, V.W., & O'Leary, T.J. (2021). Optimal Serum Ferritin Level Range: Iron Status Measure and Inflammatory Biomarker. *Metallomics* 13.

- Dignass, A., Farrag, K., & Stein, J. (2018). Limitations of Serum Ferritin in Diagnosing Iron Deficiency in Inflammatory Conditions. *Int. J. Chronic Dis.* 2018 : 1–11.
- Dinh, N.H., Cheanh Beaupha, S.M., & Tran, L.T.A. (2020). The Validity of Reticulocyte Hemoglobin Content and Percentage of Hypochromic Red Blood Cells for Screening Iron-deficiency Anemia Among Patients with End-stage Renal disease: A Retrospective Analysis. *BMC Nephrol.* 21 : 1–7.
- Djalali, M., Neyestani, T.R., Bateni, J., & Siassi, F. (2006). The Effect of Repeated Blood Donations on the Iron Status of Iranian Blood Donors Attending the Iranian Blood Transfusion Organization. *Int. J. Vitam. Nutr. Res.* 76 : 132–137.
- Doig, K. (2020). Disorder of Iron Kinetics and Heme Metabolism, in: *Rodak's Hematology: Clinical Principles and Applications*. pp. 264–281, Canda : Elsevier.
- Dyussenbayev, A. (2017). Ages Periods of Human Life. *Adv. Soc. Sci. Res. J.* 4 : 258–63.
- Elghetany, M.T., & Banki, K. (2022). Erythrocytic Disorder, in: *Henry's Clinical Diagnosis and Management by Laboratory Methods*. pp. 588–632, Philadelphia : Elsevier.
- Elsayed, M.E., Sharif, M.U., & Stack, A.G. (2016). Transferrin Saturation: A Body Iron Biomarker, in: *Advances in Clinical Chemistry*. pp. 71–97, Elsevier Inc.
- Eltewacy, N.K., Ali, H.T., Owais, T.A., Alkanj, S., Ebada, M.A., Elbahnasawy, M., et al. (2024). Unveiling Blood Donation Knowledge, Attitude, and Practices Among 12,606 University Students: a Cross-Sectional Study Across 16 Countries. *Sci. Rep.* 14 : 1–16.
- Elzen, W.P.J. den, Craen, A.J.M. de, Wiegerinck, E.T., Westendorp, R.G.J., Swinkels, D.W., & Gussekloo, J. (2013). Plasma Hepcidin Levels and Anemia in Old Age. The Leiden 85-plus Study. *Haematologica* 98 : 448–454.
- Fairweather-Tait, S.J., Wawer, A.A., Gillings, R., Jennings, A., & Myint, P.K. (2014). Iron Status in the Elderly. *Mech. Ageing Dev.* 136–137 : 22–28.
- Fillet, A.M., Martinaud, C., Malard, L., Le Cam, S., Hejl, C., Chenu, F., et al. (2021). Iron Deficiency Among French Whole-blood Donors: First Assessment and Identification of Predictive Factors. *Vox Sang.* 116 : 42–52.
- Foy, B.H., Li, A., McClung, J.P., Ranganath, R., & Higgins, J.M. (2020). Data-driven Physiologic Thresholds for Iron Deficiency Associated with Hematologic Decline. *Am. J. Hematol.* 95 : 302–309.
- Gemelli, C.N., Hayman, J., & Waller, D. (2017). Frequent Whole Blood Donors: Understanding This Population and Predictors of Lapse. *Transfusion* 57 : 108–114.
- Germain, M., & Tiberghien, P. (2022). Donors and Blood Collection, in: *Practical Transfusion Medicine*. p. 261, West Sussex : Wiley.
- Giollabhui, N. Mac, Ellman, L.M., Coe, C.L., Byrne, M.L., Abramson, L.Y., & Alloy, L.B. (2020). To Exclude or Not to Exclude: Considerations and Recommendations for C-Reactive Protein Values Higher Than 10 mg/L. *Brain. Behav. Immun.* 87 : 898–900.
- Greer, J., Arber, D., List, A., & Foetster, J. (2014). Wintrobe's Clinical

- Hematology, 13th ed. Amsterdam : Wolters Kluwer.
- Hartwell, B.A., & Pool, M.D. (2019). Apheresis, in: *Modern Blood Banking & Transfusion Practise*. Philadelphia : F.A. Davis.
- Hoffbrand, A.V., & Moss, P. (2016). Hoffbrand's Essensial Haematology, in: *Hoffbrand's Essensial Haematology Seventh Edition*. pp. 27–40, West Sussex : Wiley.
- Ibeh, N.C., Aneka, J.C., Okocha, C.E., Nkwazema, K.A., & Manafa, P.O. (2016). Changes in Haematological Indices of Women at Different Fertility Periods in Nnewi, South-East, Nigeria. *J. Med. Res.* 2 : 166–169.
- Iriarte-Gahete, M., Tarancon-Diez, L., Garrido-Rodríguez, V., Leal, M., & Pacheco, Y.M. (2024). Absolute and Functional Iron Deficiency: Biomarkers, Impact on Immune System, and Therapy. *Blood Rev.* xx : 1–13.
- Jarc, E., Zupan, I.P., Ponikvar, J.B., Snoj, N., & Podgornik, H. (2017). Comparison of Erythrocyte and Reticulocyte Indices for the Diagnosis of Iron Deficiency. *Zdr. Vestn.* 86 : 19–27.
- Kakkar, N., & Sharma, A. (2021). Discriminant Indices for Screening Beta Thalassemia Trait: An Illusion of Choice. *Indian J. Hematol. Blood Transfus.* 37 : 324–325.
- Kasraian, L., Ashkani-esfahani, S., & Foruozaandeh, H. (2021). Reasons of Underrepresentation of Iranian Women in Blood Donation. *Hematol. Transfus. Cell Ther.* 43 : 256–262.
- Kementerian Kesehatan RI (2015). Peraturan Menteri Kesehatan Republik Indonesia Nomor 91 Tahun 2015 tentang Standar Pelayanan Transfusi Darah. Jakarta : .
- Keohane, E.. (2024). Automated Blood Cell Analysis, in: *Rodak's Hematology: Clinical Principles and Applications*. pp. 198–224, Missouri : Elsevier.
- Keohane, E.. (2020). *Rodak's Hematology: Clinical Principles and Applications*, 5th ed. St. Louis : Elsevier.
- Khodaji, S. (2019). Newer CBC Parameter of Clinical Significance, in: Saxena, R., & Pati, H.P. (Eds.), *Hematopathology: Advances in Understanding*. pp. 3–25, Singapore : Springer Singapore.
- Kiss, J.E., Brambilla, D., Glynn, S.A., Mast, A.E., Spencer, B.R., Stone, M., *et al.* (2015). Oral Iron Supplementation After Blood Donation. *JAMA* 313 : 575.
- Koca, E. (2013). Bone Marrow Iron Staining is a Reliable Test for Elimination of Iron Deficiency Anemia Rather than its Diagnosis. *Int. J. Hematol. Oncol.* 23 : 260–263.
- Koh, J.S., & Song, I.-C. (2024). Functional Iron Deficiency Anemia in Patients With Cancer. *Blood Res.* 59 : 26.
- Krishnamurthy, H.K., Reddy, S., Jayaraman, V., Krishna, K., Song, Q., Rajasekaran, K.E., *et al.* (2023). Association of Serum Ferritin Levels and Thyroid Hormones. *Open J. Clin. Diagnostics* 13 : 68–79.
- Kumar, R., Katiyaar, S., Raj, H., Kumar, M., Khan, R., Pandey, A., *et al.* (2025). Study of Prevalence Iron Deficiency Anemia among Young Adults Age between 15-45 Years in Urban Area. *J. Chem. Heal. Risk* 15 : 934–938.
- Kumar, R., Kaur, P., Verma, K., Rajeev, K., Bhaskar, B., & Kumar, S. (2023). Delayed Adverse Reaction in Donors After Whole Blood Donation: Is it a

- Matter of Concern? *Transfus. Clin. Biol.* 30 : 232–237.
- Lane, D.J.R., Merlot, A.M., Huang, M.L.H., Bae, D.H., Jansson, P.J., Sahni, S., *et al.* (2015). Cellular Iron Uptake, Trafficking and Metabolism: Key Molecules and Mechanisms and Their Roles in Disease. *Biochim. Biophys. Acta - Mol. Cell Res.* 1853 : 1130–1144.
- Lankhorst, C.E., & Wish, J.B. (2010). Anemia in Renal Disease: Diagnosis and Management. *Blood Rev.* 24 : 39–47.
- Levy, S., & Schapkaitz, E. (2018). The Clinical Utility of New Reticulocyte and Erythrocyte Parameters on The Sysmex XN 9000 for Iron Deficiency in Pregnant Patients. *Int. J. Lab. Hematol.* 40 : 683–690.
- Linnet, K., Moons, K.G.M., & Boyd, J.C. (2023). Statistical Methodologies in Laboratory Medicine: Analytical and Clinical Evaluation of Laboratory Test, in: *Tietz Textbook of Laboratory Medicine*. pp. 10–59, Missouri : Elsevier.
- Luo, D., Ma, H., Lin, J., Quan, S., Feng, J., Ren, Q., *et al.* (2016). Percentage of Hypochromic Red Cells: A Better Predictive Marker than Conventional Hematological Parameters in the Diagnosis of Latent Iron Deficiency in Women with Menometrorrhagia. *Int. J. Clin. Exp. Med.* 9 : 8593–8598.
- Mackie, S., & Winkelman, J.W. (2013). Normal Ferritin in a Patient with Iron Deficiency and RLS. *J. Clin. Sleep Med.* 09 : 511–513.
- Manascero-Gómez, A.R., Bravo-Espinosa, M., Solano-Muriel, K., & Poutou-Piñales, R.A. (2015). Influence of Blood Donation Time Intervals on Ferritin and Hemoglobin Concentration. *Transfus. Apher. Sci.* 53 : 213–219.
- Manikam, N.R.M. (2021). Known Facts: Iron Deficiency in Indonesia. *World Nutr. J.* 5 : 1–9.
- Mast, A.E. (2014). Low Hemoglobin Deferral in Blood Donors. *Transfus. Med. Rev.* 28 : 18–22.
- Melicine, S., Peoc'h, K., & Ducastel, M. (2021). Exploration of Iron Metabolism: What Is New? *J. Lab. Precis. Med.* 6 : 30–30.
- Merlo, F., Groothof, D., Khatami, F., Ahanchi, N.S., Wehrli, F., Bakker, S.J.L., *et al.* (2023). Changes in Iron Status Biomarkers with Advancing Age According to Sex and Menopause: A Population-Based Study. *J. Clin. Med.* 12.
- Meulenbeld, A., Ramondt, S., Sweegers, M.G., Quee, F.A., Prinsze, F.J., Hoogendijk, E.O., *et al.* (2024). Effectiveness of Ferritin-guided Donation Intervals in Whole-blood Donors in The Netherlands (FIND'EM): A Stepped-wedge Cluster-randomised Trial. *Lancet* 404 : 31–43.
- Moazzen, S., Sweegers, M.G., Janssen, M., Hogema, B.M., Hoekstra, T., & Van den Hurk, K. (2022). Ferritin Trajectories Over Repeated Whole Blood Donations: Results from The FIND+ Study. *J. Clin. Med.* 11 : 1–10.
- Motulo, A.T., Muhiddin, R., Ridha, N.R., Arif, M., & Abdullah, A.A. (2023). Analysis of Erythrocyte Indices and Reticulocyte Hemoglobin Equivalent in Iron Deficiency Anemia on Treatment. *Indones. J. Clin. Pathol. Med. Lab.* 29 : 150–154.
- Mozaheb, Z., Khayami, M., & Sayadpoor, D. (2011). Iron Balance in Regular Blood Donors. *Transfus. Med. Hemotherapy* 38 : 190–194.
- Mustroph, H., & Horobin, R.W. (2023). Classification and Naming of Polymethine Dyes Used as Staining Agents for Microscopy. A Short Guide for Biomedical

- Investigators. *Biotech. Histochem.* 98 : 545–553.
- Nalado, A.M., Mahlangu, J.N., Duarte, R., Paget, G., Olorunfemi, G., Jacobson, B.F., *et al.* (2018). Utility of Reticulocyte Haemoglobin Content and Percentage Hypochromic Red Cells as Markers of Iron Deficiency Anaemia Among Black CKD Patients in South Africa. *PLoS One* 13 : 1–12.
- Nemeth, E., & Ganz, T. (2023). Hcpidin and Iron in Health and Disease. *Annu. Rev. Med.* 74 : 261–277.
- Nurjanah, M.H., Fihayati, Z., & Setiawati, W.Y. (2021). Description of Erythrocyte Morphology with Blood Smear Method of Giemsa Staining in Patients at The Thalassemia Patients Parents Association Indonesia (TPPAI) Kediri. *Malaysian J. Med. Heal. Sci.* 17 : 68–70.
- Ogawa, C., Tsuchiya, K., & Maeda, K. (2020). Reticulocyte Hemoglobin Content. *Clin. Chim. Acta.* 504 : 138–145.
- Ogolla, C.O., Karani, L.W., & Musyoki, S. (2025). Role of Inflammation in the Pathogenesis of Anemia in Chronic Kidney Disease: Exploring the Impact of Inflammatory Biomarkers on Erythropoiesis and Erythropoietin Response. *medRxiv* 1–5.
- Otto, C.N. (2020). Hemoglobin Metabolism, in: *Rodak's Hematology: Clinical Principles and Applications*. pp. 91–103, Canada : Elsevier.
- Ozdemir, N. (2015). Iron Deficiency Anemia from Diagnosis to Treatment in Children. *Türk Pediatr. Arşivi* 50 : 11–19.
- Pasricha, S.R., Tye-Din, J., Muckenthaler, M.U., & Swinkels, D.W. (2021). Iron Deficiency. *Lancet* 397 : 233–248.
- Patel, E.U., White, J.L., Bloch, E.M., Grabowski, M.K., Gehrie, E.A., Lokhandwala, P.M., *et al.* (2019). Association of Blood Donation With Iron Deficiency Among Adolescent and Adult Females in the United States: a Nationally Representative Study. *Transfusion* 59 : 1723–1733.
- Pathak, C., Pujani, M., Pahuja, S., & Jain, M. (2011). Adverse Reactions in Whole Blood Donors: An Indian Scenario. *Blood Transfus.* 9 : 46–49.
- Peng, Y.Y., & Uprichard, J. (2017). Ferritin and Iron Studies in Anaemia and Chronic Disease. *Ann. Clin. Biochem.* 54 : 43–48.
- Prichard, E., & Barwick, V. (2007). Quality Assurance in Analytical Chemistry, 1st ed, Analytical Technique in The Sciences. West Sussex : Wiley.
- Purnamasidhi, C.A.W. (2019). Role of Red Cell Distribution Width (RDW) in The Diagnosis of Iron Deficiency Anemia. *Indones. J. Biomed. Sci.* 13 : 12–15.
- Qassadi, M., & Abdullah, S.M. (2024). Impact of Regular Blood Donation on Body Iron Stores at Saudi Blood Donors. *Open J. Blood Dis.* 14 : 65–80.
- Rehu, M., Ahonen, S., & Punnonen, K. (2011). The Diagnostic Accuracy of the Percentage of Hypochromic Red Blood Cells (%HYPOm) and Cellular Hemoglobin in reticulocytes (CHR) in Differentiating Iron Deficiency Anemia and Anemia of Chronic Diseases. *Clin. Chim. Acta* 412 : 1809–1813.
- Rifai, N., Chiu, R.W., Young, I., Burnham, C.A., & Wittwe, C. (2023). Tietz Textbook of Laboratory Medicine, 7th ed. Missouri : Elsevier.
- Rigas, A.S., Pedersen, O.B., Magnussen, K., Erikstrup, C., & Ullum, H. (2017). Iron Deficiency Among Blood Donors: Experience from The Danish Blood Donor Study and from the Copenhagen Ferritin Monitoring Scheme. *Transfus.*

Med. 29 : 23–27.

- Rigas, A.S., Sørensen, C.J., Pedersen, O.B., Petersen, M.S., Thørner, L.W., Kotzé, S., *et al.* (2014). Predictors of Iron Levels in 14,737 Danish Blood Donors: Results from The Danish Blood Donor Study. *Transfusion* 54 : 789–796.
- Roccaforte, V., Lombardi, F., Panella, R., Salamone, A., Daves, M., De Martino, A., *et al.* (2024). Use of Iron Deficiency Flag of the Hematology Analyzer Sysmex XN-3000 for Early Iron-deficient Erythropoiesis Diagnosis. *J. Lab. Precis. Med.* 9 : 19–19.
- Roche (2023). Elecsys Ferritin, in: *Package Insert Cobas*. pp. 1–3, Mannheim : Roche Diagnostics GmbH.
- Roche (2020). IRON2, in: *Package Insert Cobas*. pp. 1–4, Mannheim : Roche Diagnostics GmbH.
- Roemhild, K., von Maltzahn, F., Weiskirchen, R., Knüchel, R., von Stillfried, S., & Lammers, T. (2021). Iron Metabolism: Pathophysiology and Pharmacology. *Trends Pharmacol. Sci.* 42 : 640–656.
- Rohr, M., Brandenburg, V., & Brunner-La Rocca, H.P. (2023). How to Diagnose Iron Deficiency in Chronic Disease: A Review of Current Methods and Potential Marker for The Outcome. *Eur. J. Med. Res.* 28 : 1–12.
- Rusch, J.A., van der Westhuizen, D.J., Gill, R.S., & Louw, V.J. (2023). Diagnosing Iron Deficiency: Controversies and Novel Metrics. *Best Pract. Res. Clin. Anaesthesiol.* 37 : 451–467.
- Schapkaitz, E. (2018). Stability of New Erythrocyte and Reticulocyte Parameters Intesting for Anemia on The Sysmex XN 9000. *Lab Med.* 49 : 219–225.
- Schotten, N., Pasker-de Jong, P., Moretti, D., Zimmermann, M.B., Geurts-Moespot, A.J., Swinkels, D.W., *et al.* (2016). The Donation Interval of 56 days Requires Extension to 180 Days for Whole Blood Donors to Recover from Changes in Iron Metabolism. *Blood* 128 : 2183–85.
- Setiawan, D., Setiawan, H., & Nurmalasari, A. (2021). Indeks Formula Eritrosit Untuk Uji Skrining Talasemia Beta Minor. *J. Anal. Med. Biosains* 8 : 114.
- Setyawan, I. (2025). Perbandingan Parameter %MicroR pada Berbagai Karakteristik Populasi Donor darah di RSUP Dr. Sardjito. Tesis. Universitas Gadjah mada.
- Shara, F. El (2024). Nilai Prediktif Percentage of Hypochromic Red Cells Terhadap Deplesi Besi Berdasarkan Kadar Feritin pada Pendonor Rutin. Tesis. Universitas Andalas.
- Shin, D.H., Kim, H.S., Park, M.J., Suh, I.B., & Shin, K.S. (2015). Utility of Access Soluble Transferrin Receptor (sTfR) and sTfR/Log Ferritin Index in Diagnosing Iron Deficiency Anemia. *Ann. Clin. Lab. Sci.* 45 : 396–402.
- Singh, A., Pandey, H.C., & Chaudhary, R. (2023). Establishment of Normal Reference Range of Serum Hcpidin in Indian Blood Donors. *Asian J. Transfus. Sci.* 1 : 1–6.
- Soodejani, T.M., Haghdoost, A.A., Okhovati, M., Zolala, F., Baneshi, M.R., Sedaghat, A., *et al.* (2020). Incidence of Adverse Reaction in Blood Donation: A Systematic Review. *Am. J. Blood Res.* 10 : 145–150.
- Spencer, B.R., & Mast, A.E. (2022). Iron Status of Blood Donors. *Curr. Opin. Hematol.* 29 : 310–316.

- Sugandha, Kakkar, N., & John, M.J. (2021). Utility of Hyperchromic Cell Percentage, Flags, and Red Cell Cytograms Generated by Advia-120 Hematology Analyzer as a Potential Screening Tool in Hereditary Spherocytosis. *J. Hematop.* 14 : 137–143.
- Sweegers, M.G., van Kraaij, M.G.J., & van den Hurk, K. (2020). First Do No Harm: Iron Loss in Whole Blood Donors. *ISBT Sci. Ser.* 15 : 110–117.
- Sysmex (2024). Percentage of Hypo-haemoglobinised Red Cells (HYPO-He) and Hyper-Haemoglobinised Red Cells (HYPER-He). [WWW Document]. URL <https://www.sysmex.co.uk/education/knowledge-centre/sysmex-parameters/hypo-he/hyper-he/>
- Sysmex (2023). Advanced RBC Parameters in The Differential Diagnosis and Management of Anaemia. *Haematol. White Pap.* 1–8.
- Tebabal, B., Anagaw, T.F., Adamu, A., & Atnafu, D.D. (2023). Factors Influencing Blood Donation Practice Among Health Care Providers of Public Hospitals in Bahir Dar City, North West Ethiopia: A Case Control Study. *J. Blood Med.* 14 : 487–498.
- Tougan, T., Itagaki, S., Toya, Y., Uchihashi, K., & Horii, T. (2020). Implementation of a Red Blood Cell-optical (RBO) Channel for Detection of Latent Iron Deficiency Anaemia by Automated Measurement of Autofluorescence-emitting Red Blood Cells. *Sci. Rep.* 10 : 1–13.
- Trisna, G. (2016). Profil Status Besi dan Kejadian Defisiensi Besi pada Donor Darah di Unit Donor Darah PMI Kota Yogyakarta. Tesis. Universitas Gadjah Mada.
- Triyono, T., & Amijaya, K.A.T. (2023). Regular Donor Characteristics, Inter-Donation Interval and The Presence of Subclinical Anemia – A 3-Year Observational Single-Center Study. *J. Adv. Pharm. Educ. Res.* 13 : 118–123.
- Triyono, T., & Pratiwi, D. (2025). Analysis of Donor Characteristics in a Tertiary Hospital Blood Center in Indonesia. *J. Med. Pharm. Chem. Res.* 7 : 507–15.
- Turawa, E., Awotiwon, O., Dhansay, M.A., Cois, A., Labadarios, D., Bradshaw, D., *et al.* (2021). Prevalence of Anaemia, Iron Deficiency, and Iron Deficiency Anaemia in Women of Reproductive Age and Children Under 5 Years of Age in South Africa (1997–2021): A systematic Review. *Int. J. Environ. Res. Public Health* 18 : 2–17.
- Urrechaga, E., Borque, L., & Escanero, J.F. (2013). Biomarkers of Hypochromia: The Contemporary Assessment of Iron Status and Erythropoiesis. *Biomed Res. Int.* 2013.
- Urrechaga, E., Borque, L., & Escanero, J.F. (2012a). Percentage of Hypochromic Erythrocytes as a Potential Marker of Iron Availability. *Clin. Chem. Lab. Med.* 50 : 685–687.
- Urrechaga, E., Borque, L., & Escanero, J.F. (2009). Potential Utility of The New Sysmex XE 5000 Red Blood Cell Extended Parameters in The Study of Disorders of Iron Metabolism. *Clin. Chem. Lab. Med.* 47 : 1411–1416.
- Urrechaga, E., Borque, L., & F., J. (2012b). Assessing Iron Status in CKD Patients: New Laboratory Parameters. *Chronic Kidney Dis.* 03 : 225–50.
- Vassallo, R.R., Bravo, M.D., & Kamel, H. (2018). Ferritin Testing to Characterize and Address Iron Deficiency in Young Donors. *Transfusion* 58 : 2861–2867.

- Vhanda, D., Chinowaita, F., Nkomo, S., Timire, C., & Kouamou, V. (2021). Effects of Repeated Blood Donation on Iron Status of Blood Donors in Zimbabwe: A Cross-sectional Study. *Heal. Sci. Reports* 426 : 1–7.
- Vinkenoog, M., van den Hurk, K., van Kraaij, M., van Leeuwen, M., & Janssen, M.P. (2020). First Results of A Ferritin-Based Blood Donor Deferral Policy in The Netherlands. *Transfusion* 60 : 1785–1792.
- Vogt, A.C.S., Arsiwala, T., Mohsen, M., Vogel, M., Manolova, V., & Bachmann, M.F. (2021). On Iron Metabolism and Its Regulation. *Int. J. Mol. Sci.* 22 : 1–17.
- Wahdaniah, W., & Tumpuk, S. (2018). Perbedaan Penggunaan Antikoagulan K2EDTA DAN K3EDTA Terhadap Hasil Pemeriksaan Indeks Eritrosit. *J. Lab. Khatulistiwa* 1 : 114.
- Wang, B., Wirth, R., Bergmann, E., Funk, L., Giehl, C., Levermann, I., *et al.* (2025). Impact of Inflammatory Status on Intestinal Iron Absorption in Older Hospitalized Patients. *Eur. J. Clin. Nutr.* 1–6.
- Wawrzyniak-Gramacka, E., Hertmanowska, N., Tylutka, A., Morawin, B., Wacka, E., Gutowicz, M., *et al.* (2021). The Association of Anti-Inflammatory Diet Ingredients and Lifestyle Exercise with Inflammaging. *Nutrients* 13.
- Wee, S.Y., Muhamed Said, S.S., Raja Sabudin, R.Z.A., Alauddin, H., & Ithnin, A. (2020). Microcytic to Hypochromic Ratio as a Discriminant Index of Thalassaemia Trait in Subjects With Hypochromic Anaemia. *Malays. J. Pathol.* 42 : 195–201.
- Whitehead, R.D., Mei, Z., Mapango, C., & Jefferds, M.E.D. (2019). Methods and Analyzers for Hemoglobin Measurement in Clinical Laboratories and Field Settings. *Ann. N. Y. Acad. Sci.* 1450 : 147–171.
- Wiersum-Osselton, J.C., Marijt-Van Der Kreek, T., Brand, A., Veldhuizen, I., Van Der Bom, J.G., & De Kort, W. (2014). Risk Factors for Complications in Donors at First and Repeat Whole Blood Donation: A Cohort Study with Assessment of the Impact on Donor Return. *Blood Transfus.* 12 : 28–36.
- World Health Organization (2021). Global Status Report on Blood Safety and Availability. Geneva : World Health Organization.
- World Health Organization (2020). WHO Guideline on Use of Ferritin Concentrations to Assess Iron Status in Individuals and Population. Geneva : World Health Organization.
- World Health Organization (2018). Blood Transfusion Service in The South-East Asia Region. A 5-year Review. Geneva : World Health Organization.
- World Health Organization (2012). Blood Donor Selection: Guidelines on Assessing Donor Suitability for Blood Donation. Geneva : World Health Organization.
- World Health Organization and International Federation of Red Cross and Red Crescent Societies (2010). Towards 100 % Voluntary Blood Donation A Global Framework for Action, in: *World Health Organization - WHO*. p. 123, World Health Organization.
- Worwood, M., May, A.M., & Bain, B.J. (2017). Iron Deficiency Anaemia and Iron Overload, Twelfth Ed. ed, Dacie and Lewis Practical Haematology: Twelfth Edition. Elsevier Ltd.
- Yiannikourides, A., & Latunde-Dada, G. (2019). A Short Review of Iron

- Metabolism and Pathophysiology of Iron Disorders. *Medicines* 6 : 85.
- Zady, M.F. (2025). Z-4: Mean, Standard Deviation, And Coefficient Of Variation [WWW Document]. *Westgard*. URL <https://westgard.com/lessons/z-stats-basic-statistics/lesson34.html> (accessed 5.27.25).
- Zeidan, R.S., Martenson, M., Tamargo, J.A., McLaren, C., Ezzati, A., Lin, Y., *et al.* (2024). Iron Homeostasis in Older Adults: Balancing Nutritional Requirements and Health Risks. *J. Nutr. Heal. Aging* 28 : 100212.
- Zeiler, T., Lander-Kox, J., & Alt, T. (2014). Blood Donation by Elderly Repeat Blood Donors. *Transfus. Med. Hemotherapy* 41 : 242–250.
- Zhu, X. (2021). Sample Size Calculation for Mann-Whitney U Test with Five Methods. *Int. J. Clin. Trials* 8 : 184.
- Zierk, J., Krebs, A., Rauh, M., Metzler, M., Löscher, A., Strasser, E., *et al.* (2020). Blood Counts in Adult and Elderly Individuals: Defining the Norms Over Eight Decades of Life. *Br. J. Haematol.* 189 : 777–789.
- Zimmermann, M.B., & Hurrell, R.F. (2007). Nutritional Iron Deficiency. *Lancet* 370 : 511–520.