

DAFTAR PUSTAKA

- [1] P. Wilson, "State of smart cities in uk and beyond," *IET Smart Cities*, vol. 1, no. 1, pp. 19–22, 2019. [Online]. Available: <https://ietresearch.onlinelibrary.wiley.com/doi/abs/10.1049/iet-smc.2019.0024>
- [2] K. Salah-ddine, K. Mustapha, and L. Elmaimouni, "Reducing traffic congestion in modern cities, a challenge based on physico-mathematical theories and wireless sensor network," *International Journal of Mechanical and Production Engineering Research and Development*, vol. 8, 01 2018.
- [3] P. Anciaes, P. Jones, J. S. Mindell, and S. Scholes, "The cost of the wider impacts of road traffic on local communities: 1.6Transportation Research Part A: Policy and Practice," vol. 163, pp. 266–287, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0965856422001379>
- [4] C. Stalidi, A. M. Tudor, G. Bucur, and G. Suciu, "The future of smart cities," *INTERNATIONAL SCIENTIFIC CONFERENCE "STRATEGIESXXI"*, 2022. [Online]. Available: <https://api.semanticscholar.org/CorpusID:254395449>
- [5] S. R. Raut, Chandrashekhar. M. dan Devane, "Sistem transportasi cerdas untuk kota pintar menggunakan vanet," in *Konferensi Internasional tentang Komunikasi dan Pemrosesan Sinyal (ICCSP) 2017*, 2017, pp. 1602–1605.
- [6] S. Yu, Q. Cao, C. Wang, G. Xu, H. Ma, Y. Zhu, Y. Peng, and Y. Jia, "Efficient ecc-based conditional privacy-preserving aggregation signature scheme in v2v," *IEEE Transactions on Vehicular Technology*, vol. 72, no. 11, pp. 15 028–15 039, 2023.
- [7] L. Zhu, F. R. Yu, Y. Wang, B. Ning, and T. Tang, "Big data analytics in intelligent transportation systems: A survey," *IEEE Transactions on Intelligent Transportation Systems*, vol. 20, no. 1, pp. 383–398, 2019.
- [8] A. Al-Ahwal, "Performance prediction for aodv, aomdv, and hybrid protocols in the high-density networks," *Engineering Research Journal (Shoubra)*, vol. 51, no. 3, pp. 152–162, 2022.
- [9] X. Zhou, M. Luo, P. Vijayakumar, C. Peng, and D. He, "Efficient certificateless conditional privacy-preserving authentication for vanets," *IEEE Transactions on Vehicular Technology*, vol. 71, no. 7, pp. 7863–7875, 2022.
- [10] K. Yan, H. Hu, G. Xu, Y. Wang, G. Zhang, and L. Li, "Selfish node filtering algorithm based on opportunity network," in *2024 27th International Conference on Computer Supported Cooperative Work in Design (CSCWD)*, 2024, pp. 1752–1757.
- [11] Z. Lu, G. Qu, and Z. Liu, "A survey on recent advances in vehicular network security, trust, and privacy," *IEEE Transactions on Intelligent Transportation Systems*, vol. 20, no. 2, pp. 760–776, 2019.
- [12] J. Kour, P. Sharma, and A. Mahajan, "Security breaches in vanets and possible solutions," in *2023 International Conference on Sustainable Computing and Smart Systems (ICSCSS)*, 2023, pp. 1521–1527.

- [13] X. Feng, Y. Wang, K. Cui, and L. Wang, "A lightweight dual authentication scheme for v2v communication in 6g-based vanets," *Digital Communications and Networks*, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2352864824001718>
- [14] M. Poongodi, V. Vijayakumar, F. Al-Turjman, M. Hamdi, and M. Ma, "Intrusion prevention system for ddos attack on vanet with recaptcha controller using information based metrics," *IEEE Access*, vol. 7, pp. 158 481–158 491, 2019.
- [15] M. H. Junejo, A. A.-H. B. A. Rahman, R. A. Shaikh, K. M. Yusof, and S. Sadih, "Trust model for reliable grouping-based communications in vehicular ad-hoc networks," *IEEE Access*, vol. 11, pp. 124 584–124 596, 2023.
- [16] M. Ananthapur and V. Patil, "Pusr: Position update secure routing protocol for manet," *International Journal of Intelligent Engineering and Systems*, vol. 14, pp. 93–102, 02 2021.
- [17] A. M. B. C. Quevedo, C. H. O. O. Quevedo, R. L. Gomes, S. F. Camara, and J. Celestino, "A reputation and security mechanism for heterogeneous vehicular networks," in *2022 IEEE Symposium on Computers and Communications (ISCC)*, 2022, pp. 1–6.
- [18] Q. He, D. Wu, and P. Khosla, "Sori: a secure and objective reputation-based incentive scheme for ad-hoc networks," in *2004 IEEE Wireless Communications and Networking Conference (IEEE Cat. No.04TH8733)*, vol. 2, 2004, pp. 825–830 Vol.2.
- [19] S. Janakiraman and M. D. Priya, "Selfish node detection scheme based on bates distribution inspired trust factor for manets," *EAI Endorsed Transactions on Energy Web*, vol. 9, no. 6, p. e1, Feb 2023. [Online]. Available: <https://publications.eai.eu/index.php/ew/article/view/3065>
- [20] H. Han, M. Zhang, Z. Xu, X. Dong, and Z. Wang, "Decentralized trust management and incentive mechanisms for secure information sharing in vanet," *IEEE Access*, vol. 12, pp. 124 414–124 427, 2024.
- [21] J. Guo, X. Li, Z. Liu, J. Ma, C. Yang, J. Zhang, and D. Wu, "Trove: A context-awareness trust model for vanets using reinforcement learning," *IEEE Internet of Things Journal*, vol. 7, no. 7, pp. 6647–6662, 2020.
- [22] S. A. Soleymani, A. H. Abdullah, M. Zareei, M. H. Anisi, C. Vargas-Rosales, M. Khurram Khan, and S. Goudarzi, "A secure trust model based on fuzzy logic in vehicular ad hoc networks with fog computing," *IEEE Access*, vol. 5, pp. 15 619–15 629, 2017.
- [23] S. Mazilu, M. Teler, and C. Dobre, "Securing vehicular networks based on data-trust computation," in *2011 International Conference on P2P, Parallel, Grid, Cloud and Internet Computing*, 2011, pp. 51–58.
- [24] J. Luo, X. Liu, and M. Fan, "A trust model based on fuzzy recommendation for mobile ad-hoc networks," *Computer Networks*, vol. 53, no. 14, pp. 2396–2407, 2009. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1389128609001546>

- [25] M. M. Ashraf, S. Boudjit, S. Zeadally, N. E. H. Bahloul, and N. Bashir, "Integrating unmanned aerial vehicles (uavs) with vehicular ad-hoc networks (vanets): Architectures, applications, opportunities," *Computer Networks*, vol. 255, p. 110873, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1389128624007059>
- [26] M. Ajin and R. Shaji, "Enhancing security in vanets: Adaptive bald eagle search optimization based multi-agent deep q neural network for sybil attack detection," *Vehicular Communications*, vol. 54, p. 100928, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2214209625000555>
- [27] H. Woo and M. Lee, "A hierarchical location service architecture for vanet with aggregated location update," *Computer Communications*, vol. 125, pp. 38–55, 2018. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0140366416306922>
- [28] J. Ghosh, N. Kumar, K. A. Al-Utaibi, S. M. Sait, V. N. Vo, and C. So-In, "Reliable data transmission for a vanet-iiot architecture: A dnn approach," *Internet of Things*, vol. 25, p. 101129, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2542660524000714>
- [29] S. Mazhar, A. Rakib, L. Pan, F. Jiang, A. Anwar, R. Doss, and J. Bryans, "State-of-the-art authentication and verification schemes in vanets: A survey," *Vehicular Communications*, vol. 49, p. 100804, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2214209624000792>
- [30] M. K. Tanati and M. Ponnusamy, "Dense capsule stacked auto-encoder model based ddos attack detection and hybrid optimal bandwidth allocation with routing in vanet environment," *Vehicular Communications*, vol. 52, p. 100888, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2214209625000154>
- [31] R. Sultana, J. Grover, and M. Tripathi, "Intelligent defense strategies: Comprehensive attack detection in vanet with deep reinforcement learning," *Pervasive and Mobile Computing*, vol. 103, p. 101962, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1574119224000877>
- [32] Q. Xie and Y. Zhao, "Efficient and secure batch-aggregation scheme against poisoning attacks for federated learning in vanets," *Computer Networks*, vol. 270, p. 111493, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1389128625004608>
- [33] M. A. Abdelmaguid, H. S. Hassanein, and M. Zulkernine, "Securing the unforeseen: Enhancing vanet security with dynamic honeypots and attack rate analysis," *Vehicular Communications*, vol. 55, p. 100946, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2214209625000737>
- [34] A. Malik, M. Z. Khan, M. Faisal, M. N. Khan, T. Hussain, and R. W. Attar, "Comprehensive taxonomy and critical analysis of mitigation approaches for black-hole and gray-hole security attacks in aodv-based vanets," *Computers and Electrical Engineering*, vol. 122, p. 109950, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0045790624008759>

- [35] R. Mishra, A. Singh, and R. Kumar, "Vanet security: Issues, challenges and solutions," in *2016 International Conference on Electrical, Electronics, and Optimization Techniques (ICEEOT)*. IEEE, 2016, pp. 1050–1055.
- [36] K. A. Awan, I. Ud Din, A. Almogren, M. Guizani, and S. Khan, "Stabtrust—a stable and centralized trust-based clustering mechanism for iot enabled vehicular ad-hoc networks," *IEEE Access*, vol. 8, pp. 21 159–21 177, 2020.
- [37] S. Sharma and A. Kaul, "Hybrid fuzzy multi-criteria decision making based multi cluster head dolphin swarm optimized ids for vanet," *Vehicular Communications*, vol. 12, pp. 23–38, 2018.
- [38] M. K. Pulligilla and C. Vanmathi, "An authentication approach in sdn-vanet architecture with rider-sea lion optimized neural network for intrusion detection," *Internet of Things*, vol. 22, p. 100723, 2023.
- [39] K. Adhikary, S. Bhushan, S. Kumar, and K. Dutta, "Hybrid algorithm to detect ddos attacks in vanets," *Wireless Personal Communications*, vol. 114, pp. 3613–3634, 2020.
- [40] H. B. Tulay and C. Emre Koksall, "Sybil attack detection based on signal clustering in vehicular networks," *IEEE Transactions on Machine Learning in Communications and Networking*, vol. 2, pp. 753–765, 2024.
- [41] M. Liu, H. Tang, and D. Li, "Blockchain-based secure routing algorithm with accumulating trust in vanets," *Procedia Computer Science*, vol. 224, pp. 44–51, 2023, 18th International Conference on Future Networks and Communications / 20th International Conference on Mobile Systems and Pervasive Computing / 13th International Conference on Sustainable Energy Information Technology. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1877050923010566>
- [42] M. Hosseinzadeh, S. Ali, H. Jawad Ahmad, F. Alanazi, M. S. Yousefpoor, E. Yousefpoor, O. H. Ahmed, A. M. Rahmani, and S.-W. Lee, "A novel q-learning-based secure routing scheme with a robust defensive system against wormhole attacks in flying ad hoc networks," *Vehicular Communications*, vol. 49, p. 100826, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2214209624001013>
- [43] A. Afdhal, S. Muchallil, H. Walidainy, and Q. Yuhardian, "Black hole attacks analysis for aodv and aomdv routing performance in vanets," in *2017 International Conference on Electrical Engineering and Informatics (ICELTICS)*. IEEE, 2017, pp. 29–34.
- [44] P. Shah and T. Kasbe, "Detecting sybil attack, black hole attack and dos attack in vanet using rsa algorithm," in *2021 Emerging Trends in Industry 4.0 (ETI 4.0)*. IEEE, 2021, pp. 1–7.
- [45] S. Buchegger and J.-Y. Le Boudec, "Performance analysis of the confidant protocol," in *Proceedings of the 3rd ACM International Symposium on Mobile Ad Hoc Networking & Computing*, ser. MobiHoc '02. New York, NY, USA: Association for Computing Machinery, 2002, p. 226–236. [Online]. Available: <https://doi.org/10.1145/513800.513828>

- [46] K. Su, J. Li, and H. Fu, "Smart city and the applications," *2011 International Conference on Electronics, Communications and Control (ICECC)*, pp. 1028–1031, 2011. [Online]. Available: <https://api.semanticscholar.org/CorpusID:44799646>
- [47] Y. Liu and R. Hou, "About the sensing layer in internet of things [j]," *Computer Study*, vol. 5, pp. 55–62, 2010.
- [48] S. Ravi and M. R. Mamdakar, "A review on its (intelligent transportation systems) technology," in *2022 International Conference on Applied Artificial Intelligence and Computing (ICAAIC)*, 2022, pp. 155–159.
- [49] H. Li, Y. Chen, K. Li, C. Wang, and B. Chen, "Transportation internet: A sustainable solution for intelligent transportation systems," *IEEE Transactions on Intelligent Transportation Systems*, vol. 24, no. 12, pp. 15 818–15 829, 2023.
- [50] S. S. T. S. Balaji, "Networking controller based real time traffic prediction in clustered vehicular adhoc networks," *Intelligent Automation & Soft Computing*, vol. 35, no. 2, pp. 2189–2203, 2023. [Online]. Available: <http://www.techscience.com/iasc/v35n2/48901>
- [51] W. Najib, S. Sulistyono, and Widyawan, "Survey on trust calculation methods in internet of things," *Procedia Computer Science*, vol. 161, pp. 1300–1307, 2019, the Fifth Information Systems International Conference, 23-24 July 2019, Surabaya, Indonesia. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S187705091931957X>
- [52] R. Hussain, J. Lee, and S. Zeadally, "Trust in vanet: A survey of current solutions and future research opportunities," *IEEE Transactions on Intelligent Transportation Systems*, vol. 22, no. 5, pp. 2553–2571, 2021.
- [53] L. A. Zadeh and R. A. Aliev, *Fuzzy logic theory and applications: part I and part II*. World Scientific Publishing, 2018.
- [54] M. M. SHAFIEI, H. SHIRGAHI, H. MOTAMENI, and B. BARZEGAR, "A fuzzy system for evaluating trustworthiness of users in a social network," *IJUM Engineering Journal*, vol. 23, no. 2, pp. 154–170, Jul 2022. [Online]. Available: <https://journals.iium.edu.my/ejournal/index.php/iiumej/article/view/1697>
- [55] J. John and K. Singh, "Trust value evaluation of cloud service providers using fuzzy inference based analytical process," *Scientific Reports*, vol. 14, 08 2024.
- [56] H. Wang, Y. Zhang, Y. Song, Y. Cao, C. Y. Leow, and S. Bao, "Srbr: Anti-selfish routing based on social similarity and reputation using fuzzy logic," in *2023 IEEE 22nd International Conference on Trust, Security and Privacy in Computing and Communications (TrustCom)*, 2023, pp. 577–584.
- [57] R. Imamguluyev, J. Nabiyeva, T. Imanova, R. Mikayilova, N. Umarova, and T. Abdullayev, "Enhancing iot efficiency: The role of fuzzy logic in smart decision making," in *2024 5th International Conference on Mobile Computing and Sustainable Informatics (ICMCSI)*, 2024, pp. 434–440.

- [58] D. Han, X. Du, L. Wang, X. Liu, and X. Tian, "Trust-aware and fuzzy logic-based reliable layering routing protocol for underwater acoustic networks," *Sensors*, vol. 23, no. 23, 2023. [Online]. Available: <https://www.mdpi.com/1424-8220/23/23/9323>
- [59] M. Sharma, N. Dhiman, A. Sharma, and T. Kumar, "Iomt tsukamoto type-2 fuzzy expert system for tuberculosis and alzheimer's disease," *Clinical eHealth*, 2024. [Online]. Available: <https://api.semanticscholar.org/CorpusID:269816665>
- [60] D. Chen, G. Chang, D. Sun, J. Li, J. Jia, and X. Wang, "Trm-iot: A trust management model based on fuzzy reputation for internet of things," *Comput. Sci. Inf. Syst.*, vol. 8, pp. 1207–1228, 10 2011.
- [61] X. Yang, Z. Zheng, J. Xie, W. Zhao, J. Xue, and F. Nie, "Spectral ensemble clustering from graph reconstruction with auto-weighted cluster," *Pattern Recognition Letters*, vol. 196, pp. 243–249, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0167865525002193>
- [62] S. Sharma and S. K. Awasthi, "Zone-based stable and secure clustering technique for vanets," *Simulation Modelling Practice and Theory*, vol. 130, p. 102863, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1569190X23001405>
- [63] K. Giridhar, C. Anbuananth, and N. Krishnaraj, "Energy efficient clustering with heuristic optimization based routing protocol for vanets," *Measurement: Sensors*, vol. 27, p. 100745, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2665917423000818>
- [64] G. Kayhan, N. Aydin, and S. Demirci, "A novel clustering approach for recommendation systems using adaptive fuzzy clustering with jensen–shannon divergence," *Computer Standards Interfaces*, vol. 95, p. 104035, 2026. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0920548925000649>
- [65] C. Cooper, D. Franklin, M. Ros, F. Safaei, and M. Abolhasan, "A comparative survey of vanet clustering techniques," *IEEE Communications Surveys Tutorials*, vol. 19, no. 1, pp. 657–681, 2017.
- [66] M. S. Talib, A. Hassan, T. Alamery, Z. A. Abas, A. A.-J. Mohammed, A. J. Ibrahim, and N. I. Abdullah, "A center-based stable evolving clustering algorithm with grid partitioning and extended mobility features for vanets," *IEEE Access*, vol. 8, pp. 169 908–169 921, 2020.
- [67] K. Gu, X. Dong, X. Li, and W. Jia, "Cluster-based malicious node detection for false downstream data in fog computing-based vanets," *IEEE Transactions on Network Science and Engineering*, vol. 9, no. 3, pp. 1245–1263, 2022.
- [68] K. N, S. N, R. R. J, L. S, and S. P, "Malicious node detection in vanet using fuzzy clustering technique," in *2021 6th International Conference on Inventive Computation Technologies (ICICT)*, 2021, pp. 1159–1164.
- [69] Q. Luo, H. Li, X. Yang, and H. Qin, "Secure three-party clustering with identifying malicious behavior," *High-Confidence Computing*, p. 100342, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2667295225000467>

- [70] M. C. Blessy A and B. S, “Maximizing vanet performance in cluster head selection using intelligent fuzzy bald eagle optimization,” *Vehicular Communications*, vol. 45, p. 100660, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2214209623000906>
- [71] S. Zhao, R. Yang, F. Meng, and L. Cai, “Optimizing cluster centroids with improved quadratic interpolation: An adaptive k-means algorithm,” *Journal of Computational and Applied Mathematics*, p. 116921, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0377042725004352>
- [72] H. Xia, Y. Zhou, J. Li, L. Bai, J. Li, and F. Zhou, “Outlier detection via optimized density peaks clustering and k-means-derived objective function,” *Chaos, Solitons Fractals*, vol. 199, p. 116791, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0960077925008045>
- [73] A. A. Rahman and S. I. Hamim, “Improved k-means clustering and adaptive distance threshold for energy reduction in wsn-iots,” *Array*, vol. 27, p. 100436, 2025. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2590005625000633>
- [74] Z. N. Shehab, R. M. Faisal, and S. W. Ahmed, “Multi-criteria decision making (mcdm) approach for identifying optimal solar farm locations: A multi-technique comparative analysis,” *Renewable Energy*, vol. 237, p. 121787, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S096014812401855X>
- [75] R. O’Shea, P. Deeney, E. Triantaphyllou, L. Diaz-Balteiro, and S. Armagan Tarim, “Weight stability intervals for multi-criteria decision analysis using the weighted sum model,” *Expert Systems with Applications*, vol. 296, p. 128460, 2026. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0957417425020792>
- [76] N. Basta, A. El-Nahas, and H. P. Grossmann, “Generic Geo-Social Mobility Model for VANET Simulation,” in *International Conference on Connected Vehicles and Expo (ICCVE)*. Los Alamitos, CA, USA: IEEE Computer Society, Dec. 2012, pp. 284–285. [Online]. Available: <https://doi.ieeecomputersociety.org/10.1109/ICCVE.2012.62>
- [77] C. Nawej, P. Owolawi, and T. Walingo, “Design and simulation of vanets testbed using openstreetmap, sumo, and ns-2,” in *2021 IEEE 6th International Conference on Computer and Communication Systems (ICCCS)*, 2021, pp. 582–587.
- [78] P. A. Lopez, M. Behrisch, L. Bieker-Walz, J. Erdmann, Y.-P. Flötteröd, R. Hilbrich, L. Lücken, J. Rummel, P. Wagner, and E. Wiessner, “Microscopic traffic simulation using sumo,” in *2018 21st International Conference on Intelligent Transportation Systems (ITSC)*, 2018, pp. 2575–2582.
- [79] A. Gammaa, S. Khaleghian, T. Tran, and M. Sartipi, “Improving vanet simulation channel model in an urban environment via calibration using real-world communication data,” 2025. [Online]. Available: <https://arxiv.org/abs/2502.07954>
- [80] The MathWorks, Inc. (2025) Matlab. [Online]. Available: <https://www.mathworks.com/products/matlab.html>

- [81] K. G. Lim, C. H. Lee, R. K. Yin Chin, K. B. Yeo, and K. T. K. Teo, "Simulators for vehicular ad hoc network (vanet) development," in *2016 IEEE International Conference on Consumer Electronics-Asia (ICCE-Asia)*, 2016, pp. 1–4.
- [82] A. I. Abdelaal, M. M. Ghoneima, and B. A. Abdullah, "Towards a novel matlab framework for vanets simulation," in *2021 International Conference on Microelectronics (ICM)*, 2021, pp. 21–24.
- [83] K. G. Lim, C. H. Lee, R. K. Y. Chin, K. Beng Yeo, and K. T. K. Teo, "Sumo enhancement for vehicular ad hoc network (vanet) simulation," in *2017 IEEE 2nd International Conference on Automatic Control and Intelligent Systems (I2CACIS)*, 2017, pp. 86–91.
- [84] H. A. Hachemane and J. Ben-Othman, "Simulating vehicular mobility: A comprehensive framework using matlab simevents," in *2023 International Wireless Communications and Mobile Computing (IWCMC)*, 2023, pp. 302–306.