

## DAFTAR PUSTAKA

- Ahmad, F., Megia, R. and Poerba, Y.S. (2014). Genetic Diversity of *Musa balbisiana* Colla in Indonesia Based on AFLP Marker. *Hayati Journal of Biosciences*, 21(1), pp. 39–47. Available at: <https://doi.org/10.4308/hjb.21.1.39>.
- Alaaraj, N., Soliman, A. and Rogol, A.D. (2021). Growth of malnourished infants and children\_ how is inflammation involved. *Expert Review Of Endocrinology & Metabolism* 16, pp. 213–216. Available at: <https://doi.org/17446651.2021.1956903>.
- Aladaileh, S.H., Husein, O.E., Abukhalil, M.H., Saghir, S.A.M., Bin-Jumah, M., Alwuaire M. A., *et al.* (2019). Formononetin Upregulates Nrf2/HO-1 Signaling and Prevents Oxidative Stress, Inflammation, and Kidney Injury in Methotrexate-Induced Rats. *Antioxidants*, 8(10), p. 430. Available at: <https://doi.org/10.3390/antiox8100430>.
- Allen, B. and Saunders, J. (2023). Malnutrition and undernutrition: causes, consequences, assessment and management. *Medicine (United Kingdom)*, 51(7), pp. 461–468. Available at: <https://doi.org/10.1016/j.mpmed.2023.04.004>.
- Bailey-Downs, L.C., Mitschelen, M., Sosnowska, D., Toth, P., Pinto, J.T., Ballabh, P., Valcarcel-Ares, M.N. *et al.* (2012). Liver-Specific Knockdown of IGF-1 Decreases Vascular Oxidative Stress Resistance by Impairing the NRF2-Dependent Antioxidant Response: A Novel Model of Vascular Aging. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 67A(4), pp. 313–329. Available at: <https://doi.org/10.1093/gerona/qlr164>.
- Baishya, H., Goswami, R. and Gogoi, L.J. (2023). Development of Ready-to-Eat functional food prepared from seeded banana Bhimkol (*Musa balbisiana* Colla) and Black rice (*Oryza sativa* L.). *Journal of Applied Biology and Biotechnology*, 11(1), pp. 183–187. Available at: <https://doi.org/10.7324/JABB.2023.110111>.
- Batista, T.M., Da Silva, P.M.R., Amaral, A.G., Ribeiro, R.A., Boschero, A.C. and Carneiro, E.M. (2013). Taurine supplementation restores insulin secretion and reduces ER stress markers in protein-malnourished mice. *Advances in Experimental Medicine and Biology*, 776, pp. 129–139. Available at: [https://doi.org/10.1007/978-1-4614-6093-0\\_14](https://doi.org/10.1007/978-1-4614-6093-0_14).
- Bhutta, Z.A., Berkley, J.A., Bandsma, R.H.J., Kerac, M., Trehan, I. and Briend, A. (2017). Severe childhood malnutrition. *Nature Reviews Disease Primers*, 3(1). Available at: <https://doi.org/10.1038/NRDP.2017.67>.
- Borborah, K., Borthakur, S.K. and Tanti, B. (2016). *Musa balbisiana* Colla-Taxonomy, Traditional knowledge and economic potentialities of the plant in Assam, India. *Indian Journal of Traditional Knowledge*, 15(1), pp. 116–120.
- Bourrin, S., Ammann, P., Bonjour, J.P. and Rizzoli, R. (2000). Dietary protein restriction lowers plasma insulin-like growth factor I (IGF-I), impairs cortical bone formation, and induces osteoblastic resistance to IGF-I in adult female rats. *Endocrinology*, 141(9), pp. 3149–3155. Available at: <https://doi.org/10.1210/endo.141.9.7633>.
- Brissenden, J.E., Ullrich, A. and Francke, U. (1984). Human chromosomal mapping of genes for insuline-like growth factors I and II and epidermal growth factor. *Nature Publishing Group*, 310 (5980), pp. 781–784.
- Brito, M.V.H., Pantoja, M.D.S., Brito, A.P.O., Palheta, C. da S.A., Da Silva, M.P *et al.* (2016). Experimental malnutrition : A Systematic Review. *Integrative Food, Nutrition and Metabolism*, 3(3), pp. 305–308. Available at: <https://doi.org/10.15761/IFNM.1000148>.



- Bryszewska, M. A., Tomás-Cobos, L., Gallego, E., Villalba, M., Rivera, D., Saa, D. L. T., and Gianotti, A. (2019). In vitro bioaccessibility and bioavailability of iron from breads fortified with microencapsulated iron. *LWT*, 99, pp. 431–437. Available at: <https://doi.org/10.1016/j.lwt.2018.09.071>.
- Carrasco-Pozo, C., Castillo, R. L., Beltrán, C., Miranda, A., Fuentes, J., and Gotteland, M. (2016). Molecular mechanisms of gastrointestinal protection by quercetin against indomethacin-induced damage: role of NF- $\kappa$ B and Nrf2. *The Journal of nutritional biochemistry*, 27, 289–298. <https://doi.org/10.1016/j.jnutbio.2015.09.016>
- Cederholm, T., Jensen, G.L., Correia, M.I.T.D., Gonzalez, M.C., Fukushima, R., Compher, C. *et al.* (2019). GLIM criteria for the diagnosis of malnutrition – A consensus report from the global clinical nutrition community. *Journal of Cachexia, Sarcopenia and Muscle*, 10(1), pp. 207–217. Available at: <https://doi.org/10.1002/jcsm.12383>.
- Chen, Y., Zhao, Y., Lu, H., Zhang, W., Gai, Y., Niu, *et al.* (2024). Protective Effect of Short-Chain Fructo-Oligosaccharides From Chicory on Alcohol-Induced Injury in GES-1 Cells via KEAP1/NRF2 and NLRP3 Inflammasome Signaling Pathways. *Frontiers in Nutrition*, 11, pp. 1374579. Available at: <https://doi.org/10.3389/fnut.2024.1374579>.
- Cheng, H. T., Yen, C. J., Chang, C. C., Huang, K. T., Chen, K. H., Zhang, R. Y., Lee, P. Y., Miaw, S. C., Huang, J. W., Chiang, C. K., Wu, K. D., and Hung, K. Y. (2015). Ferritin heavy chain mediates the protective effect of heme oxygenase-1 against oxidative stress. *Biochimica et biophysica acta*, 1850(12), 2506–2517. <https://doi.org/10.1016/j.bbagen.2015.09.018>
- Chowdhury, S.R., Sengupta, S., Biswas, S., Sen, R., Sinha, T.K., Basak, R.K., *et al.* (2015). Low Fucose Containing Bacterial Polysaccharide Facilitate Mitochondria-dependent ROS-Induced Apoptosis of Human Lung Epithelial Carcinoma via Controlled Regulation of MAPKs-Mediated NRF2/KEAP1 Homeostasis Signaling. *Molecular Carcinogenesis*, 54(12), pp. 1636–1655. Available at: <https://doi.org/10.1002/mc.22236>.
- Cirillo, F., Lazzeroni, P., Sartori, C., and Street, M.E. (2017). Inflammatory Diseases and Growth : Effects on the GH – IGF Axis and on Growth Plate. *International Journal of Molecular Sciences*, 18(9), pp. 1978. Available at: <https://doi.org/10.3390/ijms18091878>.
- Cuadrado, A., Ye, J. and Lastres-becker, I. (2014). Transcription Factors NRF2 and NF-KB Are Coordinated Effectors of the Rho Family, GTP-binding Protein RAC1 during Inflammation. *Journal Of Biological Chemistry*, 289(22), pp. 15244–15258. Available at: <https://doi.org/10.1074/jbc.M113.540633>.
- Dan, M. and Thaha, M.A. (2014). Nutritional Studies on Lesser Known Wild Edible Bananas from Western Ghats, India. *Global Journal of Research on Medicinal Plants & Indigenous Medicine*, 3(4), pp. 127–133.
- De Paiva, I.H.R., da Silva, R. S., Mendonça, I. and Duarte-Silva, E. (2023). Fructooligosaccharide (FOS) and Galactooligosaccharide (GOS) Improve Neuroinflammation and Cognition By Up-regulating IRS/PI3K/AKT Signaling Pathway in Diet-induced Obese Mice. *Journal of Neuroimmune Pharmacology*, 18(3), pp. 427–447. Available at: <https://doi.org/10.1007/s11481-023-10069-8>.
- DeBoer, M.D., Scharf, R.J., Leite, A.M., Ferrer, A., Havt, A., Pinkerton R. *et al.* (2017). Systemic inflammation, growth factors, and linear growth in the setting of infection and malnutrition. *Nutrition*, 33, pp. 248–253. Available at: <https://doi.org/10.1016/j.nut.2016.06.013>.
- Dodson, M., Castro-Portuguez, R., and Zhang, D. D. (2019). NRF2 plays a critical role in mitigating lipid peroxidation and ferroptosis. *Redox biology*, 23, 101107. available at:



<https://doi.org/10.1016/j.redox.2019.101107>

- D'Souza, V., Madhura, R.J., Shetty, M., Varsha, A., Chakraborty, Kumar B.M. *et al.* (2023). Protein Malnutrition in BALB/c Mice: An Experimental Model Resembling Clinical Scenario. *Journal of Health and Allied Sciences NU*, 13(04), pp. 490–496. Available at: <https://doi.org/10.1055/s-0042-1758526>.
- Duarte, T.L., Talbot, N.P. and Drakesmith, H. (2020). NRF2 and hypoxia inducible factors : key players in the redox control of systemic iron homeostasis. *Antioxidants and Redox Signaling*, 6, pp. 1–54. Available at: <https://doi.org/10.1089/ars.2020.8148>.
- Edyanto, A.S., Huriyati, E., Ainun, N., Nurrahma, B.A. and Farmawati Arta. (2023). Iron-fortified klutuk banana (*Musa balbisiana* Colla) flour supplementation prevented growth failure by suppressing FGF21 in malnourished rats. *Nutrition & Food Science*. Available at: <https://doi.org/10.1108/NFS-05-2022-0165>.
- Estrela, D.C., Lemes, C.G.C., Guimarães, A.T.B. and Malafaia, G. (2014). Effects of short-term malnutrition in rats. *Scientia Plena*, 10(7), pp. 1–13.
- Farmawati, A., Huriyati, E., Nisa, A., Edyanto, A.S. and Nurrahma, B.A. (2024). Potensi Tepung Pisang Klutuk Terfortifikasi Besi sebagai Alternatif Pangan Fungsional: Kajian Kandungan Gizi, Mikrobiologi, Organoleptik, dan Umur Simpan. Dalam *Diversifikasi Pangan Lokal untuk Ketahanan Pangan: Perspektif Teknologi dan Peningkatan Nilai Tambah*. BRIN, pp. 101–132. DOI:10.55981/brin.1587.c1217. E-ISBN:978-602-6303-39-4
- Fazeli, P.K. and Klibanski, A. (2014). Determinants of GH resistance in malnutrition. *Journal of Endocrinology*, 220, pp. 57–65. Available at: <https://doi.org/10.1530/JOE-13-0477>.
- Gan, Y., Buckels, A., Liu, Y., Zhang, Y., Paterson, A.J., Frank, S.J., *et al.* (2014). Human gh Receptor-Igf-1 receptor interaction: Implications for gh signaling. *Molecular Endocrinology*, 28(11), pp. 1841–1854. Available at: <https://doi.org/10.1210/me.2014-1174>.
- Ge, M.-K., Zhang, C., Zhang, N., He, P., Cai, H., Li, S *et al.* (2023). The tRNA-GCN2-FBXO22-axis-mediated mTOR ubiquitination senses amino acid insufficiency', *Cell Metabolism*, 35(12), pp. 2216–2230.e8. Available at: <https://doi.org/10.1016/j.cmet.2023.10.016>.
- Gentile, C.L., Frye, M. and Pagliassotti, M.J. (2011). Endoplasmic reticulum stress and the unfolded protein response in nonalcoholic fatty liver disease. *Antioxidants and Redox Signaling*, 15(2), pp. 505–521. Available at: <https://doi.org/10.1089/ars.2010.3790>.
- Ghavidel, F., Amiri, H., Tabrizi, M.H., Alidadi, S., Hosseini, H., and Sahebkar, A. (2024). The Combinational Effect of Inulin and Resveratrol on the Oxidative Stress and Inflammation Level in a Rat Model of Diabetic Nephropathy. *Current Developments in Nutrition*, 8(1), pp. 102059. Available at: <https://doi.org/10.1016/j.cdnut.2023.102059>.
- Ghosh, T. and Dash, K.K. (2018). Engineering in Agriculture , Environment and Food Respiration rate model and modified atmosphere packaging of bhimkol banana. *Engineering in Agriculture, Environment and Food*, 11(4), pp. 186–195. Available at: <https://doi.org/10.1016/j.eaef.2018.04.004>
- Gomaa, A.M.S., Abd El-Mottaleb, N.A. and Aamer, H.A. (2018). Antioxidant and anti-inflammatory activities of alpha lipoic acid protect against indomethacin-induced gastric ulcer in rats. *Biomedicine & Pharmacotherapy*, 101, pp. 188–194. Available at: <https://doi.org/10.1016/j.biopha.2018.02.070>
- Gurumayum, N., Khound, P. and Devi, R. (2024). *Musa balbisiana* seed ameliorates methylglyoxal-induced oxidative stress and advanced glycation end-product formation via modulation of RAGE expression and SIRT1/PGC-1 $\alpha$ /TFAM activation in HepG2 cells. *Food Bioscience*, 60, p. 104415. Available at: <https://doi.org/10.1016/j.fbio.2024.104415>.



- Hakuno, F. and Takahashi, S.I. (2018). 40 years of IGF1: IGF1 receptor signaling pathways. *Journal of Molecular Endocrinology*, 61(1), pp. 69–86. Available at: <https://doi.org/10.1530/JME-17-0311>.
- Hanidah, I. I., Nurhasanah, S., Moody, S. D., Andriani, Y. and Patricia K.. (2024). Inulin Characterization From Tuber of *Musa balbisiana* Colla As an Alternative Source of Prebiotics. *Action: Aceh Nutrition Journal*, 9(2), pp. 220. Available at: <https://doi.org/10.30867/action.v9i2.1577>.
- Hawkes, C.P. and Grimberg, A. (2017). Insulin-Like Growth Factor-I is a Marker for the Nutritional State. *Pediatr Endocrinol Rev*, 13(2), pp. 499–511.
- Herrera, M.L., Champarini, L.G., Oliveros, A. L., Bellini, M.J., and Herenu, C.B. (2024). Potentialities of IGF-1 for regulating oxidative stress in neuroinflammation and neurodegeneration: theoretical review. *Exploration of Neuroprotective Therapy*, pp. 442–458. Available at: <https://doi.org/10.37349/ent.2024.00093>.
- Hurrell, R. F. (2012). Influence of inflammatory disorders and infection on iron absorption and efficacy of iron-fortified foods. Nestle Nutrition Institute workshop series, 70, 107–116. Available at: <https://doi.org/10.1159/000337673>
- Hurrell R. F. (2022). Ensuring the Efficacious Iron Fortification of Foods: A Tale of Two Barriers. *Nutrients*, 14(8), 1609. Available at: <https://doi.org/10.3390/nu14081609>
- Jia, B., Zhao, L., Liu, P., Li, M., and Tian, Z. (2023). Limonin ameliorates indomethacin-induced intestinal damage and ulcers through Nrf2/ARE pathway. *Immunity, inflammation and disease*, 11(2), e787. Available at: <https://doi.org/10.1002/iid3.787>
- Inayah, S.N. (2023). Efek Suplementasi Tepung pisang klutuk (*Musa balbisiana* Colla) terfortifikasi zat besi dan *Lactobacillus plantarum* Dad-13 terhadap ekspresi dan kadar Mucin 2 (MUC2) pada kolon tikus malnutrisi. Thesis. Universitas Gadjah Mada. Yogyakarta
- Kerins, M. J., and Ooi, A. (2018). The Roles of NRF2 in Modulating Cellular Iron Homeostasis. *Antioxidants & redox signaling*, 29(17), 1756–1773. <https://doi.org/10.1089/ars.2017.7176>
- Kilberg, M.S., Balasubramanian, M., Fu, L. and Shan, J. (2012). The Transcription Factor Network Associated With the Amino Acid Response in Mammalian Cells. *Advances in Nutrition*, 3(3), pp. 295–306. Available at: <https://doi.org/10.3945/an.112.001891>.
- Kobayashi, E.H., Suzuki, T., Funayama, R., Nagashima, T., Hayashi, M., Yamamoto, M *et al.* (2016). NRF2 suppresses macrophage inflammatory response by blocking proinflammatory cytokine transcription. *Nature Communications*, 7, pp. 11624. Available at: <https://doi.org/10.1038/ncomms11624>.
- Kovac, S., Angelova, P.R., Holmström, K.M., Zhang, Y., Dinkova-kostova, A.T. and Abramov, A.Y. (2015). NRF2 regulates ROS production by mitochondria and NADPH oxidase. *Biochimica et Biophysica Acta*, 1850(4), pp. 794–801. Available at: <https://doi.org/10.1016/j.bbagen.2014.11.021>.
- Kumari, S., Katare, P.B., Elancheran, R., Nizami, H.L., Paramesha, B., ... Banerjee, S.K., *et al.* (2020). *Musa balbisiana* Fruit Rich in Polyphenols Attenuates Isoproterenol-Induced Cardiac Hypertrophy in Rats via Inhibition of Inflammation and Oxidative Stress. *Oxidative Medicine and Cellular Longevity*, 2020, pp. 1–14.
- Kustanti, I.H., Rimbawan and Furqon, L.A. (2017). Formulasi Biskuit Rendah Indeks Glikemik (BATIK ) Dengan Substitusi Tepung Pisang Klutuk (*Musa balbisiana* Colla) dan Tepung Tempe. *Jurnal Aplikasi Teknologi Pangan*, 6(1), pp. 12–18.
- Kusuma, S.A.F., Ramdhani, D. and Setiafianti, E.M. (2021). Flour of Klutuk Banana Fruit: Selectivity of Drying Condition. *World Journal of Pharmaceutical Research*, 10 (6), pp 184-190. Available at: <https://doi.org/10.20959/wjpr20216-20643>



- Leite, S.N., Jordao Junior, A.A., Andrade, T.A., Masson Ddos, S. and Frade, M.A. (2011). Experimental models of malnutrition and its effect on skin trophism. *Anais Brasileiros de Dermatologia*, Vol. 86 No. 4, pp. 681-688. <https://doi.org/10.1590/s0365-05962011000400009>
- Loboda, A., Damulewicz, M., Pyza, E., Jozkowicz, A., and Dulak, J. (2016). Role of Nrf2/HO-1 system in development, oxidative stress response and diseases: an evolutionarily conserved mechanism. *Cellular and molecular life sciences : CMLS*, 73(17), 3221–3247. Available at: <https://doi.org/10.1007/s00018-016-2223-0>
- Lestari, L.A. and Gunawan, W. Ben. (2022). Sago Caterpillar (*Rhynchophorus ferrugineus*) Flour Improve Insulin-Like Growth Factor 1 (IGF-1) Levels in Low-Protein Diet Rats. *Jurnal Aisyah: Jurnal Ilmu Kesehatan*, 7(1), pp. 329–334. Available at: <https://doi.org/10.30604/jika.v7iS1.1300>.
- Liang, X., Bittinger, K., Li, X., Abernethy, D. R., Bushman, F. D., and FitzGerald, G. A. (2015). Bidirectional interactions between indomethacin and the murine intestinal microbiota. *eLife*, 4, e08973. <https://doi.org/10.7554/eLife.08973>
- Lim, P.J., Duarte, T.L., Garcia-santos, D., Hamdi, A., Pasricha, *et al.* (2019). Nrf2 controls iron homeostasis in haemochromatosis and thalassaemia via Bmp6 and hepcidin. *Nature Metabolism*, 1(5), pp. 519–531. Available at: <https://doi.org/10.1038/s42255-019-0063-6.Nrf2>.
- Lin, X., Shi, Y., Cao, Y., Tan, X., Zeng, Y., Liao, D., *et al.* (2022). Sanguinarine protects against intestine injury in rats by regulating the NRF2/NF-κB pathways. *Frontiers in pharmacology*, 13, p. 960140. Available at: <https://doi.org/10.3389/fphar.2022.960140>.
- Lippo, B.R., Batista, T.M., Rezende, L.F., Cappelli, A.P., Camargo, R.L., Branco, R.C.S., *et al.* (2015). Low-protein diet disrupts the crosstalk between the PKA and PKC signaling pathways in isolated pancreatic islets. *Journal of Nutritional Biochemistry*. 26(5):556–562.
- Liu, C., Wang, X., Zhou, H., Mai, K. and He, G. (2019) ‘Recent advances in amino acid sensing and new challenges for protein nutrition in aquaculture’, *Marine Life Science & Technology*, 1(1), pp. 50–59. Available at: <https://doi.org/10.1007/s42995-019-00022-1>.
- Loboda, A., Damulewicz, M., Pyza, E., Jozkowicz, A. and Dulak, J. (2016). Role of NRF2/HO-1 system in development, oxidative stress response and diseases: an evolutionarily conserved mechanism. *Cellular and Molecular Life Sciences*, 73(17), pp. 3221–3247. Available at: <https://doi.org/10.1007/s00018-016-2223-0>.
- Lyons, A., Coleman, M., Riis, S., Favre, C., Flanagan, C.H.O., Connor, R.O. *et al.* (2017). Insulin-like growth factor 1 signaling is essential for mitochondrial biogenesis and mitophagy in cancer cells. *Journal Biology Chemistry*, 292(41), pp. 16983–16998. Available at: <https://doi.org/10.1074/jbc.M117.792838>.
- Madhura, R.J., Varsha, A., Chakraborty, A., B., M.K., Shetty A., V. and Badanthadka, M. (2023). Protein malnutrition in BALB/C mice: A model mimicking clinical scenario of marasmic-kwashiorkor malnutrition. *Journal of Pharmacological and Toxicological Methods*, 119 (2023), pp. 1–8. Available at: <https://doi.org/10.1016/j.vascn.2022.107231>.
- Mahran, Y.F. (2020). New insights into the protection of growth hormone in cisplatin-induced nephrotoxicity: The impact of IGF-1 on the Keap1-NRF2/HO-1 signaling. *Life Sciences*, 253, p. 117581. Available at: <https://doi.org/10.1016/j.lfs.2020.117581>.
- Martín, A.I., Priego, T., Moreno-Ruperez, Á., González-Hedström, D., Granado, M. and López-Calderón, A. (2021). IGF-1 and IGFBP-3 in inflammatory cachexia. *International Journal of Molecular Sciences*, 22(17). Available at: <https://doi.org/10.3390/ijms22179469>.
- McMichael, B.K., Jeong, Y., Auerbach, J.A., Han, C., Sedlar, R., Lee, B.S., *et al.* (2017). The RhoGAP



- Myo9b Promotes Bone Growth by Mediating Osteoblastic Responsiveness to IGF-1. *Journal of Bone and Mineral Research*, 32(10), pp. 2103–2115. Available at: <https://doi.org/10.1002/jbmr.3192>.
- Unicef Indonesia. 2023. Mengatasi Tiga Beban Malnutrisi di Indonesia (online). Available from <https://www.unicef.org/indonesia/id/gizi> [accessed on: 24 January 2025).
- Morita, M. and Motohashi, H. (2011). Survival Strategy and Disease Pathogenesis According to the NRF2-Small Maf Heterodimer. *Oxidative Stress in Vertebrates and Invertebrates: Molecular Aspects of Cell Signaling*, 1, pp. 63–82. Available at: <https://doi.org/10.1002/9781118148143.ch5>.
- Musita, N. (2014). Pemanfaatan Tepung Pisang Batu (*Musa balbisiana* Colla) Pada Pembuatan Kue Prownies. *Jurnal Riset Industri*, 8(3), pp. 171–178.
- Narzary, P. and Sharma, D. (2022). Therapeutic Potential of *Musa balbisiana* Colla as a Super Food -A Review Therapeutic Potential of *Musa balbisiana* Colla as a Super Food – A Address for Correspondence. *Indian Journal of Natural Sciences*, 13(73), pp. 976–997.
- Nishi, H., Uchida, K., Saito, M., Yamanaka, D., Nagata, H., Takenaka, A. *et al.* (2022). Essential Amino Acid Intake is Required for Sustaining Serum Insulin-Like Growth Factor-I Levels but is Not Necessarily Needed for Body Growth. *Cells*, 11(9), pp. 1–13. Available at: <https://doi.org/10.3390/cells11091523>.
- Ohlsson, C., Mohan, S., Sjögren, K., Tivesten, Å., Isgaard, J., Svensson, J. *et al.* (2009). The role of liver-derived insulin-like growth factor-I. *Endocrine Reviews*, 30(5), pp. 494–535. Available at: <https://doi.org/10.1210/er.2009-0010>.
- de Oliveira, D.C. Hastreiter, A.A., Mello, A.S., de Oliveira Beltran, J.S., Oliveira Santos, E.W.C., Fock, R.A. *et al.* (2014). The effects of protein malnutrition on the TNF-RI and NF-κB expression via the TNF-α signaling pathway. *Cytokine*, 69(2), pp. 218–225. Available at: <https://doi.org/10.1016/j.cyto.2014.06.004>.
- Ozaki, Y., Takeda, T., Akanishi, N., Hakuno, F. and Toyoshima, Y. (2014). Insulin injection restored increased insulin receptor substrate (IRS)-2 protein during short-term protein restriction but did not affect reduced insulin-like growth factor ( IGF )-I mRNA or increased triglyceride accumulation in the liver of rats. *Bioscience, Biotechnology, and Biochemistry*, 78(1), pp. 130–138. Available at: <https://doi.org/10.1080/09168451.2014.877825>.
- Parker, J. (2022). Pathophysiology Effects of Acute Malnutrition in Children. *Maternal and Pediatric Nutrition*, 7(6), p. 1.
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 51 Tahun 2016 tentang Standar Produk Suplementasi Gizi. 2016. pp. 11. Kementerian Kesehatan RI <https://peraturan.bpk.go.id/Details/114009/permenkes-no-51-tahun-2016>
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 28 Tahun 2019 tentang Angka Kecukupan Gizi yang Dianjurkan untuk Masyarakat Indonesia. (2019). <https://peraturan.bpk.go.id/Home/Download/129886/Permenkes%20Nomor%2028%20Tahun%202019.pdf>
- Poudel, S.B., Dixit, M., Neginskaya, M. and Nagaraj, K. (2020). Effects of GH/IGF on the Aging Mitochondria. *Cells*, 9(1384), pp. 1–22.
- Ratnasari, D. Rustanti, N., Arifin, F. and Afifah, D. (2017). The Effects of Treatments on Batu Banana Flour and Percentage of Wheat Substitution on The Resistant Starch, In Vitro Starch Digestibility Content and Palatability of Cookies Made with Banana (*Musa balbisiana* Colla) Flour. *Earth and Environmental Science*, 116(1), p. 012003. Available at: <https://doi.org/10.1088/1755-1315/116/1/012003>.
- Revadigar, V. Rustanti, N., Arifin, F. and Afifah, D. (2017). Anti-oxidative and cytotoxic attributes of



- phenolic rich ethanol extract of *Musa balbisiana* Colla inflorescence. *Journal of Applied Pharmaceutical Science*, 7(05), pp. 103–110. Available at: <https://doi.org/10.7324/JAPS.2017.70518>.
- Riis, S., Murray, J.B. and O'Connor, R. (2020). IGF-1 signalling regulates mitochondria dynamics and turnover through a conserved GSK-3 $\beta$ -Nrf2-BNIP3 pathway. *Cells*, 9(147), pp. 1–19. Available at: <https://doi.org/10.3390/cells9010147>.
- Rishi, G. and Subramaniam, X.V.N. (2017). The liver in regulation of iron homeostasis. *J Physiol Gastrointest Liver Physiol*, 313, pp. 157–165. Available at: <https://doi.org/10.1152/ajpgi.00004.2017>.
- Ronchi, V.P., Giudici, A.M., Mendieta, J.R., Caballero, V.J., Chisari, A.N., Sanllorenti, P.M *et al.* (2010). Oxidative Stress in Mouse Liver Caused by Dietary Amino Acid Deprivation: Protective Effect of Methionine. *Journal of Physiology and Biochemistry*, 66(2), pp. 93–103. Available at: <https://doi.org/10.1007/s13105-010-0014-x>.
- Sádaba, M.C., Martín-estal, I., Puche, J.E. and Castilla-cortázar, I. (2016). a Insulin-like growth factor 1 (IGF-1) therapy: Mitochondrial dysfunction and diseases. *Biochimica et Biophysica Acta*. 1862(2016):1267–1278.
- Saito, M., Nishi, H., Takahashi, S., Hakuno, F. and Miyata, I. (2024). Growth hormone resistance induced by amino acid deprivation in fao cells is independent of FGF21. *Biochemical and Biophysical Research Communications*, 709, p. 148911.
- Salameh, E. Jarbeau, M., Morel, F.B., Zeilani, M., Aziz, M., Marion-Letellier, R. (2020). Modeling undernutrition with enteropathy in mice. *Scientific Reports*, 10(1), pp. 1–15. Available at: <https://doi.org/10.1038/s41598-020-72705-0>.
- Salminen, A., Kaarniranta, K. and Kauppinen, A. (2021). Insulin/IGF-1 Signaling Promotes Immunosuppression via The STAT3 Pathway: Impact on The Aging Process and Age-Related Diseases. *Inflammation Research*, 70(10–12), pp. 1043–1061. Available at: <https://doi.org/10.1007/s00011-021-01498-3>.
- Sawaya, A.L. (2006). Malnutrition: long- term consequences and nutritional recovery effects. *Advanced Studies*, 20(58), pp. 147–158. Available at: <https://doi.org/10.1590/S0103-40142006000300016>.
- Sharma, V. and Patial, V. (2024). Insights into the molecular mechanisms of associated steatohepatitis : A review. 2023, pp. 2156–2173. Available at: <https://doi.org/10.1111/liv.15932>.
- Shavlakadze, T. Chai, J., Maley, K., Cozens, G., Grounds, G., Winn, N. *et al.* (2013). A growth stimulus is needed for IGF-1 to induce skeletal muscle hypertrophy in vivo. *Journal of Cell Science*, 123, pp. 960–971. Available at: <https://doi.org/10.1242/jcs.141143>.
- Shimatsu, A. and Rotwein, P. (1987). Mosaic evolution of the insulin-like growth factors. *The Journal of Biological Chemistry*, 262, pp. 7894–7900.
- Soliman, A. anctis, V. De, Alaaraj, N., Ahmed, S. and Alyafei, F. (2021). Early and Long-term Consequences of Nutritional Stunting: From Childhood to Adulthood. Available at: <https://doi.org/10.23750/abm.v92i1.11346>.
- Stelmasiak, M. Bałan, B.J., Mikaszewska-sokolewicz, M., Niewiński, G., Kosalka, K., Słotwiński, R. *et al.* (2021). The relationship between the degree of malnutrition and changes in selected parameters of the immune response in critically ill patients, *Clinical Immunology*, 46(1), pp. 82–91.
- Sulistyaningsih, L.D., Megia, R. and Widjaja, E.A. (2014). Two New Records of Wild Bananas (*Musa balbisiana* and *Musa itinerans*) from Sulawesi. *Makara Journal of Science*, 18(1), pp. 1–6. Available at: <https://doi.org/10.7454/mss.v18i1.3043>.



- Surh, Y.-J., Kundu, J. and Na, H.-K. (2008). NRF2 as a Master Redox Switch in Turning on the Cellular Signaling Involved in the Induction of Cytoprotective Genes by Some Chemopreventive Phytochemicals. *Planta Medica*, 74(13), pp. 1526–1539. Available at: <https://doi.org/10.1055/s-0028-1088302>.
- Swargiary, A., Boro, H., Roy, M.K., Akram, M., Boro, H. and Akram, M. (2021). Phytochemistry and Pharmacological Property of *Musa balbisiana* Colla : A Mini-Review. *Pharmacognosy Reviews*, 15(29), pp. 91–95. Available at: <https://doi.org/10.5530/phrev.2021.15.x>.
- Taguchi, K. and Kensler, T.W. (2020). NRF2 in Liver Toxicology. *Arch Pharm Res.*, 43(3), pp. 337–349. Available at: <https://doi.org/10.1007/s12272-019-01192-3.NRF2>.
- Thissen, J.P., Underwood, L.E., Maiter, D., Maes, M., Clemmons, D.R. and Ketelslegers, J.M. (1991). Failure of Insulin-Like Growth Factor-I (IGF-I) Infusion to Promote Growth in Protein-Restricted Rats Despite Normalization of Serum IGF-I Concentrations. *Endocrine Reviews*, 12(2), pp. 885–890. Available at: <https://doi.org/0013-7227/91/1282-0885S03.00/0>.
- Wan, X., Wang, S., Xu, J., Zhuang, L., Xing, K., Zhang, M., *et al.* (2017). Dietary protein-induced hepatic IGF-1 secretion mediated by PPAR $\gamma$  activation. *PLOS ONE*. Edited by H. Guillou, 12(3), p. e0173174. Available at: <https://doi.org/10.1371/journal.pone.0173174>.
- Wang, L., Chen, Y., Sternberg, P. and Cai, J. (2008). Essential Roles of the PI3 Kinase/Akt Pathway in Regulating NRF2-Dependent Antioxidant Functions in the RPE. *Investigative Ophthalmology & Visual Science*, 49(4), pp. 1671. Available at: <https://doi.org/10.1167/iovs.07-1099>.
- Wang, L., Xie, Y., Yang, W., Yang, Z., Jiang, S., Zhang, C., and Zhang G. (2019). Alfalfa polysaccharide prevents H<sub>2</sub>O<sub>2</sub>-induced oxidative damage in MEFs by activating MAPK/NRF2 signaling pathways and suppressing NF- $\kappa$ B signaling pathways. *Scientific Reports*, 9(1), p. 1782. Available at: <https://doi.org/10.1038/s41598-018-38466-7>.
- Wang, W., Wang, Y., Duan, Y., Meng, Z., An, X and Qi, J. (2022). Regulation of wheat bran feruloyl oligosaccharides in the intestinal antioxidative capacity of rats associated with the p38/JNK-Nrf2 signaling pathway and gut microbiota. *Journal of the Science of Food and Agriculture*, 102(15), pp. 6992–7002. Available at: <https://doi.org/10.1002/jsfa.12061>.
- Witkowska-Sędek, E., and Pyrżak, B. (2020). Chronic inflammation and the growth hormone/insulin-like growth factor-1 axis. *Central-European journal of immunology*, 45(4), 469–475. <https://doi.org/10.5114/ceji.2020.103422>
- Xu, J., Zhu, C., Zhang, M., Tong, Q., Wan, X., Shu, G. *et al.* (2017). Arginine reverses growth hormone resistance through the inhibition of toll-like receptor 4-mediated inflammatory pathway. *Metabolism Clinical and Experimental*, 79, pp. 10–23. Available at: <https://doi.org/10.1016/j.metabol.2017.10.006>.
- Xu, W., Zheng, H., Fu, Y., Gu, Y., Zou, H., Yuan, Y. *et al.* (2022). Role of PI3K/Akt-Mediated NRF2/HO-1 Signaling Pathway in Resveratrol Alleviation of Zearalenone-Induced Oxidative Stress and Apoptosis in TM4 Cells. *Toxins*, 14(11), pp. 733. Available at: <https://doi.org/10.3390/toxins14110733>.
- Yakar, S, Boisclair, Y.R., Leroith, D., Yakar, S., Rosen, C.J., Leroith, D. *et al.* (2002). Circulating levels of IGF-1 directly regulate bone growth and density. *The Journal of Clinical Investigation*, 110(6), pp. 771–781. Available at: <https://doi.org/10.1172/JCI200215463.Introduction>.
- Yang, Y., Li, W., Li, Y., Wang, Q., Gao, L. and Zhao J. (2014). Dietary *Lycium barbarum* Polysaccharide Induces NRF2/ARE Pathway and Ameliorates Insulin Resistance Induced by High-Fat via Activation of PI3K/AKT Signaling. *Oxidative Medicine and Cellular Longevity*, 2014, pp. 1–10.



Available at: <https://doi.org/10.1155/2014/145641>.

- Yasmine, N., Aldrin, E., Permana, Y.S. and Farmawati, A. (2022). Literature Review Potensi Pisang Klutuk Terfortifikasi Fe dan *Lactobacillus* Sebagai Pangan Fungsional Penanganan Anemia. *Jurnal Dunia Gizi*, 5(2), pp. 43–53.
- Yen, J.-H., Wu, P.-S., Chen, S.-F., and Wu M.-J. (2017). Fisetin Protects PC12 Cells from Tunicamycin-Mediated Cell Death via Reactive Oxygen Species Scavenging and Modulation of Nrf2-Driven Gene Expression, SIRT1 and MAPK Signaling in PC12 Cells. *International Journal of Molecular Sciences*, 18(4), p. 852. Available at: <https://doi.org/10.3390/ijms18040852>.
- Yeung, C. K., Zhu, L., Glahn, R. P., and Miller, D. D. (2004). Iron absorption from NaFeEDTA is downregulated in iron-loaded rats. *The Journal of nutrition*, 134(9), 2270–2274. <https://doi.org/10.1093/jn/134.9.2270>
- Yokota, S.I., Ando, M., Aoyama, S., Nakamura, K. and Shibata, S. (2015). Leucine restores murine hepatic triglyceride accumulation induced by a low-protein diet by suppressing autophagy and excessive endoplasmic reticulum stress. *Amino Acids*, 48(4), pp. 1013–1021. Available at: <https://doi.org/10.1007/s00726-015-2149-0>.
- Yokota, S.I., Nakamura, K., Ando, M., Haraguchi, A., Omori, K. and Shibata, S. (2019). A low-protein diet eliminates the circadian rhythm of serum insulin and hepatic lipid metabolism in mice. *Journal of Nutritional Biochemistry*, 63, pp. 177–185. Available at: <https://doi.org/10.1016/j.jnutbio.2018.10.004>.
- Yoon, J.-H., Youn, K. and Jun, M. (2021). Protective Effect of Sargahydroquinone Acid Against A $\beta$ 25–35-Evoked Damage via PI3K/Akt Mediated NRF2 Antioxidant Defense System. *Biomedicine & Pharmacotherapy*, 144, pp. 112271. Available at: <https://doi.org/10.1016/j.biopha.2021.112271>.
- Yuan, J., Yu, Z., Gao, J., Luo, K., Shen, X., Cui, B. *et al.* (2022) ‘Inhibition of GCN2 alleviates hepatic steatosis and oxidative stress in obese mice: Involvement of NRF2 regulation’, *Redox Biology*, 49, p. 102224. Available at: <https://doi.org/10.1016/j.redox.2021.102224>.
- van Zutphen, T., Ciapaite, J., Bloks, V.W., Ackereley, C., Gerding, A., Bandsma, R.H.J. *et al.* (2016). Malnutrition-associated liver steatosis and ATP depletion is caused by peroxisomal and mitochondrial dysfunction. *Journal of Hepatology*, 65(6), pp. 1198–1208. Available at: <https://doi.org/10.1016/j.jhep.2016.05.046>.