

DAFTAR PUSTAKA

- Aardal Eriksson, E., Mobäck, C., Jakobsson, S., & Hoffmann, J.J.M.L. (2015). Iron Depletion in Blood Donors - Have Extended Erythrocyte and Reticulocyte Parameters Diagnostic Utility? *Transfus. Apher. Sci.* 53 : 76–81.
- Abbaspour, N., Hurrell, R., & Kelishadi, R. (2014). Review on Iron and Its Importance for Human Health. *J. Res. Med. Sci.* 19 : 164–74.
- Abdullah, S.M. (2011). The Effect of Repeated Blood Donations on The Iron Status of Male Saudi Blood Donors. *Blood Transfus.* 9 : 167–171.
- Agarwal, C., Gupta, S., Pujani, M., Chauhan, V., Singh, K., Singh, M., *et al.* (2021). New Erythrocyte and Reticulocyte Parameters : Indicators for Early Diagnosis of Iron Deficiency Anemia and Anemia of Chronic Disease. *J. Med. Sci.* 1 : 55–61.
- Agustina, A.I., Samad, R., Juliyani, S., & Arif, M. (2023). Analysis of Reticulocyte Hemoglobin Equivalent in Routine and Non-Routine Blood Donors in Makassar. *Indones. J. Clin. Pathol. Med. Lab.* 29 : 159–163.
- Akbari, P., Vuckovic, D., Stefanucci, L., Jiang, T., Kundu, K., Kreuzhuber, R., *et al.* (2023). A Genome-wide Association Study of Blood Cell Morphology Identifies Cellular Proteins Implicated in Disease Aetiology. *Nat. Commun.* 14 : 1–19.
- Al-Naseem, A., Sallam, A., Choudhury, S., & Thachil, J. (2021). Iron Deficiency Without Anaemia: A Diagnosis That Matters. *Clin. Med. J. R. Coll. Physicians London* 21 : 107–113.
- Amer, J. (2022). A Retrospective Study Using Mentzer Index for Prevalence of Iron Deficiency Anemia Among Infants Visiting Maternal Centers at the Age of One Year. *Anemia* 2022 : 8–12.
- Amir, N., Md Noor, S., Subbiah, I., Osman, M., & Seman, Z. (2019). Percentage of Hypochromic Red Cells as a Potential Screening Test to Evaluate Iron Status in Blood Donors. *Int. J. Lab. Hematol.* 41 : 418–423.
- Anderson, G.J., Frazer, D.M., & McLaren, G.D. (2009). Iron Absorption And Metabolism. *Curr. Opin. Gastroenterol.* 25 : 129–135.
- Angeli, A., Andrew Octavian, S., Subramanian, Y., & Jameela, S. (2019). Utilizing Extended Red Blood Cell Parameters to Distinguish Iron-Deficient Erythropoiesis - Related Disorders in Malaysian Female Population. *Int. J. Blood Res. Disord.* 6 : 1–9.
- Anju, J., Abhishekh, B., Debdatta, B., Bobby, Z., & Sharan, M. (2022). Assessment of Iron Status in Regular Blood Donors in a Tertiary Care Hospital in Southern India. *Asian J. Transfus. Sci.* 16 : 186.
- Anshori, F., Ratnaningsih, T., & Triyono, T. (2021). Hematology and Iron Status Evaluation Based on Donation Characteristics in Dr. Sardjito Hospital, Yogyakarta. *Indones. J. Clin. Pathol. Med. Lab.* 27 : 249–253.
- Atipo-Tsiba, F.O.G., Mouyabi, E.Q.G., Angounda, B.M., Mokono, S.O., Gokaba, L.T.O., & Dokekias, A.E. (2023). Prevalence of Iron Deficiency, Anemia, and Associated Factors in a Blood Donor Population in Brazzaville, Congo. *Anemia* 2023 : 1–6.

- Audiyanda, D., Prihatni, D., Surata, N., & Sugianli, A.K. (2024). The Utility of Micro-R/Hypo-He Ratio Cut-off for Distinguishing Iron Deficiency Anemia and Minor Thalassemia. *Indones. J. Clin. Pathol. Med. Lab.* 31 : 17–22.
- Bani, M., & Giussani, B. (2010). Gender Differences in Giving Blood: A Review of The Literature. *Blood Transfus.* 8 : 278–287.
- Beard, J.L., Murray-Kolb, L.E., Rosales, F.J., Solomons, N.W., & Angelilli, M.L. (2006). Interpretation of Serum Ferritin Concentrations as Indicators of Total-body Iron Stores in Survey Populations: The Role of Biomarkers for The Acute Phase Response. *Am. J. Clin. Nutr.* 84 : 1498–1505.
- Butina, M. (2020). Erythrocyte Production and Destruction, in: *Rodak's Hematology: Clinical Principles and Applications*. pp. 62–77, Canada : Elsevier.
- Buttarello, M., Pajola, R., Novello, E., Mezzapelle, G., & Plebani, M. (2016). Evaluation of The Hypochromic Erythrocyte and Reticulocyte Hemoglobin Content Provided by The Sysmex XE-5000 Analyzer in Diagnosis of Iron Deficiency Erythropoiesis. *Clin. Chem. Lab. Med.* 54 : 1–7.
- Cable, R.G., Glynn, S.A., Kiss, J.E., Mast, A.E., Steele, W.R., Murphy, E.L., *et al.* (2012). Iron Deficiency in Blood Donors: The REDS-II Donor Iron Status Evaluation (RISE) Study. *Transfusion* 52 : 702–711.
- Cable, R.G., Glynn, S.A., Kiss, J.E., Mast, A.E., Steele, W.R., Murphy, E.L., *et al.* (2011). Iron Deficiency in Blood Donors: Analysis of Enrollment Data from The REDS-II Donor Iron Status Evaluation (RISE) study. *Transfusion* 51 : 511–522.
- Camaschella, C. (2019). Iron Deficiency. *Blood* 133 : 30–39.
- Caporal, F.A., & Comar, S.R. (2013). Evaluation of RDW-CV, RDW-SD, and MATH-1SD for The Detection of Erythrocyte Anisocytosis Observed by Optical Microscopy. *J. Bras. Patol. e Med. Lab.* 49 : 324–331.
- Cappellini, M.D., Musallam, K.M., & Taher, A.T. (2020). Iron Deficiency Anaemia Revisited. *J. Intern. Med.* 287 : 153–170.
- Caştur, L., & Torun, C. (2024). Comparative Analysis of Oral Iron Therapy Regimens in Premenopausal Women with Iron Deficiency Anemia. *Sci. Rep.* 14 : 1–6.
- Chemicals, L. (2022). Iron Binding Capacity, in: *Linear*. pp. 1–2, Barcelona : .
- Choudhury, V., Singh, A., & Saluja, S. (2012). Interpretation of a Diagnostic Test in Statistical Terms. *Ganga Ram J.* 2 : 146–150.
- Coskun, A. (2024). Bias in Laboratory Medicine: The Dark Side of The Moon. *Ann. Lab. Med.* 44 : 6–20.
- Crielaard, B.J., Lammers, T., & Rivella, S. (2017). Targeting Iron Metabolism in Drug Discovery and Delivery. *Nat. Rev. Drug Discov.* 16 : 400–423.
- Crocco, A., & D'Elia, D. (2007). Adverse Reactions During Voluntary Donation of Blood and/or Blood Components. A Statistical-epidemiological Study. *Blood Transfus.* 5 : 143–152.
- Datta, S., Pal, M., & Ghosh, C. (2013). Effect of Frequent Blood Donation on Iron Status of Blood Donors in Burdwan, West Bengal, India. *J. Drug Deliv. Ther.* 3 : 66–69.
- Depalma, R.G., Hayes, V.W., & O'Leary, T.J. (2021). Optimal Serum Ferritin

Level Range: Iron Status Measure and Inflammatory Biomarker. *Metallomics* 13.

- Dignass, A., Farrag, K., & Stein, J. (2018). Limitations of Serum Ferritin in Diagnosing Iron Deficiency in Inflammatory Conditions. *Int. J. Chronic Dis.* 2018 : 1–11.
- Dinh, N.H., Cheanh Beaupha, S.M., & Tran, L.T.A. (2020). The Validity of Reticulocyte Hemoglobin Content and Percentage of Hypochromic Red Blood Cells for Screening Iron-deficiency Anemia Among Patients with End-stage Renal disease: A Retrospective Analysis. *BMC Nephrol.* 21 : 1–7.
- Djalali, M., Neyestani, T.R., Bateni, J., & Siassi, F. (2006). The Effect of Repeated Blood Donations on the Iron Status of Iranian Blood Donors Attending the Iranian Blood Transfusion Organization. *Int. J. Vitam. Nutr. Res.* 76 : 132–137.
- Doig, K. (2020). Disorder of Iron Kinetics and Heme Metabolism, in: *Rodak's Hematology: Clinical Principles and Applications*. pp. 264–281, Canda : Elsevier.
- Elghetany, M.T., & Banki, K. (2022). Erythrocytic Disorder, in: *Henry's Clinical Diagnosis and Management by Laboratory Methods*. pp. 588–632, Philadelphia : Elsevier.
- Elsayed, M.E., Sharif, M.U., & Stack, A.G. (2016). Transferrin Saturation: A Body Iron Biomarker, in: *Advances in Clinical Chemistry*. pp. 71–97, Elsevier Inc.
- Fillet, A.M., Martinaud, C., Malard, L., Le Cam, S., Hejl, C., Chenu, F., *et al.* (2021). Iron Deficiency Among French Whole-blood Donors: First Assessment and Identification of Predictive Factors. *Vox Sang.* 116 : 42–52.
- Fletcher, R.W., & Fletcher, S.W. (2005). Diagnosis, in: *Clinical Epidemiology The Essentials*. pp. 35–58, Philadelphia : Lippincot Williams & Wilkins.
- Frost, J.N., Tan, T.K., Abbas, M., Wideman, S.K., Bonadonna, M., Stoffel, N.U., *et al.* (2021). Hepcidin-Mediated Hypoferremia Disrupts Immune Responses to Vaccination and Infection. *Med 2* : 164-179.e12.
- Greer, J., Arber, D., List, A., & Foetster, J. (2014). *Wintrobe's Clinical Hematology*, 13th ed. Amsterdam : Wolters Kluwer.
- Gutschow, P., Han, H., Olbina, G., Westerman, K., Nemeth, E., Ganz, T., *et al.* (2020). Clinical Immunoassay for Human Hepcidin Predicts Iron Deficiency in First-Time Blood Donors. *J. Appl. Lab. Med.* 5 : 943–953.
- Hoffbrand, A.V., & Moss, P. (2016). Hoffbrand's Essential Haematology, in: *Hoffbrand's Essential Haematology Seventh Edition*. pp. 27–40, West Sussex : Wiley.
- Iriani, A., Purnamasari, E., & Wirawan, R. (2016). Nilai Rujukan Soluble Transferrin Receptor (sTfR). *Indones. J. Clin. Pathol. Med. Lab.* 21 : 211.
- Iriarte-Gahete, M., Tarancon-Diez, L., Garrido-Rodríguez, V., Leal, M., & Pacheco, Y.M. (2024). Absolute and Functional Iron Deficiency: Biomarkers, Impact on Immune System, and Therapy. *Blood Rev.* xx : 1–13.
- Jarc, E., Zupan, I.P., Ponikvar, J.B., Snoj, N., & Podgornik, H. (2017). Comparison of Erythrocyte and Reticulocyte Indices for the Diagnosis of Iron Deficiency. *Zdr. Vestn.* 86 : 19–27.
- Jeremiah, Z.A., & Koate, B.B. (2010). Anaemia, Iron Deficiency and Iron

- Deficiency Anaemia Among Blood Donors in Port Harcourt, Nigeria. *Blood Transfus.* 8 : 113–117.
- Jhang, J.S., & Lifshitz, M.S. (2022). Postanalysis: Medical Decision Making, in: *Henry's Clinical Diagnosis and Management by Laboratory Methods*. pp. 89–99, Philadelphia : Elsevier.
- Kasimu, W., Godfrey, G., Osoro, E., Wanjiku, A., & Mulinge, J.M. (2025). Laboratory Reference Intervals for Routinely Analyzed Transferrin and Unsaturated Iron-Binding Capacity Parameters in The Adult Population of Uasin Gishu County, Kenya. *African J. Empir. Res.* 6 : 685–693.
- Kementerian Kesehatan RI (2015). Peraturan Menteri Kesehatan Republik Indonesia Nomor 91 Tahun 2015 tentang Standar Pelayanan Transfusi Darah. Jakarta : .
- Khodaji, S. (2019). Newer CBC Parameter of Clinical Significance, in: Saxena, R., & Pati, H.P. (Eds.), *Hematopathology: Advances in Understanding*. pp. 3–25, Singapore : Springer Singapore.
- Koh, J.S., & Song, I.-C. (2024). Functional Iron Deficiency Anemia in Patients With Cancer. *Blood Res.* 59 : 26.
- Krishnamurthy, H.K., Reddy, S., Jayaraman, V., Krishna, K., Song, Q., Rajasekaran, K.E., *et al.* (2023). Association of Serum Ferritin Levels and Thyroid Hormones. *Open J. Clin. Diagnostics* 13 : 68–79.
- Kumar, R., Kaur, P., Verma, K., Rajeev, K., Bhaskar, B., & Kumar, S. (2023). Delayed Adverse Reaction in Donors After Whole Blood Donation: Is it a Matter of Concern? *Transfus. Clin. Biol.* 30 : 232–237.
- Kumar, S., Sudhamani, S., & Roplekar, P. (2019). Analysis of Predonation Deferral of Blood Donors in a Tertiary Care Hospital. *J. Sci. Soc.* 46 : 86–89.
- Lane, D.J.R., Merlot, A.M., Huang, M.L.H., Bae, D.H., Jansson, P.J., Sahni, S., *et al.* (2015). Cellular Iron Uptake, Trafficking and Metabolism: Key Molecules and Mechanisms and Their Roles in Disease. *Biochim. Biophys. Acta - Mol. Cell Res.* 1853 : 1130–1144.
- Lankhorst, C.E., & Wish, J.B. (2010). Anemia in Renal Disease: Diagnosis and Management. *Blood Rev.* 24 : 39–47.
- Levy, S., & Schapkaitz, E. (2018). The Clinical Utility of New Reticulocyte and Erythrocyte Parameters on The Sysmex XN 9000 for Iron Deficiency in Pregnant Patients. *Int. J. Lab. Hematol.* 40 : 683–690.
- Linnet, K., Moons, K.G.M., & Boyd, J.C. (2023). Statistical Methodologies in Laboratory Medicine: Analytical and Clinical Evaluation of Laboratory Test, in: *Tietz Textbook of Laboratory Medicine*. pp. 10–59, Missouri : Elsevier.
- Luo, D., Ma, H., Lin, J., Quan, S., Feng, J., Ren, Q., *et al.* (2016). Percentage of Hypochromic Red Cells: A Better Predictive Marker than Conventional Hematological Parameters in the Diagnosis of Latent Iron Deficiency in Women with Menometrorrhagia. *Int. J. Clin. Exp. Med.* 9 : 8593–8598.
- Manikam, N.R.M. (2021). Known Facts: Iron Deficiency in Indonesia. *World Nutr. J.* 5 : 1–9.
- Mantadakis, E., Panagopoulou, P., Kontekaki, E., Bezirgiannidou, Z., & Martinis, G. (2022). Iron Deficiency and Blood Donation: Links, Risks and Management. *J. Blood Med.* 13 : 775–786.

- Martín-Santana, J.D., Cabrera-Suárez, M.K., de la Cruz Déniz-Déniz, M., & Reinares-Lara, E. (2021). Donor Orientation and Service Quality: Key Factors in Active Blood Donors' Satisfaction and Loyalty. *PLoS One* 16 : 1–23.
- Maxim, L.D., Niebo, R., & Utell, M.J. (2014). Screening Tests: A Review with Examples. *Inhal. Toxicol.* 26 : 811–828.
- Melicine, S., Peoc'h, K., & Ducastel, M. (2021). Exploration of Iron Metabolism: What Is New? *J. Lab. Precis. Med.* 6 : 30–30.
- Meulenbeld, A., Ramondt, S., Sweegers, M.G., Quee, F.A., Prinsze, F.J., Hoogendijk, E.O., *et al.* (2024). Effectiveness of Ferritin-guided Donation Intervals in Whole-blood Donors in The Netherlands (FIND'EM): A Stepped-wedge Cluster-randomised Trial. *Lancet* 404 : 31–43.
- Molnar, J.A. (2020). Automated Blood Cell Analysis, in: *Rodak's Hematology: Clinical Principles and Applications*. pp. 174–200, Missouri : Elsevier.
- Monaghan, T.F., Rahman, S.N., Agudelo, C.W., Wein, A.J., Lazar, J.M., Everaert, K., *et al.* (2021). Foundational Statistical Principles in Medical Research: Sensitivity, Specificity, Positive Predictive Value, and Negative Predictive Value. *Med.* 57 : 0–6.
- Monti, C.B., Ambrogi, F., & Sardanelli, F. (2024). Sample Size Calculation for Data Reliability and Diagnostic Performance: A Go-to Review. *Eur. Radiol. Exp.* 8 : 1–13.
- Motulo, A.T., Muhiddin, R., Ridha, N.R., Arif, M., & Abdullah, A.A. (2023). Analysis of Erythrocyte Indices and Reticulocyte Hemoglobin Equivalent in Iron Deficiency Anemia on Treatment. *Indones. J. Clin. Pathol. Med. Lab.* 29 : 150–154.
- N.Schotten, N., Pasker-de Jong, P.C., Moretti, D., Zimmermann, M.B., Kraaij, M.G., & Swinkels, D.W. (2015). The Donation Interval of 56 Days Requires Extension to 180 Days for Whole Blood Donors to Recover from Disturbances in Iron Homeostasis. *Blood* 126 : 774–774.
- Nalado, A.M., Mahlangu, J.N., Duarte, R., Paget, G., Olorunfemi, G., Jacobson, B.F., *et al.* (2018). Utility of Reticulocyte Haemoglobin Content and Percentage Hypochromic Red Cells as Markers of Iron Deficiency Anaemia Among Black CKD Patients in South Africa. *PLoS One* 13 : 1–12.
- Nemeth, E., & Ganz, T. (2023). Hcpidin and Iron in Health and Disease. *Annu. Rev. Med.* 74 : 261–277.
- Nurjanah, M.H., Fihayati, Z., & Setiawati, W.Y. (2021). Description of Erythrocyte Morphology with Blood Smear Method of Giemsa Staining in Patients at The Thalassemia Patients Parents Association Indonesia (TPPAI) Kediri. *Malaysian J. Med. Heal. Sci.* 17 : 68–70.
- Ogawa, C., Tsuchiya, K., & Maeda, K. (2020). Reticulocyte Hemoglobin Content. *Clin. Chim. Acta.* 504 : 138–145.
- Otto, C.N. (2020). Hemoglobin Metabolism, in: *Rodak's Hematology: Clinical Principles and Applications*. pp. 91–103, Canada : Elsevier.
- Owaidah, T., Al-Numair, N., Al-Suliman, A., Zolaly, M., Hasanato, R., Al Zahrani, F., *et al.* (2020). Iron Deficiency and Iron Deficiency Anemia are Common Epidemiological Conditions in Saudi Arabia: Report of the National Epidemiological Survey. *Anemia* 2020 : 1–8.

- Özdemir, A.Z., Karli, P., & Gülümser, Ç. (2022). Does high estrogen level negatively affect pregnancy success in frozen embryo transfer? *Arch. Med. Sci.* 18 : 647–651.
- Ozdemir, N. (2015). Iron Deficiency Anemia from Diagnosis to Treatment in Children. *Türk Pediatri. Arşivi* 50 : 11–19.
- Pasricha, S., Mcquilten, Z., Westerman, M., Keller, A., Nemeth, E., Ganz, T., *et al.* (2011). Serum Hcpidin as a Diagnostic Test of Iron Deficiency in Premenopausal Female Blood Donors. *Haematologica* 96 : 1099–1105.
- Pasricha, S.R., Tye-Din, J., Muckenthaler, M.U., & Swinkels, D.W. (2021). Iron Deficiency. *Lancet* 397 : 233–248.
- Pathak, C., Pujani, M., Pahuja, S., & Jain, M. (2011). Adverse Reactions in Whole Blood Donors: An Indian Scenario. *Blood Transfus.* 9 : 46–49.
- Peng, Y.Y., & Uprichard, J. (2017). Ferritin and Iron Studies in Anaemia and Chronic Disease. *Ann. Clin. Biochem.* 54 : 43–48.
- Prichard, E., & Barwick, V. (2007). *Quality Assurance in Analytical Chemistry*, 1st ed, Analytical Technique in The Sciences. West Sussex : Wiley.
- Purnamasidhi, C.A.W. (2019). Role of Red Cell Distribution Width (RDW) in The Diagnosis of Iron Deficiency Anemia. *Indones. J. Biomed. Sci.* 13 : 12–15.
- Radtke, H., Meyer, T., Kalus, U., Röcker, L., Salama, A., Kiesewetter, H., *et al.* (2005). Rapid Identification of Iron Deficiency in Blood Donors with Red Cell Indexes Provided by Advia 120. *Transfusion* 45 : 5–10.
- Rashidi, H.H., Tran, N.K., & Green, R. (2023). Red Blood Cell Morphology and Indices: The Clinical Chemistry Interface, in: *Tietz Textbook of Laboratory Medicine*. pp. 2987–3002, Missouri : Wiley.
- Rehu, M., Ahonen, S., & Punnonen, K. (2011). The Diagnostic Accuracy of the Percentage of Hypochromic Red Blood Cells (%HYPOm) and Cellular Hemoglobin in reticulocytes (CHR) in Differentiating Iron Deficiency Anemia and Anemia of Chronic Diseases. *Clin. Chim. Acta* 412 : 1809–1813.
- Rigas, A.S., Pedersen, O.B., Magnussen, K., Erikstrup, C., & Ullum, H. (2017). Iron Deficiency Among Blood Donors: Experience from The Danish Blood Donor Study and from the Copenhagen Ferritin Monitoring Scheme. *Transfus. Med.* 29 : 23–27.
- Rimon, E., Levy, S., Sapir, A., Gelzer, G., Peled, R., Ergas, D., *et al.* (2002). Diagnosis of Iron Deficiency Anemia in The Elderly by Transferrin Receptor-ferritin Index. *Arch. Intern. Med.* 162 : 445–449.
- Rivera, A.K.B., Latorre, A.A.E., Nakamura, K., & Seino, K. (2023). Using Complete Blood Count Parameters in the Diagnosis of Iron Deficiency and Iron Deficiency Anemia in Filipino Women. *J. Rural Med.* 18 : 79–86.
- Roccaforte, V., Lombardi, F., Panella, R., Salamone, A., Daves, M., De Martino, A., *et al.* (2024). Use of Iron Deficiency Flag of the Hematology Analyzer Sysmex XN-3000 for Early Iron-deficient Erythropoiesis Diagnosis. *J. Lab. Precis. Med.* 9 : 19–19.
- Roche (2023). Elecsys Ferritin, in: *Package Insert Cobas*. pp. 1–3, Mannheim : Roche Diagnostics GmbH.
- Roemhild, K., von Maltzahn, F., Weiskirchen, R., Knüchel, R., von Stillfried, S., & Lammers, T. (2021). Iron Metabolism: Pathophysiology and Pharmacology.

Trends Pharmacol. Sci. 42 : 640–656.

- Rohr, M., Brandenburg, V., & Brunner-La Rocca, H.P. (2023). How to Diagnose Iron Deficiency in Chronic Disease: A Review of Current Methods and Potential Marker for The Outcome. *Eur. J. Med. Res.* 28 : 1–12.
- Rusch, J.A., van der Westhuizen, D.J., Gill, R.S., & Louw, V.J. (2023). Diagnosing Iron Deficiency: Controversies and Novel Metrics. *Best Pract. Res. Clin. Anaesthesiol.* 37 : 451–467.
- Safari, S., Baratloo, A., Elfil, M., & Negida, A. (2016a). Evidence Based Emergency Medicine; Part 5 Receiver Operating Curve and Area under the Curve. *Emerg* 4 : 111–3.
- Safari, S., Baratloo, A., Elfil, M., & Negida, A. (2016b). Evidence Based Emergency Medicine; Part 4: Pre-test and Post-test Probabilities and Fagan's nomogram. *Emerg. (Tehran, Iran)* 4 : 48–51.
- Schapkaitz, E. (2018). Stability of New Erythrocyte and Reticulocyte Parameters Intesting for Anemia on The Sysmex XN 9000. *Lab Med.* 49 : 219–225.
- Sedighi, I. (2013). Interpretation of Diagnostic Tests: Likelihood Ratio vs. Predictive Value. *Iran. J. Pediatr.* 23 : 717.
- Shan, G. (2015). Improved Confidence Intervals for The Youden Index. *PLoS One* 10 : 1–19.
- Shara, F. El (2024). Nilai Prediktif Percentage of Hypochromic Red Cells Terhadap Deplesi Besi Berdasarkan Kadar Feritin pada Pendonor Rutin. Tesis. Universitas Andalas.
- Shin, D.H., Kim, H.S., Park, M.J., Suh, I.B., & Shin, K.S. (2015). Utility of Access Soluble Transferrin Receptor (sTfR) and sTfR/Log Ferritin Index in Diagnosing Iron Deficiency Anemia. *Ann. Clin. Lab. Sci.* 45 : 396–402.
- Shukla, A., Awasthi, N.P., Sharma, P., Tiwari, V., Sharma, V.K., Raj Kulshrestha, M., *et al.* (2024). Evaluation of Diagnostic Efficacy of Novel Red Blood Cell Parameters as Potential Screening Test for Detecting Latent Iron Deficiency in Blood Donors. *Indian J. Hematol. Blood Transfus.* 40 : 139–145.
- Simundic, A.M. (2009). Measures of Diagnostic Accuracy: Basic Definitions. *Ejifcc* 19 : 203–211.
- Singh, A., Pandey, H.C., & Chaudhary, R. (2023). Establishment of Normal Reference Range of Serum Hcpidin in Indian Blood Donors. *Asian J. Transfus. Sci.* 1 : 1–6.
- Siswosudarmo, R. (2017). Tes Diagnostik (Diagnostic Test). Yogyakarta : .
- Soodejani, T.M., Haghdoost, A.A., Okhovati, M., Zolala, F., Baneshi, M.R., Sedaghat, A., *et al.* (2020). Incidence of Adverse Reaction in Blood Donation: A Systematic Review. *Am. J. Blood Res.* 10 : 145–150.
- Spencer, B.R., & Mast, A.E. (2022). Iron Status of Blood Donors. *Curr. Opin. Hematol.* 29 : 310–316.
- Sugandha, Kakkar, N., & John, M.J. (2021). Utility of Hyperchromic Cell Percentage, Flags, and Red Cell Cytograms Generated by Advia-120 Hematology Analyzer as a Potential Screening Tool in Hereditary Spherocytosis. *J. Hematop.* 14 : 137–143.
- Swinkles, D.W. (2023). Iron Metabolism, in: *Tietz Textbook of Laboratory Medicine*. pp. 1367–1407, Missouri : Wiley.

- Sysmex (2024). Percentage of Hypo-haemoglobinised Red Cells (HYPO-He) and Hyper-Haemoglobinised Red Cells (HYPER-He). [WWW Document]. URL <https://www.sysmex.co.uk/education/knowledge-centre/sysmex-parameters/hypo-he/hyper-he/>
- Sysmex (2023). Advanced RBC Parameters in The Differential Diagnosis and Management of Anaemia. *Haematol. White Pap.* 1–8.
- Tebabal, B., Anagaw, T.F., Adamu, A., & Atnafu, D.D. (2023). Factors Influencing Blood Donation Practice Among Health Care Providers of Public Hospitals in Bahir Dar City, North West Ethiopia: A Case Control Study. *J. Blood Med.* 14 : 487–498.
- Tougan, T., Itagaki, S., Toya, Y., Uchihashi, K., & Horii, T. (2020). Implementation of a Red Blood Cell-optical (RBO) Channel for Detection of Latent Iron Deficiency Anaemia by Automated Measurement of Autofluorescence-emitting Red Blood Cells. *Sci. Rep.* 10 : 1–13.
- Trisna, G. (2016). Profil Status Besi dan Kejadian Defisiensi Besi pada Donor Darah di Unit Donor Darah PMI Kota Yogyakarta. Tesis. Universitas Gadjah Mada.
- Turawa, E., Awotiwon, O., Dhansay, M.A., Cois, A., Labadarios, D., Bradshaw, D., *et al.* (2021). Prevalence of Anaemia, Iron Deficiency, and Iron Deficiency Anaemia in Women of Reproductive Age and Children Under 5 Years of Age in South Africa (1997–2021): A systematic Review. *Int. J. Environ. Res. Public Health* 18 : 2–17.
- Urrechaga, E., Borque, L., & Escanero, J.F. (2013). Biomarkers of Hypochromia: The Contemporary Assessment of Iron Status and Erythropoiesis. *Biomed Res. Int.* 2013.
- Urrechaga, E., Borque, L., & Escanero, J.F. (2012a). Percentage of Hypochromic Erythrocytes as a Potential Marker of Iron Availability. *Clin. Chem. Lab. Med.* 50 : 685–687.
- Urrechaga, E., Borque, L., & Escanero, J.F. (2009). Potential Utility of The New Sysmex XE 5000 Red Blood Cell Extended Parameters in The Study of Disorders of Iron Metabolism. *Clin. Chem. Lab. Med.* 47 : 1411–1416.
- Urrechaga, E., Borque, L., & F., J. (2012b). Assessing Iron Status in CKD Patients: New Laboratory Parameters. *Chronic Kidney Dis.* 03 : 225–50.
- van den Hurk, K., Arvas, M., Roberts, D.J., Castrén, J., & Erikstrup, C. (2024). Whole Blood Donor Iron Management Across Europe: Experiences and Challenges in Four Blood Establishments. *Transfus. Med. Rev.* 38 : 4–10.
- Vassallo, R.R., Bravo, M.D., & Kamel, H. (2018). Ferritin Testing to Characterize and Address Iron Deficiency in Young Donors. *Transfusion* 58 : 2861–2867.
- Vazquez-Lopez, M.A., Ibanez-Alcalde, M., Lendýnez-Molinos, F., Ruíz-Sanchez, A.M., Galera-Martínez, R., Garcyá-Garcyá, E., *et al.* (2015). Reference Values of Serum Transferrin Receptor and sTfR/Log Ferritin Index in Healthy Adolescents. *J. Pediatr. Hematol. Oncol.* 37 : 274–280.
- Vhanda, D., Chinowaita, F., Nkomo, S., Timire, C., & Kouamou, V. (2021). Effects of Repeated Blood Donation on Iron Status of Blood Donors in Zimbabwe: A Cross-sectional Study. *Heal. Sci. Reports* 426 : 1–7.
- Vogt, A.C.S., Arsiwala, T., Mohsen, M., Vogel, M., Manolova, V., & Bachmann,

- M.F. (2021). On Iron Metabolism and Its Regulation. *Int. J. Mol. Sci.* 22 : 1–17.
- Waheed, U., Arshad, M., Sultan, S., Saeed, M., A, A., Irfan, S., *et al.* (2018). Iron Deficiency and Iron Deficiency Anemia in Blood Donors at a Tertiary Care Hospital in Islamabad, Pakistan. *Glob. J. Transfus. Med.* 3 : 17–20.
- Wee, S.Y., Muhamed Said, S.S., Raja Sabudin, R.Z.A., Alauddin, H., & Ithnin, A. (2020). Microcytic to Hypochromic Ratio as a Discriminant Index of Thalassaemia Trait in Subjects With Hypochromic Anaemia. *Malays. J. Pathol.* 42 : 195–201.
- Wetsgard, J. (2014). Desirable Biological Variation Database Specification [WWW Document]. URL <https://westgard.com/clia-a-quality/quality-requirements/biodatabase1.html>
- Whitehead, R.D., Mei, Z., Mapango, C., & Jefferds, M.E.D. (2019). Methods and Analyzers for Hemoglobin Measurement in Clinical Laboratories and Field Settings. *Ann. N. Y. Acad. Sci.* 1450 : 147–171.
- Wiersum-Osselton, J.C., Marijt-Van Der Kreek, T., Brand, A., Veldhuizen, I., Van Der Bom, J.G., & De Kort, W. (2014). Risk Factors for Complications in Donors at First and Repeat Whole Blood Donation: A Cohort Study with Assessment of the Impact on Donor Return. *Blood Transfus.* 12 : 28–36.
- World Health Organization (2021). Global Status Report on Blood Safety and Availability. Geneva : World Health Organization.
- World Health Organization (2020). WHO Guideline on Use of Ferritin Concentrations to Assess Iron Status in Individuals and Population. Geneva : World Health Organization.
- World Health Organization (2018). Blood Transfusion Service in The South-East Asia Region. A 5-year Review. Geneva : World Health Organization.
- World Health Organization (2012). Blood Donor Selection: Guidelines on Assessing Donor Suitability for Blood Donation. Geneva : World Health Organization.
- Worwood, M., May, A.M., & Bain, B.J. (2017). Iron Deficiency Anaemia and Iron Overload, *Dacie and Lewis Practical Haematology: Twelfth Edition*. Elsevier Ltd.
- Yiannikourides, A., & Latunde-Dada, G. (2019). A Short Review of Iron Metabolism and Pathophysiology of Iron Disorders. *Medicines* 6 : 85.
- Zady, M.F. (2025). Z-4: Mean, Standard Deviation, And Coefficient Of Variation [WWW Document]. *Westgard*. URL <https://westgard.com/lessons/z-stats-basic-statistics/lesson34.html> (accessed 5.27.25).
- Zimmermann, M.B., & Hurrell, R.F. (2007). Nutritional Iron Deficiency. *Lancet* 370 : 511–520.
- Zuther, M., RübSam, M.L., Zimmermann, M., Zarbock, A., & Hönemann, C. (2023). Improved Diagnosis of Iron Deficiency Anemia in the Critically Ill via Fluorescence Flowcytometric Hemoglobin Biomarkers. *Cells* 12 : 1–13.