

DAFTAR PUSTAKA

- Abdullah, N.Y. and Alkababji, A.M.F. (2022) ‘Masked face with facial expression recognition based on deep learning’, *Indonesian Journal of Electrical Engineering and Computer Science*, 27(1), pp. 149–155. Available at: <https://doi.org/10.11591/ijeecs.v27.i1.pp149-155>.
- Anusha, S. and Nimala, K. (2023) ‘Occluded Face Recognition Using Deep Convolutional Neural Network with Sparse Representation’, *Proceedings of the 2nd IEEE International Conference on Advances in Computing, Communication and Applied Informatics, ACCAI 2023*, pp. 1–7. Available at: <https://doi.org/10.1109/ACCAI58221.2023.10200930>.
- Baccour, M.H. *et al.* (2022) ‘Comparative Analysis of Vehicle-Based and Driver-Based Features for Driver Drowsiness Monitoring by Support Vector Machines’, *IEEE Transactions on Intelligent Transportation Systems*, 23(12), pp. 23164–23178. Available at: <https://doi.org/10.1109/TITS.2022.3207965>.
- Bettadapura, V. (2012) ‘Face Expression Recognition and Analysis: The State of the Art’, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22(12), pp. 1424–1445. Available at: <https://doi.org/10.1109/34.895976>.
- Boser, B.E., Guyon, I.M. and Vapnik, V.N. (1992) ‘Training algorithm for optimal margin classifiers’, *Proceedings of the Fifth Annual ACM Workshop on Computational Learning Theory*, pp. 144–152. Available at: <https://doi.org/10.1145/130385.130401>.
- Breiman, L. (1996) ‘Bagging predictors’, *Risks*, 24(3), pp. 123–140. Available at: <https://doi.org/https://doi.org/10.1007/BF00058655>.
- Casas-Ortiz, A. *et al.* (2024) ‘Exploring the Impact of Partial Occlusion on Emotion Classification From Facial Expressions: A Comparative Study of XR Headsets and Face Masks’, *IEEE Access*, 12(March), pp. 44613–44627. Available at: <https://doi.org/10.1109/ACCESS.2024.3380439>.
- Cheng, Y., Jiang, B. and Jia, K. (2014) ‘A deep structure for facial expression recognition under partial occlusion’, *Proceedings - 2014 10th International Conference on Intelligent Information Hiding and Multimedia Signal*

- Processing, IHH-MSP 2014*, pp. 211–214. Available at: <https://doi.org/10.1109/IHH-MSP.2014.59>.
- Cortes, C. and Vapnik, V. (1995) ‘Support-vector networks’, *Machine Learning*, 20(3), pp. 273–297. Available at: <https://doi.org/10.1007/bf00994018>.
- Ding, H., Zhou, P. and Chellappa, R. (2020) ‘Occlusion-Adaptive Deep Network for Robust Facial Expression Recognition’, *IEEE International Joint Conference on Biometrics (IJCB)* [Preprint]. Available at: <https://doi.org/10.1109/IJCB48548.2020.9304923>.
- Ekman, P. (1993) ‘Facial expression and emotion’, *American Psychologist*, pp. 384–392. Available at: <https://doi.org/10.1037/0003-066X.48.4.384>.
- Goodfellow, I.J. *et al.* (2015) ‘Challenges in representation learning: A report on three machine learning contests’, *Neural Networks*, 64, pp. 59–63. Available at: <https://doi.org/10.1016/j.neunet.2014.09.005>.
- Grahlow M, Rupp CI, D.B. (2022) ‘The impact of face masks on emotion recognition performance and perception of threat’, pp. 1–16. Available at: <https://doi.org/10.1371/journal.pone.0262840>.
- Guo, Y. *et al.* (2022) ‘Facial expressions recognition with multi-region divided attention networks for smart education cloud applications’, *Neurocomputing*, 493, pp. 119–128. Available at: <https://doi.org/10.1016/j.neucom.2022.04.052>.
- Hasan, M.A.M. *et al.* (2016) ‘Performance evaluation of different kernels for support vector machine used in intrusion detection system’, *International Journal of Computer Networks and Communications*, 8(6), pp. 39–53. Available at: <https://doi.org/10.5121/ijcnc.2016.8604>.
- Hasanat, N.U. (1997) ‘Anda Sedang Bersedih? Cobalah Tersenyum atau Tertawa’, *Buletin Psikologi*, 5(2), p. 6. Available at: <https://jurnal.ugm.ac.id/buletinpsikologi/article/view/13554/9723>.
- Hdioud, B. and Tirari, M.E.H. (2023) ‘Facial expression recognition of masked faces using deep learning’, *IAES International Journal of Artificial Intelligence*, 12(2), pp. 921–930. Available at: <https://doi.org/10.11591/ijai.v12.i2.pp921-930>.

- Houshmand, B. and Khan, N.M. (2020) 'Facial Expression Recognition under Partial Occlusion from Virtual Reality Headsets based on Transfer Learning', *Proceedings - 2020 IEEE 6th International Conference on Multimedia Big Data, BigMM 2020*, pp. 70–75. Available at: <https://doi.org/10.1109/BigMM50055.2020.00020>.
- Huang, Y. *et al.* (2024) 'FERMixNet: An Occlusion Robust Facial Expression Recognition Model with Facial Mixing Augmentation and Mid-Level Representation Learning', *IEEE Transactions on Affective Computing*, PP, pp. 1–17. Available at: <https://doi.org/10.1109/TAFFC.2024.3454102>.
- Ikhsan, M., Sumiharto, R. and Wahyono (2020) 'Face verification using convolutional neural network with partial triplet loss on face wearing glasses', *Journal of Theoretical and Applied Information Technology*, 98(23), pp. 3654–3665.
- Jakobs, E., Manstead, A.S.R. and Fischer, A.H. (1999) 'Social motives and emotional feelings as determinants of facial displays: The case of smiling', *Personality and Social Psychology Bulletin*, 25(4), pp. 424–435. Available at: <https://doi.org/10.1177/0146167299025004003>.
- Jiang, C. *et al.* (2023) 'MaskTheFER : Mask-Aware Facial Expression Recognition using Convolutional Neural Network', *2023 International Conference on Digital Image Computing: Techniques and Applications (DICTA)*, pp. 456–463. Available at: <https://doi.org/10.1109/DICTA60407.2023.00069>.
- Katembu, S. *et al.* (2022) 'Effects of Social Context on Deliberate Facial Expressions: Evidence from a Stroop-like Task', *Journal of Nonverbal Behavior*, 46(3), pp. 247–267. Available at: <https://doi.org/10.1007/s10919-022-00400-x>.
- Kuppens, S. *et al.* (2020) 'The Enduring Effects of Parental Alcohol, Tobacco, and Drug Use on Child Well-being: A Multilevel Meta-Analysis', *Development and Psychopathology*, 32(2), pp. 765–778. Available at: <https://doi.org/10.1017/S0954579419000749>.
- Lerner, R. M., Wang, J., Chase, P. A., Gutierrez, A. S., Harris, E. M., Rubin, R. O., & Yalin, C. (2020) 'Positive youth development in the United States: History,

efficacy, and links to moral and character education’.

- Li, S. and Deng, W. (2022) ‘Deep Facial Expression Recognition: A Survey’, *IEEE Transactions on Affective Computing*, 13(3), pp. 1195–1215. Available at: <https://doi.org/10.1109/TAFFC.2020.2981446>.
- Li, Y. *et al.* (2019) ‘Occlusion Aware Facial Expression Recognition Using CNN With Attention Mechanism’, *IEEE Transactions on Image Processing*, 28(5), pp. 2439–2450. Available at: <https://doi.org/10.1109/TIP.2018.2886767>.
- Li, Y. *et al.* (2022) ‘Deep Learning for Micro-Expression Recognition: A Survey’, *IEEE Transactions on Affective Computing*, 13(4), pp. 2028–2046. Available at: <https://doi.org/10.1109/TAFFC.2022.3205170>.
- Lilik Anton Budiono, M.M. (2022) ‘Emosi Dalam Perspektif Lintas Budaya’, *Jurnal Pendidikan dan Konseling*, 4(2), pp. 1–7.
- Lucey, P. *et al.* (2010) ‘The extended Cohn-Kanade dataset (CK+): A complete dataset for action unit and emotion-specified expression’, *2010 IEEE Computer Society Conference on Computer Vision and Pattern Recognition - Workshops, CVPRW 2010*, (July), pp. 94–101. Available at: <https://doi.org/10.1109/CVPRW.2010.5543262>.
- Lyons, M. *et al.* (1998) ‘Coding facial expressions with Gabor wavelets’, *Proceedings - 3rd IEEE International Conference on Automatic Face and Gesture Recognition, FG 1998*, pp. 200–205. Available at: <https://doi.org/10.1109/AFGR.1998.670949>.
- Manconi, A. *et al.* (2022) ‘A Soft-Voting Ensemble Classifier for Detecting Patients Affected by COVID-19’, *Applied Sciences (Switzerland)*, 12(15). Available at: <https://doi.org/10.3390/app12157554>.
- Markoulidakis, I. *et al.* (2021) ‘Multiclass Confusion Matrix Reduction Method and Its Application on Net Promoter Score Classification Problem’, *Technologies*, 9(4). Available at: <https://doi.org/10.3390/technologies9040081>.
- Musman, A. (2018) *Berdamai dengan Emosi: Kenali Emosi Hadapi Hidup*. Yogyakarta: Anak Hebat Indonesia.
- Niedenthal, P.M. and Ric, F. (2017) *Psychology of Emotion, Psychology of*

Emotion. Available at: <https://doi.org/10.4324/9781315276229>.

Priyanka, G. and Pavithra, S. (2019) 'Facial Expression Recognition using SVM With CNN and Handcrafted Features', *International Journal of Recent Technology and Engineering (IJRTE)*, 8(4), pp. 3570–3574. Available at: <https://doi.org/10.35940/ijrte.d7802.118419>.

Putra, M.P.K. and Wahyono (2021) 'A Novel Method for Handling Partial Occlusion on Person Re-identification using Partial Siamese Network', *International Journal of Advanced Computer Science and Applications*, 12(7), pp. 313–321. Available at: <https://doi.org/10.14569/IJACSA.2021.0120735>.

Ramdani, C., Ogier, M. and Coutrot, A. (2022) 'Communicating and reading emotion with masked faces in the Covid era : A short review of the literature', *Psychiatry Research*, 316(January), p. 114755. Available at: <https://doi.org/10.1016/j.psychres.2022.114755>.

Recto, I.J.H. (2022) 'Synthetic Ocluded Masked Face Recognition using Convolutional Neural Networks', *2022 IEEE International Conference on Industry 4.0, Artificial Intelligence, and Communications Technology (IAICT)*, pp. 124–129. Available at: <https://doi.org/10.1109/IAICT55358.2022.9887517>.

Shan, C., Gong, S. and McOwan, P.W. (2005) 'Robust facial expression recognition using local binary patterns', *Proceedings - International Conference on Image Processing, ICIP*, 2(March 2015), pp. 370–373. Available at: <https://doi.org/10.1109/ICIP.2005.1530069>.

Shiota, M. N., Campos, B., Keltner, D., & Hertenstein, M.J. (2019) 'Positive emotion and the regulation of interpersonal relationships'.

T. Sutojo, Muljono, Nurtantio, P.A. (2017) *Pengolahan Citra Digital*. 1st edn. Yogyakarta: ANDI (Anggota IKAPI).

Thavarekere, S.R., Hebbar, A. and Uma, D. (2022) 'A Deep Learning Approach to Facial Expression Recognition in the Presence of Masked Occlusion', *INDICON 2022 - 2022 IEEE 19th India Council International Conference*, pp. 1–7. Available at:

<https://doi.org/10.1109/INDICON56171.2022.10040209>.

- Wang, Kai and Peng, Xiaojiang and Yang, Jianfei and Meng, Debin and Qiao, Y. (2020) 'Region Attention Networks for Pose and Occlusion Robust Facial Expression Recognition', *Trans. Img. Proc.*, 29, pp. 4057–4069. Available at: <https://doi.org/https://doi.org/10.1109/TIP.2019.2956143>.
- Wu, K. and Chen, Z. (2023) 'Enhancing Real-World Facial Expression Recognition: A Deep Learning Approach based on Attention Mechanisms', *2023 3rd International Conference on Computer Science, Electronic Information Engineering and Intelligent Control Technology, CEI 2023*, pp. 338–342. Available at: <https://doi.org/10.1109/CEI60616.2023.10527835>.
- Zhang, S., Zhao, X. and Lei, B. (2012) 'Robust facial expression recognition via compressive sensing', *Sensors*, 12(3), pp. 3747–3761. Available at: <https://doi.org/10.3390/s120303747>.
- Zhou, T. and Jiao, H. (2023) 'Exploration of the Stacking Ensemble Machine Learning Algorithm for Cheating Detection in Large-Scale Assessment', *Educational and Psychological Measurement*, 83(4), pp. 831–854. Available at: <https://doi.org/10.1177/00131644221117193>.