DAFTAR PUSTAKA

Almaz, M.G., Halim, R.A., Martini, M.Y., & Samsuri, A.W. (2017). INTRODUCTION Low soil fertility due to monoculture cereal production systems, inadequate fertiliszer application, biomass removal, soil erosion, nutrient losses through runoff and leaching are recognised as some of the major causes for declining Integrated Application of Poultry Manure and Chemical Fertiliser on Soil Chemical Properties and Nutrient Uptake of Maize and Soybean. Malaysian J. Soil Sci. 21 : 13–28.

Asadi. (2009). Karakterisasi Plasma Nutfah Untuk Perbaikan Varietas Kedelai Sayur Edamame. Buletin Plasma Nutfah, 15(2) : 59-69.

Campbell CR, Plank CO. 2000. Reference Sufficiency Ranges for Plant Analysis in the Southern Region of the United States. C. Ray Campbell, editor. United States. Southern Association of Agricultural Experiment Station. Cooperative Series Bulletin 394. URL: www.ncagr.gov/agronomi/saaesd/scsb394.pdf

Chen, C., Lu, C., Tzen, J., & Yang, C. (2021). Physiological Properties And Molecular Regulation In Different Edamame Cultivars Under Drought Stress. Agronomy, 11,939.

Chhipa H (2017) Nanofertilizers and nanopesticides for agriculture. Environ Chem Lett 15:15–22. https://doi.org/10.1007/ s10311-016-0600-4

Djanta, M. A., Agoyi, E. E., Agbahoungba, S., Quenum, F., Chadare, F., & Assogbadjo, A. (2020). Vegetable Soybean, Edamame: Research, Production, Utilization And Analysis Of Its Adoption In Sub-Saharan Africa. Journal Of Horticulture And Forestry, 12(1): 1-12.

Dierolf, T., Fairhurst, T.H. and Mutert, E.W., 2000. *Soil Fertility Kit: A Toolkit for Acid Upland Soil Fertility Management in Southeast Asia*. 1st ed. [online] Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ) GmbH; Food and Agriculture Organisation; PT Katom; Potash & Phosphate Institute (PPI); and Potash & Phosphate Institute of Canada (PPIC).

Fehr, WR. & CE. Caviness. 1977. Stages of Soybean Development. Special Report No. 80. Cooperative Extension Service, Agriculture and Home Economics Experiment Station Ames, Iowa, Iowa State University. 11pp.

Gardner FP, Pearce RB, Mitchell RL. 1991. Fisiologi Tanaman Budidaya. Yogyakarta: Gadjah Mada Press.

Hanway, J.J., & Weber, C.R. (1971). Accumulation of N, P, and K by Soybean (Glycine max (L.) Merrill) Plants 1 . Agron. J. 63 : 406–408.

Hardjowigeno, S. 2015. Ilmu Tanah. Akademika Pressindo. Jakarta.

Huang, C., Yang, J., Chou, K., Lin, C., & Chang, H. (2021). Copy Number Quantification For The Soybean Cyst Nematode Resistance Locus Rhg1 In The Soybean Varieties Of Taiwan. *Agronomy*, 11 (1) : 1-11.

[IPNI] International Plant Nutrition Institute. 1998. Functions of Potassium in Plants. Better Crops 82(3): 4-5.

Kenari, R.E., Zeinab, R.A., Ali, M., Jafar, M.M., Jamshid, F., Reza, F., 2020. Optimization of Iranian golpar (Heracleum persicum) extract encapsulation using sage (Salvia macrosiphon) seed gum: chitosan as a wall materials and its effect on the shelf life of

Liu, C. K., Tu, B. J., Li, Y. S., et al. (2017). Potassium application affects key enzyme activities of sucrose metabolism during seed filling in vegetable soybean. Crop Science, 57: 2707–2717.

Liu, C. K., Wang, X., Tu, B. J., et al. (2020). Dry matter partitioning and K distribution of vegetable soybean genotypes with higher potassium efficiency. Archives of Agronomy and Soil Science, 66: 717–729.

Liu, C. K., Li, Y. S., Tu, B. J., et al. (2019). Seed nutritional quality comparison of vegetable soybean genotypes at fresh pod and mature stage. Emirates Journal of Food and Agriculture, 31(6): 405–414.

Mackay, A.D., Syers, J.K. & Gregg, P.E.H. (1984) Ability of chemical extraction procedures to assess the agronomic effectiveness of phosphate rock materials. New Zealand Journal of Agricultural Research. [Online] 27 (219±230). Available from: doi:10.1080/00288233.1984.10430424.

Marschner P . (2012) ‘Marschner’s Mineral Nutrition of Higher Plants. 3rd edition. Edited by P. Marschner. Amsterdam, Netherlands: Elsevier/Academic Press (2011), pp. 684, ISBN 978-0-12-384905-2.’, *Experimental Agriculture*, 48(2), pp. 305–305. doi:10.1017/S001447971100130X.

Nair, R. M., Boddepali, N. M., Yan, M., Kumar, V., Gill, B., & Pan, R. (2023). Global Status Of Vegetable Soybean. Plants, 12(1) : 1-22.

Nugroho, H., & Jumakir. (2020). Respon Pertumbuhan Dan Hasil Tanaman Kedelai Terhadap Iklim Mikro. *Seminar Nasional Virtual*, 1(2) : 265-274.

Pandiangan, R.H., Yulianti, N., & Rochman. N. (2024). Potensi Elisitor dan KNO3-terhadap Pertumbuhan, Produksi, serta Kualitas Edamame (Glycine Max (L.) Merr). Jurnal Pertanian, 15(1), 42-52

Pantilu, L.I., Mantiri, F.R., Ai, N.S., & Pandiangan, D. (2012). Respons Morfologi dan Anatomi Kecambah Kacang Kedelai (*Glycine max* (L.) Merill) terhadap Intensitas Cahaya yang Berbeda. Jurnal Bioslogos, 2(2) : 79-87.

Pettigrew WT. 2008. Potassium influences on yield and quality production for maize, wheat, soybean and cotton. Physiol Plant. 133(4):670–681. doi:10.1111/j.1399-3054.2008.01073.x.

Raliya R, Tarafdar JC, Biswas P (2016) Enhancing the mobilization of native phosphorus in the mung bean rhizosphere using ZnO nanoparticles synthesized by soil fungi. J Agric Food Chem 64:3111–3118. https://doi.org/10.3390/agronomy8090158

Rohmawati, I., & Ulfah, M. (2018). Productivity And Growth Performance Of Edamame (*Glycine max* L Merril) Due To The Addition Of Sitokinin. *Journal Of Physics*, 5(10) : 1-6.

Safitri, R., Fuskhah, E., & Karno. (2018). Karakteristik Fotosintesis Dan Produksi Kedelai (*Glycine max L.* Merrill) Akibat Salinitas Air Penyiraman Yang Berbeda. Jurnal Agro Complex, 2(3):244-247.

Saito, Y., Itakura, K., Kuramoto, M., et al. (2021). Prediction of protein and oil contents in soybeans using fluorescence excitation emission matrix. Food Chemistry, 365: 130403SchwartK2SO4opf, C. 1972. Potassium, Calcium, Magnesium-How They Relate to Plant Growth. USGA Green Section Record: 1-2

Sam K, Geofrey G, Moses M. 2023. Effects of potassium application on yield , protein and oil content of selected soybean varieties in Trans Nzoia County , 66 Kenya. Journal of Agriculture and Ecology Research International.

24(5):37 50. doi:10.9734/JAERI/2023/v24i5540.

Sendhil, R., Kumar, A., Sharma, A.K., Jasrotia, P., Gupta, O.P., Meena, R., Singh, S. and Singh, G.P., 2018. *Strengthening Value Chain in Wheat and Barley for Doubling Farmers Income*. Karnal: ICAR-Indian Institute of Wheat and Barley Research. Available at: https://ssrn.com/abstract=3859144

Shanmugasundaram, S., & Yan, M.R. (2010). The Soybean : Botany, Production, And Uses. Uk: Cabi

Shipley B. 2006. Net assimilation rate, specific leaf area and leaf mass ratio: which is most closely correlated with relative growth rate? A meta-analysis. Funct. Ecol. 20:565-574.

Sikka, R., Singh, D., Deol, J.S., & Kumar, N. (2018). Effect of integrated nutrient and agronomic management on growth, productivity, nutrient uptake and soil residual fertility status of soybean. Agric. Sci. Dig. - A Res. J. 8.

Soekartawi. 2016. Analisis Usaha Tani.Jakarta (ID) : UI Press.

soybean oil during storage. Journal of Food Measurement and Characterization 14 (5), 2828–2839.

Steiner F, Zuffo AM, da Silva Oliveira CE, Ardon HJV, de Oliveira Sousa T, Aguilera JG. 2022. Can potassium fertilization alleviate the adverse effects of drought stress on soybean plants? Rev em Agronegocio e Meio Ambient. 15(1). doi:10.17765/2176-9168.2022v15n1e8240.

Subandi. 2013. Peran dan pengelolaan hara kalium untuk produksi pangan di Indonesia. Pengembangan Inovasi Pertanian 6(1): 1-10.

Subramanian KS, Manikandan A, Thirunavukkarasu M, Rahale CS : Nano Fertilizers for balanced crop nutrition. In Nanotechnologies in food and agriculture. Springer, 2015 : 69-80

Suryadi, M., Subaedah, Saida, Suryanti, H., & Syarif, M. (2020). Pertumbuhan Dan Produksi Berbagai Varietas Kedelai Di Lahan Sawah Tadah Hujan Setelah Padi. *Jurnal Agrotekmas*, 2 (3) : 67-74.

Sutoro, Dewi N, Setyowati M. 2008. Hubungan sifat morfologis tanaman dengan hasil kedelai. Penelitian Pertanian Tanaman Pangan. 27(3): 185-190.

Szczerba, A., Plazek, A., Pastuszak, J., Kopec, P., Hornyak, M., & Dubert, F. (2021). Effect Of Low Temperature On Germination, Growth, And Seed Yield Of Four Soybean (*Glycine max L.*) Cultivars. *Agronomy*, 11(8) : 1-17.

Tamagno, S., Balboa, G.R., Assefa, Y., Kovács, P., Casteel, S.N., Salvagiotti, F., et al. (2017). Nutrient partitioning and stoichiometry in soybean: A synthesis-analysis. F. Crop. Res. 200 : 18–27.

Taufiq, A. 2014. Identifikasi Masalah Keharaan Tanaman Kedelai. Balai Penelitian Tanaman Aneka Kacang dan Umbi, Malang, ID.

Taufiq, A., & Widjanarko, A. (2017). Teknologi Produksi Benih Kedelai. Jakarta: Iaard Press.

Wang, M., Q. Zheng, Q. Shen, S. Guo. 2013. The critical role of potassium in plant stress response. Int. J. Mol. Sci. 14: 7370-7390.

Wang, J., Barański, M., Hasanaliyeva, G., et al. (2021). Effect of irrigation, fertiliser type and variety on grain yield and nutritional quality of spelt wheat (Triticum spelta) grown under semi-arid conditions. Food Chemistry, 358: 129826

Wang XG, Zhao XH, Jiang CJ, Li CH, Cong S, Wu D, Chen YQ, Yu HQ, Wang CY. 2015. Effects of potassium deficiency on photosynthesis and photoprotection mechanisms in soybean (Glycine max (L.) Merr.). J Integr Agric. 14(5):856–863. doi:10.1016/S2095-3119(14)60848-0

Wijayanto B, Sucahyo A. 2019. Analisis aplikasi penggunaan pupuk KNO3 pada budidaya kedelai. Politeknik Pembangunan Pertanian Yogyakarta

Zainal M, Nugroho A, Suminarti NE. 2014. Respon pertumbuhan dan hasil tanaman kedelai (Glycine max (L.) Merill) pada berbagai tingkat pemupukan N dan pupuk kandang ayam. Jur. Prod. Tanaman. 2(6): 484-490.