

## DAFTAR PUSTAKA

- Al-Absi, Z. A., Isa, M. H. M., & Ismail, M. (2020). Phase change materials (PCMs) and their optimum position in building walls. In *Sustainability (Switzerland)* (Vol. 12, Issue 4). MDPI. <https://doi.org/10.3390/su12041294>
- Al-Absi, Z. A., Mohd Hafizal, M. I., Ismail, M., Mardiana, A., & Ghazali, A. (2020). Peak indoor air temperature reduction for buildings in hot-humid climate using phase change materials. *Case Studies in Thermal Engineering*, 22. <https://doi.org/10.1016/j.csite.2020.100762>
- Ali, S., & Deshmukh, S. P. (2019). An overview: Applications of thermal energy storage using phase change materials. *Materials Today: Proceedings*, 26, 1231–1237. <https://doi.org/10.1016/j.matpr.2020.02.247>
- Anter, A. G., Sultan, A. A., Hegazi, A. A., & El Bouz, M. A. (2023). Thermal performance and energy saving using phase change materials (PCM) integrated in building walls. *Journal of Energy Storage*, 67, 107568. <https://doi.org/10.1016/J.EST.2023.107568>
- Austin, M. C., Araúz, J., & Mora, D. (2022). Numerical Assessment of Different Phase Change Materials as a Passive Strategy to Reduce Energy Consumption in Buildings under Tropical Climates. *Buildings*, 12(7). <https://doi.org/10.3390/buildings12070906>
- Baetens, R., Jelle, B. P., & Gustavsen, A. (2010). Phase change materials for building applications: A state-of-the-art review. In *Energy and Buildings* (Vol. 42, Issue 9, pp. 1361–1368). Elsevier Ltd. <https://doi.org/10.1016/j.enbuild.2010.03.026>
- Buratti, C., Belloni, E., Merli, F., & Zinzi, M. (2021). Aerogel glazing systems for building applications: A review. In *Energy and Buildings* (Vol. 231). Elsevier Ltd. <https://doi.org/10.1016/j.enbuild.2020.110587>
- Cárdenas, B., & León, N. (2013). High temperature latent heat thermal energy storage: Phase change materials, design considerations and performance enhancement techniques. *Renewable and Sustainable Energy Reviews*, 27, 724–737. <https://doi.org/10.1016/J.RSER.2013.07.028>
- Chaiyapinunt, S., & Khamporn, N. (2021). Effect of solar radiation on human thermal comfort in a tropical climate. *Indoor and Built Environment*, 30(3), 391–410. <https://doi.org/10.1177/1420326X19891761>
- Dabe, T. J., & Adane, V. S. (2020). Evaluation of Daylight Parameters on the Basis Simulation Model For the Tropical Climate. *Journal of Architectural Environment & Structural Engineering Research*, 3(2), 22–28. <https://doi.org/10.30564/jaeser.v3i2.598>
- DAES. (2019). *World Population Prospects 2019 Highlights*.

- Davidovits, P. (2019). Heat and Kinetic Theory. *Physics in Biology and Medicine*, 119–135. <https://doi.org/10.1016/B978-0-12-813716-1.00009-4>
- Dixit, R. (2020). *ScholarWorks@UMass Amherst ScholarWorks@UMass Amherst A Study on Latent Thermal Energy Storage (LTES) using Phase A Study on Latent Thermal Energy Storage (LTES) using Phase Change Materials (PCMs) 2020 Change Materials (PCMs) 2020*. <https://doi.org/10.7275/18400452>
- Ghassan, M. L., Sari, L. H., & Munir, A. (2021). An evaluation of the tropical architectural concept on the building design for achieving thermal comfort (Case study: engineering faculty of Syiah Kuala university). *IOP Conference Series: Materials Science and Engineering*, 1087(1), 012013. <https://doi.org/10.1088/1757-899x/1087/1/012013>
- Groat, Linda N, Wang, & David. (2013). *Architectural research methods*.
- Harrell, C., Bowden, R., & Ghosh, B. K. (2000). *Simulation Using Promodel* (1st ed.). McGraw-Hill Higher Education.
- Ismail, K. A. R., Lino, F. A. M., Machado, P. L. O., Tegggar, M., Arıcı, M., Alves, T. A., & Teles, M. P. R. (2022). New potential applications of phase change materials: A review. In *Journal of Energy Storage* (Vol. 53). Elsevier Ltd. <https://doi.org/10.1016/j.est.2022.105202>
- Ismail, K. A. R., Tima, F., Lino, A. M., Tegggar, M., Slu "M Arıcı, M. ", Machado, P. L. O., Alves, T. A., De Paula, A. C. O., & Benhorma, A. (2022). A Comprehensive Review on Phase Change Materials and Applications in Buildings and Components; reuse license CC-BY 4.0. *ASME Open Journal of Engineering* 2022, 1, 11049–11050. <https://doi.org/10.1115/1.4055185>
- Craswell. (2018). *RESEARCH DESIGN Qualitative, Quantitative, and Mixed Methods Approaches*. SAGE Publications.
- Jurizat, A., & Wonorahardjo, S. (2018). A Review on The Application of Phase Change Material for Indoor Temperature Management in Tropical Area. *IOP Conference Series: Earth and Environmental Science*, 152, 12022. <https://doi.org/10.1088/1755-1315/152/1/012022>
- Kaynakli, O. (2012). A review of the economical and optimum thermal insulation thickness for building applications. In *Renewable and Sustainable Energy Reviews* (Vol. 16, Issue 1, pp. 415–425). <https://doi.org/10.1016/j.rser.2011.08.006>
- Lei, J., Yang, J., & Yang, E. H. (2016). Energy performance of building envelopes integrated with phase change materials for cooling load reduction in tropical Singapore. *Applied Energy*, 162, 207–217. <https://doi.org/10.1016/J.APENERGY.2015.10.031>
- Li, D., Ma, Y., Zhang, S., Yang, R., Zhang, C., & Liu, C. (2022). Photothermal and energy performance of an innovative roof based on silica aerogel-PCM glazing systems. *Energy Conversion and Management*, 262. <https://doi.org/10.1016/j.enconman.2022.115567>

- Li, M., Cao, Q., Pan, H., Wang, X., & Lin, Z. (2021a). Effect of melting point on thermodynamics of thin PCM reinforced residential frame walls in different climate zones. *Applied Thermal Engineering*, 188, 116615. <https://doi.org/10.1016/J.APPLTHERMALENG.2021.116615>
- Li, M., Cao, Q., Pan, H., Wang, X., & Lin, Z. (2021b). Effect of melting point on thermodynamics of thin PCM reinforced residential frame walls in different climate zones. *Applied Thermal Engineering*, 188. <https://doi.org/10.1016/j.applthermaleng.2021.116615>
- Martin, K., Erkoreka, A., Flores, I., Odriozola, M., & Sala, J. M. (2011). Problems in the calculation of thermal bridges in dynamic conditions. *Energy and Buildings*, 43(2–3), 529–535. <https://doi.org/10.1016/j.enbuild.2010.10.018>
- Min, K.-E. (2000). *A Study of Thermal Energy Storage of Phase Change Materials: Thermophysical Properties and Numerical Simulations*. <https://doi.org/10.15760/etd.6711>
- Nijsskens, R., Lohuis, M., Hilbers, P., & Heeringa, W. (2019). Hot Property: The Housing Market in Major Cities. In *Hot Property: The Housing Market in Major Cities*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-11674-3>
- Noël, J. A., Kahwaji, S., Desgrosseilliers, L., Groulx, D., & White, M. A. (2022). 22 - Phase change materials. In T. M. Letcher (Ed.), *Storing Energy (Second Edition)* (Second Edition, pp. 503–535). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-12-824510-1.00005-2>
- Pathirana, S., Rodrigo, A., & Halwatura, R. (2019). Effect of building shape, orientation, window to wall ratios and zones on energy efficiency and thermal comfort of naturally ventilated houses in tropical climate. *International Journal of Energy and Environmental Engineering*, 10(1), 107–120. <https://doi.org/10.1007/s40095-018-0295-3>
- Prabhakar, M., Saffari, M., de Gracia, A., & Cabeza, L. F. (2020). Improving the energy efficiency of passive PCM system using controlled natural ventilation. *Energy and Buildings*, 228. <https://doi.org/10.1016/j.enbuild.2020.110483>
- Rilatupa, J. (2019). Factor of building orientation direction as determinant the thermal comfort quality. *IOP Conference Series: Materials Science and Engineering*, 620(1). <https://doi.org/10.1088/1757-899X/620/1/012009>
- Roitman, S., & Rukmana, D. (2022). *Routledge Handbook of Urban Indonesia*. Routledge. <https://doi.org/10.4324/9781003318170>
- Rubitherm. (n.d.). *PCM RT-LINE*. Retrieved December 3, 2023, from <https://www.rubitherm.eu/en/productcategory/organische-pcm-rt>
- Sheriyev, A., Memon, S. A., Adilkhanova, I., & Kim, J. (2021a). Effect of phase change materials on the thermal performance of residential building located in different cities of a tropical rainforest climate zone. *Energies*, 14(9). <https://doi.org/10.3390/en14092699>

Sheriyev, A., Memon, S. A., Adilkhanova, I., & Kim, J. (2021b). Effect of phase change materials on the thermal performance of residential building located in different cities of a tropical rainforest climate zone. *Energies*, 14(9). <https://doi.org/10.3390/en14092699>

Socaciu, L., Plesa, A., Unguresan, P., Giurgiu, O., Pleşa, A., & Ungureşan, P. (2014). Review on phase change materials for building applications Leonardo Electronic Journal of Practices and Technologies Review on phase change materials for building applications. *Article in Leonardo Electronic Journal of Practices and Technologies*, 17, 179–194. <https://www.researchgate.net/publication/287305188>

Sutaryono, O. : (2012). *DUALISME PEMBANGUNAN PERUMAHAN 1*. [www.dppd.slemankab.go.id](http://www.dppd.slemankab.go.id)

Theodosiou, T. G., & Papadopoulos, A. M. (2008). The impact of thermal bridges on the energy demand of buildings with double brick wall constructions. *Energy and Buildings*, 40(11), 2083–2089. <https://doi.org/10.1016/j.enbuild.2008.06.006>

Wang, Y., Wang, L., Long, E., & Deng, S. (2016). An experimental study on the indoor thermal environment in prefabricated houses in the subtropics. *Energy and Buildings*, 127, 529–539. <https://doi.org/10.1016/j.enbuild.2016.05.061>

*World Energy Outlook 2021*. (n.d.). [www.iea.org/weo](http://www.iea.org/weo)