

DAFTAR PUSTAKA

- Abdalla, A., Klein, S., & Mäder, K. (2008). A new self-emulsifying drug delivery system (SEDDS) for poorly soluble drugs: Characterization, dissolution, in vitro digestion and incorporation into solid pellets. *European Journal of Pharmaceutical Sciences: Official Journal of the European Federation for Pharmaceutical Sciences*, 35(5), 457–464. <https://doi.org/10.1016/j.ejps.2008.09.006>
- Ahmad, S., & Hafeez, A. (2023). Formulation and Development of Curcumin–Piperine-Loaded S-SNEDDS for the Treatment of Alzheimer’s Disease. *Molecular Neurobiology*, 60(2), 1067–1082. <https://doi.org/10.1007/s12035-022-03089-7>
- Akhtar, N., Rehman, M., Khan, H., Rasool, F., Saeed, T., & Murtaz, G. (2011). Penetration Enhancing Effect of Polysorbate 20 and 80 on the *In Vitro* Percutaneous Absorption of LAscorbic Acid. *Tropical Journal of Pharmaceutical Research*, 10(3). <https://doi.org/10.4314/tjpr.v10i3.1>
- Amalraj, A., Pius, A., Gopi, S., & Gopi, S. (2017). Biological activities of curcuminoids, other biomolecules from turmeric and their derivatives – A review. *Journal of Traditional and Complementary Medicine*, 7(2), 205–233. <https://doi.org/10.1016/j.jtcme.2016.05.005>
- Astuti, I. Y., Marchaban, M., Martien, R., & Nugroho, A. E. (2017). Design and Optimization of Self Nano-Emulsifying Drug Delivery System Containing a New Anti-inflammatory Agent Pentagamavunon-0. *Indonesian Journal of Chemistry*, 17(3), 365. <https://doi.org/10.22146/ijc.22640>
- Baloch, J., Sohail, M. F., Sarwar, H. S., Kiani, M. H., Khan, G. M., Jahan, S., Rafay, M., Chaudhry, M. T., Yasinzai, M., & Shahnaz, G. (2019). Self-Nanoemulsifying Drug Delivery System (SNEDDS) for Improved Oral Bioavailability of Chlorpromazine: In Vitro and In Vivo Evaluation. *Medicina*, 55(5), 210. <https://doi.org/10.3390/medicina55050210>
- Chen, H., Wu, J., Sun, M., Guo, C., Yu, A., Cao, F., Zhao, L., Tan, Q., & Zhai, G. (2012). N-trimethyl chitosan chloride-coated liposomes for the oral delivery of curcumin. *Journal of Liposome Research*, 22(2), 100–109. <https://doi.org/10.3109/08982104.2011.621127>
- Cui, S., Zhao, C., Chen, D., & He, Z. (2005). Self-Microemulsifying Drug Delivery Systems (SMEDDS) for Improving In Vitro Dissolution and Oral Absorption of Pueraria Lobata Isoflavone. *Drug Development and Industrial Pharmacy*, 31(4–5), 349–356. <https://doi.org/10.1081/DDC-54309>
- Daina, A., Michielin, O., & Zoete, V. (2017). SwissADME: A free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules. *Scientific Reports*, 7(1), 42717. <https://doi.org/10.1038/srep42717>
- Dhumal, N., Yadav, V., & Borkar, S. (2022). Nanoemulsion as Novel Drug Delivery System: Development, Characterization and Application. *Asian Journal of Pharmaceutical Research and Development*, 10(6), 120–127. <https://doi.org/10.22270/ajprd.v10i6.1205>
- Dong, Y., Wei, Z., Wang, Y., Tang, Q., Xue, C., & Huang, Q. (2022). Oleogel-based Pickering emulsions stabilized by ovotransferrin–carboxymethyl chitosan nanoparticles for delivery of curcumin. *LWT*, 157, 113121. <https://doi.org/10.1016/j.lwt.2022.113121>
- Feeney, O. M., Crum, M. F., McEvoy, C. L., Trevaskis, N. L., Williams, H. D., Pouton, C. W., Charman, W. N., Bergström, C. A. S., & Porter, C. J. H. (2016). 50 years of oral lipid-based formulations: Provenance, progress and future perspectives. *Advanced Drug Delivery Reviews*, 101, 167–194. <https://doi.org/10.1016/j.addr.2016.04.007>
- Ganta, S., & Amiji, M. (2009). Coadministration of Paclitaxel and Curcumin in Nanoemulsion Formulations To Overcome Multidrug Resistance in Tumor Cells. *Molecular Pharmaceutics*, 6(3), 928–939. <https://doi.org/10.1021/mp800240j>



- Ghalandarlaki, N., Alizadeh, A. M., & Ashkani-Esfahani, S. (2014). Nanotechnology-Applied Curcumin for Different Diseases Therapy. *BioMed Research International*, 2014, 1–23. <https://doi.org/10.1155/2014/394264>
- Gordon, O. N., Luis, P. B., Ashley, R. E., Osheroff, N., & Schneider, C. (2015). Oxidative Transformation of Demethoxy- and Bisdemethoxycurcumin: Products, Mechanism of Formation, and Poisoning of Human Topoisomerase II α . *Chemical Research in Toxicology*, 28(5), 989–996. <https://doi.org/10.1021/acs.chemrestox.5b00009>
- Gupta, N. K., & Dixit, V. K. (2011). Bioavailability Enhancement of Curcumin by Complexation with Phosphatidyl Choline. *Journal of Pharmaceutical Sciences*, 100(5), 1987–1995. <https://doi.org/10.1002/jps.22393>
- Han, Y.-M., Shin, D.-S., Lee, Y.-J., Ismail, I. A., Hong, S.-H., Han, D. C., & Kwon, B.-M. (2011). 2-Hydroxycurcuminoid induces apoptosis of human tumor cells through the reactive oxygen species–mitochondria pathway. *Bioorganic & Medicinal Chemistry Letters*, 21(2), 747–751. <https://doi.org/10.1016/j.bmcl.2010.11.114>
- Hewlings, S., & Kalman, D. (2017). Curcumin: A Review of Its Effects on Human Health. *Foods*, 6(10), 92. <https://doi.org/10.3390/foods6100092>
- Hsu, C.-H., & Cheng, A.-L. (2007). CLINICAL STUDIES WITH CURCUMIN. Dalam B. B. Aggarwal, Y.-J. Surh, & S. Shishodia (Ed.), *The Molecular Targets and Therapeutic Uses of Curcumin in Health and Disease* (Vol. 595, hlm. 471–480). Springer US. https://doi.org/10.1007/978-0-387-46401-5_21
- Indrati, O., Martien, R., Rohman, A., & Nugroho, A. K. (2020). Application of Simplex Lattice Design on the Optimization of Andrographolide Self Nanoemulsifying Drug Delivery System (SNEDDS). *Indonesian Journal of Pharmacy*, 31(2), 124. <https://doi.org/10.14499/indonesianjpharm31iss2pp124>
- Jamwal, R. (2018). Bioavailable curcumin formulations: A review of pharmacokinetic studies in healthy volunteers. *Journal of Integrative Medicine*, 16(6), 367–374. <https://doi.org/10.1016/j.joim.2018.07.001>
- Kakkar, V., Singh, S., Singla, D., & Kaur, I. P. (2011). Exploring solid lipid nanoparticles to enhance the oral bioavailability of curcumin. *Molecular Nutrition & Food Research*, 55(3), 495–503. <https://doi.org/10.1002/mnfr.201000310>
- Kalepu, S., Manthina, M., & Padavala, V. (2013). Oral lipid-based drug delivery systems – an overview. *Acta Pharmaceutica Sinica B*, 3(6), 361–372. <https://doi.org/10.1016/j.apsb.2013.10.001>
- Kanwal, T., Saifullah, S., Rehman, J. ur, Kawish, M., Razzak, A., Maharjan, R., Imran, M., Ali, I., Roome, T., Simjee, S. U., & Shah, M. R. (2021). Design of absorption enhancer containing self-nanoemulsifying drug delivery system (SNEDDS) for curcumin improved anti-cancer activity and oral bioavailability. *Journal of Molecular Liquids*, 324, 114774. <https://doi.org/10.1016/j.molliq.2020.114774>
- Karthikeyan, A., Senthil, N., & Min, T. (2020). Nanocurcumin: A Promising Candidate for Therapeutic Applications. *Frontiers in Pharmacology*, 11, 487. <https://doi.org/10.3389/fphar.2020.00487>
- Kazi, M., A. Nasr, F., Noman, O., Alharbi, A., Alqahtani, M. S., & Alanazi, F. K. (2020). Development, Characterization Optimization, and Assessment of Curcumin-Loaded Bioactive Self-Nanoemulsifying Formulations and Their Inhibitory Effects on Human Breast Cancer MCF-7 Cells. *Pharmaceutics*, 12(11), 1107. <https://doi.org/10.3390/pharmaceutics12111107>
- Kazi, M., Shahba, A. A., Alrashoud, S., Alwadei, M., Sherif, A. Y., & Alanazi, F. K. (2020). Bioactive Self-Nanoemulsifying Drug Delivery Systems (Bio-SNEDDS) for Combined Oral Delivery of Curcumin and Piperine. *Molecules*, 25(7), 1703. <https://doi.org/10.3390/molecules25071703>
- Khan, A. W., Kotta, S., Ansari, S. H., Sharma, R. K., & Ali, J. (2015). Self-nanoemulsifying drug delivery system (SNEDDS) of the poorly water-soluble grapefruit flavonoid Naringenin:

- Design, characterization, *in vitro* and *in vivo* evaluation. *Drug Delivery*, 22(4), 552–561. <https://doi.org/10.3109/10717544.2013.878003>
- Kharat, M., Du, Z., Zhang, G., & McClements, D. J. (2017). Physical and Chemical Stability of Curcumin in Aqueous Solutions and Emulsions: Impact of pH, Temperature, and Molecular Environment. *Journal of Agricultural and Food Chemistry*, 65(8), 1525–1532. <https://doi.org/10.1021/acs.jafc.6b04815>
- Khursheed, R., Singh, S. K., Kumar, B., Wadhwa, S., Gulati, M., A, A., Awasthi, A., Vishwas, S., Kaur, J., Corrie, L., K.R., A., Kumar, R., Jha, N. K., Gupta, P. K., Zacconi, F., Dua, K., Chitranshi, N., Mustafa, G., & Kumar, A. (2022). Self-nanoemulsifying composition containing curcumin, quercetin, Ganoderma lucidum extract powder and probiotics for effective treatment of type 2 diabetes mellitus in streptozotocin induced rats. *International Journal of Pharmaceutics*, 612, 121306. <https://doi.org/10.1016/j.ijpharm.2021.121306>
- Kuentz, M. (2011). Oral self-emulsifying drug delivery systems, from biopharmaceutical to technical formulation aspects. *Journal of Drug Delivery Science and Technology*, 21(1), 17–26. [https://doi.org/10.1016/S1773-2247\(11\)50002-4](https://doi.org/10.1016/S1773-2247(11)50002-4)
- Kumar, M., Bishnoi, R. S., Shukla, A. K., & Jain, C. P. (2019). Techniques for Formulation of Nanoemulsion Drug Delivery System: A Review. *Preventive Nutrition and Food Science*, 24(3), 225–234. <https://doi.org/10.3746/pnf.2019.24.3.225>
- Kushwaha, P., Shukla, B., Dwivedi, J., & Saxena, S. (2021). Validated high-performance thin-layer chromatographic analysis of curcumin in the methanolic fraction of *Curcuma longa* L. rhizomes. *Future Journal of Pharmaceutical Sciences*, 7(1), 178. <https://doi.org/10.1186/s43094-021-00330-3>
- Li, S. (2011). Chemical Composition and Product Quality Control of Turmeric (*Curcuma longa* L.). *Pharmaceutical Crops*, 5(1), 28–54. <https://doi.org/10.2174/2210290601102010028>
- Liu, C., Wang, R., He, S., Cheng, C., & Ma, Y. (2020). The stability and gastro-intestinal digestion of curcumin emulsion stabilized with soybean oil bodies. *LWT*, 131, 109663. <https://doi.org/10.1016/j.lwt.2020.109663>
- Liu, W., Zhai, Y., Heng, X., Che, F. Y., Chen, W., Sun, D., & Zhai, G. (2016). Oral bioavailability of curcumin: Problems and advancements. *Journal of Drug Targeting*, 24(8), 694–702. <https://doi.org/10.3109/1061186X.2016.1157883>
- Magfirah, & Utami, I. K. (2021). OPTIMIZATION AND CHARACTERIZATION OF FORMULATION SELF-NANOEMULSIFYING DRUG DELIVERY SYSTEM ETHANOL EXTRACT OF ROMANG PARANG LEAVES (BOEHMERIA VIRGATA). *Asian Journal of Pharmaceutical and Clinical Research*, 207–212. <https://doi.org/10.22159/ajpcr.2021.v14i1.39922>
- Mahmoudi, A., Kesharwani, P., Majeed, M., Teng, Y., & Sahebkar, A. (2022). Recent advances in nanogold as a promising nanocarrier for curcumin delivery. *Colloids and Surfaces B: Biointerfaces*, 215, 112481. <https://doi.org/10.1016/j.colsurfb.2022.112481>
- Maiti, K., Mukherjee, K., Gantait, A., Saha, B. P., & Mukherjee, P. K. (2007). Curcumin–phospholipid complex: Preparation, therapeutic evaluation and pharmacokinetic study in rats. *International Journal of Pharmaceutics*, 330(1–2), 155–163. <https://doi.org/10.1016/j.ijpharm.2006.09.025>
- Marturano, V., Bizzarro, V., De Luise, A., Calarco, A., Ambrogi, V., Giamberini, M., Tylkowski, B., & Cerruti, P. (2018). Essential oils as solvents and core materials for the preparation of photo-responsive polymer nanocapsules. *Nano Research*, 11(5), 2783–2795. <https://doi.org/10.1007/s12274-017-1908-5>
- McClements, D. J., & Rao, J. (2011). Food-Grade Nanoemulsions: Formulation, Fabrication, Properties, Performance, Biological Fate, and Potential Toxicity. *Critical Reviews in Food Science and Nutrition*, 51(4), 285–330. <https://doi.org/10.1080/10408398.2011.559558>



- Onoue, S., Takahashi, H., Kawabata, Y., Seto, Y., Hatanaka, J., Timmermann, B., & Yamada, S. (2010). Formulation Design and Photochemical Studies on Nanocrystal Solid Dispersion of Curcumin with Improved Oral Bioavailability. *Journal of Pharmaceutical Sciences*, 99(4), 1871–1881. <https://doi.org/10.1002/jps.21964>
- Paradkar, A., Ambike, A. A., Jadhav, B. K., & Mahadik, K. R. (2004). Characterization of curcumin–PVP solid dispersion obtained by spray drying. *International Journal of Pharmaceutics*, 271(1–2), 281–286. <https://doi.org/10.1016/j.ijpharm.2003.11.014>
- Patel, J., Kevin, G., Patel, A., Raval, M., & Sheth, N. (2011). Design and development of a self-nanoemulsifying drug delivery system for telmisartan for oral drug delivery. *International Journal of Pharmaceutical Investigation*, 1(2), 112. <https://doi.org/10.4103/2230-973X.82431>
- Phattanawasin, P., Sotanaphun, U., & Sriphong, L. (2009). Validated TLC-Image Analysis Method for Simultaneous Quantification of Curcuminoids in Curcuma longa. *Chromatographia*, 69(3–4), 397–400. <https://doi.org/10.1365/s10337-008-0893-y>
- Rajesh, S. Y., Singh, S. K., Pandey, N. K., Sharma, P., Bawa, P., Kumar, B., Gulati, M., Jain, S. K., Gowthamarajan, K., & Singh, S. (2018). Impact of various solid carriers and spray drying on pre/post compression properties of solid SNEDDS loaded with glimepiride: *In vitro-ex vivo* evaluation and cytotoxicity assessment. *Drug Development and Industrial Pharmacy*, 44(7), 1056–1069. <https://doi.org/10.1080/03639045.2018.1431656>
- Rao, B., Vidyadhara, S., Sasidhar, R., & Chowdary, Y. (2015). Formulation and Evaluation of Liquid Loaded Tablets Containing Docetaxel-Self Nano Emulsifying Drug Delivery Systems. *Tropical Journal of Pharmaceutical Research*, 14(4), 567. <https://doi.org/10.4314/tjpr.v14i4.2>
- Rowe, R. C. (Ed.). (2009). *Handbook of pharmaceutical excipients* (6. ed). APhA, (PhP) Pharmaceutical Press.
- Setthacheewakul, S., Mahattanadul, S., Phadoongsombut, N., Pichayakorn, W., & Wiwattanapatapee, R. (2010). Development and evaluation of self-microemulsifying liquid and pellet formulations of curcumin, and absorption studies in rats. *European Journal of Pharmaceutics and Biopharmaceutics*, 76(3), 475–485. <https://doi.org/10.1016/j.ejpb.2010.07.011>
- Shaikh, J., Ankola, D. D., Beniwal, V., Singh, D., & Kumar, M. N. V. R. (2009). Nanoparticle encapsulation improves oral bioavailability of curcumin by at least 9-fold when compared to curcumin administered with piperine as absorption enhancer. *European Journal of Pharmaceutical Sciences*, 37(3–4), 223–230. <https://doi.org/10.1016/j.ejps.2009.02.019>
- Shailendrakumar, A. M., Ghate, V. M., Kinra, M., & Lewis, S. A. (2020). Improved Oral Pharmacokinetics of Pentoxifylline with Palm Oil and Capmul® MCM Containing Self-Nano-Emulsifying Drug Delivery System. *AAPS PharmSciTech*, 21(4), 118. <https://doi.org/10.1208/s12249-020-01644-w>
- Sharma, R. A., Gescher, A. J., & Steward, W. P. (2005). Curcumin: The story so far. *European Journal of Cancer*, 41(13), 1955–1968. <https://doi.org/10.1016/j.ejca.2005.05.009>
- Singh, A., & Avupati, V. R. (2017). Development and Validation of UV-Spectrophotometric method for the Estimation of Curcumin in Standardised Polyherbal Formulations. *Journal of Young Pharmacists*, 9(4), 491–495. <https://doi.org/10.5530/jyp.2017.9.96>
- Soni, M. G. C., Prajapati, S. K., & Chaudhri, N. (t.t.). SELF NANOEMULSION: ADVANCE FORM OF DRUG DELIVERY SYSTEM. *World Journal of Pharmacy and Pharmaceutical Sciences*, 3(10).
- Tadros, T., Izquierdo, P., Esquena, J., & Solans, C. (2004). Formation and stability of nano-emulsions. *Advances in Colloid and Interface Science*, 108–109, 303–318. <https://doi.org/10.1016/j.cis.2003.10.023>



- Thakkar, H. P., Khunt, A., Dhande, R. D., & Patel, A. A. (2015). Formulation and evaluation of Itraconazole nanoemulsion for enhanced oral bioavailability. *Journal of Microencapsulation*, 32(6), 559–569. <https://doi.org/10.3109/02652048.2015.1065917>
- Thi, T. D., Van Speybroeck, M., Barillaro, V., Martens, J., Annaert, P., Augustijns, P., Van Humbeeck, J., Vermant, J., & Van den Mooter, G. (2009). Formulate-ability of ten compounds with different physicochemical profiles in SMEDDS. *European Journal of Pharmaceutical Sciences*, 38(5), 479–488. <https://doi.org/10.1016/j.ejps.2009.09.012>
- Tiyaboonchai, W., Tungpradit, W., & Plianbangchang, P. (2007). Formulation and characterization of curcuminoids loaded solid lipid nanoparticles. *International Journal of Pharmaceutics*, 337(1–2), 299–306. <https://doi.org/10.1016/j.ijpharm.2006.12.043>
- Vigato, A. A., Querobino, S. M., de Faria, N. C., Candido, A. C. B. B., Magalhães, L. G., Cereda, C. M. S., Tófoli, G. R., Campos, E. V. R., Machado, I. P., Fraceto, L. F., de Sairre, M. I., & de Araujo, D. R. (2019). Physico-Chemical Characterization and Biopharmaceutical Evaluation of Lipid-Poloxamer-Based Organogels for Curcumin Skin Delivery. *Frontiers in Pharmacology*, 10, 1006. <https://doi.org/10.3389/fphar.2019.01006>
- Villar, A. M. S., Naveros, B. C., Campmany, A. C. C., Trenchs, M. A., Rocabert, C. B., & Bellowa, L. H. (2012). Design and optimization of self-nanoemulsifying drug delivery systems (SNEDDS) for enhanced dissolution of gemfibrozil. *International Journal of Pharmaceutics*, 431(1–2), 161–175. <https://doi.org/10.1016/j.ijpharm.2012.04.001>
- Vincent, M., Simon, L., Brabet, P., Legrand, P., Dorandeu, C., Him, J. L. K., Durand, T., Crauste, C., & Begu, S. (2022). Formulation and Evaluation of SNEDDS Loaded with Original Lipophenol for the Oral Route to Prevent Dry AMD and Stragardt’s Disease. *Pharmaceutics*, 14(5), 1029. <https://doi.org/10.3390/pharmaceutics14051029>
- Wahlang, B., Pawar, Y. B., & Bansal, A. K. (2011). Identification of permeability-related hurdles in oral delivery of curcumin using the Caco-2 cell model. *European Journal of Pharmaceutics and Biopharmaceutics*, 77(2), 275–282. <https://doi.org/10.1016/j.ejpb.2010.12.006>
- Wahyuni, D. S. C., Artanti, A. N., & Rinanto, Y. (2018). Quantitative analysis of Curcuminoid collected from different location in Indonesia by TLC-Densitometry and its antioxidant capacity. *IOP Conference Series: Materials Science and Engineering*, 349, 012015. <https://doi.org/10.1088/1757-899X/349/1/012015>
- Wang, L., Mu, R.-J., Li, Y., Lin, L., Lin, Z., & Pang, J. (2019). Characterization and antibacterial activity evaluation of curcumin loaded konjac glucomannan and zein nanofibril films. *LWT*, 113, 108293. <https://doi.org/10.1016/j.lwt.2019.108293>
- Wang, Y., Sun, R., Xu, X., Du, M., Zhu, B., & Wu, C. (2021). Structural interplay between curcumin and soy protein to improve the water-solubility and stability of curcumin. *International Journal of Biological Macromolecules*, 193, 1471–1480. <https://doi.org/10.1016/j.ijbiomac.2021.10.210>
- Williams, H. D., Ford, L., Igonin, A., Shan, Z., Botti, P., Morgen, M. M., Hu, G., Pouton, C. W., Scammells, P. J., Porter, C. J. H., & Benameur, H. (2019). Unlocking the full potential of lipid-based formulations using lipophilic salt/ionic liquid forms. *Advanced Drug Delivery Reviews*, 142, 75–90. <https://doi.org/10.1016/j.addr.2019.05.008>
- Williams Iii, R. O., Watts, A. B., & Miller, D. A. (Ed.). (2012). *Formulating Poorly Water Soluble Drugs* (Vol. 3). Springer New York. <https://doi.org/10.1007/978-1-4614-1144-4>
- Wu, X., Xu, J., Huang, X., & Wen, C. (2011). Self-microemulsifying drug delivery system improves curcumin dissolution and bioavailability. *Drug Development and Industrial Pharmacy*, 37(1), 15–23. <https://doi.org/10.3109/03639045.2010.489560>
- Xi, J., Chang, Q., Chan, C. K., Meng, Z. Y., Wang, G. N., Sun, J. B., Wang, Y. T., Tong, H. H. Y., & Zheng, Y. (2009). Formulation Development and Bioavailability Evaluation of a Self-

- Nanoemulsified Drug Delivery System of Oleanolic Acid. *AAPS PharmSciTech*, 10(1), 172–182. <https://doi.org/10.1208/s12249-009-9190-9>
- Yadav, P., Rastogi, V., & Verma, A. (2020). Application of Box–Behnken design and desirability function in the development and optimization of self-nanoemulsifying drug delivery system for enhanced dissolution of ezetimibe. *Future Journal of Pharmaceutical Sciences*, 6(1), 7. <https://doi.org/10.1186/s43094-020-00023-3>
- Yallapu, M. M., Gupta, B. K., Jaggi, M., & Chauhan, S. C. (2010). Fabrication of curcumin encapsulated PLGA nanoparticles for improved therapeutic effects in metastatic cancer cells. *Journal of Colloid and Interface Science*, 351(1), 19–29. <https://doi.org/10.1016/j.jcis.2010.05.022>
- Yu, H., & Huang, Q. (2010). Enhanced in vitro anti-cancer activity of curcumin encapsulated in hydrophobically modified starch. *Food Chemistry*, 119(2), 669–674. <https://doi.org/10.1016/j.foodchem.2009.07.018>
- Yunita, E., Yulianto, D., Fatimah, S., & Firanita, T. (2020). Validation of UV-Vis Spectrophotometric Method of Quercetin in Ethanol Extract of Tamarind Leaf. *Journal of Fundamental and Applied Pharmaceutical Science*, 1(1). <https://doi.org/10.18196/jfaps.010102>
- Zhai, G., Zhang, Guo, Yu, Ji, Gao, & Sun. (2012). A novel folate-modified self-microemulsifying drug delivery system of curcumin for colon targeting. *International Journal of Nanomedicine*, 151. <https://doi.org/10.2147/IJN.S27639>
- Zhao, L., Zhang, L., Meng, L., Wang, J., & Zhai, G. (2013). Design and evaluation of a self-microemulsifying drug delivery system for apigenin. *Drug Development and Industrial Pharmacy*, 39(5), 662–669. <https://doi.org/10.3109/03639045.2012.687378>
- Zhu, H., Xu, T., Qiu, C., Wu, B., Zhang, Y., Chen, L., Xia, Q., Li, C., Zhou, B., Liu, Z., & Liang, G. (2016). Synthesis and optimization of novel allylated mono-carbonyl analogs of curcumin (MACs) act as potent anti-inflammatory agents against LPS-induced acute lung injury (ALI) in rats. *European Journal of Medicinal Chemistry*, 121, 181–193. <https://doi.org/10.1016/j.ejmech.2016.05.041>