

DAFTAR PUSTAKA

- Abrahams, K. A., & Besra, G. S. (2018). Mycobacterial cell wall biosynthesis: a multifaceted antibiotic target. *Parasitology*, 145, 116–133. <https://doi.org/10.1017/s0031182016002377>
- Abramson, J., Adler, J., Dunger, J., Evans, R., Green, T., Pritzel, A., Ronneberger, O., Willmore, L., Ballard, A. J., Bambrick, J., Bodenstein, S. W., Evans, D. A., Chia-Chun, H., O'Neill, M., Reiman, D., Tunyasuvunakool, K., Wu, Z., Žemgulytė, A., Arvaniti, E., Beattie, C., Bertolli, O., Bridgland, A., Cherepanov, A., Congreve, M., Cowen-Rivers, A. I., Cowie, A., Figurnov, M., Fuchs, F. B., Gladman, H., Jain, R., Khan, Y. A., Low, C. M. R., Perlin, K., Potapenko, A., Savy, P., Singh, S., Stecula, A., Thillaisundaram, A., Tong, C., Yakneen, S., Zhong, E. D., Zielinski, M., Židek, A., Bapst, V., Kohli, P., Jaderberg, M., Hassabis, D., Jumper, J. M. (2024). Accurate structure prediction of biomolecular interactions with AlphaFold 3. *Nature*, Vol.630. <https://doi.org/10.1038/s41586-024-07487-w>
- Anes, E., Pires, D., Mandal, M., Azevedo-Pereira, J. M. (2023). ESAT-6 a Major Virulence Factor of *Mycobacterium tuberculosis*. *Biomolecules*, 13, 968. <https://doi.org/10.3390/biom13060968>
- Allende, L.M., Goyanes, A.L., Paz-Artal, E., Corell, A., García-Pérez, M.A., Varela, P., Scarpellini, P., Negreira, S., Palenque, E., Arnaiz-Villena, A. (2001). A Point Mutation in a Domain of Gamma Interferon Receptor 1

Provokes Severe Immunodeficiency. *Clinical Anda Diagnostoc Laboratory*

Immunolgy, 8(1):133–7. <https://doi.org/10.1128/cdli.8.1.133-137.2001>

Ahmadi, S., Mosavari, N., Tebianian, M. (2023). Comparative Evaluation of Specific Antibody against *Mycobacterium tuberculosis* ESAT-6 Recombinant Antigen in Healthy Subject with Positive and Negative Skin Test. *Archives of Razi Institute*, Vol. 78, No. 3; 815-821. <https://doi.org/10.22092/ari.2022.360063.2543>

Augustynowicz-Kopec, E., Siemion-Szczesniak, I., Zabost, Anna., Wyrostkiewicz, Dorota., Filipczak, Dorota., Oniszh, Karina., Gawryluk, Dariiusz., Radzikowska, Elzbieta., Korzybski, Damian, Szturmowicz, Monika. (2019). Interferon Gamma Release Assays in Patients with Respiratory Isolates of Non-Tuberculous Mycobacteria – a Preliminary Study. *Polish Journal of Microbiology*, Vol. 68, No 1, 15–19. *Polish Journal of Microbiology*, Vol. 68, No 1, 15–19. <https://doi.org/10.21307/pjm-2019-002>

Beygmoradi, A., Ahmad., H, Roohullah, H., Pedro, F. (2023). Recombinant protein expression: Challenges in production and folding related matters. *International Journal of Biological Macromolecules*, 233; 123407. <https://doi.org/10.1016/j.ijbiomac.2023.123407>

Bhatwa, A., Wang, W., Hassan, Y. I., Abraham, N., Zhen Li, X., dan Ting Zhou, . (2021). Challenges Associated with the Formation of Recombinant Protein Inclusion Bodies in *Escherichia coli* and Strategies to Address Them for

Industrial Applications. *Frontiers in Bioengineering and Biotechnology*.

Volume 9. <https://doi.org/10.3389/fbioe.2021.630551>

Bachmir A., Finley, D., Varshavsky. A. (1986). In Vivo Half-Life of a Protein Is a Function of Its Amino-Terminal Residue. *SCIENCE*, Vol 234, Issue 4773, <https://doi.org/10.1126/science.3018930>

Bornhorst, J. A., & Falke, J. J. (2000). Purification of Proteins Using Polyhistidine Affinity Tags. *Methods in Enzymology*, 326, 245. [https://doi.org/10.1016/s0076-6879\(00\)26058-8](https://doi.org/10.1016/s0076-6879(00)26058-8)

Corleis B., Korbelt, D., Wilson, R., Bylund, J., Chee, R., Schaible, U. E. (2012). Escape of *Mycobacterium tuberculosis* from oxidative killing by neutrophils. *Cellular Microbiology*. <https://doi.org/10.1111/j.1462-5822.2012.01783.x>

Chamberlin, M. and Ring, J. (1973). Characterization of T7-specific ribonucleic acid polymerase. 1. General properties of the enzymatic reaction and the template specificity of the enzyme. *The Journal of Biological Chemistry*, 248:2235–2244

Chung-Hsien, Cheng., Wen-Chien, Lee. (2010). Protein solubility and differential proteomic profiling of recombinant *Escherichia coli* overexpressing double-tagged fusion proteins. *Microbial Cell Factories*, 9:63. <http://www.microbialcellfactories.com/content/9/1/63>

Chen, Xiaoying., Zaro, J. L., Wei-Chiang, Shen. (2013). Fusion Protein Linkers: Property, Design and Functionality. *Advanced Drug Delivery Reviews*, 65(10): 1357–1369. <https://doi.org/10.1016/j.addr.2012.09.039>

Cohen, A., Mathiasen, V. D., Schon, T. (2019). The global prevalence of latent tuberculosis: a systematic review and meta-analysis. *European Respiratory Journal*, Vol. 54, Issue 3: 1900655. <https://doi.org/10.1183/13993003.00655-2019>

Du. F., Liu, Yun-Qi., Xu, Ying-Shuang., Li, Zi-Jia., Wang, Yu-Zhou., Zhang, Zi-Xu., Sun, Xiao-Man. (2021). Regulating the T7 RNA polymerase expression in *E. coli* BL21 (DE3) to provide more host options for recombinant protein production. *Microbial Cell Factories*, 20:189. <https://doi.org/10.1186/s12934-021-01680-6>

Doytchinova, I. A., & Flower, D. R. (2007). VaxiJen: a server for prediction of protective antigens, tumour antigens and subunit vaccines. *BMC Bioinformatics*, 8:4. <http://www.biomedcentral.com/1471-2105/8/4>

Dumon-Seignovert, L., Cariot, G., Vuillard, L. (2004). The toxicity of recombinant proteins in *Escherichia coli*: a comparison of overexpression in BL21(DE3), C41(DE3), and C43(DE3). *Protein Expression and Purification*, Vol. 37, No. 1, 203-206.

De Groot, N. S., & Ventura, S. (2006). Protein activity in bacterial inclusion bodies correlates with predicted aggregation rates. *Journal of Biotechnology*, 125 (1):110–113. <https://doi.org/10.1016/j.jbiotec.2006.02.026>

Dhanda, S.K., Vir, P. & Raghava, G.P. (2013). Designing of interferon-gamma inducing MHC class-II binders. *Biol Direct* **8**, 30. <https://doi.org/10.1186/1745-6150-8-30>

Demkov, U. (2011). Interferon gamma-based tests as a new tool in diagnosis of latent tuberculosis. *Pneumonol Alergol Pol.* 2011;79(4):261–263.

Foster, M., Hill, P. C., Setiabudiawan, T. P., Koeken, V. A. C. M., Alisjahbana, B., Crevel, R. V. (2021). BCG-induced protection against *Mycobacterium tuberculosis* infection: Evidence, mechanisms, and implications for next generation vaccines. *Immunological Reviews*, Vol. 301:122–144. <https://doi.org/10.1111/imr.12965>

Gutiérrez-Ortega, A, Moreno, D.A., Ferrari, S.A., Espinosa-Andrews, H., Ortíz ,E.P., Milián-Suazo, F., Alvarez, A.H. (2021). High-yield production of major T-cell ESAT6-CFP10 fusion antigen of *M. tuberculosis* complex employing codon-optimized synthetic gene. *International Journal of Biological Macromolecules* 171. 82-88. <https://doi.org/10.1016/j.ijbiomac.2020.12.179>

Guruprasad, K. Reddy, B. V. B., Pandit, M. W. (1990). Correlation between stability of a protein and its dipeptide composition: a novel approach for predicting in vivo stability of a protein from its primary sequence. *Protein Engineering*, Vol.4, no.2 pp.155-161. <https://doi.org/10.1093/protein/4.2.155>

Golomb, M., & Chamberlin, M. (1974). Characterization of T7-specific ribonucleic acid polymerase. IV. Resolution of the major in vitro transcripts by gel

electrophoresis. *The Journal of Biological Chemistry*, Vo. 249, No. 9:2858–2863

Hanahan, Douglas. (1983). Studies on Transformation of *Escherichia coli* with Plasmid. *Journal of Molecular Biology*, Volume 166, 557-580. [https://doi.org/10.1016/s0022-2836\(83\)80284-8](https://doi.org/10.1016/s0022-2836(83)80284-8)

Hayat, S. M. G., Farahani, N., Golichenari, B., & Sahebkar, A. (2018). Recombinant Protein Expression in *Escherichia coli* (*E. coli*): What We Need to Know. *Current Pharmaceutical Design*, 24(6), 718–725. doi: 10.2174/1381612824666180131121940

Hyun-Jung, J., Sun-Ki, K., Won-Ki, M., Sung-Suk, L., Kyungmoon, P., Yong-Cheol, P., Jin-Ho, S., (2011). Polycationic amino acid tags enhance soluble expression of *Candida antarctica* lipase B in recombinant *Escherichia coli*. *Bioprocess and Biosystem Engineering*, 34:833–839. <https://doi.org/10.1007/s00449-011-0533-z>

Hengwei, Wang., Fengqing, Wang., Wei, Wang., Xueling, Yao., Dongzhi, Wei., Hairong, Cheng., Zixin, Deng. (2014). Improving the Expression of Recombinant Proteins in *E. coli* BL21(DE3) under Acetate Stress: An Alkaline pH Shift Approach. *PLOS ONE*, <http://dx.doi.org/10.1371/journal.pone.0112777>

Hebditch, M., Carballo-Amador, M. A., Charonis, S., Curtis, R., Warwicker, J. (2017). Protein sol: a web tool for predicting protein solubility from

sequence. *Bioinformatics* (Oxford England), 33:3098–100.

<https://doi.org/10.1093/bioinformatics/btx345>

Hyun, Kang. (2021). Sample size determination and power analysis using the G*Power software. *Journal of Educational Evaluation for Health Professions*, 18:17. <https://doi.org/10.3352/jeehp.2021.18.17>

Hermansen, T. S., Thomsen, V. Ø., Lillebaek T, Ravn P. Non-tuberculous mycobacteria and the performance of interferon gamma release assays in Denmark. *PLoS One*. 2014;9(4):e93986. <https://doi.org/10.1371/journal.pone.0093986>

Handojo, I. (2003). Pengantar Imunoasai Dasar. Airlangga University Press. Page 112.

Hemmati, M., Seghatoleslam, A., Rasti, M., Ebadat, S., Mosavari, N., Habibagahi, M., Taheri, M., Sardarian, A. R., stafavi-Pour, Z. M. (2011). Expression and Purification of Recombinant *Mycobacterium tuberculosis* (TB) Antigens, ESAT-6, CFP-10 and ESAT 6/CFP-10 and Thekanjiir Diagnosis Potential for Detection of TB Patients. *Iranian Red Crescent Medical Journal*, 13(8):556-563.

Hill, P.C., Jackson-Sillah, D., Fox, A., Franken, K. L. M. C., Lugos, M. D., Jeffries, D. J., Donkor, S. A., Hammond, A. S., Adegbola, R. A., Ottenhoff, T. H. M., Klein, M. R., Brookes, R. H. (2005). ESAT-6/CFP-10 Fusion Protein and Peptides for Optimal Diagnosis of *Mycobacterium tuberculosis* Infection by Ex Vivo Enzyme-Linked Immunospot Assay in The Gambia. *Journal of*

Clinical Microbiology, 43(5): 2070-2074.

<https://doi.org/10.1128/jcm.43.5.2070-2074.2005>

Islam, M. M., Khan, M. A., Kuroda, Y. (2012). Analysis of amino acid contributions to protein solubility using short peptide tags fused to a simplified BPTI variant. *Biochimica et Biophysica Acta (BBA)- Proteins and Proteomics*, Vol. 1824, No. 10; 1144-1150.

<http://dx.doi.org/10.1016/j.bbapap.2012.06.005>

Incir, I., & Kaplan, Ö. (2024). *Escherichia coli* as a versatile cell factory: Advances and challenges in recombinant protein production. *Protein Expression and Purification*, Vol. 219:106463. <https://doi.org/10.1016/j.pep.2024.106463>

Ji-Hae, Park., Dahee, Shim., Keu Eun San, Kim., Wonsik, Lee., Sung Jae, Shin. (2021). Understanding Metabolic Regulation Between Host and Pathogens: New Opportunities for the Development of Improved Therapeutic Strategies Against *Mycobacterium tuberculosis* Infection. *Frontier in Cellular and Infection Microbiology*, 11:635335. doi: 10.3389/fcimb.2021.635335

Jaewan, J., Byung Woo, J., Mijeong, J., Sun Joo, Y., Hee Jae, H., Chul Won, J., Kihyun, K., Jae Berm, P., Dae Joong, K., Wooseong, H., Hye Ryoum, J., Young-Ho, K., Sung Noh, H., Doo Ryeon, C., Eun-Suk, K. (2021). Is the New Interferon-Gamma Releasing Assay Beneficial for the Diagnosis of Latent and Active *Mycobacterium tuberculosis* Infections in Tertiary Care Setting?. *Journal of Clinical Medicine*, 10, 1376. <https://doi.org/10.3390/jcm10071376>

- Jinrui, X., & Yang, Z. (2010). How significant is a protein structure similarity with TM-score=0.5?. *Bioinformatics*, Vol.26 no.7: 889-895.
<https://doi.org/10.1093/bioinformatics/btq066>
- Kato, A., Maki, K., Ebina, T., Kuwajima, K., Soda, K., Kuroda, Y. (2006). Mutational Analysis of Protein Solubility Enhancement Using Short Peptide Tags. Protein Solubility Enhancement Using Peptide Tags. *Biopolymers*, Vol. 85:1. DOI 10.1002/bip.20596
- Kemenkes. 2024. Dashboard - TBC Indonesia (tbindonesia.or.id). diakses pada tanggal 27 Mei 2024
- Khananisho, D., Cumming, A. J., Kulakova, D., Shilling, P. J. Daley, D. O. (2023). Tips for efciently maintaining pET expression plasmids. *Current Genetics*, 69:277–287. <https://doi.org/10.1007/s00294-023-01276-0>
- Kanji, A., Hasan, R., Hasan, Z. (2019). Efflux pump as alternate mechanism for drug resistance in *mycobacterium tuberculosis*. *Indian Journal of Tuberculosis*, Vol. 66, 20–25. doi: 10.1016/j.ijtb.2018.07.008
- Kalscheuer, R., Palacios, A., Anso, I., Cifuentes, J., Anguita, J., Jacobs Jr, W. R., Guerin, M. E., Prados-Rosales, R. (2019). The *Mycobacterium tuberculosis* capsule: a cell structure with key implications in pathogenesis. *The Biochemical Journal*, 476(14): 1995-2016. doi:10.1042/BCJ20190324.
- Kanabalan, R. D., Le Jie, L., Tze Yan, L., Pei Pei, C., Hassan, H., Ismail, R., Voon Kin, C. (2021). Human tuberculosis and *Mycobacterium tuberculosis*

complex: A review on genetic diversity, pathogenesis and omics approaches in host biomarkers discovery. *Microbiological Research*, 246; 126672. <https://doi.org/10.1016/j.micres.2020.126674>

Kobashi, Y., Mour,i K., Yagi, S., Obase, Y., Miyashita, N., Okimoto, N., Matsushima, T., Kageoka, T., Oka M. (2009). Clinical evaluation of the Quanti FERON-TB Gold test in patients with non-tuberculous mycobacterial disease. *Int J Tuberc Lung Dis*;13(11):1422–1426

Maksum, I., Sriwidodo, S., & Indriyani, A. (2019) Sistem Ekspresi Protein Rekombinan di *Escherichia coli* secara Ekstraselular. Jatinangor

Mustafa, A. S. (2021). Immunological Characterization of Proteins Expressed by Genes Located in *Mycobacterium tuberculosis* specific Genomic Regions Encoding the ESAT6-like Proteins. *Vaccines*, 9, 27. <https://doi.org/10.3390/vaccines9010027>

Minggiano, R., Rizzi, M., Ferraris, D.M. (2020). *Mycobacterium tuberculosis* pathogenesis. *Infect. Prev. Treat.* 9, 385.

Martinot, A. J. (2018). Microbial offense vs host defense: Who control the TB granuloma? *Veterinary Pathology*, Volume 55, Issue 1, January 2018, Pages 14-26. <https://doi.org/10.1177/0300985817705177>

Mierendorf, R. C., Morris, B. B., Hammer, B., Novy, R. E. (1998). Expression and Purification of Recombinant Proteins Using the pET System. *Methods in Molecular Medicine*, 13:257-92. <https://doi.org/10.1385/0-89603-485-2:257>

- Miggiano, R., Rizzi, M., Ferraris, D. M. (2020). *Mycobacterium tuberculosis* Pathogenesis, Infection Prevention and Treatment. *Pathogens*, 9(5):385. <http://dx.doi.org/10.3390/pathogens9050385>
- Noviyani, Alvera., Tanawin, N., Krit, P. (2021). Variation of tuberculosis prevalence across diagnostic approaches and geographical areas of Indonesia, *PLoS ONE*, 16(10): e0258809. <https://doi.org/10.1371/journal.pone.0258809>
- Niwa, T., Bei-Wen, Ying., Saito, K., WenZhen, Jin., Takada, S., Ueda, T., Taguchi, H. (2009). Bimodal protein solubility distribution revealed by an aggregation analysis of the entire ensemble of *Escherichia coli* proteins. *PNAS*, Vol. 106. No.11. 4201-4206. <https://doi.org/10.1073/pnas.0811922106>
- Nautiyal, K., & Kuroda, Y. (2018). A SEP tag enhances the expression, solubility and yield of recombinant TEV protease without altering its activity. *New BIOTECHNOLOGY*, Vol. 42, 77–84. <https://doi.org/10.1016/j.nbt.2018.02.006>
- Nemes, E., Rozot, V., Geldenhuys, H., Bilek, N. et al. (2017). Optimization and Interpretation of Serial QuantiFERON Testing to Measure Acquisition of *Mycobacterium tuberculosis* Infection. *American Journal of Respiratory and Critical Care Medicine*. Vol 196, Iss 5, pp 638–648. <https://doi.org/10.1164/rccm.201704-0817OC>
- O'Neill, P., Mistry, R. K., Brown, A. J., James, D. C. (2023). Protein-Specific Signal Peptides for Mammalian Vector Engineering. *ACS Synthetic Biology*, 12 (8): 2339-2352. <https://doi.org/10.1021/acssynbio.3c00157>

Perhimpunan Dokter Paru Indonesia. Pedoman Diagnosis dan Penatalaksanaan di

Indonesia. Jakarta. Februari 2021 (Edisi Revisi 2). ISBN: 978-623-95337-3-

1

Pavani, P., Kumar, K., Rani, A., Venkatesu, P., Ming-Jer, L. (2021). The influence of sodium phosphate buffer on the stability of various proteins: Insights into protein-buffer interactions. *Journal of Molecular Liquids*, Vol. 331; 115753.

<https://doi.org/10.1016/j.molliq.2021.115753>

Porsa, E., Cheng, L., Seale, M. M., Delclos, G. L., Ma, Xin., Reich, R., Musser, J. M., Graviss, E. A. (2006). Comparison of a New ESAT-6/CFP-10 Peptide-Based Gamma Interferon Assay and a Tuberculin Skin Test for Tuberculosis Screening in a Moderate-Risk Population. *CLINICAL AND VACCINE IMMUNOLOGY*, Jan; 13(1):53-8. <https://doi.org/10.1128/cvi.13.1.53-58.2006>

Ponomarenko, J., Huynh-Hoa, B., Wei, L., Fusseder, N., Bourne, P. E., Sette, A., Peters, B. (2008). ElliPro: a new structure-based tool for the prediction of antibody epitopes. *BMC Bioinformatics*, 9:514. <https://doi.org/10.1186/1471-2105-9-514>

Pinxteren, L. A. H. V., Ravn, P., Agger, E. M., Pollock, P., Andersen, P. (2000). Diagnosis of Tuberculosis Based on the Two Specific Antigens ESAT-6 and CFP-10. *CLINICAL AND DIAGNOSTIC LABORATORY IMMUNOLOGY*, Vol. 7, No. 2. 155-160. <https://doi.org/10.1128/cdli.7.2.155-160.2000>

- Paraskevopoulou, V., & Falcone, F. H. (2018). Polyionic Tags as Enhancers of Protein Solubility in Recombinant Protein Expression. *Microorganism*, 6 (2): 47. <http://dx.doi.org/10.3390/microorganisms6020047>
- Rosano, G. L., Morales, E. S., Ceccarelli, E. A. (2019). New tools for recombinant protein production in *Escherichia coli*: A 5-year update. *PROTEIN SCIENCE*, VOL 28:1412 –1422. <https://doi.org/10.1002/pro.3668>
- Rosano, G. L., & Ceccarelli, E. A. (2014). Recombinant protein expression in *Escherichia coli*: advances and challenges. *Frontiers in Microbiology*, Vol. 5: 172. <https://doi.org/10.3389/fmicb.2014.00172>
- Roshni, K. G. (2021). Protein folding, misfolding, and coping mechanism of cells— A short discussion. *Open Journal of Cell and Protein Science*, 4(1): 001-004. <http://dx.doi.org/10.17352/ojcps.000003>
- Redford, P. S., Murray, P. J., O'Garra, A. (2011). The role of IL-10 in immune regulation during *M. tuberculosis* infection. *Mucosal Immunology*, Volume 4, Issue 3, P261-270. <https://doi.org/10.1038/mi.2011.7>
- Studier, F.W., Rosenberg, A.H., Dunn, J.J., Dubendorff, J.W. (1990). Use of T7 RNA polymerase to direct expression of cloned genes, *Methods Enzymol.* 185: 60–89. [https://doi.org/10.1016/0076-6879\(90\)85008-c](https://doi.org/10.1016/0076-6879(90)85008-c)
- Setiawan, H., dan Nugraha, J. (2016). Analisis Kadar IFN- γ dan IL-10 pada PBMC Penderita Tuberkulosis Aktif, Laten dan Orang Sehat, Setelah di Stimulasi

dengan Antigen ESAT-6. *Jurnal Biosains Pascasarjana*, Vol. 18, pp.

<https://doi.org/10.20473/jbp.v18i1.2016.50-63>

Sanchez-Trincado, J. L., Gomez-Perosanz, M., Reche, P. A. (2017). Fundamentals and Methods for T- and B-Cell Epitope Prediction. *Journal of Immunology Research*. <https://doi.org/10.1155/2017/2680160>

Shea, K. M., Kammerer, J. S., Winston, C. A., Navin, T. R., Jr. C. R. H. (2014). Estimated Rate of Reactivation of Latent Tuberculosis Infection in the United States, Overall and by Population Subgroup. *American Journal of Epidemiology*, 179(2): 216–225. <https://doi.org/10.1093/aje/kwt246>

Satish, L., Millan, S., Das, S., Jena, S., Sahoo, H. (2017). Thermal Aggregation of Bovine Serum Albumin in Conventional Buffers: An Insight into Molecular Level Interactions. *Journal of Solution Chemistry*, Vol. 46:831–848. <http://dx.doi.org/10.1007/s10953-017-0612-0>

Studier, W. F., Rosenberg, A. H., Dunn, J. J., Dubendorf, J. W. (1990). Use of T7 RNA polymerase to direct expression of cloned genes. *Methods in Enzymology*, 185:60-89. [https://doi.org/10.1016/0076-6879\(90\)85008-c](https://doi.org/10.1016/0076-6879(90)85008-c)

Sodium Phosphate Solution Preparation and Recipe | AAT Bioquest diakses pada bulan April 2025.

Susilawati, T. N., & Larasati, R. (2019). A recent update of the diagnostic methods for tuberculosis and their applicability in Indonesia: a narrative review.

Medicalnovi Journal of Indonesia, 28:284-91.

<https://doi.org/10.13181/mji.v28i3.2589>

Sato, R., Nagai, H., Matsui, H., Kawabe, Y., Takeda, K., Kawashima, M., Suzuki, J., Ohshima, N., Masuda, K., Yamane, A, et al. (2016). Interferon gamma release assays in patients with *Mycobacterium kansasii* pulmonary infection: A retrospective survey. *J Infect*, 72(6): 706–712. doi:10.1016/j.jinf.2016.03.011

T, Andrea., Cruz, MD, MPH., dan Starke J. R., MD. (2014). Relationship Between Tuberculin Skin Test (TST) Size and Interferon Gamma Release Assay (IGRA) Result: When Should Clinicians Obtain IGRAs in Children With Positive TSTs?. *Clinical Pediatrics*, Vol. 53(12) 1196 –1199. DOI: 10.1177/0009922813515743

Tokmakov, Alexander A., Kurotani A., Sato, Ken-Ichi. (2021) Protein pI and Intracellular Localization. *Frontiers in Molecular Biosciences*, Vol. 8. <https://doi.org/10.3389/fmolb.2021.775736>

Tsiouris, S. J., Coetzee, D., Toro, P. L., Austin, J., Stein, Z., El-Sadr, W. (2006). Sensitivity Analysis and Potential Uses of a Novel Gamma Interferon Release Assay for Diagnosis of Tuberculosis. *Journal of Clinical Microbiology*, 44(8) : 2844–2850. <https://doi.org/10.1128/jcm.02411-05>

Vankayalapati, R., Wizel, B., Weis, S. E., Klucar, P., Shams, H., Samten, B., Barnes, P. F. (2003). Serum Cytokine Concentrations Do Not Parallel *Mycobacterium tuberculosis*–Induced Cytokine Production in Patients with

Tuberculosis. *Clinical Infectious Diseases*, Volume 36, Issue 1, 24-28.

<https://doi.org/10.1086/344903>

Valizadeh A., Fooladi, A.A.I., Sedighian, H., Mahboobi,, M, Parizad E. G., Behzadi, E., Khosravi, A. (2020). Evaluating the performance of PPE44, HSPX, ESAT-6 and CFP-10 factors in Tuberculosis Subunit Vaccines. *Current Microbiology*, 79:260. <https://doi.org/10.1007/s00284-022-02949-8>

World Health Organization. Global Tuberculosis Report. 2023. Geneva: World Health Organization

World Health Organization. Global Tuberculosis Report 2022. Geneva: World Health Organization

Wingfield, P. T. (2015). Overview of the Purification of Recombinant Proteins. *Current Protocols in Protein Science*, 80: 6.1.1–6.1.35. [doi:10.1002/0471140864.ps0601s80](https://doi.org/10.1002/0471140864.ps0601s80)

Wasityastuti, W., Subronto, Y. W., Soesatyo, M. HNE. (2010). The Profile of Interferon- γ (IFN- γ) and Interleukin-10 (IL-10) in Pulmonary Tuberculosis Patients. *Tropical Medicine Journal*, Vol. 01, No.01, 13-22. <https://doi.org/10.22146/tmj.4563>

Wu, X., Wang, Y., Weng, T., Hu, C., Wang, F. XC., Wu, Z., Yu, D., Lu, H., Yao, H. (2017). Preparation of immunochromatographic strips for rapid detection of early secreted protein ESAT-6 and culture filtrate protein CFP-10 from

Mycobacterium tuberculosis. Medicine (Baltimore), 96(51): e9350.

<http://dx.doi.org/10.1097/MD.00000000000009350>

Welin W., Björnsdóttir H., Winther M., Christenson K., Oprea T., Karlsson A., Forsman H., Dahlgren C., Bylund J. (2015). CFP-10 from *Mycobacterium tuberculosis* selectively activates human neutrophils through a pertussis toxin-sensitive chemotactic receptor. *Infection and Immunity*, 83:205–213.
<http://dx.doi.org/10.1128/IAI.02493-14>

Wandrey, G., Bier, C., Binder, D., Hoffmann, K., Karl-Erich, J., Pietruszka, J., Drepper, T., Büchs, J. (2016). Light-induced gene expression with photocaged IPTG for induction profiling in a high-throughput screening system. *Microbial Cell Factories*, 15:63. DOI 10.1186/s12934-016-0461-

Yan, W., Zheng, Y., Dou, C., Zhang, G., Arnaout, T., Cheng, W. (2022). The pathogenic mechanism of *Mycobacterium tuberculosis*: implication for new drug development. *Molecular Biomedicine*, 3(1):48.
<https://doi.org/10.1186/s43556-022-00106-y>

Young-Jin, S., Je-Nie, P., Trinh, L. B., Sang Jun, L., Shiloach, J. (2011). The role of Cra in regulating acetate excretion and osmotic tolerance in *E. coli* K-12 and *E. coli* B at high density growth. *Microbial Cell Factories*, 10:52.
<http://www.microbialcellfactories.com/content/10/1/52>

Zhang, Y., & Skolnick, J. (2004). Scoring function for automated assessment of protein structure template quality. *PROTEIN*, 57:702–710.
<https://doi.org/10.1002/prot.20264>

Zhongchen, M., Xiang, J., Hang, Y., Jinke, H., Qian, Z., Yong, W., Zhen, W.,
Chuangfu, C. (2020). Screening and evaluation of *Mycobacterium tuberculosis* diagnostic antigens. *European Journal of Clinical Microbiology & Infectious Diseases*, 39:1959–1970. <https://doi.org/10.1007/s10096-020-03951-3>

Zi-Xu, Zhang., Fang-Tong, Nong., Yu-Zhou, Wang., Chun-Xiao, Yan., Gu, Y.,
Ping, S., Xiao-Man, S. (2022). Strategies for efficient production of recombinant proteins in *Escherichia coli*: alleviating the host burden and enhancing protein activity. *Microbial Cell Factories*, 21(1):191. <https://doi.org/10.1186/s12934-022-01917-y>