UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Acton, R., Barton, J., Snively, B., Mclaren, C., Adams, P., Harris, E., *et al.*(2006). Geographic and racial/ethnic differences in HFE mutation frequencies in the Hemochromatosis and Iron Overload Screening (HEIRS) Study. *Ethnicity & disease*, 16 : 815–21.

Aghamohammadi, A., Maghsoodlu, M., Teimori Naghadeh, H. and Ferdowsi, S.(2017). Iron stores in blood donors: A literature mini review. *Journal of Basic Research in Medical Sciences*, 4(4) : 50–55.

Akpotuzor, J.O., Isong, C., Okpokam, D.C. and Etukudo, M.H.(2008). Levels of serum iron, total iron binding capacity, transferrin saturation fraction and packed cell volume of blood donors in Calabar, Cross River State, Nigeria. *Pakistan Journal of Nutrition*, 7(3) : 500–502.

Alageeli, A.A., Alqahtany, F.S. and Algahtani, F.H.(2021). The Role of Reticulocyte Hemoglobin Content for the Diagnosis of Functional Iron Deficiency in Hemodialyzed patients. *Saudi Journal of Biological Sciences*, 28(1) : 50–54.

Alaqzam, T.S., Stanley, A.C., Simpson, P.M., Flood, V.H. and Menon, S.(2018). Treatment Modalities in Adolescents Who Present with Heavy Menstrual Bleeding. *Journal of Pediatric and Adolescent Gynecology*, 31(5) : 451–458.

Almashjary, M. N., Barefah, A., Bahashwan, S., Ashankyty, I., El-Fayoumi, R. I., Alzahrani, M. M., Assaqaf, D. M., Aljabri, R. S., Aljohani, A. Y., Muslim, R., Baawad, S. A., Bawazir, W. M. and Alharthy, S. A. (2022) Reticulocyte Hemoglobin-Equivalent Potentially Detects, Diagnoses and Discriminates between Stages of Iron Deficiency with High Sensitivity and Specificity, *Stomatology*, 11(19), p. 5675, [online] Available at: https://www.mdpi.com/2077-0383/11/19/5675/pdf?version=1664193225.

Di Angelantonio, E., Thompson, S.G., Kaptoge, S., Moore, C., Walker, M., Armitage, J., *et al.*(2017). Efficiency and safety of varying the frequency of whole blood donation (INTERVAL): a randomised trial of 45 000 donors. *The Lancet*, 390(10110) : 2360–2371.

Atipo-Tsiba, F.O.G., Mouyabi, E.Q.G., Angounda, B.M., Mokono, S.O., Gokaba, L.T.O. and Dokekias, A.E.(2023). Prevalence of Iron Deficiency, Anemia, and Associated Factors in a Blood Donor Population in Brazzaville, Congo. *Anemia*, 2023.

Awotiwon, O.F., Cois, A., Pacella, R., Turawa, E.B., Dhansay, M.A., Stuijvenberg, L., *et al.*(2022). Estimating the changing disease burden attributable to iron deficiency in South Africa, 2000, 2006 and 2012. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*, 112(8) : 684–692.

Aziz Ali, S., Abbasi, Z., Feroz, A., Hambidge, K.M., Krebs, N.F., Westcott, J.E., *et al.*(2019). Factors associated with anemia among women of the

UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

reproductive age group in Thatta district: study protocol. *Reproductive Health*, 16(1) : 34.

Badr, M., Elashkar, S., Ismail, W., Abozid, A. and Hanna, D. (2023) Role of reticulocyte haemoglobin content in diagnosis of iron deficiency anaemia, *Alexandria Journal of Pediatrics*, 36, pp. 105–112.

Beck, K.L., Conlon, C.A., Kruger, R., Heath, A.-L.M., Matthys, C., Coad, J., *et al.*(2014). Blood Donation, Being Asian, and a History of Iron Deficiency Are Stronger Predictors of Iron Deficiency than Dietary Patterns in Premenopausal Women. *BioMed Research International*, 2014 : 1–7.

Beguin, Y.(2003). Soluble transferrin receptor for the evaluation of erythropoiesis and iron status. *Clinica Chimica Acta*, 329(1) : 9–22.

Bialkowski, W., Bryant, B.J., Schlumpf, K.S., Wright, D.J., Birch, R., Kiss, J.E., *et al.*(2015). The strategies to reduce iron deficiency in blood donors randomized trial: design, enrolment and early retention. *Vox sanguinis*, 108(2) : 178–185.

Bouri, S. and Martin, J.(2018). Investigation of iron deficiency anaemia. *Clinical Medicine*, 18(3) : 242–244.

Braga, F., Pasqualetti, S., Frusciante, E., Borrillo, F., Chibireva, M. and Panteghini, M.(2022). Harmonization Status of Serum Ferritin Measurements and Implications for Use as Marker of Iron-Related Disorders. *Clinical Chemistry*, 68(9) : 1202–1210.

Brugnara, C.(2000). Reticulocyte cellular indices: A new approach in the diagnosis of anemias and monitoring of erythropoietic function. *Crit Rev Clin Lab Sci*, 37(2) : 93–130.

Brugnara, C., Schiller, B. dan Moran, J.(2006). Reticulocyte hemoglobin equivalent (Ret He) and assessment of iron-deficient states. *Clin. Lab. Haem.*, 28 : 303–308.

Cable, R.G., Birch, R.J., Spencer, B.R., Wright, D.J., Bialkowski, W., Kiss, J.E., *et al.*(2017). The operational implications of donor behaviors following enrollment in STRIDE (Strategies to Reduce Iron Deficiency in blood donors). *Transfusion*, 57(10) : 2440–2448.

Cable, R.G., Brambilla, D., Glynn, S.A., Kleinman, S., Mast, A.E., Spencer, B.R., *et al.*(2016). Effect of iron supplementation on iron stores and total body iron after whole blood donation. *Transfusion*, 56(8) : 2005–2012.

Cable, R.G., Glynn, S.A., Kiss, J.E., Mast, A.E., Steele, W.R., Murphy, E.L., *et al.*(2011). Iron deficiency in blood donors: analysis of enrollment data from the REDS-II Donor Iron Status Evaluation (RISE) study. *Transfusion*, 51(3) : 511–522.

Cable, R.G., Glynn, S.A., Kiss, J.E., Mast, A.E., Steele, W.R., Murphy, E.L., *et al.*(2012). Iron deficiency in blood donors: the REDS-II Donor Iron Status Evaluation (RISE) study. *Transfusion*, 52(4) : 702–711.

UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Cacoub, P., Vandewalle, C. and Peoc'h, K.(2019). Using transferrin saturation as a diagnostic criterion for iron deficiency: A systematic review. *Critical Reviews in Clinical Laboratory Sciences*, 56(8) : 526–532.

Cai, J., Wu, M., Ren, J., Du, Y., Long, Z., Li, G., *et al.*(2017). Evaluation of the Efficiency of the Reticulocyte Hemoglobin Content on Diagnosis for Iron Deficiency Anemia in Chinese Adults. *Nutrients*, 9(5) : 450.

Camaschella, C.(2019). Iron deficiency. *Blood*, 133(1) : 30–39.

Chambers, J.C., Zhang, W., Li, Y., Sehmi, J., Wass, M.N., Zabaneh, D., *et al.*(2009). Genome-wide association study identifies variants in TMPRSS6 associated with hemoglobin levels. *Nature Genetics*, 41(11) : 1170–1172.

Chaparro, C.M. and Suchdev, P.S.(2019). Anemia epidemiology, pathophysiology, and etiology in low- and middle-income countries. *Annals of the New York Academy of Sciences*, 1450(1) : 15–31.

Charlebois, E. and Pantopoulos, K.(2021). Iron overload inhibits BMP/SMAD and IL-6/ STAT3 signaling to hepcidin in cultured hepatocytes. *PLoS ONE*, 16(6 June) : 1–12.

Consort(2010). Correspondence CONSORT 2010 Statement: updated guidelines for reporting parallel group randomised trials. *Notes and Queries*, 8:18(274) : 1–9.

Conway, D. and Henderson, M.A.(2019). Iron metabolism. *Anaesthesia and Intensive Care Medicine*, 20(3) : 175–177.

Cook, J.D. and Skikne, B.S.(1982). Serum ferritin: a possible model for the assessment of nutrient stores. *The American Journal of Clinical Nutrition*, 35(5) : 1180–1185.

Coskun, A.(2024). Diagnosis Based on Population Data versus Personalized Data: The Evolving Paradigm in Laboratory Medicine. *Diagnostics*, 14(19).

Dara, R.C., Marwaha, N., Khetan, D. and Patidar, G.K.(2016a). A Randomized Control Study to Evaluate Effects of Short-term Oral Iron Supplementation in Regular Voluntary Blood Donors. *Indian Journal of Hematology and Blood Transfusion*, 32(3) : 299–306.

De la Cruz-Góngora, V., Méndez-Gómez-Humarán, I., Gaona-Pineda, E.B., Shamah-Levy, T. and Dary, O.(2022). Drops of Capillary Blood Are Not Appropriate for Hemoglobin Measurement with Point-of-Care Devices: A Comparative Study Using Drop Capillary, Pooled Capillary, and Venous Blood Samples. *Nutrients*, 14(24).

Dev, S. and Babitt, J.L.(2017). Overview of iron metabolism in health and disease: Iron metabolism in health and disease. *Hemodialysis International*, 21 : S6–S20.

Diepeveen, L.E., Laarakkers, C.M.M., Martos, G., Pawlak, M.E., Uğuz, F.F., Verberne, K.E.S.A., *et al.*(2019). Provisional standardization of hepcidin assays: Creating a traceability chain with a primary reference material,

UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

candidate reference method and a commutable secondary reference material. *Clinical Chemistry and Laboratory Medicine*, 57(6) : 864–872.

Dignass, A., Farrag, K. and Stein, J.(2018). Limitations of Serum Ferritin in Diagnosing Iron Deficiency in Inflammatory Conditions. *Int J Chronic Dis*, 1–11.

El-Gendy, F.M., El-Hawy, M.A., Rizk, M.S., El-Hefnawy, S.M. and Mahmoud, M.Z.(2018). Value of Soluble Transferrin Receptors and sTfR/log Ferritin in the Diagnosis of Iron Deficiency Accompanied by Acute Infection. *Indian Journal of Hematology and Blood Transfusion*, 34(1) : 104–109.

Elsayed, M.E., Sharif, M.U. and Stack, A.G.(2016). Transferrin Saturation. in *Advances in Clinical Chemistry*. Elsevier, 71–97.

Fletcher, A., Forbes, A., Svenson, N. and Wayne Thomas, D.(2022). Guideline for the laboratory diagnosis of iron deficiency in adults (excluding pregnancy) and children. *British Journal of Haematology*, 196(3) : 523–529.

Fung, Y.-L., Lee, C.-K., Kwon, S.-Y., Soedarmono, Y., Satake, M., Alcantara, R., *et al.*(2022). The Contribution and Potential of Older Blood Donors in Asia Pacific Regions. *Transfusion Medicine*, 71–76. Available at: https://onlinelibrary.wiley.com/doi/epdf/10.1111/tme.12845.

Garcia-Casal, M.N., Pasricha, S.R., Martinez, R.X., Lopez-Perez, L. and Peña-Rosas, J.P.(2021). Serum or plasma ferritin concentration as an index of iron deficiency and overload. *Cochrane Database of Systematic Reviews*, 2021(5).

Gattermann, N., Muckenthaler, M.U., Kulozik, A.E., Metzgeroth, G. and Hastka, J.(2021). The evaluation of iron deficiency and iron overload. *Deutsches Ärzteblatt international* [Preprint].

Girelli, D., Nemeth, E. and Swinkels, D.W.(2016). Hepcidin in the diagnosis of iron disorders. *Blood*, 127(23) : 2809–2813.

Goddard, A.F., James, M.W., McIntyre, A.S. and Scott, B.B.(2011). Guidelines for the management of iron deficiency anaemia. *Gut*, 60(10) : 1309–1316.

Goldman, M., Uzicanin, S., Scalia, J., Scalia, V. and O'Brien, S.F.(2016). Impact of informing donors of low ferritin results. *Transfusion*, 56(9) : 2193–2198.

Gonzo, M., Maramba, A. and Taylor, G.(2017). Hepcidin testing; establishing reference values for the Namibian blood donor population. *International Journal of Blood Transfusion and Immunohematology*, 7(1) : 1–6.

Gupte, S., Mahida, V. and Bhatti, A.(2008). Iron status of regular voluntary blood donors. *Asian Journal of Transfusion Science*, 2(1) : 9.

Harms, K. and Kaiser, T.(2015). Beyond soluble transferrin receptor: Old challenges and new horizons. *Best Practice and Research: Clinical Endocrinology and Metabolism*, 29(5) : 799–810.

Hentze, M.W., Muckenthaler, M.U., Galy, B. and Camaschella, C.(2010). Two to

UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Tango: Regulation of Mammalian Iron Metabolism. *Cell*, 142(1) : 24–38.

Hoenemann, C., Ostendorf, N., Zarbock, A., Doll, D., Hagemann, O., Zimmermann, M., *et al.*(2021). Reticulocyte and Erythrocyte Hemoglobin Parameters for Iron Deficiency and Anemia Diagnostics in Patient Blood Management. A Narrative Review. *Journal of Clinical Medicine*, 10(18) : 4250.

Hu, W., Meng, H., Hu, Q., Feng, L. and Qu, X.(2019). Blood donation from 2006 to 2015 in Zhejiang Province, China: Annual consecutive cross-sectional studies. *BMJ Open*, 9(5) : 1–11.

Institute of Medicine (US) Panel on Micronutrients. (2001). *Dietary Reference Intakes for Vitamin A, Vitamin K, Arsenic, Boron, Chromium, Copper, Iodine, Iron, Manganese, Molybdenum, Nickel, Silicon, Vanadium, and Zinc. Washington (DC): National Academies Press (US); 2001. Available from: https://www.ncbi.nlm.nih.gov/books/NBK222310/ doi: 10.17226/10026*.

Jain, A., Chowdhury, N., Jain, S., Uttam, N. and Meinia, S.K.(2018). Altered Red Cell Indices in Repeat Blood Donors: Experience of a North Indian Blood Bank. *Indian Journal of Hematology and Blood Transfusion*, 34(4) : 666–670.

Karagülle, M., Gündüz, E., Mutlu, F.Ş. and Akay, M.O.(2013). Clinical Significance of Reticulocyte Hemoglobin Content in the Diagnosis of Iron Deficiency Anemia. *Turkish J Haematol*, 30(2) : 153–156.

Karregat, J.H.M., Meulenbeld, A., Quee, F.A., Novotny, V.M.J., de Haas, M., Swinkels, D., *et al.*(2025). Ferritin-guided iron supplementation in whole blood donors (FORTE): results of a double-blind randomized controlled trial. *medRxiv*, 2025.01.03.25319940. Available at: http://medrxiv.org/content/early/2025/01/03/2025.01.03.25319940.abstract.

Kaur, Pandeep, Kaur, G., Kaur, Paramjit and Tahlan, A.(2021). Hepcidin as a diagnostic marker of iron deficiency in blood donors. *Transfusion and Apheresis Science*, 60(3) : 103121.

Keshelashvili, K., O'Meara, A., Stern, M., Jirout, Z., Pehlic, V., Holbro, A., *et al.*(2016). Adverse events and retention of donors of double red cell units by apheresis. *Blood Transfusion* [Preprint].

Kiss, J.E., Birch, R.J., Steele, W.R., Wright, D.J. and Cable, R.G.(2017). Quantification of body iron and iron absorption in the REDS-II Donor Iron Status Evaluation (RISE) study. *Transfusion*, 57(7) : 1656–1664.

Kiss, J.E., Brambilla, D., Glynn, S.A., Mast, A.E., Spencer, B.R., Stone, M., *et al.*(2015a). Oral iron supplementation after blood donation: A randomized clinical trial. *JAMA - Journal of the American Medical Association*, 313(6) : 575–583.

Kiss, J.E., Brambilla, D., Glynn, S.A., Mast, A.E., Spencer, B.R., Stone, M., *et*

UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

al.(2015b). Oral Iron Supplementation After Blood Donation: A Randomized Clinical Trial. *JAMA*, 313(6) : 575.

Kiss, J.E. and Vassallo, R.R.(2018). How do we manage iron deficiency after blood donation? *British Journal of Haematology*, 181(5) : 590–603.

Lalosevic, M.S., Toncev, L., Stankovic, S., Dragasevic, S., Stojkovic, S., Jovicic, I., *et al.*(2020). Hepcidin is a reliable marker of iron deficiency anemia in newly diagnosed patients with inflammatory bowel disease. *Disease Markers*, 2020.

Lam, J.R., Schneider, J.L., Quesenberry, C.P. and Corley, D.A.(2017). Proton Pump Inhibitor and Histamine-2 Receptor Antagonist Use and Iron Deficiency. *Gastroenterology*, 152(4) : 821-829.e1.

Lankhorst, C.E. and Wish, J.B.(2010). Anemia in renal disease: Diagnosis and management. *Blood Reviews*, 24(1) : 39–47.

Lee, S.J., Min, H.K., Jang, J.S., Lee, S., Chung, Y. and KIM, M.J.(2020). Donor protection: Iron supplementation for frequent blood donors in Korea. *Transfusion and Apheresis Science*, 59(1) : 1–6.

Levi, M., Rosselli, M., Simonetti, M., Brignoli, O., Cancian, M., Masotti, A., *et al.*(2016). Epidemiology of iron deficiency anaemia in four European countries: a population-based study in primary care. *European Journal of Haematology*, 97(6) : 583–593.

Li, Y., Huang, X., Wang, J., Huang, R., Wan, D. and Yang, G.(2020). Regulation of Iron Homeostasis and Related Diseases. *Mediators of Inflammation*, 2020.

Lin, X.M., Tian, W., Ma, L., Long, Z., Zhang, J., Shen, X.Y., *et al.*(2008). The responses of serum transferrin receptors to iron supplements in subjects with iron-deficiency erythropoiesis and iron-deficiency anaemia. *British Journal of Nutrition*, 99(2) : 416–420.

Loria, F., Maret, E., Schobinger, C., Kuuranne, T. and Grabherr, S., Leuenberger, N.(2023). The effects of iron injection on blood doping biomarkers in dried blood spots. *Drug testing and analysis*, 15 (4) : 444–448. Available at: https://analyticalsciencejournals.onlinelibrary.wiley.com/doi/epdf/10.1002/dta.3407.

Maghsudlu, M., Nasizadeh, S., Toogeh, G.R., Zandieh, T., Parandoush, S. and Rezayani, M.(2008). Short-term ferrous sulfate supplementation in female blood donors. *Transfusion*, 48(6) : 1192–1197.

Magnussen, K. and Ladelund, S.(2015). Handling low hemoglobin and iron deficiency in a blood donor population: 2 years' experience. *Transfusion*, 55(10) : 2473–2478.

Mantilla-Gutiérrez, C.Y. dan Cardona-Arias, J.A.(2012). Meta-analysis: prevalence of iron deficiency in systematic blood donors and its association with gender, 14.

UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Mast, A.E.(2020). Reducing iron deficiency in teen-aged blood donors. *Pediatrics*, 146(1) : 1–2.

Mast, A.E., Bialkowski, W., Bryant, B.J., Wright, D.J., Birch, R., Kiss, J.E., *et al.*(2016). A randomized, blinded, placebo-controlled trial of education and iron supplementation for mitigation of iron deficiency in regular blood donors. *Transfusion*, 56(6) : 1588–1597.

Mast, A.E., Blinder, M.A., Gronowski, A.M., Chumley, C. and Scott, M.G.(1998). Clinical utility of the soluble transferrin receptor and comparison with serum ferritin in several populations. *Clinical Chemistry*, 44(1) : 45–51.

Mathew, B.M., Santhakumar, R., Innah, S.J., Cherian, V.J. and Rafi, A.M.(2024). Evaluating RET-Hb vs Hb in Predicting Early Response in Oral Iron Therapy: A Prospective Interventional Study. *Journal of Clinical and Diagnostic Research*, 1–5.

Mehta, S., Goyal, L., Kaushik, D., Gulati, S., Sharma, N., Harshvardhan, L., *et al.*(2017). Reticulocyte hemoglobin vis-à-vis immature reticulocyte fraction, as the earliest indicator of response to therapy in iron deficiency anemia. *Journal of Association of Physicians of India*, 65(October) : 14–17.

Mirrezaie, S.M., Parsi, R., Torabgahromi, S.A. and Askarian, M.(2008). Low Dose, Short-Term Iron Supplementation in Female Blood Donors of Childbearing Age: a Randomized, Double-Masked, Placebo-Controlled Study, 6.

Misje, A.H., Bosnes, V. and Heier, H.E.(2010). Gender differences in presentation rates, deferrals and return behaviour among Norwegian blood donors. *Vox Sanguinis*, 98(3p1) : e241–e248.

Moretti, D., Goede, J.S., Zeder, C., Jiskra, M., Chatzinakou, V., Tjalsma, H., *et al.*(2015). Oral iron supplements increase hepcidin and decrease iron absorption from daily or twice-daily doses in iron-depleted young women. *Blood*, 126(17) : 1981–1989.

Muckenthaler, M.U., Rivella, S., Hentze, M.W. and Galy, B.(2017). A Red Carpet for Iron Metabolism. *Cell*, 168(3) : 344–361.

Nadarajan, V.S. and Eow, G.I.(2002). Anaemia and iron status among blood donors in a blood transfusion unit in Malaysia. *The Malaysian journal of pathology*, 24(2) : 99–102.

Namaste, S.M., Rohner, F., Huang, J., Bhushan, N.L., Flores-Ayala, R., Kupka, R., *et al.*(2017). Adjusting ferritin concentrations for inflammation: Biomarkers Reflecting Inflammation and Nutritional Determinants of Anemia (BRINDA) project, 13.

Napolitano, M., Dolce, A., Celenza, G., Grandone, E., Perilli, M.G., Siragusa, S., *et al.*(2014). Iron-dependent erythropoiesis in women with excessive menstrual blood losses and women with normal menses. *Annals of Hematology*, 93(4) : 557–563.

Newman, B.H.(2004). Adjusting our management of female blood donors: the key

UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

to an adequate blood supply. *Transfusion*, 44(4) : 591–596.

Norashikin, J., Roshan, T.M., Rosline, H., Zaidah, A.W., Suhair, A.A. and Rapiaah, M.(2006). A study of serum ferritin levels among male blood donors in Hospital Universiti sains Malaysia. *The Southeast Asian Journal of Tropical Medicine and Public Health*, 37(2) : 370–373.

Nwagha, T.U., Ugwu, A.O. and Nwaekpe, C.N.(2023). Iron supplementation and blood donation in Nigeria: Effect on Hemoglobin, red cell indices, and iron stores - The ranferon™ study. *Annals of African Medicine*, 22(1) : 70–76.

Pasricha, S.R., Marks, D.C., Salvin, H., Brama, T., Keller, A.J., Pink, J., *et al.*(2017). Postdonation iron replacement for maintaining iron stores in female whole blood donors in routine donor practice: results of two feasibility studies in Australia. *Transfusion*, 57(8) : 1922–1929.

Pasricha, S.R., Tye-Din, J., Muckenthaler, M.U. and Swinkels, D.W.(2021). Iron deficiency. *The Lancet*, 397(10270) : 233–248.

Pehlic, V., Volken, T., Holbro, A., Jirout, Z., Drexler, B., Buser, A., *et al.*(2021). Long-Term Course of Haemoglobin and Ferritin Values in High-Frequency Donors of Whole Blood and Double Erythrocyte Apheresis. *Transfusion Medicine and Hemotherapy*, 48(2) : 71–78.

Pei, L.X., Kroeun, H., Vercauteren, S.M., Barr, S.I., Green, T.J., Albert, A.Y., *et al.*(2021). Baseline Hemoglobin, Hepcidin, Ferritin, and Total Body Iron Stores are Equally Strong Diagnostic Predictors of a Hemoglobin Response to 12 Weeks of Daily Iron Supplementation in Cambodian Women. *Journal of Nutrition*, 151(8) : 2255–2263.

Penkova, M. and Ivanova, N.(2019). Serum Iron metabolism variables in clinically healthy persons. *Open Access Macedonian Journal of Medical Sciences*, 7(3) : 318–321.

Petersen, P., Hakimjavadi, H., Chamala, S. and Mathur, G.(2024). Evaluating utility of routine ferritin testing in blood donors: A hospital-based blood donor centre experience. *Transfusion Medicine*, 34(6) : 491–498.

Piskin, E., Cianciosi, D., Gulec, S., Tomas, M. and Capanoglu, E.(2022). Iron Absorption: Factors, Limitations, and Improvement Methods. *ACS Omega*, 7(24) : 20441–20456.

Pittori, C., Buser, A., Gasser, U.E., Sigle, J., Job, S., Rüesch, M., *et al.*(2011). A pilot Iron Substitution Programme in female blood donors with iron deficiency without anaemia: Iron substitution in non-anaemic premenopausal female blood donors. *Vox Sanguinis*, 100(3) : 303–311.

Piva, E., Brugnara, C., Spolaore, F. and Plebani, M.(2014). Clinical Utility of Reticulocyte Parameters. *Clin Lab Med*, 35(1) : 133–163.

Poggiali, E., Andreozzi, F., Nava, I., Consonni, D., Graziadei, G. and Cappellini, M.D.(2015). The role of TMPRSS6 polymorphisms in iron deficiency anemia partially responsive to oral iron treatment. *American Journal of*

UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Hematology, 90(4) : 306–309.

Polin, V., Coriat, R., Perkins, G., Dhooge, M., Abitbol, V., Leblanc, S., *et al.*(2013). Iron deficiency: From diagnosis to treatment. *Digestive and Liver Disease*, 45(10) : 803–809.

Powers, J.M., Buchanan, G.R., Adix, L., Zhang, S., Gao, A. and McCavit, T.L.(2017). Effect of Low-Dose Ferrous Sulfate vs Iron Polysaccharide Complex on Hemoglobin Concentration in Young Children With Nutritional Iron-Deficiency Anemia: A Randomized Clinical Trial. *JAMA*, 317(22) : 2297–2304.

Prabhakar, E.(2022). Iron in Cell Metabolism and Disease. in M. Zakaria and T. Hassan (eds) *Biochemistry*. IntechOpen.

Prados Madrona, D. and Fernández Herrera, M.D.(2014). Women as whole blood donors: offers, donations and deferrals in the province of Huelva, south-western Spain. *Blood Transfusion* [Preprint].

Punnonen, K., Irjala, K. and Rajamäki, A.(1997). Serum Transferrin Receptor and Its Ratio to Serum Ferritin in the Diagnosis of Iron Deficiency. *Blood*, 89(3) : 1052–1057.

Radtke, H., Tegtmeier, J., Röcker, L., Salama, A. and Kiesewetter, H.(2004). Daily doses of 20 mg of elemental iron compensate for iron loss in regular blood donors: a randomized, double-blind, placebo-controlled study: IRON SUPPLEMENTATION IN BLOOD DONORS. *Transfusion*, 44(10) : 1427–1432.

Rigas, A.S., Sørensen, C.J., Pedersen, O.B., Petersen, M.S., Thørner, L.W., Kotzé, S., *et al.*(2014). Predictors of iron levels in 14,737 Danish blood donors: results from the Danish Blood Donor Study. *Transfusion*, 54(3 Pt 2) : 789–796.

Ringwald, J., Zimmermann, R. and Eckstein, R.(2010). Keys to Open the Door for Blood Donors to Return. *Transfusion Medicine Reviews*, 24(4) : 295–304.

Riskika, F., Briawan, D. and Tanziha, I.(2023). Factors related to the level of iron adequacy of adolescent girls in Indonesia. *AcTion: Aceh Nutrition Journal*, 8(4) : 624.

Røsvik, A.S., Hervig, T., Wentzel-Larsen, T. and Ulvik, R.J.(2010). Effect of iron supplementation on iron status during the first week after blood donation. *Vox Sanguinis*, 98(3 Pt 1) : e249-256.

Sanyoto, A., Suega, K., Adnyana, L. and Bakta, I.M.(2017). Diagnostic Test Equivalent Hemoglobin Reticulocyte in Iron Deficiency Anemia. *The Indonesian Biomedical Journal*, 9(3) : 143.

Schotten, N., Pasker-de Jong, P.C.M., Moretti, D., Zimmermann, M.B., Geurts-Moespot, A.J., Swinkels, D.W., *et al.*(2016). The donation interval of 56 days requires extension to 180 days for whole blood donors to recover from changes in iron metabolism. *Blood*, 128(17) : 2185–2188.

UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Sethi, V., Yadav S., Agrawal, S., Sareen, N., Kathuria, N., Mishra, P., Kapoor, J., Dureja, S. (2019). Incidence of Side-effects After Weekly Iron and Folic Acid Consumption Among School-going Indian Adolescents. *Indian Pediatrics,* 56: 33-36.

Singh, A., Chaudhary, R., Sonker, A. and Pandey, H.C.(2016). Importance of donor history of restless leg syndrome and pica to asses iron deficiency. *Transfusion and Apheresis Science*, 54(2) : 259–261.

Singh, A., Pandey, H.Ch. and Chaudhary, R.(2022). Establishment of normal reference range of serum hepcidin in Indian blood donors, 17(1) : 1–6.

Singh, D.S.(2018). Pattern and Trend of Female Donors in Blood Bank and Outdoor Blood Donation Camps - A 7 year Comparative Study from Blood Bank, Chamba, (H.P). *Journal of Medical Science And clinical Research*, 6(7) : 897–903.

Skikne, B., Flowers, C. and Cook, J.(no date). Serum transferrin receptor: a quantitative measure of tissue iron deficiency, 9.

Skikne, B.S., Flowers, C.H. and Cook, J.D.(1990). Serum Transferrin Receptor: A Quantitative Measure of Tissue Iron Deficiency. *Blood*, 75(9) : 1870–1876.

Smith, G.A., Fisher, S.A., Doree, C., Di Angelantonio, E. and Roberts, D.J.(2014). Oral or parenteral iron supplementation to reduce deferral, iron deficiency and/or anaemia in blood donors. *Cochrane Database of Systematic Reviews*, 2014(7).

Speeckaert, M.M., Speeckaert, R. and Delanghe, J.R.(2010). Biological and clinical aspects of soluble transferrin receptor. *Critical Reviews in Clinical Laboratory Sciences*, 47(5–6) : 213–228.

Spencer, B.R., Johnson, B., Wright, D.J., Kleinman, S., Glynn, S.A. and Cable, R.G.(2016). Potential impact on blood availability and donor iron status of changes to donor hemoglobin cutoff and interdonation intervals: Blood Availability and Hb/Interval Changes. *Transfusion*, 56(8) : 1994–2004.

Stoffel, N.U., Cercamondi, C.I., Brittenham, G., Zeder, C., Geurts-Moespot, A.J., Swinkels, D.W., *et al.*(2017). Iron absorption from oral iron supplements given on consecutive versus alternate days and as single morning doses versus twice-daily split dosing in iron-depleted women: two open-label, randomised controlled trials. *The Lancet Haematology*, 4(11) : e524–e533.

Suria, N., Kaur, R., Mittal, K., Palta, A., Sood, T., Kaur, P. & Kaur, G. (2021). Utility of reticulocyte haemoglobin content and immature reticulocyte fraction in early diagnosis of latent iron deficiency in whole blood donors. *Vox Sanguinis*. [Online]. Available from: https://onlinelibrary.wiley.com/doi/abs/10.1111/vox.13216.

Szymczyk-Nuzka, M. and Wołowiec, D.(2003). Iron stores in regular blood donors]. *Polskie Archiwum Medycyny Wewnetrznej*, 110(6) : 1415–1421.

Tiwari, A. K., Bhardwaj, G., Arora, D., Aggarwal, G., Pabbi, S., Dara, R. C.,

UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Sachdev, R., Raizada, A. and Sethi, M. (2018) Applying newer parameter Ret-He (reticulocyte haemoglobin equivalent) to assess latent iron deficiency (LID) in blood donors–study at a tertiary care hospital in India, *Vox Sanguinis*, Vox Sang, 113(7), pp. 639–646, [online] Available at: https://pubmed.ncbi.nlm.nih.gov/30101488/.

Tolkien, Z., Stecher, L., Mander, A.P., Pereira, D.I.A. and Powell, J.J.(2015). Ferrous Sulfate Supplementation Causes Significant Gastrointestinal Side-Effects in Adults: A Systematic Review and Meta-Analysis. *PLOS ONE*. Edited by P. Strnad, 10(2) : e0117383.

Trisna, G.(2016)*Profil Status Besi dan Kejadian Defisiensi Besi pada Donor Darah di Unit Donor Darah PMI Kota Yogyakarta*. Universitas Gadjah Mada.

Triyono, T., Taslima, M. and Sukorini, U.(2023). Profile of female blood donors in the blood transfusion units of Dr. Sardjito Central General Hospital Yogyakarta. *Bali Medical Journal*, 12(1) : 274–277.

Tuan, V.P., Anh, S.D., Van, P.H. and Sy, T.A.B.(2024). Iron supplementation post-blood donation in Vietnam: Impact on hemoglobin, red cell indices, and iron reserves. *Romanian Medical Journal*, 71(3) : 225–229.

Urrechaga, E., Boveda, O., Aguayo, F.J., de la Hera, P., Muñoz, R.I., Gallardo, I., *et al.*(2016). Percentage of hypochromic erythrocytes and reticulocyte hemoglobin equivalent predictors of response to intravenous iron in hemodialysis patients. *International Journal of Laboratory Hematology*, 38(4) : 360–365.

Utkurovich, N.A.(2021). An Overview of Iron Metabolism in Health and Disease. *Journal of Advances in Medicine and Medical Research*, 33(8) : 70–78.

Vassallo, R.R., Hilton, J.F., Bravo, M.D., Vittinghoff, E., Custer, B. and Kamel, H.(2020). Recovery of iron stores after adolescents donate blood. *Pediatrics*, 146(1).

Verga Falzacappa, M.V., Vujic Spasic, M., Kessler, R., Stolte, J., Hentze, M.W. and Muckenthaler, M.U.(2007). STAT3 mediates hepatic hepcidin expression and its inflammatory stimulation. *Blood*, 109(1) : 353–358.

Vhanda, D., Chinowaita, F., Nkomo, S., Timire, C. and Kouamou, V.(2021). Effects of repeated blood donation on iron status of blood donors in Zimbabwe: A cross-sectional study. *Health Science Reports*, 4(4).

Vogt, A.C.S., Arsiwala, T., Mohsen, M., Vogel, M., Manolova, V. and Bachmann, M.F.(2021). On iron metabolism and its regulation. *International Journal of Molecular Sciences*, 22(9) : 1–17.

Vos, T., Abajobir, A.A., Abbafati, C., Abbas, K.M., Abate, K.H., Abd-Allah, F., *et al.*(2017). Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: A systematic analysis for the Global Burden of Disease Study 2016. *The Lancet*, 390(10100) : 1211–1259.

UNIVERSITAS
GADJAH MADA
Efektivitas Suplementasi Besi Oral Jangka Pendek untuk Pemulihan Status Besi Pasca donasi pada Pendonor Darah Rutin
Fuad Anshori, Dr. dr. Teguh Triyono, M. Kes., Sp.PK(K); Dr. dr. Tri Ratnaningsih, M. Kes., Sp.PK(K)
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Waldvogel, S., Rochat, B., Peduzzi, D., Vaucher, P., Tissot, J.D. and Favrat, B.(2016). Effects of oral supplementation of iron on hepcidin blood concentrations among non-anaemic female blood donors: A randomized controlled trial. *Vox Sanguinis*, 110(2) : 166–171.

Westgard QC(2014). Biologic Variation Database, the 2014 Update - Westgard. Available at: https://www.westgard.com/biodatabase-2014-update.htm.

World Health Organization(2017)*The 2016 global status report on blood safety and availability*. Geneva: World Health Organization.

World Health Organization(2021)*Global status report on blood safety and availability*. Available at: https://www.who.int/publications/i/item/9789240051683.

Xiao, X., Yeoh, B.S. and Vijay-Kumar, M.(2017). Lipocalin 2: An Emerging Player in Iron Homeostasis and Inflammation. *Annual Review of Nutrition*, 37(1) : 103–130.

Yaranal, P.J. and S G, H.(2013). Evaluation of Iron Stores in Blood Donors by Estimation of Serum Ferritin level. *International Journal of Medical Research & Health Sciences*, 1(7) : 275–281.

Yaznil, M.R., Lubis, M.P., Lumbanraja, S.N., Barus, M.N.G., Sakina, A., Sarirah, M. (2019). Side Effects of Daily versus Weekly Iron Supplementation in Pregnant Women. *J Bahrain Med Soc.* 31(1):17-22