

## Daftar Pustaka

- Abramovic, H., Jamnik, M., Burkan, L., & Kač, M. (2008). Water activity and water content in Slovenian honeys. *Food Control*, *19*(11), 1086-1090. doi:<https://doi.org/10.1016/j.foodcont.2007.11.008>
- Akbar, G. P., Kusdiyantini, E., & Wijanarka. (2019). Isolasi dan karakterisasi secara morfologi dan biokimia khamir dari limbah kulit nanas madu (*Ananas comosus* L.) untuk produksi bioetanol. *Berkala Bioteknologi*, *2*(2).
- Aljohani, R., Samarasinghe, H., Ashu, T., & Xu, J. (2018). Diversity and relationships among strains of culturable yeasts in agricultural soils in Cameroon. *Scientific Reports*, *8*(15687). doi: [doi.org/10.1038/s41598-018-34122-2](https://doi.org/10.1038/s41598-018-34122-2)
- Almasaudi, S. (2021). The antibacterial activities of honey. *Saudi Journal of Biological Sciences*, *28*(4), 2188-2196. doi:[doi.org/10.1016/j.sjbs.2020.10.017](https://doi.org/10.1016/j.sjbs.2020.10.017)
- Angyal, S. J. (1984). The composition of reducing sugars in solution. Dalam R. S. Tipson, & D. Horton (Penyunt.), *Advances in Carbohydrate Chemistry and Biochemistry* (Vol.42, hal.15-68). Elsevier. doi:[doi.org/10.1016/S0065-2318\(08\)60118-3](https://doi.org/10.1016/S0065-2318(08)60118-3)
- Anjani, K. D., & Ilmi, M. (2018). Penapisan isolat khamir oleaginous dari nektar bunga dan madu hutan. *Jurnal Mikologi Indonesia*, *2*(2). Diambil kembali dari <http://jmi.mikoina.or.id/jmi/article/view/42/0>
- Anjos, J., de Sousa, H. R., Roca, C., Cássio, F., Luttik, M., Pronk, J. T., . . . Gonçalves, P. (2013). Fsy1, the sole hexose-proton transporter characterized in *Saccharomyces* yeasts, exhibits a variable fructose:H<sup>+</sup> stoichiometry. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, *1828*(2), 201-207. doi:[doi.org/10.1016/j.bbamem.2012.08.011](https://doi.org/10.1016/j.bbamem.2012.08.011)
- Araya, M., Villareal, P., Moyano, T., Santos, A. R., Díaz, F., Bustos-Jarufe, A., . . . Cubillos, F. (2024). *Nakazawaea atacamensis* f.a., sp. nov. a novel nonconventional fermentative ascomycetous yeast species from the Atacama desert. *Yeast*, *41*(1-2), 52-63. doi: [doi.org/10.1002/yea.3920](https://doi.org/10.1002/yea.3920)
- Balzan, S., Carraro, L., Merlanti, R., Lucatello, L., Capolongo, F., Fontana, F., . . . Cardazzo, B. (2020). Microbial metabarcoding highlights different bacterial and fungal populations in honey samples from local beekeepers and market in north-eastern Italy. *International Journal of Food Microbiology*, 108806. doi: [doi.org/10.1016/j.ijfoodmicro.2020.108806](https://doi.org/10.1016/j.ijfoodmicro.2020.108806)
- Barbosa, R. B., Bezerra, J., Souza-Motta, C., Gomes, B. S., Costa, C., & Melo, H. (2016). Prospection on yeasts from stingless bees honey in Brazilian tropical dry forest (Caatinga). *Gaia Scientia*, *14*(4), 151-159. doi: [dx.doi.org/10.21707/gsv10.n04a11](https://dx.doi.org/10.21707/gsv10.n04a11)
- Benito, S. (2018). The impact of *Torulasporea delbrueckii* yeast in winemaking. *Applied Microbiology and Biotechnology*, *102*(7), 3081-3094. doi: [doi.org/10.1007/s00253-018-8849-0](https://doi.org/10.1007/s00253-018-8849-0)
- Berg, J. M., Tymoczko, J. L., Gatto Jr, G. J., & Stryer, L. (2002). *Biochemistry* (5th ed.). New York: W.H. Freeman and Company.

- Bethels, N. J., Cordero Otero, R. R., Bauer, F. F., Pretorius, I. S., & Thevelein, J. M. (2004). Discrepancy in glucose and fructose utilisation during fermentation by *Saccharomyces cerevisiae* wine yeast strains. *FEMS Yeast Research*, 4(7). doi: doi.org/10.1016/j.femsyr.2004.02.005
- Biswal, D., Sahu, M., Mahajan, A., Advani, A. H., & Shah, S. (2015). *Kodameae ohmeri*—An emerging yeast: two cases and literature review. *Journal of Clinical and Diagnostic Research*, 9(3), DD01-DD03. doi: doi.org/10.7860/JCDR/2015/11586.5661
- Boekhout, T., Amend, A. S., El Baidouri, F., Gabaldón, T., Geml, J., Mittelbach, M., . . . Yurkov, A. (2022). Trends in yeast diversity discovery. *Fungal Diversity*, 114, 491-537. doi: doi.org/10.1007/s13225-021-00494-6
- Bogdanov, S. (2009). *Harmonized methods of the international honey comission*. International Honey Commission. Dipetik January 30, 2025, dari <http://www.bee-hexagon.net/en/network.htm>
- Boles, E., & Hollenberg, C. P. (1997). The molecular genetics of hexose transport in yeasts. *FEMS Microbiology Reviews*, 21(1), 85-111. doi: doi.org/10.1111/j.1574-6976.1997.tb00346.x
- Brysch-Herzberg, M. (2004). Ecology of yeasts in plant–bumblebee mutualism in central Europe. *FEMS Microbiol Ecol*, 87-100. doi: doi.org/10.1016/j.femsec.2004.06.003
- Burgess, S. M., Powers, T., & Mell, J. C. (2017). Budding yeast *Saccharomyces cerevisiae* as a model genetic organism. *eLS*. doi: doi.org/10.1002/9780470015902.a0000821.pub2
- Cason, D. T., Reid, G. C., & Gatner, E. M. (1987). On the differing rates of fructose and glucose utilisation in *Saccharomyces cerevisiae*. *Journal of the Institute of Brewing*, 93(1), 23-25. doi: doi.org/10.1002/j.2050-0416.1987.tb04470.x
- Chataway, H. (1932). The determination of moisture in honey. *Canadian Journal of Research*, 6(5), 532-547. doi: doi.org/10.1139/cjr32-041
- Chen, H., Lu, Y., Zhang, C., Min, F., & Huo, Z. (2021). Red yeast improves the potential safe utilization of solid waste (phosphogypsum and titanogypsum) through bioleaching. *Frontiers in Bioengineering and Biotechnology*, 9, 777957. doi:doi.org./10.3389/fbioe.2021.777957
- Chirife, J., Zamora, M. C., & Motto, A. (2006). The correlation between water activity and % moisture in honey: Fundamental aspects and application to Argentine honeys. *Journal of Food Engineering*, 72, 287-292. doi: doi.org/10.1016/j.jfoodeng.2004.12.009
- Chu, Y., Li, M., Jin, J., Dong, X., Xu, K., Jin, L., . . . Ji, H. (2023). Advances in the application of the non-conventional yeast *Pichia kudriavzevii* in food and biotechnology industries. *Journal of Fungi*, 170. doi: doi.org/10.3390/jof9020170
- D'Amore.T., Russell, I., & Stewart, G. G. (1989). Sugar utilization by yeast during fermentation. *Journal of Industrial Microbiology*, 4(4), 315-323. doi: doi.org/10.1007/BF01577355
- de Sousa, H. R., Madeira-Lopes, A., & Spencer-Martins, I. (1995). The significance of active fructose transport and maximum temperature for growth in the

- taxonomy of *Saccharomyces sensu stricto*. *Systematic and Applied Microbiology*, 18(1), 44-51. doi: doi.org/10.1016/S0723-2020(11)80447-9
- Deak, T. (2006). Environmental factors influencing yeasts. Dalam G. Péter, & C. Rosa, *Biodiversity and Ecophysiology of Yeasts. The Yeast Handbook* (hal. 155-174). Berlin: Springer. doi: doi.org/10.1007/3-540-30985-3\_8
- Devadas, S. M., Ballal, M., Prakash, Yegneswaran, P., Hande, H, M., . . . Vinitha. (2017). Auxanographic carbohydrate assimilation method for large scale yeast identification. *Journal of Clinical and Diagnostic Research*, 11(4), DC01–DC03. doi: doi.org/10.7860/JCDR/2017/25967.9653
- Díaz-Hellín, P., Naranjo, V., Úbeda, J., & Briones, A. (2016). *Saccharomyces cerevisiae* and metabolic activators: *HXT3* gene expression and fructose/glucose discrepancy in sluggish fermentation conditions. *World Journal of Microbiology and Biotechnology*, 32(12), 196. doi: doi.org/10.1007/s11274-016-2154-9
- Diderich, J. A., Schepper, M., van Hoek, P., Lutтик, M. A., van Dijken, J. P., Pronk, J. P., . . . Kruckeberg, A. L. (1999). Glucose uptake kinetics and transcription of *Hxt* genes in chemostat cultures of *Saccharomyces cerevisiae*. *Journal of Biological Chemistry*, 274(22), 15350-15359. doi: doi.org/10.1074/jbc.274.22.15350
- Diezemann , A., & Boles, E. (2003). Functional characterization of the *Frt1* sugar transporter and of fructose uptake in *Kluyveromyces lactis*. *Current Genetics*, 43(4), 281-288. doi:https://doi.org/10.1007/s00294-003-0392-5
- Endoh, R., Horiyama, M., & Ohkuma, M. (2021). D-Fructose assimilation and fermentation by yeasts belonging to *Saccharomycetes*: rediscovery of universal phenotypes and elucidation of fructophilic behaviors in *Ambrosiozyma platypodis* and *Cyberlindnera americana*. *Microorganisms*, 9(4), 758. doi:https://doi.org/10.3390/microorganisms9040758
- Engel, S. R., Dietrich, F. S., Fisk, D. G., Binkley, G., Balakhrisan, R., Costanzo, M. C., . . . Cherry, J. M. (2014). The reference genome sequence of *Saccharomyces cerevisiae*: then and now. *G3 (Bethesda)*, 389-398. doi:https://doi.org/10.1534/g3.113.008995
- Fadhli, H., Kusdiyantini, E., & Nurhayati. (2019). Karakterisasi morfologi, biokimia, dan uji enzimatis isolat khamir buah apel (*Malus domestica* Borkh.) yang berpotensi menghasilkan bioetanol. *Jurnal Biologi Tropika*, 2(2), 62-73.
- Fernandes, L., Ribeiro, H., Oliveira, A., Silva, A. S., Freitas, A., Henriques, M., & Rodrigues, M. E. (2020). Portuguese honeys as antimicrobial agents against *Candida* species. *Journal of Traditional and Complementary Medicine*, 11(2), 130 - 136. doi:https://doi.org/10.1016/j.jtcme.2020.02.007
- Fernandes, T., Silva-Sousa, F., Pereira, F., Rito, T., Soares, P., Franco-Duarte, R., & Sousa, M. J. (2021). Biotechnological importance of *Torulaspora delbrueckii*: from the obscurity to the spotlight. *Journal of Fungi (Basel)*, 712. doi:https://doi.org/10.3390/jof7090712
- Fleet, G. E. (2007). Yeasts in foods and beverages: impact on product quality and safety. *Current Opinion in Biotechnology*, 18(2), 170-175. doi:https://doi.org/10.1016/j.copbio.2007.01.010

- Galeote, V., Novo, M., Salema-Oom, M., Brion, C., Valério, E., Gonçalves, P., & Dequin, S. (2010). FSY1, a horizontally transferred gene in the *Saccharomyces cerevisiae* EC1118 wine yeast strain, encodes a high-affinity fructose/H<sup>+</sup> symporter. *Microbiology (Reading)*, 156(Pt 12), 3754-3761. doi:<https://doi.org/10.1099/mic.0.041673-0>
- Ganter, P. A., Morais, P. B., & Rosa, C. A. (2017). Yeasts in cacti and tropical fruit. Dalam P. Buzzini, M.-A. Lachance, & A. Yurkov, *Yeasts in Natural Ecosystems: Diversity* (hal. 225-264). International: Springer Cham. doi:<https://doi.org/10.1007/978-3-319-62683-3>
- Glushakova, A., Sharova, A., & Kachalkin, A. (2024). Seasonal dynamics of culturable yeasts in ornithogenically influenced soils in a temperate forest and evaluation of extracellular enzyme secretion in *Tausonia pullulans* at different temperatures. *Journal of Fungi*, 10(8), 532. doi: [doi.org/10.3390/jof10080532](https://doi.org/10.3390/jof10080532)
- Godana, E. A., Edo, G. S., Yang, Q., Zhang, X., Zhao, L., Wang, K., . . . Zhang, H. (2024). *Wickerhamomyces anomalus*: a promising yeast for controlling mold growth and diverse biotechnological applications. *Trends in Food Science & Technology*, 151, 104649. doi:[doi.org/10.1016/j.tifs.2024.104649](https://doi.org/10.1016/j.tifs.2024.104649)
- Gohain, M., Bardhan, P., Laskar, K., Sarmah, S., Mandal, M., Bora, U., . . . Deka, D. (2020). *Rhodotorula mucilaginosa*: A source of heterogeneous catalyst for biodiesel production from yeast single cell oil and waste cooking oil. *Renewable Energy*, 160, 220-230. doi:[doi.org/10.1016/j.renene.2020.06.063](https://doi.org/10.1016/j.renene.2020.06.063)
- Gohil, N., Pancashara, H., Patel, S., & Singh, V. (2019). Molecular biology techniques for the identification and genotyping of microorganisms. Dalam V. Tripathi, P. Kumar, P. Tripathi, & A. Kishore (Penyunt.), *Microbial Genomics in Sustainable Agroecosystems* (Vol. 1, hal. 203-226). Springer. doi: [doi.org/10.1007/978-981-13-8739-5](https://doi.org/10.1007/978-981-13-8739-5)
- Gonçalves, P., de Sousa, H. R., & Spencer-Martins, I. (2000). FSY1, a novel gene encoding a specific fructose/H<sup>+</sup> symporter in the type strain of *Saccharomyces carlsbergensis*. *Journal of Bacteriology*, 182(19), 5628-5630. doi: [doi.org/10.1128/jb.182.19.5628-5630.2000](https://doi.org/10.1128/jb.182.19.5628-5630.2000)
- Grover, A., & Sharma, P. (2016). Development and use of molecular markers: past and present. *Critical Reviews in Biotechnology*, 36(2), 290-302. doi: [doi.org/10.3109/07388551.2014.959891](https://doi.org/10.3109/07388551.2014.959891)
- Guillaume, C., Delobel, P., Sablayrolles, J.-M., & Blondin, B. (2007). Molecular basis of fructose utilization by the wine yeast *Saccharomyces cerevisiae*: a mutated *HXT3* allele enhances fructose fermentation. *Applied Environmental Microbiology*, 73(8), 2432-2439. doi: [doi.org/10.1128/AEM.02269-06](https://doi.org/10.1128/AEM.02269-06)
- Harinad, M., Bartfai, D., & Xu, J. (2012). Ecological structuring of yeasts associated with trees around Hamilton, Ontario, Canada. *FEMS Yeast Research*, 12(1), 9-19. doi: [doi.org/10.1111/j.1567-1364.2011.00756.x](https://doi.org/10.1111/j.1567-1364.2011.00756.x)
- Hernández, A. A., Taillandier, P., Pérez, D. R., Zapata, J. A., & Corona, C. P. (2013). The effect of hexose ratios on metabolite production in *Saccharomyces cerevisiae* strains obtained from the spontaneous

- fermentation of mezcal. *Antonie Van Leeuwenhoek*, 103(4), 833-843. doi: doi.org/10.1007/s10482-012-9865-1
- Hernández, A. A., Taillandier, P., Pérez, D. R., Zapata, J. A., & Corona, C. P. (2013). The effect of hexose ratios on metabolite production in *Saccharomyces cerevisiae* strains obtained from the spontaneous fermentation of mezcal. *Antonie van Leeuwenhoek*, 103, 833–843. doi: doi.org/10.1007/s10482-012-9865-1
- Horák, J. (2013). Regulations of sugar transporters: insights from yeast. *Current Genetics*, 59, 1-31. doi: doi.org/10.1007/s00294-013-0388-8
- Hou, R., Liu, S., Lv, N., Cui, B., Wei, Y., Long, F., . . . Wang, Y. (2024). Nutritional- and flavor-enhancing effects of biomass production by *Rhodotorula* spp. on cantaloupe juice. *Food Bioscience*, 59, 103866. doi: doi.org/10.1016/j.fbio.2024.103866
- Ilmi, M., Badrani, A., & Fauziyah, A. (2023). Increasing lipid production from *Zygosaccharomyces siamensis* AP1 in molasses substrate using sequencing batch method. *Preparative Biochemistry and Biotechnology*, 53(3), 288 - 296. doi: doi.org/10.1080/10826068.2022.2081859
- Iwata, K., Maeda, M., Kashiwagi, Y., Maehashi, K., & Yoshikawa, J. (2023). Isolation of *Zygosaccharomyces siamensis* kiyl as a novel arabitol-producing yeast and its arabitol production. *AMB Express*, 13(1), 76. doi:https://doi.org/10.1186/s13568-023-01581-4
- James, S. A., & Stratford, M. (2011). *Zygosaccharomyces* Barker (1901). Dalam C. P. Kurtzman, J. W. Fell, & T. Boekhout (Penyunt.), *The Yeasts* (5th ed., hal. 937-947). Elsevier. doi: doi.org/10.1016/B978-0-444-52149-1.00084-7
- Kanpiengjai, A., Lumyong, S., Unban, K., Kumla, J., Lumyong, S., Khunnamwong, P., . . . Khanongnuch, C. (2023). Three new yeast species from flowers of *Camellia sinensis* var. *assamica* collected in northern Thailand and their tannin tolerance characterization. *Frontiers in Microbiology*, 14. doi: doi.org/10.3389/fmicb.2023.1043430
- Karathia, H., Vilaprinyo, E., Sorribas, A., & Alves, R. (2011). *Saccharomyces cerevisiae* as a model organism: a comparative study. *PLoS One*, 6(2), e16015. doi: doi.org/10.1371/journal.pone.0016015
- Karpel, J. E., Place, W. R., & Bisson, L. F. (2008). Analysis of the major hexose transporter genes in wine strains of *Saccharomyces cerevisiae*. *American Journal of Enology and Viticulture*, 59(3), 265-275. doi: doi.org/10.5344/ajev.2008.59.3.265
- Kayikci, Ö., & Nielsen, J. (2015). Glucose repression in *Saccharomyces cerevisiae*. *FEMS Yeast Research*, 15(6), fov068. doi: doi.org/10.1093/femsyr/fov068
- Kieliszek, M., Kot, A. M., Bzducha-Wróbel, A., Błażejczak, S., Gientka, I., & Kurcz, A. (2017). Biotechnological use of *Candida* yeasts in the food industry: A review. *Fungal Biology Reviews*, 31(4), 185-198. doi: doi.org/10.1016/j.fbr.2017.06.001
- Kim, J.-H., Roy, A., Jouandot II, D., & Cho, K. H. (2013). The glucose signaling network in yeast. *Biochimica et Biophysica Acta*, 1830(11), 5204-5210. doi: doi.org/10.1016/j.bbagen.2013.07.025

- Ko, C. H., Liang, H., & Gaber, R. F. (1993). Roles of multiple glucose transporters in *Saccharomyces cerevisiae*. *Molecular and Cellular Biology*, 13(1), 638-648. doi: doi.org/10.1128/mcb.13.1.638-648.1993
- Kristjuhan, A., Kristjuhan, K., & Tamm, T. (2024). Richness of yeast community associated with apple fruits in Estonia. *Heliyon*, 10(6), e27885. doi: doi.org/10.1016/j.heliyon.2024.e27885
- Kruasuwan, W., Puseenam, A., Am-in , S., Trakarnpaiboon, S., Sornlek, W., Kocharin, K., . . . Roongsawang, N. (2022). Evaluation of thermotolerant and ethanol-tolerant *Saccharomyces cerevisiae* as an alternative strain for bioethanol production from industrial feedstocks. *3 Biotech*, 13(1), 23. doi: doi.org/10.1007/s13205-022-03436-4
- Kulagina, N., Besseau, S., Godon, C., Goldman, G., Papon, N., & Courdavault, V. (2021). Yeasts as biopharmaceutical production platforms. *Frontiers in Fungal Biology*, 2, 733492. doi: doi.org/10.3389/ffunb.2021.733492
- Kunakh, O. M., Volkova, A., Tutova, G., & Zhukov, O. (2023). Diversity of diversity indices: Which diversity measure is better? *Biosystems Diversity*, 31(2), 131-146. doi: doi.org/10.15421/012314
- Kwolek-Mirek, M., & Zadrag-Tecza, R. (2014). Comparison of methods used for assessing the viability and vitality of yeast cells. *FEMS Yeast Research*, 14(7), 1068-1079. doi: doi.org/10.1111/1567-1364.12202
- Lachance, M.-A. (2011). *Starmerella Rosa* & Lachance (1998). Dalam C. P. Kurtzman, J. W. Fell, & T. Boekhout (Penyunt.), *The Yeasts* (5<sup>th</sup> ed., hal. 811-815). Elsevier. doi: doi.org/10.1016/B978-0-444-52149-1.00071-9
- Lachance, M.-A. (2013). The biodiversity, ecology, and biogeography of *Ascomycetous* yeasts. Dalam F. Martin, & F. Martin (Penyunt.), *The Ecological Genomics of Fungi* (hal. 355-370). John Wiley & Sons, Inc. doi: doi.org/10.1002/9781118735893
- Lass-Flörl, C., Kanj, S. S., Govender, N. P., Thompson III, G. R., Ostrosky-Zeichner, L., & Govrins, M. A. (2024). Invasive candidiasis. *Nature Reviews Disease Primers*, 10(20). doi: doi.org/10.1038/s41572-024-00503-3
- Leandro, M. J., Sychrová, H., Prista, C., & Loureiro-Dias, M. C. (2011). The osmotolerant fructophilic yeast *Zygosaccharomyces rouxii* employs two plasma-membrane fructose uptake systems belonging to a new family of yeast sugar transporters. *Microbiology (Reading)*, 157(Pt 2), 601-608. doi: /doi.org/10.1099/mic.0.044446-0
- Leite-Jr, D., Vivi-Oliveira, V., Maia, M., Macioni, M., Oliboni, G., de Oliveira, I., . . . Melhem, M. (2023). The *Candida* genus complex: biology, evolution, pathogenicity virulence and one health aspects, beyond the *Candida albicans* paradigm. A comprehensive review. *Virology and Immunology Journal*, 7(4), 1-38. doi: doi.org/10.23880/vij-16000331
- Li, S., Chen, X., Gao, Z., Zhang, Z., Bi, P., & Guo, J. (2023). Enhancing antioxidant activity and fragrant profile of low-ethanol kiwi wine via sequential culture of indigenous *Zygosaccharomyces rouxii* and *Saccharomyces cerevisiae*. *Food Bioscience*, 102210. doi: doi.org/10.1016/j.fbio.2022.102210

- Li, X., Chi, Z., Liu, Z., Wang, X., & Hirimuthugoda, N. Y. (2008). Purification and characterization of extracellular phytase from a marine yeast *Kodamaea ohmeri* BG3. *Marine Biotechnology*, 10, 190-197. doi: doi.org/10.1007/s10126-007-9051-z
- Li, X., Zhang, Y., Zayed, H. M., Yun, J., Zhang, G., Zhao, M., . . . Qi, X. (2023). High-level production of d-arabitol by *Zygosaccharomyces rouxii* from glucose: metabolic engineering and process optimization. *Bioresource Technology*, 367, 128251. doi: doi.org/10.1016/j.biortech.2022.128251
- Li, Y., Chi, Z., Wang, G.-Y., Wang, Z.-P., Liu, G.-L., Lee, C.-F., . . . Chi, Z.-M. (2013). Taxonomy of *Aureobasidium* spp. and biosynthesis and regulation of their extracellular polymers. *Critical Reviews in Microbiology*, 41(2), 228-237. doi: doi.org/10.3109/1040841X.2013.826176
- Livak, K., & Schmittgen, T. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the  $2^{-\Delta\Delta C_T}$  Method. *Methods*, 25(4) 402-408. doi: doi.org/10.1006/meth.2001.1262
- Long, Zhangde, Li, Kena, Xue, Yun, Sun, Yongwei, Li, Jigang, Su, Zan, . . . Wei, T. (2023). Purification and biochemical characterization of a novel ene-reductase from *Kazachstania exigua* HSC6 for dihydro- $\beta$ -ionone from  $\beta$ -ionone. *Biotechnology Letters*, 45 (4), 499-508. doi: doi.org/10.1007/s10529-023-03355-1
- Loureiro-Dias, M., & Peinado, J. (1984). Transport of maltose in *Saccharomyces cerevisiae*. Effect of pH and potassium ions. *Biochemical Journal*, 222(2), 293-298. doi: doi.org/10.1042/bj2220293
- Luyten, K., Riou, C., & Blondin, B. (2002, June 15). The hexose transporters of *Saccharomyces cerevisiae* play different roles during enological fermentation. *Yeast*, 19(8), 713-726. doi:https://doi.org/10.1002/yea.869
- Ma, J., Gu, Y., Marsafari, M., & Xu, P. (2020). Synthetic biology, systems biology, and metabolic engineering of *Yarrowia lipolytica* toward a sustainable biorefinery platform. *Journal of Industrial Microbiology and Biotechnology*, 47, 845-862. doi: doi.org/10.1007/s10295-020-02290-8
- Madden, A. A., Epps, M. J., Fukami, T., Irwin, R. E., Sheppard, J., Sorger, D. M., & Dunn, R. R. (2018). The ecology of insect–yeast relationships and its relevance to human industry. *Proceedings of the Royal Society B*, 285(1875). doi: doi.org/10.1098/rspb.2017.2733
- Maslanska, R., Bednarska, S., & Zadrag-Tecza, R. (2024). Virtually identical does not mean exactly identical: discrepancy in energy metabolism between glucose and fructose fermentation influences the reproductive potential of yeast cells. *Archives of Biochemistry and Biophysics*, 756. doi: doi.org/10.1016/j.abb.2024.110021
- Matsheka, M. I., Lastovica, A. J., Zappe, H., & Elisha, B. G. (2006). The use of (GTG)<sub>5</sub> oligonucleotide as an RAPD primer to type *Campylobacter concisus*. *Letters in Applied Microbiology*, 42(6), 600-605. doi: doi.org/10.1111/j.1472-765x.2006.01900.x
- Mielecki, D., Detman, A., Aleksandrak-Piekarczyk, T., Widomska, M., Chojnacka, A., Stachurska-Skrodzka, A., . . . Sikora, A. (2024). Unlocking the genome of the non-sourdough *Kazachstania humilis* MAW1: insights

- into inhibitory factors and phenotypic properties. *Microbial Cell Factories*, 23(111). doi: doi.org/10.1186/s12934-024-02380-7
- Moreira, G. A., Mangaravite, É., Vieira, N. M., da Silveira, F. A., da Silveira, W. B., & do Vale, H. M. (2020). Yeast species and strains differing along an altitudinal gradient in the Brazilian forest domain. *Revista Brasileira de Ciência do Solo*, 44, e0200033. doi: doi.org/10.36783/18069657rbc20200033
- Morris, E. K., Caruso, T., Buscot, F., Fischer, M., Hancock, C., Maier, T. S., . . . Rillig, Matthias C. (2014). Choosing and using diversity indices: insights for ecological applications from the German Biodiversity Exploratories. *Ecology and Evolution*, 4(18), 3514-3524. doi: doi.org/10.1002/ece3.1155
- Muslim, T. (2014). Potensi madu hutan sebagai obat dan pengelolaannya di Indonesia. Dalam I. Yassir, T. Atmoko, & B. S. Sitepu (Penyunt.), *Tumbuhan obat dari hutan : konservasi, budidaya dan pemanfaatan* (hal. 67-82). Balikpapan: Balai Penelitian Teknologi Konservasi Sumber Daya Alam.
- Mussagy, C. U., Ribeiro, H. F., Santos-Ebinuma, V. C., Schuur, B., & Pereira, J. F. (2022). *Rhodotorula* sp.-based biorefinery: a source of valuable biomolecules. *Applied Microbiology and Biotechnology*, 106, 7431-7447. doi: doi.org/10.1007/s00253-022-12221-5
- Nadai, C., Crosato, G., Giacomini, A., & Corich, V. (2021). Different gene expression patterns of hexose transporter genes modulate fermentation performance of four *Saccharomyces cerevisiae* strains. *Fermentation*, 7(3). doi: doi.org/10.3390/fermentation7030164
- Nandy, S. K., & Srivastava, R. (2018). A review on sustainable yeast biotechnological processes and applications. *Microbiological Research*, 207, 83-90. doi: doi.org/10.1016/j.micres.2017.11.013
- Nurhalimah, Muhibuddin, A., & Syib'li, M. A. (2022). Screening of yeast isolates for the biocontrol of *Sclerotium rolfsii*. *Biodiversitas*, 3820-3826. doi: 10.0.51.1/biodiv/d230759
- Olaitan, P. B., Adeleke, O. E., & Ola, I. O. (2007). Honey: a reservoir for microorganisms and an inhibitory agent for microbes. *African Health Science*, 7(3), 159-165. Diambil kembali dari <https://pmc.ncbi.nlm.nih.gov/articles/PMC2269714/>
- Overmann, J., Abt, B., & Sikorski, J. (2017). Present and future of culturing bacteria. *Annual Review of Microbiology*, 71, 711-730.
- Özcan, S., & Johnston, M. (1999). Function and regulation of yeast hexose transporters. *Microbiology and Molecular Biology Reviews*, 63(3), 554-569. doi: doi.org/10.1128/membr.63.3.554-569.1999
- Özcan, S. (2002). Two different signals regulate repression and induction of gene expression by glucose. *The Journal of Biological Chemistry*, 277(49), 46993-46997. doi: doi.org/10.1074/jbc.m208726200
- Pahlevi, R., & Ilmi, M. (2020). Ethanol producing yeast isolated from Indonesian flower nectar and wild forrest honey. Dalam H. T. Saragih, M. Ilmi, S. Nopitasari, L. Audinah, A. Widyasari, M. A. Sari, . . . N. Fitriana (Penyunt.), *The 6th International Conference on Biological Science ICBS 2019*.

- "Biodiversity as a Cornerstone for Embracing Future Humanity". 2260. Yogyakarta: AIP Conference Proceedings. doi: doi.org/10.1063/12.0000718
- Palilu, P. T., Kasiamdari, R. S., & Ilmi, M. (2019). Potential yeast from Indonesian wild forest honey showing ability to produce lipase for lipid transesterification. *Microbiology and Biotechnology Letters*, 47(4), 555-564. doi: doi.org/10.4014/mbl.1907.07008
- Parapouli, M., Vasileiadis, A., Afendra, A.-S., & Hatziloukas, E. (2020). *Saccharomyces cerevisiae* and its industrial applications. *AIMS Microbiology*, 6(1), 1-31. doi: doi.org/10.3934/microbiol.2020001
- Perez, M., Luyten, K., Michel, R., Riou, C., & Blondin, B. (2005). Analysis of *Saccharomyces cerevisiae* hexose carrier expression during wine fermentation: both low- and high-affinity Hxt transporters are expressed. *FEMS Yeast Research*, 5(4-5), 351-361. doi: doi.org/10.1016/j.femsyr.2004.09.005
- Péter, G. (2022). Biodiversity of *Zygosaccharomyces* species in food. *Acta Alimentaria*, 51(1), 43-51. doi: doi.org/10.1556/066.2021.00142
- Péter, G., Takashima, M., & Čadež, N. (2017). Yeast habitats: different but global. Dalam P. Buzzini, M.-A. Lachance, A. Yurkov, P. Buzzini, M.-A. Lachance, & A. Yurkov (Penyunt.), *Yeasts in Natural Ecosystems: Ecology* (hal. 39-71). Springer Cham. doi: doi.org/10.1007/978-3-319-61575-2\_2
- Prihartini, M., & Ilmi, M. (2018). Karakterisasi dan klasifikasi numerik khamir dari madu hutan Sulawesi Tengah. *Jurnal Mikologi Indonesia*, 2(2). Diambil kembali dari <http://jmi.mikoina.or.id/jmi/article/view/41/0>
- Pulvirenti, A., Solieri, L., Gullo, M., Vero, L. D., & Giudici, P. (2004). Occurrence and dominance of yeast species in sourdough. *Letters in Applied Microbiology*, 38 (2), 113-117. doi: doi.org/10.1111/j.1472-765x.2003.01454.x
- Rahmayanti, F., & Ilmi, M. (2019). Keragaman isolat khamir osmofilik pada madu hutan dari Sulawesi Tengah ditinjau menggunakan teknik RAPD. *Majalah Ilmiah Biologi Biosfera : A Scientific Journal*, 36(3), 126-131. Diambil kembali dari <https://journal.bio.unsoed.ac.id/index.php/biosfera/article/view/988>
- Raimondi, S., Foca, G., Ulrici, A., Destro, L., Leonardi, A., Buzzi, R., . . . Amaretti, A. (2022). Improved fed-batch processes with *Wickerhamomyces anomalus* WC 1501 for the production of D-arabitol from pure glycerol. *Microb Cell Fact.*, 21, 179. doi: doi.org/10.1186/s12934-022-01898-y
- Ramírez-Castrillón, M., Mendes, S. D., Inostroza-Ponta, M., & Valente, P. (2014). (GTG)<sub>5</sub> MSP-PCR fingerprinting as a technique for discrimination of wine associated yeasts? *PLOS One*, 9(8), e105870. doi: doi.org/10.1371/journal.pone.0105870
- Rodicio, R., & Heinisch, J. J. (2009). Sugar metabolism by *Saccharomyces* and non-*Saccharomyces* yeasts. Dalam H. König, G. Unden, & J. Fröhlich (Penyunt.), *Biology of Microorganisms on Grapes, in Must and in Wine* (1st ed., hal. 113-134). Berlin: Springer. doi: doi.org/10.1007/978-3-540-85463-0\_6

- Rohlf, F. (2009). *NTSYSpc, Numerical Taxonomy and Multivariate Analysis System version 2.2. Getting Started Guide*. New York: Applied Biostatistics Inc.
- Rolland, F., De Winde, J. H., Lemaire, K., Boles, E., Thevelein, J. M., & Winderickx, J. (2002). Glucose-induced cAMP signalling in yeast requires both a G-protein coupled receptor system for extracellular glucose detection and a separable hexose kinase-dependent sensing process. *Molecular Microbiology*, 38(2), 348-358. doi: doi.org/10.1046/j.1365-2958.2000.02125.x
- Roque, W. F., de Moura, J. M., Santos-Silva, L., da Silva, G. F., de Carvalho, L. A., Pinheiro, D. G., . . . Soares, M. A. (2024). Fungal community structure in bees: influence of biome and host species. *Symbiosis*. doi: doi.org/10.1007/s13199-024-01012-3
- Roy, A., Kim, Y.-B., Cho, K. H., & Kim, J.-H. (2014). Glucose starvation-induced turnover of the yeast glucose transporter Hxt1. *Biochimica et Biophysica Acta*, 1840(9), 2878-2885. doi: doi.org/10.1016/j.bbagen.2014.05.004
- Sá-Correia, I., Guerreiro, J. F., Leao, C., Loureiro-Dias, M. C., & Côrte-Real, M. (2014). *Zygosaccharomyces*. Dalam C. A. Batt, & M. L. Tortorello (Penyunt.), *Encyclopedia of Food Microbiology* (2nd ed., hal. 849-855). Academic Press. doi: doi.org/10.1016/B978-0-12-384730-0.00364-5.
- Saker, R., Meklat, A., Bouras, N., Zitouni, A., Mathieu, F., Spröer, C., . . . Sabaou, N. (2015). Diversity and antagonistic properties of culturable halophilic actinobacteria in soils of two arid regions of septentrional Sahara: M'zab and Zibans. *Annals of Microbiology*(65), 2241–2253. doi: doi.org/10.1007/s13213-015-1065-6
- Saksinchai, S., Suzuki, M., Chantawannakul, P., Ohkuma, M., & Lumyong, S. (2012). A novel ascosporegenous yeast species, *Zygosaccharomyces siamensis*, and the sugar tolerant yeasts associated with raw honey collected in Thailand. *Fungal Diversity*, 52, 123 - 139. doi: doi.org/10.1007/s13225-011-0115-z
- Santos, A. R., Leon, M. P., Barros, K. O., Freitas, L. F., Hughes, A. F., Morais, P. B., . . . Rosa, C. A. (2018). *Starmerella camargoi* f.a., sp. nov., *Starmerella ilheusensis* f.a., sp. nov., *Starmerella litoralis* f.a., sp. nov., *Starmerella opuntiae* f.a., sp. nov., *Starmerella roubikii* f.a., sp. nov. and *Starmerella vitae* f.a., sp. nov., isolated from flowers and bee. *International Journal of Systematic and Evolutionary Microbiology*, 1333-1343. doi: doi.org/10.1099/ijsem.0.002675
- Santos-Buelga, C., & González-Paramás, A. M. (2017). Chemical composition of honey. Dalam A. M.-P. Celestino Santos-Buelga, & J. M. Alvarez-Suarez (Penyunt.), *Bee products - chemical and Biological Properties* (pp. 43-82). Switzerland: Springer International Publisher. doi: doi.org/10.1007/978-3-319-59689-1
- Sapsirisuk, S., Polburee, P., Lorliam, W., & Limtong, S. (2022). Discovery of oleaginous yeast from mountain forest soil in Thailand. *Journal of Fungi (Basel)*, 8(10), 1100. doi: doi.org/10.3390/jof8101100
- Saraswathy, N., & Ramalingam, P. (2011). Genome mapping. Dalam N. Saraswathy, & P. Ramalingam (Penyunt.), *Concepts and techniques in*

- genomics and proteomics* (hal. 77-93). Woodhead. doi: doi.org/10.1533/9781908818058.77.
- Segal-Kischinevzky, C., Romero-Aguilar, L., Alcaraz, L., López-Ortiz, G., Martínez-Castillo, B., Torres-Ramírez, N., . . . González, J. (2022). Yeasts inhabiting extreme environments and their biotechnological applications. *Microorganisms*, 10(4), 749. doi: doi.org/10.3390/microorganisms10040794
- Semchyshyn, H.M. (2013). Fructation In Vivo: Detrimental and protective. *BioMed Research International*, 2013, 343914. doi: doi.org/10.1155/2013/343914
- Semchyshyn, H. M., Lozinska, L. M., Miedzobrodzki, J., & Lushchak, V. I. (2011). Fructose and glucose differentially affect aging and carbonyl/oxidative stress parameters in *Saccharomyces cerevisiae* cells. *Carbohydrate Research*, 346(7), 933-938. doi:https://doi.org/10.1016/j.carres.2011.03.005
- Semchyshyn, H. M., Miedzobrodzki, J., Bayliak, M. M., Lozinska, L. M., & Homza, B. V. (2014). Fructose compared with glucose is more a potent glycoxidation agent in vitro, but not under carbohydrate-induced stress in vivo: potential role of antioxidant and antiglycation enzymes. *Carbohydrate Research*, 384, 61-69. doi: doi.org/10.1016/j.carres.2013.11.015
- Sha, S. P., Suryavanshi, M. V., Jani, K., Sharma, A., Souche, Y., & Tamang, J. P. (2018). Diversity of yeasts and molds by culture-dependent and culture-independent methods for mycobiome surveillance of traditionally prepared dried starters for the production of Indian alcoholic beverages. *Frontiers in Microbiology*, 9, 2237. doi: doi.org/10.3389/fmicb.2018.02237
- Shafiee, S., Minaei, S., Moghaddam-Charkari, N., Ghasemi-Varnamkhashti, M., & Barzegar, M. (2013). Potential application of machine vision to honey characterization. *Trends in Food Science & Technology*, 30(2), 174-177. doi: doi.org/10.1016/j.tifs.2012.12.004
- Sharma, R., & Ghoshal, G. (2021). Characterization and cytotoxic activity of pigment extracted from *Rhodotorula mucilaginosa* to assess its potential as bio-functional additive in confectionary products. *Journal of Food Science and Technology*, 58, 2688 - 2698. doi: doi.org/10.1007/s13197-020-04775-x
- Sipiczki, M. (2015). *Starmerella syriaca* f.a., sp. nov., an osmotolerant yeast species isolated from flowers in Syria. *Antonie van Leeuwenhoek*, 10, 847-856. doi: doi.org/10.1007/s10482-015-0377-7
- Snowdon, C., & van der Merwe, G. (2012). Regulation of Hxt3 and Hxt7 turnover converges on the Vid30 complex and requires inactivation of the Ras/cAMP/PKA pathway in *Saccharomyces cerevisiae*. *PLoS One*, 7(12), e50458. doi: doi.org/10.1371/journal.pone.0050458
- Snowdon, J. A., & Cliver, D. O. (1996). Microorganisms in honey. *International Journal of Food Microbiology*, 31(1-3), 1-26. doi: doi.org/10.1016/0168-1605(96)00970-1
- Solieri, L. (2021). The revenge of *Zygosaccharomyces* yeasts in food biotechnology and applied microbiology. *World J Microbiol Biotechnol*, 37(96). doi: 10.0.3.239/s11274-021-03066-7

- Sperandio, E. M., Reis, J. B., Coelho, L. G., & Vale, H. M. (2023). Occurrence and diversity of yeast associated with fruits and leaves of two native plants from Brazilian neotropical savanna. *Diversity*, 15(9), 1010. doi: doi.org/10.3390/d15091010
- Sreeranjit, C., & Lal, J. (2003). Glucose : properties and analysis. Dalam B. Caballero, L. Trugo, & P. Finglas (Penyunt.), *Encyclopedia of Food Science and Nutrition* (2 ed., hal. 2898-2903). Elsevier. doi: doi.org/10.1016/B0-12-227055-X/09004-0
- Tapia, M. S., Alzamora, S. M., & Chirife, J. (2020). Effects of water activity (aw) on microbial stability as a hurdle in food preservation. Dalam G. V. Barbosa-Cánovas, A. J. Fontana, Jr, S. J. Schmidt, & T. P. Labuza (Penyunt.), *Water Activity in Foods, Fundamental and Applications* (2nd ed.). John Wiley & Sons. doi: doi.org/10.1002/9781118765982.ch14
- Ting, J., Xu, R., & Xu, J. (2018). Molecular identification and distribution of yeasts in fruits. Dalam A. F. El Sheikha, R. Levin, & J. Xu (Penyunt.), *Molecular Techniques in Food Biology: Safety, Biotechnology, Authenticity and Traceability* (hal. 115-144). John Wiley and Sons. doi: doi.org/10.1002/9781119374633.ch6
- Tokuoka, K., & Ishitani, T. (1991). Minimum water activities for the growth of yeasts isolated from high-sugar foods. *The Journal of General and Applied Microbiology*, 37(1), 111-119. doi: doi.org/10.2323/jgam.37.111
- Tresnawati, M. C., Shafira, F. A., Nurhadi, B., & Moody, S. D. (2018). Hubungan kadar air dan aktivitas air madu *Apis dorsata* dan *Trigona* dari Indonesia. *Seminar Berdasi*. Jatinangor, Jawa Barat: Universitas Padjadjaran.
- Troller, J. A., & Christian, J. H. (1978). *Water Activity and Food*. Academic Press. doi: doi.org/10.1016/B978-0-12-700650-5.X5001-X
- Vadkertiová, R., Molnárová, J., Vránová, D., & Sláviková, E. (2012). Yeasts and yeast-like organisms associated with fruits and blossoms of different fruit trees. *Canadian Journal of Microbiology*, 58(12), 1344-1352. doi: doi.org/10.1139/cjm-2012-0468
- van der Rest, M. E., Kamminga, A. H., Nakano, A., Anraku, Y., Poolman, B., & Konings, W. N. (1995). The plasma membrane of *Saccharomyces cerevisiae*: structure, function, and biogenesis. *Microbiology and Molecular Biology Reviews*, 59(2), 304-322. doi: doi.org/10.1128/mr.59.2.304-322.1995
- van Wyk, N., Badura, J., von Wallbrun, C., & Pretorius, I. S. (2023). Exploring future applications of the apiculate yeast *Hanseniaspora*. *Critical Reviews in Biotechnology*, 44(1), 100-119. doi: doi.org/10.1080/07388551.2022.2136565
- Vardjan, T., Lorbeg, P. M., Rogelj, I., & Majhenič, A. Č. (2013). Characterization and stability of lactobacilli and yeast microbiota in kefir grains. *Journal of Dairy Science*, 2729-2736. doi: doi.org/10.3168/jds.2012-5829
- Vega-Alvarado, L., Gómez-Angulo, J., Escalante-García, Z., Grande, R., Gschaedler-Mathis, A., Amaya-Delgado, L., . . . Arrizon, J. (2015). High-quality draft genome sequence of *Candida apicola* NRRL Y-50540.

- Genome Announcements*, e00437-15. doi: doi.org/10.1128/genomeA.00437-15
- Vegas, C., Zavaleta, A. I., Canales, P. E., & Esteve-Zarzoso, B. (2020). Yeasts associated with various Amazonian native fruits. *Polish Journal of Microbiol*, 251-261. doi: doi.org/10.33073/pjm-2020-027
- Verdugo, V. A., Garcia, L. S., Kirchmayr, M., Rodríguez, P. R., Esquinca, A. G., Coria, R., & Mathis, A. G. (2011). Yeast communities associated with artisanal mezcal fermentations from *Agave salmiana*. *Antonie Van Leeuwenhoek*, 497-506. doi: doi.org/10.1007/s10482-011-9605-y
- Wang, J., Yan, J., Zhang, W., Zhang, Y., Dong, Z., Luo, H., . . . Su, J. (2023). Comparison of potential *Wickerhamomyces anomalus* to improve the quality of Cabernet Sauvignon wines by mixed fermentation with *Saccharomyces cerevisiae*. *LWT*, 114285. doi: doi.org/10.1016/j.lwt.2022.114285
- Wang, J., Zhao, M., Xie, N., Huang, M., & Feng, Y. (2022). Community structure of yeast in fermented soy sauce and screening of functional yeast with potential to enhance the soy sauce flavor. *International Journal of Food Microbiology*, 370, 109652. doi: doi.org/10.1016/j.ijfoodmicro.2022.109652
- Wang, P., Jia, S.L., Liu, G.L., Chi, Z., & Chi, Z.M. (2022). *Aureobasidium* spp. and their applications in biotechnology. *Process Biochemistry*, 116, 72-83. doi: doi.org/10.1016/j.procbio.2022.03.006
- Wang, W., Fan, G., Li, X., Fu, Z., Liang, X., & Sun, B. (2020). Application of *Wickerhamomyces anomalus* in simulated solid-state fermentation for Baijiu production: changes of microbial community structure and flavor metabolism. *Frontiers in Microbiology*, 11, 598758. doi: doi.org/10.3389/fmicb.2020.598758
- Widiyanto, D., Arofathullah, A., Yuwono, T., & Prijambada, I. D. (2010). Ethanol production by fermentation of various sweet-stalk sorghum juices using various yeast strains. *Indonesian Journal of Biotechnology*, 15(2), 87-93.
- Wittwer, A. E., Sicard, D., & Howell, K. S. (2022). *Kazachstania humilis*. *Trends in Microbiology*, 30(19), 1012-1013. Diambil kembali dari [https://www.cell.com/trends/microbiology/abstract/S0966-842X\(22\)00119-6](https://www.cell.com/trends/microbiology/abstract/S0966-842X(22)00119-6)
- Ye, L., Kruckeberg, A. L., Berden, J. A., & Dam, K. v. (1999). Growth and glucose repression are controlled by glucose transport in *Saccharomyces cerevisiae* cells containing only one glucose transporter. *Journal of Bacteriology*, 181(15), 4673-4675. doi: doi.org/10.1128/jb.181.15.4673-4675.1999
- Zaky, A. S., Tucker, G. A., Daw, Z. Y., & Du, C. (2014). Marine yeast isolation and industrial application. *FEMS Yeast Research*, 14(6). doi: doi.org/10.1111/1567-1364.12158
- Zhou, P., Li, S., Xu, H., Feng, X., & Ouyang, P. (2012). Construction and co-expression of plasmid encoding xylitol dehydrogenase and a cofactor regeneration enzyme for the production of xylitol from d-arabitol. *Enzyme and Microbial*, 51(2), 119-124. doi: doi.org/10.1016/j.enzmictec.2012.05.002

Zhu, H.-Y., Xu, H., Dai, X.-Y., Zhang, Y., Ying, H.-J., & Ouyang, P.-K. (2010). Production of d-arabitol by a newly isolated *Kodamaea ohmeri*. *Bioprocess and Biosystems Engineering*, 33, 565-571. doi: doi.org/10.1007/s00449-009-0378-x