UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Daftar Pustaka

Abramovic, H., Jamnik, M., Burkan, L., & Kač, M. (2008). Water activity and water content in Slovenian honeys. *Food Control, 19*(11), 1086-1090. doi:https://doi.org/10.1016/j.foodcont.2007.11.008

Akbar, G. P., Kusdiyantini, E., & Wijanarka. (2019). Isolasi dan karakterisasi secara morfologi dan biokimia khamir dari limbah kulit nanas madu (*Ananas comosus* L.) untuk produksi bioetanol. *Berkala Bioteknologi, 2*(2).

Aljohani, R., Samarasinghe, H., Ashu, T., & Xu, J. (2018). Diversity and relationships among strains of culturable yeasts in agricultural soils in Cameroon. *Scientific Reports, 8*(15687). doi: doi.org/10.1038/s41598-018-34122-2

Almasaudi, S. (2021). The antibacterial activities of honey. *Saudi Journal of Biological Sciences, 28*(4), 2188-2196. doi:doi.org/10.1016/j.sjbs. 2020.10.017

Angyal, S. J. (1984). The composition of reducing sugars in solution. Dalam R. S. Tipson, & D. Horton (Penyunt.), *Advances in Carbohydrate Chemistry and Biochemistry* (Vol.42, hal.15-68). Elsevier. doi:doi.org/10.1016/S0065-2318 (08)60118-3

Anjani, K. D., & Ilmi, M. (2018). Penapisan isolat khamir oleaginous dari nektar bunga dan madu hutan. *Jurnal Mikologi Indonesia, 2*(2). Diambil kembali dari http://jmi.mikoina.or.id/jmi/article/view/42/0

Anjos, J., de Sousa, H. R., Roca, C., Cássio, F., Luttik, M., Pronk, J. T., . . . Gonçalves, P. (2013). Fsy1, the sole hexose-proton transporter characterized in *Saccharomyces* yeasts, exhibits a variable fructose:H+ stoichiometry. *Biochimica et Biophysica Acta (BBA) - Biomembranes, 1828*(2), 201-207.doi:doi.org/10.1016/j.bbamem.2012.08.011

Araya, M., Villareal, P., Moyano, T., Santos, A. R., Díaz, F., Bustos-Jarufe, A., . . .Cubillos, F. (2024). *Nakazawaea atacamensis* f.a., sp. nov. a novel nonconventional fermentative ascomycetous yeast species from the Atacama desert. *Yeast, 41*(1-2), 52-63. doi: doi.org/10.1002/yea.3920

Balzan, S., Carraro, L., Merlanti, R., Lucatello, L., Capolongo, F., Fontana, F., . . . Cardazzo, B. (2020). Microbial metabarcoding highlights different bacterial and fungal populations in honey samples from local beekeepers and market in north-eastern Italy. *International Journal of Food Microbiology*, 108806. doi: doi.org/10.1016/j.ijfoodmicro.2020.108806

Barbosa, R. B., Bezerra, J., Souza-Motta, C., Gomes, B. S., Costa, C., & Melo, H. (2016). Prospection on yeasts from stingless bees honey in Brazilian tropical dry forest (Caatinga). *Gaia Scientia, 14*(4),151-159. doi: dx.doi.org/10.21707/gs.v10.n04a11

Benito, S. (2018). The impact of *Torulaspora delbrueckii* yeast in winemaking. *Applied Microbiology and Biotechnology, 102*(7), 3081-3094. doi: doi.org/10.1007/s00253-018-8849-0

Berg, J. M., Tymoczko, J. L., Gatto Jr, G. J., & Stryer, L. (2002). *Biochemistry* (5th ed.). New York: W.H. Freeman and Company.

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Bethels, N. J., Cordero Otero, R. R., Bauer, F. F., Pretorius, I. S., & Thevelein, J. M. (2004). Discrepancy in glucose and fructose utilisation during fermentation by *Saccharomyces cerevisiae* wine yeast strains. *FEMS Yeast Research, 4*(7). doi: doi.org/10.1016/j.femsyr.2004.02.005

Biswal, D., Sahu, M., Mahajan, A., Advani, A. H., & Shah, S. (2015). *Kodameae ohmeri*–An emerging yeast: two cases and literature review. *Journal of Clinical and Diagnostic Research, 9*(3), DD01-DD03. doi: doi.org/10.7860/JCDR/2015/11586.5661

Boekhout, T., Amend, A. S., El Baidouri, F., Gabaldón, T., Geml, J., Mittelbach, M., . . . Yurkov, A. (2022). Trends in yeast diversity discovery. *Fungal Diversity, 114*, 491-537. doi: doi.org/10.1007/s13225-021-00494-6

Bogdanov, S. (2009). *Harmonized methods of the international honey comission.* International Honey Commission. Dipetik January 30, 2025, dari http://www.bee-hexagon.net/en/network.htm

Boles, E., & Hollenberg, C. P. (1997). The molecular genetics of hexose transport in yeasts. *FEMS Microbiology Reviews, 21*(1), 85-111. doi: doi.org/10.1111/j.1574-6976.1997.tb00346.x

Brysch-Herzberg, M. (2004). Ecology of yeasts in plant–bumblebee mutualism in central Europe. *FEMS Microbiol Ecol*, 87-100. doi: doi.org/10.1016/j.femsec.2004.06.003

Burgess, S. M., Powers, T., & Mell, J. C. (2017). Budding yeast *Saccharomyces cerevisiae* as a model genetic organism. *eLS*. doi: doi.org/10.1002/9780470015902.a0000821.pub2

Cason, D. T., Reid, G. C., & Gatner, E. M. (1987). On the differing rates of fructose and glucose utilisation in *Saccharomyces cerevisiae*. *Journal of the Institute of Brewing, 93*(1), 23-25. doi: doi.org/10.1002/j.2050-0416.1987.tb04470.x

Chataway, H. (1932). The determination of moisture in honey. *Canadian Journal of Research, 6*(5), 532-547. doi: doi.org/10.1139/cjr32-041

Chen, H., Lu, Y., Zhang, C., Min, F., & Huo, Z. (2021). Red yeast improves the potential safe utilization of solid waste (phosphogypsum and titanogypsum) through bioleaching. *Frontiers in Bioengineering and Biotechnology, 9*, 777957. doi:doi.org./10.3389/fbioe.2021.777957

Chirife, J., Zamora, M. C., & Motto, A. (2006). The correlation between water activity and % moisture in honey: Fundamental aspects and application to Argentine honeys. *Journal of Food Engineering, 72*, 287-292. doi: doi.org/10.1016/j.jfoodeng.2004.12.009

Chu, Y., Li, M., Jin, J., Dong, X., Xu, K., Jin, L., . . . Ji, H. (2023). Advances in the application of the non-conventional yeast *Pichia kudriavzevii* in food and biotechnology industries. *Journal of Fungi*, 170. doi: doi.org/10.3390/jof9020170

D'Amore.T., Russell, I., & Stewart, G. G. (1989). Sugar utilization by yeast during fermentation. *Journal of Industrial Microbiology, 4*(4), 315-323. doi: doi.org/10.1007/BF01577355

de Sousa, H. R., Madeira-Lopes, A., & Spencer-Martins, I. (1995). The significance of active fructose transport and maximum temperature for growth in the

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

taxonomy of *Saccharomyces* sensu stricto. *Systematic and Applied Microbiology, 18*(1), 44-51. doi: doi.org/10.1016/S0723-2020(11)80447-9

Deak, T. (2006). Environmental factors influencing yeasts. Dalam G. Péter, & C. Rosa, *Biodiversity and Ecophysiology of Yeasts. The Yeast Handbook* (hal. 155-174). Berlin: Springer. doi: doi.org/10.1007/3-540-30985-3_8

Devadas, S. M., Ballal, M., Prakash, Yegneswaran, P., Hande, H, M., . . . Vinitha. (2017). Auxanographic carbohydrate assimilation method for large scale yeast identification. *Journal of Clinical and Diagnostic Research, 11*(4), DC01–DC03. doi: doi.org/10.7860/JCDR/2017/25967.9653

Díaz-Hellín, P., Naranjo, V., Úbeda, J., & Briones, A. (2016). *Saccharomyces cerevisiae* and metabolic activators: *HXT*3 gene expression and fructose/glucose discrepancy in sluggish fermentation conditions. *World Journal of Microbiology and Biotechnology, 32*(12), 196. doi: doi.org/10.1007/s11274-016-2154-9

Diderich, J. A., Schepper, M., van Hoek, P., Luttik, M. A., van Dijken, J. P., Pronk, J. P., . . . Kruckeberg, A. L. (1999). Glucose uptake kinetics and transcription of *Hxt* genes in chemostat cultures of *Saccharomyces cerevisiae*. *Journal of Biological Chemistry, 274*(22), 15350-15359. doi: doi.org/10.1074/jbc.274.22.15350

Diezemann , A., & Boles, E. (2003). Functional characterization of the Frt1 sugar transporter and of fructose uptake in *Kluyveromyces lactis*. *Current Genetics, 43*(4), 281-288. doi:https://doi.org/10.1007/s00294-003-0392-5

Endoh, R., Horiyama, M., & Ohkuma, M. (2021). D-Fructose assimilation and fermentation by yeasts belonging to *Saccharomycetes*: rediscovery of universal phenotypes and elucidation of fructophilic behaviors in *Ambrosiozyma platypodis* and *Cyberlindnera americana*. *Microorganisms, 9*(4), 758. doi:https://doi.org/10.3390/microorganisms9040758

Engel, S. R., Dietrich, F. S., Fisk, D. G., Binkley, G., Balakhrisnan, R., Costanzo, M. C., . . . Cherry, J. M. (2014). The reference genome sequence of *Saccharomyces cerevisiae*: then and now. *G3 (Bethesda)*, 389-398. doi:https://doi.org/10.1534/g3.113.008995

Fadhli, H., Kusdiyantini, E., & Nurhayati. (2019). Karakterisasi morfologi, biokimia, dan uji enzimatis isolat khamir buah apel (*Malus domestica* Borkh.) yang berpotensi menghasilkan bioetanol. *Jurnal Biologi Tropika, 2*(2), 62-73.

Fernandes, L., Ribeiro, H., Oliveira, A., Silva, A. S., Freitas, A., Henriques, M., & Rodrigues, M. E. (2020). Portuguese honeys as antimicrobial agents against *Candida* species. *Journal of Traditional and Complementary Medicine, 11*(2), 130 - 136. doi:https://doi.org/10.1016/j.jtcme.2020.02.007

Fernandes, T., Silva-Sousa, F., Pereira, F., Rito, T., Soares, P., Franco-Duarte, R., & Sousa, M. J. (2021). Biotechnological importance of *Torulaspora delbrueckii*: from the obscurity to the spotlight. *Journal of Fungi (Basel)*, 712. doi:https://doi.org/10.3390/jof7090712

Fleet, G. E. (2007). Yeasts in foods and beverages: impact on product quality and safety. *Current Opinion in Biotechnology, 18*(2), 170-175. doi:https://doi.org/10.1016/j.copbio.2007.01.010

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Galeote, V., Novo, M., Salema-Oom, M., Brion, C., Valério, E., Gonçalves, P., & Dequin, S. (2010). FSY1, a horizontally transferred gene in the *Saccharomyces cerevisiae* EC1118 wine yeast strain, encodes a high-affinity fructose/H+ symporter. *Microbiology (Reading), 156*(Pt 12), 3754-3761. doi:https://doi.org/10.1099/mic.0.041673-0

Ganter, P. A., Morais, P. B., & Rosa, C. A. (2017). Yeasts in cacti and tropical fruit. Dalam P. Buzzini, M.-A. Lachance, & A. Yurkov, *Yeasts in Natural Ecosystems: Diversity* (hal. 225-264). International: Springer Cham. doi:https://doi.org/10.1007/978-3-319-62683-3

Glushakova, A., Sharova, A., & Kachalkin, A. (2024). Seasonal dynamics of culturable yeasts in ornithogenically influenced soils in a temperate forest and evaluation of extracellular enzyme secretion in *Tausonia pullulans* at different temperatures. *Journal of Fungi, 10*(8), 532. doi: doi.org/10.3390/ jof10080532

Godana, E. A., Edo, G. S., Yang, Q., Zhang, X., Zhao, L., Wang, K., . . . Zhang, H. (2024). *Wickerhamomyces anomalus*: a promising yeast for controlling mold growth and diverse biotechnological applications. *Trends in Food Science & Technology, 151*, 104649. doi:doi.org/10.1016/j.tifs. 2024.104649

Gohain, M., Bardhan, P., Laskar, K., Sarmah, S., Mandal, M., Bora, U., . . . Deka, D. (2020). *Rhodotorula mucilaginosa*: A source of heterogeneous catalyst for biodiesel production from yeast single cell oil and waste cooking oil. *Renewable Energy,160*,220-230.doi:doi.org/10.1016/ j.renene.2020.06.063

Gohil, N., Pancashara, H., Patel, S., & Singh, V. (2019). Molecular biology techniques for the identification an genotyping of microorganisms. Dalam V. Tripathi, P. Kumar, P. Tripathi, & A. Kishore (Penyunt.), *Microbial Genomics in Sustainable Agroecosysystems* (Vol. 1, hal. 203-226). Springer. doi: doi.org/10.1007/978-981-13-8739-5

Gonçalves, P., de Sousa, H. R., & Spencer-Martins, I. (2000). FSY1, a novel gene encoding a specific fructose/H(+) symporter in the type strain of *Saccharomyces carlsbergensis*. *Journal of Bacteriology, 182*(19), 5628-5630. doi: doi.org/10.1128/jb.182.19.5628-5630.2000

Grover, A., & Sharma, P. (2016). Development and use of molecular markers: past and present. *Critical Reviews in Biotechnology, 36*(2), 290-302. doi: doi.org/10.3109/07388551.2014.959891

Guillaume, C., Delobel, P., Sablayrolles, J.-M., & Blondin, B. (2007). Molecular basis of fructose utilization by the wine yeast *Saccharomyces cerevisiae*: a mutated *HXT*3 allele enhances fructose fermentation. *Applied Environmental Microbiology, 73*(8), 2432-2439. doi: doi.org/10.1128/ AEM.02269-06

Harinad, M., Bartfai, D., & Xu, J. (2012). Ecological structuring of yeasts associated with trees around Hamilton, Ontario, Canada. *FEMS Yeast Research, 12*(1), 9-19. doi: doi.org/10.1111/j.1567-1364.2011.00756.x

Hernández, A. A., Taillandier, P., Pérez, D. R., Zapata, J. A., & Corona, C. P. (2013). The effect of hexose ratios on metabolite production in *Saccharomyces cerevisiae* strains obtained from the spontaneous

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

fermentation of mezcal. *Antonie Van Leeuwenhoek, 103*(4), 833-843. doi: doi.org/10.1007/s10482-012-9865-1

Hernández, A. A., Taillandier, P., Pérez, D. R., Zapata, J. A., & Corona, C. P. (2013). The effect of hexose ratios on metabolite production in *Saccharomyces cerevisiae* strains obtained from the spontaneous fermentation of mezcal. *Antonie van Leeuwenhoek, 103*, 833–843. doi: doi.org/10.1007/s10482-012-9865-1

Horák, J. (2013). Regulations of sugar transporters: insights from yeast. *Current Genetics, 59*, 1-31. doi: doi.org/10.1007/s00294-013-0388-8

Hou, R., Liu, S., Lv, N., Cui, B., Wei, Y., Long, F., . . . Wang, Y. (2024). Nutritional- and flavor-enhancing effects of biomass production by *Rhodotorula* spp. on cantaloupe juice. *Food Bioscience, 59*, 103866. doi: doi.org/10.1016/j.fbio.2024.103866

Ilmi, M., Badrani, A., & Fauziyah, A. (2023). Increasing lipid production from *Zygosaccharomyces siamensis* AP1 in molasses substrate using sequencing batch method. *Preparative Biochemistry and Biotechnology, 53*(3), 288 - 296. doi: doi.org/10.1080/10826068.2022.2081859

Iwata, K., Maeda, M., Kashiwagi, Y., Maehashi, K., & Yoshikawa, J. (2023). Isolation of *Zygosaccharomyces siamensis* kiy1 as a novel arabitol-producing yeast and its arabitol production. *AMB Express, 13*(1), 76. doi:https://doi.org/10.1186/s13568-023-01581-4

James, S. A., & Stratford, M. (2011). *Zygosaccharomyces* Barker (1901). Dalam C. P. Kurtzman, J. W. Fell, & T. Boekhout (Penyunt.), *The Yeasts* (5th ed., hal. 937-947). Elsevier. doi: doi.org/10.1016/B978-0-444-52149-1.00084-7

Kanpiengjai, A., Lumyong, S., Unban, K., Kumla, J., Lumyong, S., Khunnamwong, P., . . . Khanongnuch, C. (2023). Three new yeast species from flowers of *Camellia sinensis* var. assamica collected in northern Thailand and their tannin tolerance characterization. *Frontiers in Microbiology, 14*. doi: doi.org/10.3389/fmicb.2023.1043430

Karathia, H., Vilaprinyo, E., Sorribas, A., & Alves, R. (2011). *Saccharomyces cerevisiae* as a model organism: a comparative study. *PLos One, 6*(2), e16015. doi: doi.org/10.1371/journal.pone.0016015

Karpel, J. E., Place, W. R., & Bisson, L. F. (2008). Analysis of the major hexose transporter genes in wine strains of *Saccharomyces cerevisiae*. *American Journal of Enology and Viticulture, 59*(3), 265-275. doi: doi.org/10.5344/ajev.2008.59.3.265

Kayikci, Ö., & Nielsen, J. (2015). Glucose repression in *Saccharomyces cerevisiae*. *FEMS Yeast Research, 15*(6), fov068. doi: doi.org/10.1093/femsyr/fov068

Kieliszek, M., Kot, A. M., Bzducha-Wróbel, A., BŁażejak, S., Gientka, I., & Kurcz, A. (2017). Biotechnological use of *Candida* yeasts in the food industry: A review. *Fungal Biology Reviews, 31*(4), 185-198. doi: doi.org/10.1016/j.fbr.2017.06.001

Kim, J.-H., Roy, A., Jouandot II, D., & Cho, K. H. (2013). The glucose signaling network in yeast. *Biochimica et Biophysica Acta, 1830*(11), 5204-5210. doi: doi.org/10.1016/j.bbagen.2013.07.025

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Ko, C. H., Liang, H., & Gaber, R. F. (1993). Roles of multiple glucose transporters in *Saccharomyces cerevisiae*. *Molecular and Cellular Biology, 13*(1), 638-648. doi: doi.org/10.1128/mcb.13.1.638-648.1993

Kristjuhan, A., Kristjuhan, K., & Tamm, T. (2024). Richness of yeast community associated with apple fruits in Estonia. *Heliyon, 10*(6), e27885. doi: doi.org/10.1016/j.heliyon.2024.e27885

Kruasuwan, W., Puseenam, A., Am-in , S., Trakarnpaiboon, S., Sornlek, W., Kocharin, K., . . . Roongsawang, N. (2022). Evaluation of thermotolerant and ethanol-tolerant *Saccharomyces cerevisiae* as an alternative strain for bioethanol production from industrial feedstocks. *3 Biotech, 13*(1), 23. doi: doi.org/10.1007/s13205-022-03436-4

Kulagina, N., Besseau, S., Godon, C., Goldman, G., Papon, N., & Courdavault, V. (2021). Yeasts as biopharmaceutical production platforms. *Frontiers in Fungal Biology, 2*, 733492. doi: doi.org/10.3389/ffunb.2021.733492

Kunakh, O. M., Volkova, A., Tutova, G., & Zhukov, O. (2023). Diversity of diversity indices: Which diversity measure is better? *Biosystems Diversity, 31*(2), 131-146. doi: doi.org/10.15421/012314

Kwolek-Mirek, M., & Zadrag-Tecza, R. (2014). Comparison of methods used for assessing the viability and vitality of yeast cells. *FEMS Yeast Research, 14*(7), 1068-1079. doi: doi.org/10.1111/1567-1364.12202

Lachance, M.-A. (2011). *Starmerella* Rosa & Lachance (1998). Dalam C. P. Kurtzman, J. W. Fell, & T. Boekhout (Penyunt.), *The Yeasts* (5th ed., hal. 811-815). Elsevier. doi: doi.org/10.1016/B978-0-444-52149-1.00071-9

Lachance, M.-A. (2013). The biodiversity, ecology, and biogeography of *Ascomycetous* yeasts. Dalam F. Martin, & F. Martin (Penyunt.), *The Ecological Genomics of Fungi* (hal. 355-370). John Wiley & Sons, Inc. doi: doi.org/10.1002/9781118735893

Lass-Flörl, C., Kanj, S. S., Govender, N. P., Thompson III, G. R., Ostrosky-Zeichner, L., & Govrins, M. A. (2024). Invasive candidiasis. *Nature Reviews Disease Primers, 10* (20). doi: doi.org/10.1038/s41572-024-00503-3

Leandro, M. J., Sychrová, H., Prista, C., & Loureiro-Dias, M. C. (2011). The osmotolerant fructophilic yeast *Zygosaccharomyces rouxii* employs two plasma-membrane fructose uptake systems belonging to a new family of yeast sugar transporters. *Microbiology (Reading), 157*(Pt 2), 601-608. doi: /doi.org/10.1099/mic.0.044446-0

Leite-Jr, D., Vivi-Oliveira, V., Maia, M., Macioni, M., Oliboni, G., de Oliveira, I., . . . Melhem, M. (2023). The *Candida* genus complex: biology, evolution, pathogenicity virulence and one health aspects, beyond the *Candida albicans* paradigm. A comprehensive review. *Virology and Immunology Journal, 7*(4), 1-38. doi: doi.org/10.23880/vij-16000331

Li, S., Chen, X., Gao, Z., Zhang, Z., Bi, P., & Guo, J. (2023). Enhancing antioxidant activity and fragrant profile of low-ethanol kiwi wine via sequential culture of indigenous *Zygosaccharomyces rouxii* and *Saccharomyces cerevisiae*. *Food Bioscience*, 102210. doi: doi.org/10.1016/j.fbio.2022.102210

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Li, X., Chi, Z., Liu, Z., Wang, X., & Hirimuthugoda, N. Y. (2008). Purification and characterization of extracellular phytase from a marine yeast *Kodamaea ohmeri* BG3. *Marine Biotechnology, 10*, 190-197. doi: doi.org/10.1007/s10126-007-9051-z

Li, X., Zhang, Y., Zabed, H. M., Yun, J., Zhang, G., Zhao, M., . . . Qi, X. (2023). High-level production of d-arabitol by *Zygosaccharomyces rouxii* from glucose: metabolic engineering and process optimization. *Bioresource Technology., 367*, 128251. doi: doi.org/10.1016/j.biortech.2022.128251

Li, Y., Chi, Z., Wang, G.-Y., Wang, Z.-P., Liu, G.-L., Lee, C.-F., . . . Chi, Z.-M. (2013). Taxonomy of *Aureobasidium* spp. and biosynthesis and regulation of their extracellular polymers. *Critical Reviews in Microbiology, 41*(2), 228-237. doi: doi.org/10.3109/1040841X.2013.826176

Livak, K., & Schmittgen, T. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta C}{}_{T}$Method. *Methods, 25*(4) 402-408. doi: doi.org/10.1006/meth.2001.1262

Long, Zhangde, Li, Kena, Xue, Yun, Sun, Yongwei, Li, Jigang, Su, Zan, . . . Wei, T. (2023). Purification and biochemical characterization of a novel ene-reductase from *Kazachstania exigua* HSC6 for dihydro-β-ionone from β-ionone. *Biotechnology Letters, 45* (4), 499-508. doi: doi.org/10.1007/s10529-023-03355-1

Loureiro-Dias, M., & Peinado, J. (1984). Transport of maltose in *Saccharomyces cerevisiae*. Effect of pH and potassium ions. *Biochemical Journal, 222*(2), 293-298. doi: doi.org/10.1042/bj2220293

Luyten, K., Riou, C., & Blondin, B. (2002, June 15). The hexose transporters of Saccharomyces cerevisiae play different roles during enological fermentation. *Yeast, 19*(8), 713-726. doi:https://doi.org/10.1002/yea.869

Ma, J., Gu, Y., Marsafari, M., & Xu, P. (2020). Synthetic biology, systems biology, and metabolic engineering of *Yarrowia lipolytica* toward a sustainable biorefinery platform. *Journal of Industrial Microbiology and Biotechnology, 47*, 845-862. doi: doi.org/10.1007/s10295-020-02290-8

Madden, A. A., Epps, M. J., Fukami, T., Irwin, R. E., Sheppard, J., Sorger, D. M., & Dunn, R. R. (2018). The ecology of insect–yeast relationships and its relevance to human industry. *Proceedings of the Royal Society B, 285*(1875). doi: doi.org/10.1098/rspb.2017.2733

Maslanska, R., Bednarska, S., & Zadrag-Tecza, R. (2024). Virtually identical does not mean exactly identical: discrepancy in energy metabolism between glucose and fructose fermentation influences the reproductive potential of yeast cells. *Archives of Biochemistry and Biophysics, 756*. doi: doi.org/10.1016/j.abb.2024.110021

Matsheka, M. I., Lastovica, A. J., Zappe, H., & Elisha, B. G. (2006). The use of (GTG)5 oligonucleotide as an RAPD primer to type *Campylobacter concisus*. *Letters in Applied Microbiology, 42*(6), 600-605. doi: doi.org/10.1111/j.1472-765x.2006.01900.x

Mielecki, D., Detman, A., Aleksandrzak-Piekarczyk, T., Widomska, M., Chojnacka, A., Stachurska-Skrodzka, A., . . . Sikora, A. (2024). Unlocking the genome of the non-sourdough *Kazachstania humilis* MAW1: insights

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

into inhibitory factors and phenotypic properties. *Micobial Cell Factories, 23*(111). doi: doi.org/10.1186/s12934-024-02380-7

Moreira, G. A., Mangaravite, É., Vieira, N. M., da Silveira, F. A., da Silveira, W. B., & do Vale, H. M. (2020). Yeast species and strains differing along an altitudinal gradient in the Brazilian forest domain. *Revista Brasileira de Ciência do Solo, 44*, e0200033. doi: doi.org/10.36783/18069657 rbcs20200033

Morris, E. K., Caruso, T., Buscot, F., Fischer, M., Hancock, C., Maier, T. S., . . . Rillig, Matthias C. (2014). Choosing and using diversity indices: insights for ecological applications from the German Biodiversity Exploratories. *Ecology and Evolution, 4*(18), 3514-3524. doi: doi.org/10.1002/ece3.1155

Muslim, T. (2014). Potensi madu hutan sebagai obat dan pengelolaannya di Indonesia. Dalam I. Yassir, T. Atmoko, & B. S. Sitepu (Penyunt.), *Tumbuhan obat dari hutan : konservasi, budidaya dan pemanfaatan* (hal. 67-82). Balikpapan: Balai Penelitian Teknologi Konservasi Sumber Daya Alam.

Mussagy, C. U., Ribeiro, H. F., Santos-Ebinuma, V. C., Schuur, B., & Pereira, J. F. (2022). *Rhodotorula* sp.–based biorefinery: a source of valuable biomolecules. *Applied Microbiology and Biotechnology, 106*, 7431-7447. doi: doi.org/10.1007/s00253-022-12221-5

Nadai, C., Crosato, G., Giacomini, A., & Corich, V. (2021). Different gene expression patterns of hexose transporter genes modulate fermentation performance of four *Saccharomyces cerevisiae* strains. *Fermentation, 7*(3). doi: doi.org/10.3390/fermentation7030164

Nandy, S. K., & Srivastava, R. (2018). A review on sustainable yeast biotechnological processes and applications. *Microbiological Research, 207*, 83-90. doi: doi.org/10.1016/j.micres.2017.11.013

Nurhalimah, Muhibuddin, A., & Syib'li, M. A. (2022). Screening of yeast isolates for the biocontrol of *Sclerotium rolfsii*. *Biodiversitas*, 3820-3826. doi: 10.0.51.1/biodiv/d230759

Olaitan, P. B., Adeleke, O. E., & Ola, I. O. (2007). Honey: a reservoir for microorganisms and an inhibitory agent for microbes. *African Health Science, 7*(3), 159-165. Diambil kembali dari https:// pmc.ncbi.nlm.nih.gov/articles/PMC2269714/

Overmann, J., Abt, B., & Sikorski, J. (2017). Present and future of culturing bacteria. *Annual Review of Microbiology, 71*, 711-730.

Özcan , S., & Johnston, M. (1999). Function and regulation of yeast hexose transporters. *Microbiology and Molecular Biology Reviews, 63*(3), 554-569. doi: doi.org/10.1128/mmbr.63.3.554-569.1999

Özcan, S. (2002). Two different signals regulate repression and induction of gene expression by glucose. *The Journal of Biological Chemistry, 277*(49), 46993-46997. doi: doi.org/10.1074/jbc.m208726200

Pahlevi, R., & Ilmi, M. (2020). Ethanol producing yeast isolated from Indonesian flower nectar and wild forrest honey. Dalam H. T. Saragih, M. Ilmi, S. Nopitasari, L. Audinah, A. Widyasari, M. A. Sari, . . . N. Fitriana (Penyunt.), *The 6th International Conference on Biological Science ICBS 2019.*

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

"Biodiversity as a Cornerstone for Embracing Future Humanity". 2260. Yogyakarta: AIP Conference Proceedings. doi: doi.org/10.1063/12.0000718

Palilu, P. T., Kasiamdari, R. S., & Ilmi, M. (2019). Potential yeast from Indonesian wild forest honey showing ability to produce lipase for lipid transesterification. *Microbiology and Biotechnology Letters, 47*(4), 555-564. doi: doi.org/10.4014/mbl.1907.07008

Parapouli, M., Vasileiadis, A., Afendra, A.-S., & Hatziloukas, E. (2020). *Saccharomyces cerevisiae* and its industrial applications. *AIMS Microbiology, 6*(1), 1-31. doi: doi.org/10.3934/microbiol.2020001

Perez, M., Luyten, K., Michel, R., Riou, C., & Blondin, B. (2005). Analysis of *Saccharomyces cerevisiae* hexose carrier expression during wine fermentation: both low- and high-affinity Hxt transporters are expressed. *FEMS Yeast Research, 5*(4-5), 351-361. doi: doi.org/10.1016/j.femsyr.2004.09.005

Péter, G. (2022). Biodiversity of *Zygosaccharomyces* species in food. *Acta Alimentaria, 51*(1), 43-51. doi: doi.org/10.1556/066.2021.00142

Péter, G., Takashima, M., & Čadež, N. (2017). Yeast habitats: different but global. Dalam P. Buzzini, M.-A. Lachance, A. Yurkov, P. Buzzini, M.-A. Lachance, & A. Yurkov (Penyunt.), *Yeasts in Natural Ecosystems: Ecology* (hal. 39-71). Springer Cham. doi: doi.org/10.1007/978-3-319-61575-2_2

Prihartini, M., & Ilmi, M. (2018). Karakterisasi dan klasifikasi numerik khamir dari madu hutan Sulawesi Tengah. *Jurnal Mikologi Indonesia, 2*(2). Diambil kembali dari http://jmi.mikoina.or.id/jmi/article/view/41/0

Pulvirenti, A., Solieri, L., Gullo, M., Vero, L. D., & Giudici, P. (2004). Occurrence and dominance of yeast species in sourdough. *Letters in Applied Microbiology, 38* (2), 113-117. doi: doi.org/10.1111/j.1472-765x.2003.01454.x

Rahmayanti, F., & Ilmi, M. (2019). Keragaman isolat khamir osmofilik pada madu hutan dari Sulawesi Tengah ditinjau menggunakan teknik RAPD. *Majalah Ilmiah Biologi Biosfera : A Scientific Journal, 36*(3), 126-131. Diambil kembali dari https://journal.bio.unsoed.ac.id/ index.php/biosfera/article/view/988

Raimondi, S., Foca, G., Ulrici, A., Destro, L., Leonardi, A., Buzzi, R., . . . Amaretti, A. (2022). Improved fed-batch processes with *Wickerhamomyces anomalus* WC 1501 for the production of d-arabitol from pure glycerol. *Microb Cell Fact., 21*, 179. doi: doi.org/10.1186/s12934-022-01898-y

Ramírez-Castrillón, M., Mendes, S. D., Inostroza-Ponta, M., & Valente , P. (2014). (GTG)5 MSP-PCR fingerprinting as a technique for discrimination of wine associated yeasts? *PLOS One, 9*(8), e105870. doi: doi.org/10.1371/journal.pone.0105870

Rodicio, R., & Heinisch, J. J. (2009). Sugar metabolism by *Saccharomyces* and non-*Saccharomyces* yeasts. Dalam H. König, G. Unden, & J. Fröhlich (Penyunt.), *Biology of Microorganisms on Grapes, in Must and in Wine* (1st ed., hal. 113-134). Berlin: Springer. doi: doi.org/10.1007/978-3-540-85463-0_6

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Rohlf, F. (2009). *NTSYSpc, Numerical Taxonomy and Multivariate Analysis System version 2.2. Getting Started Guide.* New York: Applied Biostatictics Inc.

Rolland, F., De Winde, J. H., Lemaire, K., Boles, E., Thevelein, J. M., & Winderickx, J. (2002). Glucose-induced cAMP signalling in yeast requires both a G-protein coupled receptor system for extracellular glucose detection and a separable hexose kinase-dependent sensing process. *Molecular Microbiology, 38*(2), 348-358. doi: doi.org/10.1046/j.1365-2958.2000.02125.x

Roque, W. F., de Moura, J. M., Santos-Silva, L., da Silva, G. F., de Carvalho, L. A., Pinheiro, D. G., . . . Soares, M. A. (2024). Fungal community structure in bees: influence of biome and host species. *Symbiosis*. doi: doi.org/10.1007/s13199-024-01012-3

Roy, A., Kim, Y.-B., Cho, K. H., & Kim, J.-H. (2014). Glucose starvation-induced turnover of the yeast glucose transporter Hxt1. *Biochimica et Biophysica Acta, 1840*(9), 2878-2885. doi: doi.org/10.1016/ j.bbagen.2014.05.004

Sá-Correia, I., Guerreiro, J. F., Leao, C., Loureiro-Dias, M. C., & Côrte-Real, M. (2014). *Zygosaccharomyces*. Dalam C. A. Batt, & M. L. Tortorello (Penyunt.), *Encyclopedia of Food Microbiology* (2nd ed., hal. 849-855). Academic Press. doi: doi.org/10.1016/B978-0-12-384730-0.00364-5.

Saker, R., Meklat, A., Bouras, N., Zitouni, A., Mathieu, F., Spröer, C., . . . Sabaou, N. (2015). Diversity and antagonistic properties of culturable halophilic actinobacteria in soils of two arid regions of septentrional Sahara: M'zab and Zibans. *Annals of Microbiology*(65), 2241–2253. doi: doi.org/10.1007/s13213-015-1065-6

Saksinchai, S., Suzuki, M., Chantawannakul, P., Ohkuma, M., & Lumyong, S. (2012). A novel ascosporogenous yeast species, *Zygosaccharomyces siamensis*, and the sugar tolerant yeasts associated with raw honey collected in Thailand. *Fungal Diversity, 52*, 123 - 139. doi: doi.org/10.1007/s13225-011-0115-z

Santos, A. R., Leon, M. P., Barros, K. O., Freitas, L. F., Hughes, A. F., Morais, P. B., . . . Rosa, C. A. (2018). *Starmerella camargoi* f.a., sp. nov., *Starmerella ilheusensis* f.a., sp. nov., *Starmerella litoralis* f.a., sp. nov., *Starmerella opuntiae* f.a., sp. nov., *Starmerella roubikii* f.a., sp. nov. and *Starmerella vitae* f.a., sp. nov., isolated from flowers and bee. *International Journal of Systematic and Evolutionary Microbiology*, 1333-1343. doi: doi.org/10.1099/ijsem.0.002675

Santos-Buelga, C., & González-Paramás, A. M. (2017). Chemical composition of honey. Dalam A. M.-P. Celestino Santos-Buelga, & J. M. Alvarez-Suarez (Penyunt.), *Bee products - chemical and Biological Properties* (pp. 43-82). Switzerland: Springer International Publisher. doi: doi.org/10.1007/978-3-319-59689-1

Sapsirisuk, S., Polburee, P., Lorliam, W., & Limtong, S. (2022). Discovery of oleaginous yeast from mountain forest soil in Thailand. *Journal of Fungi (Basel), 8*(10), 1100. doi: doi.org/10.3390/jof8101100

Saraswathy, N., & Ramalingam, P. (2011). Genome mapping. Dalam N. Saraswathy, & P. Ramalingam (Penyunt.), *Concepts and techniques in*

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

genomics and proteomics (hal. 77-93). Woodhead. doi: doi.org/10.1533/ 9781908818058.77.

Segal-Kischinevzky, C., Romero-Aguilar, L., Alcaraz, L., López-Ortiz, G., Martínez-Castillo , B., Torres-Ramírez, N., . . . González, J. (2022). Yeasts inhabiting extreme environments and their biotechnological applications. *Microorganisms, 10*(4), 749. doi: doi.org/10.3390/ microorganisms10040794

Semchyshyn, H.M. (2013). Fructation In Vivo: Detrimental and protective. *BioMed Research International, 2013*, 343914. doi: doi.org/10.1155/2013/343914

Semchyshyn, H. M., Lozinska, L. M., Miedzobrodzki, J., & Lushchak, V. I. (2011). Fructose and glucose differentially affect aging and carbonyl/oxidative stress parameters in *Saccharomyces cerevisiae* cells. *Carbohydrate Research, 346*(7), 933-938. doi:https://doi.org/10.1016/ j.carres.2011.03.005

Semchyshyn, H. M., Miedzobrodzki, J., Bayliak, M. M., Lozinska, L. M., & Homza, B. V. (2014). Fructose compared with glucose is more a potent glycoxidation agent in vitro, but not under carbohydrate-induced stress in vivo: potential role of antioxidant and antiglycation enzymes. *Carbohydrate Research, 384*, 61-69. doi: doi.org/10.1016/j.carres.2013.11.015

Sha, S. P., Suryavanshi , M. V., Jani, K., Sharma, A., Souche, Y., & Tamang, J. P. (2018). Diversity of yeasts and molds by culture-dependent and culture-Independent methods for mycobiome surveillance of traditionally prepared dried starters for the production of Indian alcoholic beverages. *Frontiers in Microbiology, 9*, 2237. doi: doi.org/10.3389/ fmicb.2018.02237

Shafiee, S., Minaei, S., Moghaddam-Charkari, N., Ghasemi-Varnamkhasti, M., & Barzegar, M. (2013). Potential application of machine vision to honey characterization. *Trends in Food Science & Technology, 30*(2), 174-177. doi: doi.org/10.1016/j.tifs.2012.12.004

Sharma, R., & Ghoshal, G. (2021). Characterization and cytotoxic activity of pigment extracted from *Rhodotorula mucilaginosa* to assess its potential as bio-functional additive in confectionary products. *Journal of Food Science and Technology, 58*, 2688 - 2698. doi: doi.org/10.1007/s13197-020-04775-x

Sipiczki, M. (2015). *Starmerella syriaca* f.a., sp. nov., an osmotolerant yeast species isolated from flowers in Syria. *Antonie van Leeuwenhoek, 10*, 847-856. doi: doi.org/10.1007/s10482-015-0377-7

Snowdon, C., & van der Merwe, G. (2012). Regulation of Hxt3 and Hxt7 turnover converges on the Vid30 complex and requires inactivation of the Ras/cAMP/PKA pathway in *Saccharomyces cerevisiae*. *PLoS One, 7*(12), e50458. doi: doi.org/10.1371/journal.pone.0050458

Snowdown, J. A., & Cliver, D. O. (1996). Microorganisms in honey. *International Journal of Food Microbiology, 31*(1-3), 1-26. doi: doi.org/10.1016/0168-1605(96)00970-1

Solieri, L. (2021). The revenge of *Zygosaccharomyces* yeasts in food biotechnology and applied microbiology. *World J Microbiol Biotechnol, 37*(96). doi: 10.0.3.239/s11274-021-03066-7

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Sperandio, E. M., Reis, J. B., Coelho, L. G., & Vale, H. M. (2023). Occurrence and diversity of yeast associated with fruits and leaves of two native plants from Brazilian neotropical savanna. *Diversity, 15*(9), 1010. doi: doi.org/10.3390/d15091010

Sreeranjit, C., & Lal, J. (2003). Glucose : properties and analysis. Dalam B. Caballero, L. Trugo, & P. Finglas (Penyunt.), *Encyclopedia of Food Science and Nutrition* (2 ed., hal. 2898-2903). Elsevier. doi: doi.org/10.1016/B0-12-227055-X/09004-0

Tapia, M. S., Alzamora, S. M., & Chirife, J. (2020). Effects of water activity (aw) on microbial stability as a hurdle in food preservation. Dalam G. V. Barbosa-Cánovas, A. J. Fontana,Jr, S. J. Schmidt, & T. P. Labuza (Penyunt.), *Water Activity in Foods, Fundamental and Applications* (2nd ed.). John Wiley & Sons. doi: doi.org/10.1002/9781118765982.ch14

Ting, J., Xu, R., & Xu, J. (2018). Molecular identification and distribution of yeasts in fruits. Dalam A. F. El Sheikha, R. Levin, & J. Xu (Penyunt.), *Molecular Techniques in Food Biology: Safety, Biotechnology, Authenticity and Traceability* (hal. 115-144). John Wiley and Sons. doi: doi.org/10.1002/9781119374633.ch6

Tokuoka, K., & Ishitani, T. (1991). Minimum water activities for the growth of yeasts isolated from high-sugar foods. *The Journal of General and Applied Microbiology, 37*(1), 111-119. doi: doi.org/10.2323/jgam.37.111

Tresnawati, M. C., Shafira, F. A., Nurhadi, B., & Moody, S. D. (2018). Hubungan kadar air dan aktivitas air madu *Apis dorsata* dan *Trigona* dari Indonesia. *Seminar Berdasi.* Jatinangor, Jawa Barat: Universitas Padjadjaran.

Troller, J. A., & Christian, J. H. (1978). *Water Activity and Food.* Academic Press. doi: doi.org/10.1016/B978-0-12-700650-5.X5001-X

Vadkertiová, R., Molnárová, J., Vránová, D., & Sláviková, E. (2012). Yeasts and yeast-like organisms associated with fruits and blossoms of different fruit trees. *Canadian Journal of Microbiology, 58*(12), 1344-1352. doi: doi.org/10.1139/cjm-2012-0468

van der Rest, M. E., Kamminga, A. H., Nakano, A., Anraku, Y., Poolman, B., & Konings, W. N. (1995). The plasma membrane of *Saccharomyces cerevisiae*: structure, function, and biogenesis. *Microbiology and Molecular Biology Reviews, 59*(2), 304-322. doi: doi.org/10.1128/mr.59.2.304-322.1995

van Wyk, N., Badura, J., von Wallbrun, C., & Pretorius, I. S. (2023). Exploring future applications of the apiculate yeast *Hanseniaspora*. *Critical Reviews in Biotechnology, 44*(1), 100-119. doi: doi.org/10.1080/ 07388551.2022.2136565

Vardjan, T., Lorbeg, P. M., Rogelj, I., & Majhenič, A. Č. (2013). Characterization and stability of lactobacilli and yeast microbiota in kefir grains. *Journal of Diary Science*, 2729-2736. doi: doi.org/10.3168/jds.2012-5829

Vega-Alvarado, L., Gómez-Angulo, J., Escalante-García, Z., Grande, R., Gschaedler-Mathis, A., Amaya-Delgado, L., . . . Arrizon, J. (2015). High-quality draft genome sequence of *Candida apicola* NRRL Y-50540.

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Genome Announcements, e00437-15. doi: doi.org/10.1128/genomeA.00437-15

Vegas, C., Zavaleta, A. I., Canales, P. E., & Esteve-Zarzoso, B. (2020). Yeasts associated with various Amazonian native fruits. *Polish Journal of Microbiol*, 251-261. doi: doi.org/10.33073/pjm-2020-027

Verdugo, V. A., Garcia, L. S., Kirchmayr, M., Rodríguez, P. R., Esquinca, A. G., Coria, R., & Mathis, A. G. (2011). Yeast communities associated with artisanal mezcal fermentations from *Agave salmiana*. *Antonie Van Leeuwenhoek*, 497-506. doi: doi.org/10.1007/s10482-011-9605-y

Wang, J., Yan, J., Zhang, W., Zhang, Y., Dong, Z., Luo, H., . . . Su, J. (2023). Comparison of potential *Wickerhamomyces anomalus* to improve the quality of Cabernet Sauvignon wines by mixed fermentation with *Saccharomyces cerevisiae*. *LWT*, 114285. doi: doi.org/10.1016/j.lwt.2022.114285

Wang, J., Zhao, M., Xie, N., Huang, M., & Feng, Y. (2022). Community structure of yeast in fermented soy sauce and screening of functional yeast with potential to enhance the soy sauce flavor. *International Journal of Food Microbiology, 370*, 109652. doi: doi.org/10.1016/j.ijfoodmicro.2022.109652

Wang, P., Jia, S.L., Liu, G.L., Chi, Z., & Chi, Z.M. (2022). *Aureobasidium* spp. and their applications in biotechnology. *Process Biochemistry, 116*, 72-83. doi: doi.org/10.1016/j.procbio.2022.03.006

Wang, W., Fan, G., Li, X., Fu, Z., Liang, X., & Sun, B. (2020). Application of *Wickerhamomyces anomalu*s in simulated solid-state fermentation for Baijiu production: changes of microbial community structure and flavor metabolism. *Frontiers in Microbiology, 11*, 598758. doi: doi.org/10.3389/fmicb.2020.598758

Widianto, D., Arofatullah, A., Yuwono, T., & Prijambada, I. D. (2010). Ethanol production by fermentation of various sweet-stalk sorghum juices using various yeast strains. *Indonesian Journal of Biotechnology, 15*(2), 87-93.

Wittwer, A. E., Sicard, D., & Howell, K. S. (2022). *Kazachstania humilis*. *Trends in Microbiology, 30*(19), 1012-1013. Diambil kembali dari https://www.cell.com/trends/microbiology/abstract/S0966-842X(22)00119-6

Ye, L., Kruckeberg, A. L., Berden, J. A., & Dam, K. v. (1999). Growth and glucose repression are controlled by glucose transport in *Saccharomyces cerevisiae* cells containing only one glucose transporter. *Journal of Bacteriology, 181*(15), 4673-4675. doi: doi.org/10.1128/jb.181.15.4673-4675.1999

Zaky, A. S., Tucker, G. A., Daw, Z. Y., & Du, C. (2014). Marine yeast isolation and industrial application. *FEMS Yeast Research, 14*(6). doi: doi.org/10.1111/1567-1364.12158

Zhou, P., Li, S., Xu, H., Feng, X., & Ouyang, P. (2012). Construction and co-expression of plasmid encoding xylitol dehydrogenase and a cofactor regeneration enzyme for the production of xylitol from d-arabitol. *Enzyme and Microbial, 51*(2), 119-124. doi: doi.org/10.1016/j.enzmictec.2012.05.002

UNIVERSITAS
GADJAH MADA
Potensi Keragaman Khamir dari Madu Liar dan Buah-buahan serta pemanfaatannya pada Fermentasi etanol
Medhina Magdalena, Prof. Ir. Donny Widianto, Ph.D. ; Prof. Ir. Irfan D. Prijambada, Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhu, H.-Y., Xu, H., Dai, X.-Y., Zhang, Y., Ying, H.-J., & Ouyang, P.-K. (2010). Production of d-arabitol by a newly isolated *Kodamaea ohmeri*. *Bioprocess and Biosystems Engineering, 33*, 565-571. doi: doi.org/10.1007/s00449-009-0378-x