

## DAFTAR PUSTAKA

- ACSM (2022) *ACSM'S Guideline for Exercise Testing and Prescription*. Eleventh. Edited by G. Liguori, Y. Feito, C. Fountaine, and B.A. Roy. Philadelphia : Wolters Kluwer.
- Ambrose, A.F., Paul, G. and Hausdorff, J.M. (2013) 'Risk factors for falls among older adults: A review of the literature', *Maturitas*, 75(1), pp. 51–61. Available at: <https://doi.org/10.1016/j.maturitas.2013.02.009>.
- Beauchet, O., Fantino, B., Allali, G., Muir, S.W., Montero-Odasso, M. and Annweiler, C. (2011) 'Timed up and go test and risk of falls in older adults: A systematic review', *Journal of Nutrition, Health and Aging*, 15(10), pp. 933–938. Available at: <https://doi.org/10.1007/s12603-011-0062-0>.
- Bednarczuk, G. and Rutkowska, I. (2022) 'Factors of balance determining the risk of falls in physically active women aged over 50 years', *PeerJ*, 10. Available at: <https://doi.org/10.7717/peerj.12952>.
- Chang, C.H., Lee, K.Y. and Shim, Y.H. (2017) 'Normal aging: Definition and physiologic changes', *Journal of the Korean Medical Association*, 60(5), pp. 358–363. Available at: <https://doi.org/10.5124/jkma.2017.60.5.358>.
- Chittrakul, J., Siviroj, P., Sungkarat, S. and Sapbamrer, R. (2020) 'Multi-System Physical Exercise Intervention for Fall Prevention and Quality of Life in Pre-Frail Older Adults: A Randomized Controlled Trial', *International Journal of Environmental Research and Public Health*, 17, p. 3102. Available at: <https://doi.org/https://doi.org/10.3390/ijerph17093102>.
- Cho, K., Lee, K., Lee, B., Lee, H. and Lee, W. (2014) 'Relationship between postural sway and dynamic balance in stroke patients', *Journal of Physical Therapy Science*, 26(12), pp. 1989–1992. Available at: <https://doi.org/10.1589/jpts.26.1989>.
- Chodzko-Zajko, W.J., *et al.* (2009) 'Exercise and physical activity for older adults', *Medicine and Science in Sports and Exercise*, 41(7), pp. 1510–1530. Available at: <https://doi.org/10.1249/MSS.0b013e3181a0c95c>.
- Cuevas-Trisan, R. (2019) 'Balance Problems and Fall Risks in the Elderly', *Clinics in Geriatric Medicine*, 35(2), pp. 173–183. Available at: <https://doi.org/10.1016/j.cger.2019.01.008>.
- Food and Nutrition Technical Assistance Project (2018) 'Guide to Anthropometry; How to Plan and Prepare to Take Anthropometric Measurements', in *Guide to Anthropometry: A Practical Tool for Program Planners, Managers, and Implementers*, pp. 151–210.
- Hafström, A., Malmström, E.-M., Terdèn, J., Fransson, P.-A. and Magnusson, M. (2016) 'Improved Balance Confidence and Stability for Elderly After 6 Weeks of a Multimodal Self-Administered Balance-Enhancing Exercise Program', *Gerontology and Geriatric Medicine*, 2, p. 233372141664414. Available at: <https://doi.org/10.1177/2333721416644149>.
- Haskell, W.L., *et al.* (2007) 'Physical activity and public health in older adults: Updated Recommendation for Adults from the American College of Sports Medicine and the American Heart Association', *Medicine and Science in Sports and Exercise*, 39(8), pp. 1435–1445. Available at:

- <https://doi.org/10.1161/CIRCULATIONAHA.107.185649>.
- Hewitt, J., Goodall, S., Clemson, L., Henwood, T. and Refshauge, K. (2018) 'Progressive Resistance and Balance Training for Falls Prevention in Long-Term Residential Aged Care: A Cluster Randomized Trial of the Sunbeam Program', *Journal of the American Medical Directors Association*, 19(4), pp. 361–369. Available at: <https://doi.org/10.1016/j.jamda.2017.12.014>.
- Ibrahim, H., Aly, S. and Mahran, S. (2019) 'Impact of Strengthening and Balance Training Exercise on Fall Risk among Elderly at Assiut Geriatric Clubs', *Journal of Nursing and Health Science*, 8(2), pp. 83–91. Available at: <https://doi.org/10.9790/1959-0802098391>.
- Ikezoe, T. (2020) 'Age-Related Change in Muscle Characteristics and Resistance Training for Older Adults', *Physical Therapy Research*, 23(2), pp. 99–105. Available at: <https://doi.org/10.1298/ptr.r0009>.
- Jiang, G., Tan, X., Zou, J. and Wu, X. (2024) 'A 24-Week Combined Resistance and Balance Training Program Improves Physical Function in Older Adults: A Randomized Controlled Trial', *Journal of Strength and Conditioning Research*, 39(1). Available at: <https://doi.org/10.1519/JSC.0000000000004941>.
- Jiang, G. and Wu, X. (2022) 'Effects of resistance training combined with balance training on physical function among older adults: a protocol for a randomised controlled trial', *BMJ Open*, 12(10), pp. 1–9. Available at: <https://doi.org/10.1136/bmjopen-2022-062486>.
- Kallioinen, N., Hill, A., Christofidis, M.J., Horswill, M.S. and Watson, M.O. (2021) 'Quantitative systematic review: Sources of inaccuracy in manually measured adult respiratory rate data', *Journal of Advanced Nursing*, 77(1), pp. 98–124. Available at: <https://doi.org/10.1111/jan.14584>.
- Kementerian Kesehatan (2021) 'Pedoman Nasional Pelayanan Kedokteran Tata Laksana Hipertensi Dewasa', *Kementerian Kesehatan Republik Indonesia*, pp. 1–85.
- Kurz, A., Lauber, B., Franke, S. and Leukel, C. (2018) 'Balance Training Reduces Postural Sway and Improves Sport-specific Performance in Visually Impaired Cross-Country Skiers', *Journal of Strength and Conditioning Research*, 0(0), pp. 1–6. Available at: <https://doi.org/10.1519/JSC.0000000000002597>.
- L. Sturmecks, D., St George, R. and R. Lord, S. (2008) 'Balance disorders in the elderly', *Neurophysiologie Clinique*, 38(6), pp. 467–478. Available at: <https://doi.org/10.1016/j.neucli.2008.09.001>.
- Lee, J. and Kim, H.J. (2022) 'Normal Aging Induces Changes in the Brain and Neurodegeneration Progress: Review of the Structural, Biochemical, Metabolic, Cellular, and Molecular Changes', *Frontiers in Aging Neuroscience*, 14(June), pp. 1–15. Available at: <https://doi.org/10.3389/fnagi.2022.931536>.
- Lee, S.H. and Kim, H.S. (2017) 'Exercise Interventions for Preventing Falls Among Older People in Care Facilities: A Meta-Analysis', *Worldviews on Evidence-Based Nursing*, 14(1), pp. 74–80. Available at: <https://doi.org/10.1111/wvn.12193>.
- Moncada, L.V.-V. and Mire, L.G. (2017) 'Preventing Falls in Older Patients',

- American Family Physician*, 96(4), pp. 240–247. Available at: <http://www.aafp.org/afp/2017/0815/p240-s1.html>.
- Nascimento, M. de M. (2019) ‘Fall in Older Adults: Considerations On Balance Regulation, Postural Strategies, and Physical Exercise’, *Geriatrics, Gerontology and Aging*, 13(2), pp. 103–110. Available at: <https://doi.org/10.5327/z2447-211520191800062>.
- Nelson, M.E., *et al.* (2007) ‘Physical activity and public health in older adults: Recommendation from the American College of Sports Medicine and the American Heart Association’, *Medicine and Science in Sports and Exercise*, 39(8), pp. 1435–1445. Available at: <https://doi.org/10.1249/mss.0b013e3180616aa2>.
- Noohu, M.M., Dey, A.B. and Hussain, M.E. (2014) ‘Relevance of balance measurement tools and balance training for fall prevention in older adults’, *Journal of Clinical Gerontology and Geriatrics*, 5(2), pp. 31–35. Available at: <https://doi.org/10.1016/j.jcgg.2013.05.002>.
- Novianti, I.G.A.S.W.N. and Naufal, J. (2023) ‘Hubungan Usia dan Jenis Kelamin dengan Risiko Jatuh pada Lansia di Banjar Paang Tebel Peguyangan Kaja’, *Indonesian Journal of Physiotherapy Research and Education*, 4(2), pp. 41–46. Available at: <https://journal.aprtifi.org/index.php/ijopre/article/view/92%0Ahttps://journal.aprtifi.org/index.php/ijopre/article/download/92/61>.
- Ortega-Bastidas, P., Gómez, B., Aqueveque, P., Luarte-Martínez, S. and Cano-de-la-Cuerda, R. (2023) ‘Instrumented Timed Up and Go Test (iTUG)—More Than Assessing Time to Predict Falls: A Systematic Review’, *Sensors*, 23(7), pp. 1–31. Available at: <https://doi.org/10.3390/s23073426>.
- Papalia, G.F., *et al.* (2020) ‘The effects of physical exercise on balance and prevention of falls in older people: A systematic review and meta-analysis’, *Journal of Clinical Medicine*, 9(8), pp. 1–19. Available at: <https://doi.org/10.3390/jcm9082595>.
- Qiu, F., *et al.* (2012) ‘Enhanced somatosensory information decreases postural sway in older people’, *Gait and Posture*, 35(4), pp. 630–635. Available at: <https://doi.org/10.1016/j.gaitpost.2011.12.013>.
- Rogers, M.E., Fernandez, J.E. and Bohlken, R.M. (2001) ‘Training to reduce postural sway and increase functional reach in the elderly’, *Journal of Occupational Rehabilitation*, 11(4), pp. 291–298. Available at: <https://doi.org/10.1023/A:1013300725964>.
- Sadaqa, M., Németh, Z., Makai, A., Prémusz, V. and Hock, M. (2023) ‘Effectiveness of exercise interventions on fall prevention in ambulatory community-dwelling older adults: a systematic review with narrative synthesis’, *Frontiers in Public Health*, 11(August), pp. 1–14. Available at: <https://doi.org/10.3389/fpubh.2023.1209319>.
- Seidler, R.D., *et al.* (2010) ‘Motor control and aging: Links to age-related brain structural, functional, and biochemical effects’, *Neuroscience and Biobehavioral Reviews*, 34(5), pp. 721–733. Available at: <https://doi.org/10.1016/j.neubiorev.2009.10.005>.

- Setiorini, A., Agustiniingsih, D., Yunus, J. (2024). Pengaruh Latihan Modifikasi VLADIMIR JANDA (Keseimbangan dan Peregangan Otot Tungkai Bawah) Terhadap Nyeri Akibat Kerja Pemetik Daun Teh. *Open Access Macedonian Journal of Medical Sciences*. 9(A): 477–482.
- Simpkins, C. and Yang, F. (2022) ‘Muscle power is more important than strength in preventing falls in community-dwelling older adults’, *Journal of Biomechanics*, 134(February), pp. 1–6. Available at: <https://doi.org/10.1016/j.jbiomech.2022.111018>.
- Sullivan, E. V., Rose, J., Rohlfing, T. and Pfefferbaum, A. (2009) ‘Postural sway reduction in aging men and women: Relation to brain structure, cognitive status, and stabilizing factors’, *Neurobiology of Aging*, 30(5), pp. 793–807. Available at: <https://doi.org/10.1016/j.neurobiolaging.2007.08.021>.
- Vaishya, R. and Vaish, A. (2020) ‘Falls in Older Adults are Serious’, *Indian Journal of Orthopaedics*, 54(1), pp. 69–74. Available at: <https://doi.org/10.1007/s43465-019-00037-x>.
- World Health Organization (2007) ‘WHO Global Report on Falls Prevention in Older Age’, pp. 1–47.
- World Health Organization (2020) *WHO medical device technical series, Medical equipment maintenance programme overview*.
- World Health Organization, 2021. *Falls*. [Online] Available at: <https://www.who.int/news-room/fact-sheets/detail/falls> [Accessed 7 October 2024].
- World Health Organization, 2022. *Ageing and Health*. [Online] Available at: <https://www.who.int/news-room/fact-sheets/detail/ageing-and-health> [Accessed 27 September 2024].
- Zouita, S., Zouhal, H., Ferchichi, H., Paillard, T., Dziri, C., Hackney, A.C., Laher, I., Granacher, U. and Ben Moussa Zouita, A. (2020) ‘Effects of Combined Balance and Strength Training on Measures of Balance and Muscle Strength in Older Women With a History of Falls’, *Frontiers in Physiology*, 11(December). Available at: <https://doi.org/10.3389/fphys.2020.619016>.