

DAFTAR PUSTAKA

- Aboubakr, M., & Elbadawy, M. (2017). Pharmacokinetics, tissue residues and efficacy of D-Tylo50/25® (tylosin-doxycycline combination) in broiler chickens. *International Journal of Basic & Clinical Pharmacology*, 6(2), 383. <https://doi.org/10.18203/2319-2003.ijbcp20170334>
- Abu-Basha, E. A., Al-Shunnaq, A. F., & Gehring, R. (2012). Comparative pharmacokinetics and bioavailability of two tylosin formulations in chickens after oral administration. *Journal of the Hellenic Veterinary Medical Society*, 63(2), 159–166. <https://doi.org/10.12681/jhvms.15431>
- Abu-Basha, E., Gharaibeh, S., Abudabos, A., Shunnaq, A., & Al-Majali, A. (2008). Pharmacokinetics and Bioequivalence of Two Norfloxacin Oral Dosage Forms (Vapcotril - 10%® and Mycomas 10%®) in Healthy Broiler Chickens. *International Journal of Poultry Science*.
- Alabbas, N. N. A., Al-Jumaili, M. A., & Ibrahim, O. M. S. (2023). Pharmacokinetic Profile of Norfloxacin in Pigeons. *Revista de Ciencias Agroveterinarias*, 22(3), 470–474. <https://doi.org/10.5965/223811712232023470>
- Ali, A. E., Elsalala, G. S., Mahrous, Y. S., Sharaf, M. H., & Elkamhawy, I. M. (2022). Synthesis and Physicochemical Studies for Novel Bioactive Metal Complexes of Macrolide Antibiotic Tylosin. *Materials Sciences and Applications*, 13(10), 532–557. <https://doi.org/10.4236/msa.2022.1310033>
- Alikhani, M. S., Nazari, M., & Hatamkhani, S. (2025). Enhancing antibiotic therapy through comprehensive pharmacokinetic/pharmacodynamic principles. In *Frontiers in Cellular and Infection Microbiology* (Vol. 15). Frontiers Media SA. <https://doi.org/10.3389/fcimb.2025.1521091>
- ANADÓN, A., MARTINEZ-LARRANAGA, M. R., DIAZ, M. J., FERNANDEZ, R., MARTINEZ, M. A., & FERNANDEZ, M. C. (1995). Pharmacokinetics and tissue residues of norfloxacin and its N-desethyl- and oxo-metabolites in healthy pigs. *Journal of Veterinary Pharmacology and Therapeutics*, 18(3), 220–225. <https://doi.org/10.1111/j.1365-2885.1995.tb00582.x>
- Anadon, A., Martinez-Larranaga, M., Veles, C., Diaz, M., & Bringas, P. (1992). Pharmacokinetics of norfloxacin and its N-desethyl- and oxo-metabolites in broiler chickens. *American Journal of Veterinary Research*, 53(11), 2084–2089.
- Bush, N. G., Diez-Santos, I., Abbott, L. R., & Maxwell, A. (2020). Quinolones: Mechanism, lethality and their contributions to antibiotic resistance. In *Molecules* (Vol. 25, Issue 23). MDPI AG. <https://doi.org/10.3390/molecules25235662>



- Buxton, I. (2006). Pharmacokinetics and Pharmacodynamic: The Dynamic od Drug Absorption, Distribution, Action, and Elimination. In *Goodman & Gilman's The Pharmacological Basic of Theurapeutics* (pp. 1–22). McGraw-Hill.
- Chaudhari, M., Parmar, P. K., & Dudhat, K. (2025). Comparative validation of UV-spectrophotometry and RP-HPLC methods for cefixime and moxifloxacin analysis. *Analytical Biochemistry*, 697. <https://doi.org/10.1016/j.ab.2024.115724>
- Collins, J. A., Oviatt, A. A., Chan, P. F., & Osheroff, N. (2024). Target-Mediated Fluoroquinolone Resistance in *Neisseria gonorrhoeae*: Actions of Ciprofloxacin against Gyrase and Topoisomerase IV. *ACS Infectious Diseases*, 10(4), 1351–1360. <https://doi.org/10.1021/acsinfecdis.4c00041>
- Cornejo, J., Pokrant, E., Carvallo, C., Maddaleno, A., & San Martin, B. (2018). Depletion of tylosin residues in feathers, muscle and liver from broiler chickens after completion of antimicrobial therapy. *Food Additives and Contaminants Part A-Chemistry Analysis Control Exposure & Risk Assessment*, 35(3), 448–457.
- Danney, C. (2023). *Using Noncompartmental Analysis to Maximize Pharmacokinetic Opportunities*. <https://doi.org/10.35248/0975-0851.15.13.553>
- Darmel, M. B., Stanikzai, P. M., Omari, P., Dost, A., Memlawal, R., Rahmani, M. M., & Halim, M. (2022). Toxic Effects of Norfloxacin on Cartilage Tissues of Broiler Chicken. *Nangarhar University International Journal of Biosciences*, 1–5. <https://doi.org/10.70436/nuijb.v1i01.2>
- Darmel, M. B., Waziri, M. Y., Nassary, N., Rahmani, M. M., Omari, P., Halim, M., Khalili, F. A., Ahmady, H., & Arain, M. B. (2022). Evaluation of Norfloxacin Acute Toxicity in Five Day old Broiler Chicken. *Nangarhar University International Journal of Biosciences*, 22–29. <https://doi.org/10.70436/nuijb.v1i01.5>
- Dinos, G. P., & Kalpaxis, D. L. (2000). Kinetic studies on the interaction between a ribosomal complex active in peptide bond formation and the macrolide antibiotics tylosin and erythromycin. *Biochemistry*, 39(38), 11621–11628. <https://doi.org/10.1021/bi000811f>
- El Bekay, R., Alvarez, M., Carballo, M., Martin-Nieto, J., Monteseirin, J., Pintado, E., & Sobrino, F. (2002). Activation of phagocytic cell NADPH oxidase by norfloxacin: a potential mechanism to explain its bactericidal action. *Journal of Leukocyte Biology*, 255–261.
- European Medicine Agency. (2022). *ICH guideline Q2(R2) on validation of analytical procedures*.



- FDA, & Cder. (2018). *Bioanalytical Method Validation Guidance for Industry Biopharmaceutics Bioanalytical Method Validation Guidance for Industry Biopharmaceutics Contains Nonbinding Recommendations*. <http://www.fda.gov/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/default.htm> and/or <http://www.fda.gov/AnimalVeterinary/GuidanceComplianceEnforcement/GuidanceforIndustry/default.htm>
- Gangwar, B., Kumar, S., Kumar, P., Pal, A., & Darokar, M. P. (2024). *Mechanistic Insight into the Antimicrobial Mode of Action of Usnic Acid and Its Synergy with Norfloxacin against Methicillin-Resistant Staphylococcus aureus*. <https://doi.org/10.20944/preprints202407.2326.v1>
- Gao, Y., Shao, J., Jiang, Z., Chen, J., Gu, S., Yu, S., Zheng, K., & Jia, L. (2014). Drug enterohepatic circulation and disposition: Constituents of systems pharmacokinetics. In *Drug Discovery Today* (Vol. 19, Issue 3, pp. 326–340). Elsevier Ltd. <https://doi.org/10.1016/j.drudis.2013.11.020>
- Goetting, V., Lee, K. A., & Tell, L. A. (2011). Pharmacokinetics of veterinary drugs in laying hens and residues in eggs: A review of the literature. In *Journal of Veterinary Pharmacology and Therapeutics* (Vol. 34, Issue 6, pp. 521–556). <https://doi.org/10.1111/j.1365-2885.2011.01287.x>
- Han, R. X., Jiang, P. C., Han, B., Zhou, H. Y., Wang, Y. L., Guan, J. Y., Liu, Z. R., He, S. Y., & Zhou, C. X. (2024). Anti-Toxoplasma gondii effect of tylosin in vitro and in vivo. *Parasites and Vectors*, 17(1). <https://doi.org/10.1186/s13071-024-06157-0>
- Hricová, K., Röderová, M., Pudova, V., Hanulík, V., Halova, D., Julínková, P., & Bardoň, J. (2017). Quinolone-resistant Escherichia coli in Poultry Farming. *Central European Journal of Public Health*, 25(2), 163–167.
- Huang, L., Zhang, H., Li, M., Ahmad, I., Wang, Y., & Yuan, Z. (2018). Pharmacokinetic-pharmacodynamic modeling of tylosin against Streptococcus suis in pigs. *BMC Veterinary Research*, 14(1). <https://doi.org/10.1186/s12917-018-1645-3>
- ICH. (2022). *ICH guideline Q2(R2) on Validation of Analytical Procedures*.
- Izawa, S., Yamaoka, M., & Deguchi, T. (2015). Effect of urinary excretion on the bladder tissue distribution of fluoroquinolones in rats. *Journal of Infection and Chemotherapy*, 21(4), 290–295.
- Jaiswal, P., Gupta, R., Vengurlekar, S., & Jaiswal, S. (2024). *Pharmacokinetics*. <https://doi.org/https://doi.org/10.58532/v3bapn3ch2>
- Ji, L. W., Dong, L. L., Ji, H., Feng, X. W., Li, D., Ding, R. L., & Jiang, S. X. (2014). Comparative pharmacokinetics and bioavailability of tylosin tartrate and

- tylosin phosphate after a single oral and i.v. administration in chickens. *Journal of Veterinary Pharmacology and Therapeutics*, 37(3), 312–315. <https://doi.org/10.1111/jvp.12092>
- Jin, Y. G., Liu, Y., Zhang, Y. N., Chen, Y. X., Sun, L. J., Li, S. H., Wang, W. R., & Yang, F. (2025). Pharmacokinetics of difloxacin after single intravenous, oral and intramuscular administration in pigeons. *Poultry Science*, 104(2). <https://doi.org/10.1016/j.psj.2025.104800>
- Kamal El-Sagheir, A. M., Abdelmesseeh Nekhala, I., Abd El-Gaber, M. K., Aboaraia, A. S., Persson, J., Schäfer, A. B., Wenzel, M., & Omar, F. A. (2023). Design, Synthesis, Molecular Modeling, Biological Activity, and Mechanism of Action of Novel Amino Acid Derivatives of Norfloxacin. *ACS Omega*, 8(45), 43271–43284. <https://doi.org/10.1021/acsomega.3c07221>
- Kang, J., Hossain, M. A., Park, H. C., Kim, T. W., & Jeong, S. H. (2020). Physiological influence of tylosin tartrate overdose in vivo in rats. *Acta Veterinaria Brno*, 89(3), 283–290. <https://doi.org/10.2754/avb202089030283>
- Kassab, N. M., Singh, A. K., Kedor-Hackmam, E. R. M., & Santoro, M. I. R. M. (2005). Quantitative determination of ciprofloxacin and norfloxacin in pharmaceutical preparations by high performance liquid chromatography. *Revista Brasileira de Ciências Farmaceuticas/Brazilian Journal of Pharmaceutical Sciences*, 41(4), 507–513. <https://doi.org/10.1590/S1516-93322005000400014>
- Kim, J., Guevarra, R. B., Nguyen, S. G., Lee, J. H., Jeong, D. K., & Unno, T. (2016). Effects of the antibiotics growth promoter tylosin on swine gut microbiota. *Journal of Microbiology and Biotechnology*, 26(5), 876–882. <https://doi.org/10.4014/jmb.1512.12004>
- Kim, M. N., Lim, A. H., & Yoon, J. S. (2005). Antibacterial activity of polymers with norfloxacin moieties against native and norfloxacin-tolerance-induced bacteria. *Journal of Applied Polymer Science*, 96(3), 936–943. <https://doi.org/10.1002/app.21543>
- Landoni, M. F., & Albarellos, G. (2015). The use of antimicrobial agents in broiler chickens. In *Veterinary Journal* (Vol. 205, Issue 1, pp. 21–27). Bailliere Tindall Ltd. <https://doi.org/10.1016/j.tvjl.2015.04.016>
- Lee, J. H., Kim, G. W., Kwon, M. G., & Seo, J. S. (2021). Pharmacokinetic-pharmacodynamic profile, bioavailability, and withdrawal time of tylosin tartrate following a single intramuscular administration in olive flounder (*Paralichthys olivaceus*). *Animals*, 11(8). <https://doi.org/10.3390/ani11082368>



- Leekha, S., Terrell, C. L., & Edson, R. S. (2011). General principles of antimicrobial therapy. *Mayo Clinic Proceedings*, 86(2), 156–167. <https://doi.org/10.4065/mcp.2010.0639>
- Levison, M. E., & Levison, J. H. (2009). Pharmacokinetics and Pharmacodynamics of Antibacterial Agents. In *Infectious Disease Clinics of North America* (Vol. 23, Issue 4, pp. 791–815). <https://doi.org/10.1016/j.idc.2009.06.008>
- Lewicki, J., Reeves, P., & Swan, G. (2009). *FAO JECFA Monographs 6 Residue Evaluation Of Certain Veterinary Drugs Joint FAO/WHO Expert Committee on Food Additives 70th meeting 2008 Food And Agriculture Organization of The United Nations Rome*.
- Makarov, G. I., Sumbatyan, N. V., & Bogdanov, A. A. (2017). Structural insight into interaction between C20 phenylalanyl derivative of tylosin and ribosomal tunnel. *Biochemistry (Moscow)*, 82(8), 925–932. <https://doi.org/10.1134/S0006297917080077>
- Malik, M. Y., Jaiswal, S., Sharma, A., Shukla, M., & Lal, J. (2016). Role of enterohepatic recirculation in drug disposition: cooperation and complications. In *Drug Metabolism Reviews* (Vol. 48, Issue 2, pp. 281–327). Taylor and Francis Ltd. <https://doi.org/10.3109/03602532.2016.1157600>
- Martínez, M. A., Ares, I., Rodríguez, J. L., Martínez, M., Martínez-Larrañaga, M. R., Isea, G., & Anadón, A. (2017). Oral bioavailability and plasma disposition of pefloxacin in healthy broiler chickens. *Frontiers in Veterinary Science*, 4(MAY). <https://doi.org/10.3389/fvets.2017.00077>
- National Center for Biotechnology Information. (2012). *Chemical Structure of Tylosin Tartrate*.
- Onita, T., Ishihara, N., & Yano, T. (2025). PK/PD-Guided Strategies for Appropriate Antibiotic Use in the Era of Antimicrobial Resistance. In *Antibiotics* (Vol. 14, Issue 1). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/antibiotics14010092>
- Ortiz De Montellano, P. R. (2014). *Role of cytochrome P450 enzymes in biotransformation*.
- Otagiri, M. (2005). A Molecular Functional Study on the Interactions of Drugs with Plasma Proteins. In *Drug Metab. Pharmacokinet* (Vol. 20, Issue 5). <http://www.jstage.jst.go.jp/browse/dmpk>
- Papich, M. G. (2016). Norfloxacin. In *Saunders Handbook of Veterinary Drugs* (pp. 572–573). Elsevier. <https://doi.org/10.1016/B978-0-323-24485-5.00419-8>
- Patel, T., Marmulak, T., Gehring, R., Pitesky, M., Clapham, M. O., & Tell, L. A. (2018). Drug residues in poultry meat: A literature review of commonly used

- veterinary antibacterials and anthelmintics used in poultry. In *Journal of Veterinary Pharmacology and Therapeutics* (Vol. 41, Issue 6, pp. 761–789). Blackwell Publishing Ltd. <https://doi.org/10.1111/jvp.12700>
- Rao, T. N. (2018). Validation of Analytical Methods. In *Calibration and Validation of Analytical Methods - A Sampling of Current Approaches*. InTech. <https://doi.org/10.5772/intechopen.72087>
- Ritschel, W., & Kearns, G. (2004). *handbook of Basic Pharmacokinetics Including Clinical Application* (6th ed.). Apha.
- Rivai, S. N., Kristianto, S., Putri, R. E., Fatiqin, A., & Abidin, M. H. Z. (2025). Modification of the QuEChERS Method for Drug Analysis in Biological Sample: A Review. In *Journal of Multidisciplinary Applied Natural Science* (Vol. 5, Issue 2, pp. 523–535). Pandawa Institute. <https://doi.org/10.47352/jmans.2774-3047.261>
- Riviere, J. (2011). *Comparative Pharmacokinetics: Principles, Techniques and Applications*. Wiley.
- Roberts, M. S., Magnusson, B. M., Burczynski, F. J., & Weiss, M. (2002). *Enterohepatic Circulation Physiological, Pharmacokinetic and Clinical Implications*.
- Rowland, M., & Tozer, T. (1995). *Pharmacokinetics - Including Clinical Application*. Lea and Febinger.
- Rowland, M., & Tozer, T. (2011). *Clinical Pharmacokinetics and Pharmacodynamics: Concepts and Applications* (4th ed.). Lippincott William & Wilkins.
- Sahoo, C. K., Sudhakar, M., Sahoo, N. K., Ram, S., Rao, M., & Panigrahy, U. P. (2018). Validation of Analytical Methods: A Review. *Int J Chromatogr*, 112. <https://doi.org/10.29011/IJCST-112>
- Sankar, R., Srinivasa Babu, P., Chowdary, L. G., Kumar, A. G., & Babu, S. P. (n.d.). Analytical Method Validation Parameters An Updated Review. In *International Journal of Pharmaceutical Sciences Review and Research* (Vol. 61, Issue 2). www.globalresearchonline.net
- Shargel, L., Wu, P., & Andrew, B. (2005). *Applied Biopharmaceutics and Pharmacokinetics* (5th ed.). McGraw-Hill.
- Sher, M., Ajaz Hussain, M., Mehmood, H., Naeemul Hassan, M., & Bashir, S. (2010). BIOEQUIVALENCE OF NORFLOXACIN BY HPLC-UV METHOD. In *J. Chil. Chem. Soc* (Vol. 55, Issue 2).



- Shimada, S., Aboubakr, M., Elbadawy, M., Usui, T., Sasaki, K., & Shimoda, M. (2023). Biliary excretion and pharmacokinetics of several fluoroquinolones after intravenous injection in rabbits. *Journal of Veterinary Medical Science*, 85(10), 1099–1105. <https://doi.org/10.1292/jvms.23-0236>
- Sierra-Arguello, Y., Furian, T., Perdoncini, G., Moraes, H., Salle, C., Rodrigues, L., & do Nascimento, V. (2018). Fluoroquinolone resistance in *Campylobacter jejuni* and *Campylobacter coli* from poultry and human samples assessed by PCR-restriction fragment length polymorphism assay. *PLOS ONE*, 13(7).
- Soliman, A. M., & Sedeik, M. (2016). Pharmacokinetics and Tissue Residues of Tylosin in Broiler Chickens. *Pharmacology & Pharmacy*, 07(01), 36–42. <https://doi.org/10.4236/pp.2016.71006>
- Sun, M., Li, J., Zhao, F., Li, J., & Chang, Z. (2013). Distribution and elimination of Norfloxacin in *Fenneropenaeus chinensis* larvae. *Journal of Ocean University of China*, 12(3), 397–402. <https://doi.org/10.1007/s11802-013-2179-8>
- Sushila Dagadu Chavan, & Deepa Mahendra Desai. (2022). Analytical method validation: A brief review. *World Journal of Advanced Research and Reviews*, 16(2), 389–402. <https://doi.org/10.30574/wjarr.2022.16.2.1165>
- Tamalluddin, F. (2012). *Ayam Broiler; 22 hari panen lebih untung*. Penebar Swadaya.
- Tilanus, A., & Drusano, G. (2023). Inoculum-Based Dosing: A Novel Concept for Combining Time with Concentration-Dependent Antibiotics to Optimize Clinical and Microbiological Outcomes in Severe Gram Negative Sepsis. In *Antibiotics* (Vol. 12, Issue 11). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/antibiotics12111581>
- Tiwari, G., & Tiwari, R. (2010). Bioanalytical method validation: An updated review. *Pharmaceutical Methods*, 1(1), 25. <https://doi.org/10.4103/2229-4708.72226>
- Toutain, P. L., & Bousquet-mé Lou, A. (2004). *Bioavailability and its assessment*.
- Vardanyan, R., & Hrubi, V. (2006). *Synthesis of Essential Drugs*. Elsevier Science.
- Vijan, L. E., & Conci, M. (2008). Absorption study of norfloxacin - DNA interaction. *Macromolecular Symposia*, 265(1), 260–267. <https://doi.org/10.1002/masy.200850529>
- Wang, Z., Yang, Y., Mu, Y., Liu, B., Zhang, P., Zhang, X., Sun, H., Song, Y., & Cheng, B. (2022). Pharmacokinetics and residue elimination of norfloxacin in rainbow trout (*Oncorhynchus mykiss*). *Journal of Veterinary Pharmacology and Therapeutics*, 45(3), 301–310. <https://doi.org/10.1111/jvp.13036>



- Whiteley, W. J. D., & Hardman, J. G. (2023). Pharmacokinetic analysis. In *Anaesthesia and Intensive Care Medicine* (Vol. 24, Issue 8, pp. 479–481). Elsevier Ltd. <https://doi.org/10.1016/j.mpaic.2023.05.003>
- Wijayanti, A. D., Ardiansyah, R. D., Pratama, A. M., Haryanto, A., & Fitriana, I. (2022). Validation method for determining enrofloxacin and tylosin levels in broiler liver, kidney, and muscle using high-performance liquid chromatography. *Veterinary World*, *15*(2), 268–274. <https://doi.org/10.14202/vetworld.2022.268-274>
- Xu, N., Ai, X., Liu, Y., & Yang, Q. (2015). Comparative pharmacokinetics of norfloxacin nicotinate in common carp (*Cyprinus carpio*) and crucian carp (*Carassius auratus*) after oral administration. *Journal of Veterinary Pharmacology and Therapeutics*, *38*(3), 309–312. <https://doi.org/10.1111/jvp.12193>
- Zhao, M., Ma, J., Li, M., Zhang, Y., Jiang, B., Zhao, X., Huai, C., Shen, L., Zhang, N., He, L., & Qin, S. (2021). Cytochrome p450 enzymes and drug metabolism in humans. In *International Journal of Molecular Sciences* (Vol. 22, Issue 23). MDPI. <https://doi.org/10.3390/ijms222312808>