

DAFTAR PUSTAKA

- Ajene, I. J., Khamis, F. M., van Asch, B., Pietersen, G., Rasowo, B. A., Ombura, F. L., ... & Ekesi, S. (2020). Microbiome diversity in *Diaphorina citri* populations from Kenya and Tanzania shows links to China. *PLoS one*, *15*(6), e0235348.
- Ajene, I. J., Khamis, F. M., van Asch, B., Pietersen, G., Seid, N., Wairimu, A. W., ... & Ekesi, S. (2022). Genetic diversity of *Diaphorina citri* (Hemiptera: Liviidae) unravels phylogeographic structure and invasion history of Eastern African populations. *Ecology and Evolution*, *12*(7), e9090.
- Alves, G. R., Diniz, A. J. F., & Parra, J. R. P. (2014). Biology of the huanglongbing vector *Diaphorina citri* (Hemiptera: Liviidae) on different host plants. *Journal of economic entomology*, *107*(2), 691-696.
- Ammar, E. D., Shatters Jr, R. G., Lynch, C., & Hall, D. G. (2011). Detection and relative titer of *Candidatus Liberibacter asiaticus* in the salivary glands and alimentary canal of *Diaphorina citri* (Hemiptera: Psyllidae) vector of citrus huanglongbing disease. *Annals of the Entomological Society of America*, *104*(3), 526-533.
- Ashihara, W. (2007). Cold hardiness of adult Asian citrus psyllid, *Diaphorina citri* (Homoptera: Psyllidae).
- Baldo, L., Dunning Hotopp, J. C., Jolley, K. A., Bordenstein, S. R., Biber, S. A., Choudhury, R. R., ... & Werren, J. H. (2006). Multilocus sequence typing system for the endosymbiont *Wolbachia pipientis*. *Applied and environmental microbiology*, *72*(11), 7098-7110.
- Baumann, P. (2005). Biology of bacteriocyte-associated endosymbionts of plant sap-sucking insects. *Annu. Rev. Microbiol.*, *59*, 155-189.
- Boykin, L. M., De Barro, P., Hall, D. G., Hunter, W. B., McKenzie, C. L., Powell, C. A., & Shatters, R. G. (2012). Overview of worldwide diversity of *Diaphorina citri* Kuwayama mitochondrial cytochrome oxidase 1 haplotypes: two Old World lineages and a New World invasion. *Bulletin of Entomological Research*, *102*(5), 573-582.
- Brodersen, D. E., Clemons, W. M., Carter, A. P., Morgan-Warren, R. J., Wimberly, B. T., & Ramakrishnan, V. (2000). The structural basis for the action of the antibiotics tetracycline, pactamycin, and hygromycin B on the 30S ribosomal subunit. *Cell*, *103*(7), 1143-1154.
- Brownlie, J. C., Cass, B. N., Riegler, M., Witsenburg, J. J., Iturbe-Ormaetxe, I., McGraw, E. A., & O'Neill, S. L. (2009). Evidence for metabolic provisioning by a common invertebrate endosymbiont, *Wolbachia pipientis*, during periods of nutritional stress. *PLoS pathogens*, *5*(4), e1000368.
- Bustin, S. A. (2000). Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays. *Journal of molecular endocrinology*, *25*(2), 169-193.
- Bustin, S. A. (2005). Real-time, fluorescence-based quantitative PCR: a snapshot of current procedures and preferences. *Expert review of molecular diagnostics*, *5*(4), 493-498.
- Bustin, S. A., & Mckay, I. A. (1999). The product of the primary response gene BRF1 inhibits the interaction between 14-3-3 proteins and cRaf-1 in the yeast trihybrid system. *DNA and Cell Biology*, *18*(8), 653-661.
- Chopra, I., & Roberts, M. (2001). Tetracycline antibiotics: mode of action, applications, molecular biology, and epidemiology of bacterial resistance. *Microbiology and molecular biology reviews*, *65*(2), 232-260.

- Chu, C. C., Gill, T. A., Hoffmann, M., & Pelz-Stelinski, K. S. (2016). Inter-population variability of endosymbiont densities in the Asian citrus psyllid (*Diaphorina citri* Kuwayama). *Microbial ecology*, 71, 999-1007.
- Chukwudi, C. U. (2016). rRNA binding sites and the molecular mechanism of action of the tetracyclines. *Antimicrobial agents and chemotherapy*, 60(8), 4433-4441.
- Connell, S. R., Tracz, D. M., Nierhaus, K. H., & Taylor, D. E. (2003). Ribosomal protection proteins and their mechanism of tetracycline resistance. *Antimicrobial agents and chemotherapy*, 47(12), 3675-3681.
- Correa, C. C., & Ballard, J. W. O. (2016). *Wolbachia* associations with insects: winning or losing against a master manipulator. *Frontiers in Ecology and Evolution*, 3, 153.
- Cross, R., Ling, C., Day, N. P., McGready, R., & Paris, D. H. (2016). Revisiting doxycycline in pregnancy and early childhood—time to rebuild its reputation?. *Expert opinion on drug safety*, 15(3), 367-382.
- Dossi, F. C. A., da Silva, E. P., & Cõnsoli, F. L. (2014). Population dynamics and growth rates of endosymbionts during *Diaphorina citri* (Hemiptera, Liviidae) ontogeny. *Microbial ecology*, 68, 881-889.
- Douglas, A. E. (2007). Symbiotic microorganisms: untapped resources for insect pest control. *TRENDS in Biotechnology*, 25(8), 338-342.
- Dymond, J. S. (2013). Explanatory chapter: quantitative PCR. In *Methods in enzymology* (Vol. 529, pp. 279-289). Academic Press.
- EFSA Panel on Plant Health (PLH), Bragard, C., Dehnen-Schmutz, K., Di Serio, F., Gonthier, P., Jacques, M. A., ... & MacLeod, A. (2021). Pest categorisation of *Diaphorina citri*. *EFSA Journal*, 19(1), e06357.
- Fagen, J. R., Giongo, A., Brown, C. T., Davis-Richardson, A. G., Gano, K. A., & Triplett, E. W. (2012). Characterization of the relative abundance of the citrus pathogen *Candidatus Liberibacter asiaticus* in the microbiome of its insect vector, *Diaphorina citri*, using high throughput 16S rRNA sequencing. *The Open Microbiology Journal*, 6, 29.
- Ferrer, C. M., & Pilar, V. (2023). *Diaphorina citri* (Asian citrus psyllid). CABI Compendium, CABI Compendium.
- Galdeano, D. M., de Souza Pacheco, I., Alves, G. R., Granato, L. M., Rashidi, M., Turner, D., ... & Machado, M. A. (2020). Friend or foe? Relationship between '*Candidatus Liberibacter asiaticus*' and *Diaphorina citri*. *Tropical plant pathology*, 45, 559-571.
- George, J., Ammar, E. D., Hall, D. G., Shatters Jr, R. G., & Lapointe, S. L. (2018). Prolonged phloem ingestion by *Diaphorina citri* nymphs compared to adults is correlated with increased acquisition of citrus greening pathogen. *Scientific Reports*, 8(1), 10352.
- Goto, S., Anbutsu, H., & Fukatsu, T. (2006). Asymmetrical interactions between *Wolbachia* and Spiroplasma endosymbionts coexisting in the same insect host. *Applied and environmental microbiology*, 72(7), 4805-4810.
- Halbert, S. E., & Núñez, C. A. (2004). Distribution of the Asian citrus psyllid, *Diaphorina citri* Kuwayama (Rhynchota: Psyllidae) in the Caribbean basin. *The Florida Entomologist*, 87(3), 401-402.
- Harshitha, R., & Arunraj, D. R. (2021). Real-time quantitative PCR: A tool for absolute and relative quantification. *Biochemistry and Molecular Biology Education*, 49(5), 800-812.
- Hatt, J. K., & Löffler, F. E. (2012). Quantitative real-time PCR (qPCR) detection chemistries affect enumeration of the *Dehalococcoides* 16S rRNA gene in groundwater. *Journal of microbiological methods*, 88(2), 263-270.

- Hoerauf, A. (2008). Filariasis: new drugs and new opportunities for lymphatic filariasis and onchocerciasis. *Current opinion in infectious diseases*, 21(6), 673-681.
- Hoffmann, M., Coy, M. R., Gibbard, H. K., & Pelz-Stelinski, K. S. (2014). *Wolbachia* infection density in populations of the Asian citrus psyllid (Hemiptera: Liviidae). *Environmental entomology*, 43(5), 1215-1222.
- Holmes, N. E., & Charles, P. G. (2009). Safety and efficacy review of doxycycline. *Clinical Medicine. Therapeutics*, 1, CMT-S2035.
- Hosokawa, T., Koga, R., Kikuchi, Y., Meng, X. Y., & Fukatsu, T. (2010). *Wolbachia* as a bacteriocyte-associated nutritional mutualist. *Proceedings of the National Academy of Sciences*, 107(2), 769-774.
- Hosseinzadeh, S., & Heck, M. (2023). Variations on a theme: Factors regulating interaction between *Diaphorina citri* and “*Candidatus Liberibacter asiaticus*” vector and pathogen of citrus huanglongbing. *Current Opinion in Insect Science*, 56, 101025.
- Hosseinzadeh, S., Shams-Bakhsh, M., Mann, M., Fattah-Hosseini, S., Bagheri, A., Mehrabadi, M., & Heck, M. (2019). Distribution and variation of bacterial endosymbiont and “*Candidatus Liberibacter asiaticus*” titer in the Huanglongbing insect vector, *Diaphorina citri* Kuwayama. *Microbial ecology*, 78, 206-222.
- Hu, J., & Wang, N. (2016). Evaluation of the spatiotemporal dynamics of oxytetracycline and its control effect against citrus Huanglongbing via trunk injection. *Phytopathology*, 106(12), 1495-1503.
- Igwe, D. O., Higgins, S. A., & Heck, M. (2022). An excised leaf assay to measure acquisition of ‘*Candidatus Liberibacter asiaticus*’ by psyllids associated with citrus huanglongbing disease. *Phytopathology*, 112(1), 69-75.
- Inoue, H., Ohnishi, J., Ito, T., Tomimura, K., Miyata, S., Iwanami, T., & Ashihara, W. (2009). Enhanced proliferation and efficient transmission of *Candidatus Liberibacter asiaticus* by adult *Diaphorina citri* after acquisition feeding in the nymphal stage. *Annals of Applied Biology*, 155(1), 29-36.
- Jagoueix, S., Bové, J. M., & Garnier, M. (1996). PCR detection of the two «*Candidatus*» liberobacter species associated with greening disease of citrus. *Molecular and cellular probes*, 10(1), 43-50.
- Jain, M., Fleites, L. A., & Gabriel, D. W. (2017). A small *Wolbachia* protein directly represses phage lytic cycle genes in “*Candidatus Liberibacter asiaticus*” within psyllids. *MSphere*, 2(3), 10-1128.
- Kageyama, D., Narita, S., Imamura, T., & Miyanoshita, A. (2010). Detection and identification of *Wolbachia* endosymbionts from laboratory stocks of stored-product insect pests and their parasitoids. *Journal of stored products research*, 46(1), 13-19.
- Kehlmaier, C., Michalko, R., & Korenko, S. (2012, June). *Ogcodes fumatus* (Diptera: Acroceridae) reared from *Philodromus cespitum* (Araneae: Philodromidae), and first evidence of *Wolbachia* Alphaproteobacteria in Acroceridae. In *Annales Zoologici* (Vol. 62, No. 2, pp. 281-286). Museum and Institute of Zoology, Polish Academy of Sciences.
- Khariri, K., Amalia, N., Nursufiah, S., Muna, F., Rukminiati, Y., & Mursinah, M. (2020). Akankah Perkembangan Metode Deteksi Biomolekuler Era 4.0 Mampu Menggantikan Pemeriksaan Laboratorium Bakteri Secara Konvensional?. In *Seminar Nasional Riset Kedokteran* (Vol. 1, No. 1).
- Koga, R., Tsuchida, T., & Fukatsu, T. (2003). Changing partners in an obligate symbiosis: a facultative endosymbiont can compensate for loss of the essential endosymbiont *Buchnera* in an aphid. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 270(1533), 2543-2550.

- Kuwayama, S. (1907). Die Psylliden Japans: I. Sapporo-hakubutsu-gakkai-kaiho= Transactions of the Sapporo Natural History Society, 2, 149-189.
- Lefoulon, E., Clark, T., Guerrero, R., Cañizales, I., Cardenas-Callirgos, J. M., Junker, K., ... & Slatko, B. E. (2020). Diminutive, degraded but dissimilar: *Wolbachia* genomes from filarial nematodes do not conform to a single paradigm. *Microbial genomics*, 6(12), e000487.
- Li, W., Hartung, J. S., & Levy, L. (2006). Quantitative real-time PCR for detection and identification of *Candidatus Liberibacter* species associated with citrus huanglongbing. *Journal of microbiological methods*, 66(1), 104-115.
- Liu, Y. H., & Tsai, J. H. (2000). Effects of temperature on biology and life table parameters of the Asian citrus psyllid, *Diaphorina citri* Kuwayama (Homoptera: Psyllidae). *Annals of applied biology*, 137(3), 201-206.
- Livak KJ, Schmittgen TD. Analysis of relative gene expression data using real-time quantitative PCR and the 2- $\Delta\Delta$ CT method. *Methods*.2001;25(4):402-408.
- Ma, W., Pang, Z., Huang, X., Xu, J., Pandey, S. S., Li, J., ... & Wang, N. (2022). Citrus Huanglongbing is a pathogen-triggered immune disease that can be mitigated with antioxidants and gibberellin. *Nature Communications*, 13(1), 529.
- Mann, R. S., Pelz-Stelinski, K., Hermann, S. L., Tiwari, S., & Stelinski, L. L. (2011). Sexual transmission of a plant pathogenic bacterium, *Candidatus Liberibacter asiaticus*, between conspecific insect vectors during mating. *PLoS One*, 6(12), e29197.
- Mann, R. S., Pelz-Stelinski, K., Hermann, S. L., Tiwari, S., & Stelinski, L. L. (2011). Sexual transmission of a plant pathogenic bacterium, *Candidatus Liberibacter asiaticus*, between conspecific insect vectors during mating. *PLoS One*, 6(12), e29197.
- Marlina, M., Hayati, I., & Mapegau, M. (2022). Deteksi Penularan Penyakit CVPD pada Jeruk Rough Lemon Menggunakan Inokulum dari Berbagai Jaringan Tanaman Sakit dengan Tingkat Gejala yang Berbeda. *Jurnal Ilmiah Ilmu Terapan Universitas Jambi | JIITUJ*, 6(1), 11-22.
- McCutcheon, J. P., Boyd, B. M., & Dale, C. (2019). The life of an insect endosymbiont from the cradle to the grave. *Current Biology*, 29(11), R485-R495.
- Mead, F. W., & Fasulo, T. R. (2010). Asian citrus psyllid, *Diaphorina citri* Kuwayama (Insecta: Hemiptera: Psyllidae). *FDACS/DPI Entomology. Circular*, 180, 1-8.
- Milstein, S., Nguyen, M., Meyers, R., & de Fougères, A. (2013). Measuring RNAi knockdown using qPCR. In *Methods in enzymology* (Vol. 533, pp. 57-77). Academic Press.
- Nachappa, P.; Levy, J.; Pierson, E.; Tamborindéguy, C. Diversity of endosymbionts in the potato psyllid, *Bactericera cockerelli* (Triozidae), vector of zebra chip disease of potato. *Curr. Microbiol.* 2011, 62, 1510-1520.
- Nakabachi, A.; Yamashita, A.; Toh, H.; Ishikawa, H.; Dunbar, H.E.; Moran, N.A.; Hattori, M. The 160-Kilobase Genome of the Bacterial Endosymbiont *Carsonella*. *Science* 2006, 314, 267.
- Nava, D. E., Torres, M. L. G., Rodrigues, M. D. L., Bento, J. M. S., & Parra, J. R. P. (2007). Biology of *Diaphorina citri* (Hem., Psyllidae) on different hosts and at different temperatures. *Journal of Applied Entomology*, 131(9-10), 709-715.
- Neupane, S., Bonilla, S. I., Manalo, A. M., & Pelz-Stelinski, K. S. (2022). Complete de novo assembly of *Wolbachia* endosymbiont of *Diaphorina citri* Kuwayama (Hemiptera: Liviidae) using long-read genome sequencing. *Scientific Reports*, 12(1), 125.
- Nurhadi, N. (2015). Penyakit Huanglongbing Tanaman Jeruk (*Candidatus Liberibacter asiaticus*): Ancaman Dan Strategi Pengendalian. *Pengembangan Inovasi Pertanian*, 8(1), 30895.

- Oke, A.O.; Oladigbolu, A.A.; Kunta, M.; Alabi, O.J.; Sétamou, M. (2020) First report of the occurrence of Asian citrus psyllid *Diaphorina citri* (Hemiptera: Liviidae), an invasive species in Nigeria, West Africa. *Sci. Rep.*, 10, 9418.
- Pelz-Stelinski, K. S., Brlansky, R. H., Ebert, T. A., & Rogers, M. E. (2010). Transmission parameters for Candidatus *Liberibacter asiaticus* by Asian citrus psyllid (Hemiptera: Psyllidae). *Journal of economic entomology*, 103(5), 1531-1541.
- R Core Team. R: a language and environment for statistical computing. Vienna (Austria): R Foundation for Statistical Computing; 2013.
- Ramsey, J. S., Ammar, E. D., Mahoney, J. E., Rivera, K., Johnson, R., Igwe, D. O., ... & Heck, M. (2022). Host plant adaptation drives changes in *Diaphorina citri* proteome regulation, proteoform expression, and transmission of 'Candidatus *Liberibacter asiaticus*', the citrus greening pathogen. *Phytopathology*®, 112(1), 101-115.
- Ratzka, C., Gross, R., & Feldhaar, H. (2012). Endosymbiont tolerance and control within insect hosts. *Insects*, 3(2), 553-572.
- Ren, S. L., Li, Y. H., Ou, D., Guo, Y. J., Qureshi, J. A., Stansly, P. A., & Qiu, B. L. (2018). Localization and dynamics of *Wolbachia* infection in Asian citrus psyllid *Diaphorina citri*, the insect vector of the causal pathogens of Huanglongbing. *MicrobiologyOpen*, 7(3), e00561.
- Roldán, E. L., Stelinski, L. L., & Pelz-Stelinski, K. S. (2024). Reduction of *Wolbachia* in *Diaphorina citri* (Hemiptera: Liviidae) increases phytopathogen acquisition and decreases fitness. *Journal of Economic Entomology*, 117(3), 733-749.
- Roldán, E. L., Stelinski, L., & Pelz-Stelinski, K. S. (2023). Partial elimination of *Wolbachia* in the Asian citrus psyllid, *Diaphorina citri*, increases phytopathogen acquisition and decreases fitness. *bioRxiv*, 2023-10.
- Sariasih, Y., Subandiyah, S., Widyaningsih, S., Khurshid, T., Mo, J., & Donovan, N. (2024). Comparison of Two Huanglongbing Detection Methods in Samples with Different Symptom Severity. *Jurnal Fitopatologi Indonesia*, 20(4).
- Sharma, P., Kobayashi, dan Tsuyoshi. 2014. Are "universal" DNA primers really universal?. *Journal of Applied Genetics* 55(4): 485-496.
- Sikorski, Ł., & Beś, A. (2024). Effects of two pharmaceuticals: Doxycycline and norfloxacin on plant and animal organisms living in the freshwater. *Ecohydrology & Hydrobiology*, 24(3), 506-515.
- Sullivan, W. (2017). *Wolbachia*, bottled water, and the dark side of symbiosis. *Molecular biology of the cell*, 28(18), 2343-2346.
- Swari NP, Adiartayasa MW, Wijaya IN. 2014. Deteksi Penyakit Citrus Vein Phloem Degeneration (CVPD) dengan Teknik Polymerase Chain Reaction (PCR) pada Tanaman Jeruk di Bali. *E-Jurnal Agroekoteknologi Tropika*. 3(2): 70.
- Taylor, M. J., Makunde, W. H., McGarry, H. F., Turner, J. D., Mand, S., & Hoerauf, A. (2005). Macrofilaricidal activity after doxycycline treatment of *Wuchereria bancrofti*: a double-blind, randomised placebo-controlled trial. *The Lancet*, 365(9477), 2116-2121.
- Valentín, S., Morales, A., Sánchez, J. L., & Rivera, A. (2009). Safety and efficacy of doxycycline in the treatment of rosacea. *Clinical, cosmetic and investigational dermatology*, 129-140.
- Wang, Y.; Xu, C.; Tian, M.; Deng, X.; Cen, Y.; He, Y. Genetic diversity of *Diaphorina citri* and its endosymbionts across east and southeast Asia. *Pest Manage. Sci.* 2017, 73, 2090–2099.
- Wenninger, E. J., & Hall, D. G. (2007). Daily timing of mating and age at reproductive maturity in *Diaphorina citri* (Hemiptera: Psyllidae). *Florida entomologist*, 715-722.

- Werren, J.H., Windsor, D., Guo, L., 1995. Distribution of *Wolbachia* among neotropical arthropods. *Proceedings of the Royal Society of London B* 262, 197–204.
- Wu, F.N.; Dai, Z.H.; Shi, M.; Huang, J.J.; Zhu, H.; Zheng, Y.Z.; Chen, Z.K.; Li, X.H.; Deng, X.L.; Fox, E.G.P. Tracking the geographical distribution of the Asian citrus psyllid *Diaphorina citri* throughout China using mitogenomes and endosymbionts. *J. Pest Sci.* 2024, 1–13.
- Wu, K., Vu, E. D., Ghosh, S., Mishra, R., & Bonning, B. C. (2025). Continuous cell lines derived from the Asian citrus psyllid, *Diaphorina citri*, harbor viruses and *Wolbachia*. *Scientific Reports*, 15(1), 124.
- Wuryantini, S., Harwanto, H., & Yudistira, R. A. (2019). Toksisitas Bioinsektisida Ekstrak Kulit Jeruk Terhadap Kutu Loncat Jeruk *Diaphorina citri* Kuwayama (Hemiptera: Psyllidae) Sebagai Vektor Penyakit CVPD. *JURNAL AGRONIDA*, 5(2).
- Xi, Z., Khoo, C.C., Dobson, S.L., 2005. *Wolbachia* establishment and invasion in an *Aedes aegypti* laboratory population. *Science* 310, 326–328
- Yang, Y., Huang, M., C. Beattie, G. A., Xia, Y., Ouyang, G., & Xiong, J. (2006). Distribution, biology, ecology and control of the psyllid *Diaphorina citri* Kuwayama, a major pest of citrus: a status report for China. *International Journal of Pest Management*, 52(4), 343-352.
- Yu Y, Chen L, Fang Y, Jia X, Chen J. High temperatures can effectively degrade residual tetracyclines in chicken manure through composting. *J Hazard Mater.* 2019;380:120862. <https://doi.org/10.1016/j.jhazmat.2019.120862>
- Zabalou, S., Riegler, M., Theodorakopoulou, M., Stauffer, C., Savakis, C., Bourtzis, K., 2004. *Wolbachia*-induced cytoplasmic incompatibility as a means for insect pest population control. *Proceedings of the National Academy of Sciences of the USA* 101, 15042–15045.
- Zaspel, J. M., & Hoy, M. A. (2008). Comparison of short-term preservation and assay methods for the molecular detection of *Wolbachia* in the Mediterranean flour moth *Ephesia kuehniella*. *The Florida Entomologist*, 91(3), 494-497.
- Zhang, J., Liu, Q., Dai, L., Zhang, Z., & Wang, Y. (2024). Pan-Genome Analysis of *Wolbachia*, Endosymbiont of *Diaphorina citri*, Reveals Independent Origin in Asia and North America. *International Journal of Molecular Sciences*, 25(9), 4851.
- Zhang, N.; Zhao, M.; Wang, G.H. (2022). Research progress on insect symbiotic microorganisms in disease and pest control. *J. Plant Prot.*, 49, 220–230.
- Zuhran, M., Mudjiono, G., & Puspitarini, R. D. (2021). The Effect of Citrus Farming Practices on Huanglongbing (HLB) Disease Severity in Sambas, West Kalimantan. *Jurnal Hortikultura Indonesia (JHI)*, 12(2), 108-116.