

DAFTAR PUSTAKA

- Adinegara, D. A. S., Hidayati, R., dan Perdinan. (2017). Kelembaban Iklim Mikro Persemaian dan Produksi Berbagai Varietas Melon (*Cucumis melo* L.) Unggul Baru di PKHT Tajur II. *Jurnal Agromet*, 31(1), 31-42.
- Al-Khatib, K., & Paulsen, G. M. (1999). High-temperature effects on photosynthetic processes in temperate and tropical cereals. *Crop science*, 39(1), 119-125.
- Allakhverdiev, S. I., Kreslavski, V. D., Klimov, V. V., Los, D. A., Carpentier, R., & Mohanty, P. (2008). Heat stress: an overview of molecular responses in photosynthesis. *Photosynthesis research*, 98, 541-550.
- Anggono, E., Irawati, E. B., & Haryanto, D. (2018). Kajian Pemangkasan Pucuk (Topping) dan Komposisi Media Tanam Terhadap Pertumbuhan dan Hasil Tanaman Melon Dengan Sistem Hidroponik Tetes. *Jurnal Agrivet*, 24(2), 1-11.
- Awliya, Nurrachman, & Ernawati, N. M. L. (2022). Pengaruh Pemberian Pupuk P Dan K Dengan Dosis yang Berbeda Terhadap Kualitas Buah Melon (*Cucumis melo* L.). *Jurnal Ilmiah Mahasiswa Agrokomplek*, 1(1), 48-56.
- Basuki, N., Ansoruddin, A., & Ningsih, S. S. (2018). Effect of Pruning and Pop Supernasa Fertilizer Application on Growth and Yield of Melon (*Cucumis melo* L.). *Bernas: Jurnal Penelitian Pertanian*, 14(3), 69-78.
- Behboudian, M. H., Graves, W. R., Walsh, C. S., & Korcak, R. F. (1994). Water relations, mineral nutrition, growth, and ^{13}C discrimination in two apple cultivars under daily episodes of high root-medium temperature. *Plant and Soil*, 162, 125-133.
- Bhattacharya, A. (2019). Effect of High-Temperature Stress on Crop Productivity. Effect of High Temperature on Crop Productivity and Metabolism of Macro Molecules, 1–114. <https://doi.org/10.1016/b978-0-12-817562-0.00001-x>
- Bianco, V.V. & Patt, H.K. (1977). Compositional changes in muskmelon during development and in response to ethylene treatment. *Journal of the American Society for Horticultural Science*, 102: 127–133.
- Bodale, I., Mihalache, G., Achiței, V., Teliban, G. C., Cazacu, A., & Stoleru, V. (2021). Evaluation of the nutrients uptake by tomato plants in different phenological stages using an electrical conductivity technique. *Agriculture*, 11(4), 292.
- Burger, Y., Paris, H.S., Cohen, R., Katzir, N., Yishay, R., & Schaffer, A.A. (2010). Genetic Diversity of *Cucumis Melo*. 36, 165–198.
- Carlyle, J. C. (1998). Relationships between nitrogen uptake, leaf area, water status and growth in an 11-year-old *Pinus radiata* plantation in response to thinning, thinning residue, and nitrogen fertiliser. *Forest Ecology and Management*, 108(1-2), 41-55.
- Chairudin, Fitris, R., Harahap, E. J., & Afrillah, M. (2024). Application of various nutrition to the growth and production of melon (*Cucumis melo* L.) hydroponic DRFT (*Dynamic Root Floating Technique*). *Jurnal Ilmu Pertanian Indonesia*, 29(3), 372-388.
- Chen, N., Gan, Y., & Wang, G. (2003). Photosynthetic Responses of Muskmelon (*Cucumis melo* L.) To Photon Flux Density, Leaf Temperature and CO_2 Concentration. *Canadian Journal of Plant Science*, 83(2), 393-399.

- Christy, J. (2020). Respon peningkatan produksi buah tanaman melon (*Cucumis melo* L.) secara hidroponik. *Jurnal Agrium*, 22(3): 150-156
- Cuevas, H.E., J.E. Staub, & P.W. Simon. (2010). Inheritance of beta-carotene-associated mesocarp color and fruit maturity of melon (*Cucumis melo* L.). *Euphytica*, 173:129-140.
- Daryono, B.S., Purnomo, Y. Sidiq, & S.D. Maryanto. (2016). Pengembangan Sentra Budidaya Melon di Pantai Bocor Kabupaten Kebumen melalui Implementasi Education for Sustainable Development. *Jurnal Bioeksperimen*, 2(1), 44-53.
- de Assis Dantas, A. C., Holanda, I. S. A., Esteras, C., de Sousa Nunes, G. H., & Picó, M. B. (2015). Diversity of melon accessions from northeastern Brazil and their relationships with germplasms of diverse origins. *Journal of the American Society for Horticultural Science*, 140(5), 504-517. <https://doi.org/10.21273/JASHS.140.5.504>
- Devi, M. J., & Reddy, V. R. (2018). Transpiration response of cotton to vapor pressure deficit and its relationship with stomatal traits. *Frontiers in plant science*, 9, 1572.
- Du, Y. C., & Tachibana, S. (1994). Photosynthesis, photosynthate translocation and metabolism in cucumber roots held at supraoptimal temperature. *Journal of the Japanese Society for Horticultural Science*, 63(2), 401-408.
- Fang, X., Zhu, Z., Li, J., Wang, X., Wei, C., Zhang, X., Dai, Z., Liu, S., & Luan, F. (2024). Identification of Chromosomal Regions and Candidate Genes for Round leaf Locus in *Cucumis melo* L. *Plants*, 13(8), p.1134. <https://doi.org/10.3390/plants13081134>
- Firmansyah M.A., Wahyu A.N., Suparman. (2018). Pengaruh Varietas dan Paket Pemupukan pada Fase Produktif terhadap Kualitas Melon (*Cucumis melo* L.) di Quartzipsamments. *J. Hort. Indonesia*, 9(2): 93-102.
- Guiguitant, J., Marrou, H., Vadez, V., Gupta, P., Kumar, S., Soltani, A., Sinclair, T.R., & Ghanem, M.E. (2017). Relevance of limited-transpiration trait for lentil (*Lens culinaris* Medik.) in South Asia. *Field Crops Research*, 209, 96-107.
- Hadi, R. Y., Heddy, Y. S., & Sugito, Y. (2015). Pengaruh jarak tanam dan dosis pupuk kotoran kambing terhadap pertumbuhan dan hasil tanaman buncis (*Phaseolus vulgaris* L.). *Jurnal Produksi Tanaman*, 3(4), 294-301.
- Hanun, D. R., Putra, E. T. S., & Handayani, V. D. S. (2024). Pengaruh Luas Daun pada Pertumbuhan, Hasil, dan Mutu Buah melon (*Cucumis melo* L.) Kultivar Sweet Hami dan Kirin di Budidaya Hidroponik Fertigasi. *Skripsi*. Universitas Gadjah Mada. Unpublished.
- Hartono, T. T., Khuriyati, N., & Aziz, I. W.F. (2022). Analisis Kesukaan Konsumen pada Buah Melon dengan Metode Conjoint. *Skripsi*. Universitas Gadjah Mada.
- Hodges, H.F., Reddy, K.R., McKinion, J.M., & Reddy, V.R. (1993). Temperature effects on Cotton. Mississippi Agricultural & Forestry Experiment Station, Mississippi State, MS, pp. 1-15.
- Huda, A. N., Suwarno, W. B., & Maharijaya, A. (2018). Karakteristik buah melon (*Cucumis melo* L.) pada lima stadia kematangan. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 46(3), 298-305. <https://dx.doi.org/10.24831/jai.v46i3.12660>

- International Plant Genetic Resources Institute (IPGRI) (2003) Descriptors for melon (*Cucumis melo* L.). International Plant Genetic Resources Institute 64 p.
- Irwan, A. W., & Wicaksono, F. Y. (2017). Perbandingan pengukuran luas daun kedelai dengan metode gravimetri, regresi dan scanner Comparations of soybean's leaf area measurement using gravimetry, regression, and scanning. *Jurnal Kultivasi*, 16(3), 425-429.
- Irwan, Z., Kamarudin, W. F. W., Amin, A. R. M., Muhammad, A., Muda, S. M., Akhir, N. E. F. M., & Abdullah, S. (2019). The effects of equinox phenomenon on climate change. *e-Academia Journal*, 7(SI-TeMIC18). <http://dx.doi.org/10.24191/e-aj.v7iSI-TeMIC18.5491>
- Ismail, A. M., & Hall, A. E. (1999). Reproductive-stage heat tolerance, leaf membrane thermostability and plant morphology in cowpea. *Crop Science*, 39(6), 1762-1768.
- Izlin, B. R., Nurrachman, & Isnaini, M. (2022). Pengaruh Topping dan Pupuk Majemuk NPK terhadap Pertumbuhan dan Hasil Melon (*Cucumis melo* L.). *Jurnal Ilmiah Mahasiswa Agrokomplek*, 1(1), 55-65.
- Jeenprasom, P., Chulaka, P., Kaewson, P., & Chunthawodtiporn, J. (2018). Effects of relative humidity and growing medium moisture on growth and fruit quality of melon (*Cucumis melo* L.). In International Forum on Horticultural Product Quality 1245 (pp. 35-40).
- Karuniasari, D., & Purbasari, D. (2022). Phisycal Quality Analysis of Red Guava (*Psidium guajava* L.) Using Edible Coating of Carrageenan and Glycerol. *Protech Biosystems Journal*, 2(1), 14-27.
- Long, R. L., Walsh, K. B., Rogers, G., & Midmore, D. J. (2004). Source–sink manipulation to increase melon (*Cucumis melo* L.) fruit biomass and soluble sugar content. *Australian Journal of Agricultural Research*, 55(12), 1241. <https://doi.org/10.1071/ar04155>
- Makful, Hendri, & Sahlan. (2017). Evaluasi Dua Calon Varietas Unggul Melon di Sumatera Barat, Jawa Barat, dan Jawa Timur. *J. Hort.*, 27(2), 185-194. <http://dx.doi.org/10.21082/jhort.v27n2.2017.p185-194>
- Martias, Nasution, F., Noflindawati, Budiyaniti, T., & Hilman, Y. (2011). Respon Pertumbuhan dan Produksi Pepaya Terhadap Pemupukan Nitrogen dan Kalium di Lahan Rawa Pasang Surut. *Jurnal Hortikultura*. 21(4), 324-330,
- Misle, E., Kahlaoui, B., Hachicha, M., & Alvarado, P. (2013). Leaf area estimation in muskmelon by allometry. *Photosynthetica*, 51, 613-620.
- Munger, H. M. & Robinson, R. W. (1991). Nomenclature of *Cucumis melo* L., Cucurbit Genet. *Coop.Rep.* 14, 43.
- Németh, D., Balázs, G., Bodor, Z., Zaukuu, J. L. Z., Kovács, Z., & Kappel, N. (2020). Food quality attributes of melon (*Cucumis melo* L.) influenced by grafting. *Progress in Agricultural Engineering Sciences*, 16(S1), 53-66.
- Nomura, K., Masashi, I. T. O., Kusaba, Y., Saito, M., YAMANE, S., Ikunao, T. A. D. A., ... & KITANO, M. (2023). Estimation of the optimal leaf area index (LAI) of an eggplant canopy based on the relationship between the nighttime respiration and daytime photosynthesis of the lowermost leaves. *Scientia Horticulturae*, 307, 111525.

- Nurpanjawi, Laras, N., Rahmawati, E., Istiyanti, Z., & Rozaki. (2020). Kelayakan Usahatani Melon di Desa Kasreman, Kecamatan Geneng, Kabupaten Ngawi, Jawa Timur. *Seminar Nasional Pertanian Peternakan Terpadu*. P. 498-509.
- Pamungkas, W. A., & Bintoro, N. (2021). Karakteristik Kematangan Buah Melon 'Premier' (*Cucumis melo* L.) Berdasarkan Sifat Akustik. *Agrointek: Jurnal Teknologi Industri Pertanian*, 15(3), 706-718.
- Pradana G.B.Y., Islami T., Suminarti N.E. 2015. Kajian Kombinasi Pupuk Fosfor dan Kalium pada Pertumbuhan dan Hasil Dua Varietas Tanaman Sorgum (*Sorghum bicolor* (L.) Moench). *Jurnal Produksi Tanaman*, 3(6):464-471.
- Preeti & Raju, P. N. (2017). Comprehensive overview of *Cucumis melo*. *J Pharm Innovation*, 6, 181-186.
- Pulela, B. L., Maboko, M. M., Soundy, P., & Amoo, S. O. (2022). Cultivar and Postharvest Storage Duration Influence Fruit Quality, Nutritional and Phytochemical Profiles of Soilless-Grown Cantaloupe and Honeydew Melons. *Plants*, 11(16), 2136. <https://doi.org/10.3390/plants11162136>
- Puspitorini, P. & Kurniastuti. (2023). Pemangkasan Tunas Apikal Dan Posisi Buah Pada Ruas Tanaman Melon (*Cucumis melo* L.) Var. Honeydew Orange Yang Dibudidayakan Dalam Screenhouse. *Agrika*, 17(1), 183-193.
- Ramadhan, N., Syarif, Z., & Dwipa, I. (2019). Pengaruh pemangkasan Daun terhadap ILD dan Kandungan Klorofil Talas Kimpul (*Xanthosoma sagittifolium*). Prosiding Seminar Nasional Hasil Penelitian Pertanian IX Fakultas Pertanian UGM.
- Sa'id, M. A. (2014). A Study in the Variability of Some Nutrient Contents of Watermelon (*Citrullus Lanatus*) Before and after Ripening Consumed Within Kano Metropolis, Nigeria. *Int. J. of Sci. and Research*. 3(5): 1365-1368. <https://www.ijsr.net/archive/v3i5/MDIwMTMyMDgw.pdf>.
- Salvucci, M. E., & Crafts-Brandner, S. J. (2004). Inhibition of photosynthesis by heat stress: the activation state of Rubisco as a limiting factor in photosynthesis. *Physiologia plantarum*, 120(2), 179-186.
- Samadi B. (2007). *Usaha Tani dan Penanganan Pascapanen Melon*. Yogyakarta (ID): Kanisius.
- Saprudin. (2013). Pengaruh Umur Tanaman Pada Saat Pemangkasan terhadap Pertumbuhan dan Hasil Ketimun (*Cucumis sativus* L.) Fakultas Pertanian Universitas Antakusuma. Pangkalan Bun. *Juristek*. 1(2): 51-62.
- Sari, I.P., Saptadi, D., dan Setiyawan, A. (2019). Penampilan 9 Calon Varietas Hibrida Melon (*Cucumis melo* L.). *Jurnal Produksi Tanaman*, 7(4), 643-651.
- Sari, D. P., Ginting, Y. C., & Pangaribuan, D. (2020). Pengaruh konsentrasi kalsium terhadap pertumbuhan dan produksi dua varietas tanaman melon (*Cucumis melo* L.) pada sistem hidroponik media padat. *Jurnal Agrotropika*, 18(1).
- Setiawati, R. & Bafdal, N. (2020). Dampak Kualitas Air Tanah Terhadap Kualitas Melon (*Cucumis melo* L.). *Agrotekma: Jurnal Agroteknologi dan Ilmu Pertanian*, 4(2):83-93.
- Sitinjak, J. (2019). Penentuan Kadar Vitamin C Pada Varietas Buah Melon Secara Spektrofotometri. *Herbal Medicine Journal*, 2(2), 55-61.

- Sudjiyanto, U., & Krestiani, V. (2009). Studi pemulsaan dan dosis NPK pada hasil buah melon (*Cucumis melo* L.). *Jurnal Sains dan Teknologi*, 2(2), 1-7.
- Supriyanta, B., Kodong, F. R., Widowati, I., & Siswanto, F. A. (2021). Quality Improvement of Fruit Melon Varieties (*Cucumis Melo* L.) With Ab Mix Nutrition Formulation. *RSF Conference Series: Engineering and Technology*, 1(1), 486-493.
- Supriyanta, B., Florestiyanto, M. Y., & Widowati, I. (2022). Budidaya Melon Hidroponik dengan Smart Farming. Yogyakarta: LPPM UPN "Veteran" Yogyakarta.
- Sulastrri, Sa'l, N., Kurniawati, D., Bardosono, A., & Triyono, A. (2023). Buku Angka Tetap (ATAP) Hortikultura 2023. Direktorat Jenderal Hortikultura, Kementerian Pertanian.
- Susanti, D. & Safrina, D. (2018). Identifikasi Luas Daun Spesifik dan Indeks Luas Daun Pegagan (*Centella asiatica* (L.) Urb.) di Karangpandan, Karanganyar, Jawa Tengah. 11(1)
- Sutapradja, H. (2008). Pengaruh pemangkasan pucuk terhadap hasil dan kualitas benih lima kultivar mentimun. *Jurnal Hortikultura*, 18(1).
- Thakulla, D., Dunn, B., Hu, B., Goad, C., & Maness, N. (2021). Nutrient Solution Temperature Affects Growth and °Brix Parameters of Seventeen Lettuce Cultivars Grown in an NFT Hydroponic System. *Horticulturae*, 7(9), 321. <https://doi.org/10.3390/horticulturae7090321>
- Wahid, A., Gelani, S., Ashraf, M., & Foolad, M. R. (2007). Heat tolerance in plants: an overview. *Environmental and experimental botany*, 61(3), 199-223.
- Widaryanto, E., Putri, M. R., Yamika, W. S. D., Saitama, A., & Zaini, A. H. (2020). The effect of leaf bud trimming and fruit position arrangement on the quality of golden melon (*Cucumis melo* L.). *Acta Agrobotanica*, 73(2).
- Weraduwage, S. M., Chen, J., Anozie, F. C., Morales, A., Weise, S. E., & Sharkey, T. D. (2015). The relationship between leaf area growth and biomass accumulation in *Arabidopsis thaliana*. *Frontiers in plant science*, 6, 167.
- Xiaolei, S., & Zhifeng, W. (2004). The Optimal Leaf Area Index for Cucumber Photosynthesis and Production in Plastic Greenhouse. *Acta Horticulturae*, (633), 161–165. <https://doi.org/10.17660/actahortic.2004.633.19>
- Yang, H., Yang, X., Heskell, M., Sun, S., & Tang, J. (2017). Seasonal variations of leaf and canopy properties tracked by ground-based NDVI imagery in a temperate forest. *Scientific reports*, 7(1), 1267.
- Yang, H. C., Kim, Y. H., Byun, H. J., Choi, I. L., Vu, N. T., Kim, D. H., Yoon, H. S., & Jang, D. C. (2023). Identification of appropriate light intensity and daytime temperature for cucumber (*Cucumis sativus* L.) seedlings in a plant factory with artificial lighting for use as grafting material. *Sustainability*, 15(5), 4481.
- Yang, Z., Jiang, Y., Qiu, R., Gong, X., Agathokleous, E., Hu, W., & Clothier, B. (2023). Heat stress decreased transpiration but increased evapotranspiration in gerbera. *Frontiers in Plant Science*, 14, 1119076. <https://doi.org/10.3389/fpls.2023.1119076>
- Yano, T., Yasutake, D., & Kiyosue, Y. (2022). Characterization of canopy structure for highyield performance of greenhouse-grown satsuma mandarins using direct measurements and indirect estimations. *J. Agric. Meteorol.* 78, 19–30. <https://doi.org/10.2480/AGRMET.D-21-00018>.



UNIVERSITAS
GADJAH MADA

Tanggapan Pertumbuhan, Hasil, dan Mutu Buah Dua Kultivar Melon (*Cucumis melo* L.) Hidroponik Terhadap

Variasi Luas Daun

Lailan Aulia Nadhiroh, Eka Tarwaca Susila Putra; Valentina Dwi Suci Handayani

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yusuf, A. F., Wibowo, W. A., Subiastuti, A. S., & Daryono, B. S. (2020). Morphological studies of stability and identity of melon (*Cucumis melo* L) 'Hikapel' and comparative cultivars. *AIP Conference Proceedings*, 2260 (1). AIP Publishing.