



DAFTAR PUSTAKA

- Achmad, D. I., Nofiani, R., & Ardiningsih, P. (2012). Karakterisasi bakteri asam laktat *Lactobacillus* sp. RED1 dari cincalok formulasi. *Program Studi Kimia, Fakultas MIPA, Universitas Tanjungpura*.
- Adams, M. (2009). Fermented fish. In *Microbiology handbook fish and seafood*. Leatherhead Food International.
- Adams, M. R., & Nout, M. J. R. (2001). *Fermentation and food safety*. Springer.
- Adams, M. R., & Nicilaidis, L. (1997). Review of the sensitivity of different foodborne pathogens to fermentation. *Food Control*, 8(5-6), 227-239. [https://doi.org/10.1016/S0956-7135\(97\)00016-9](https://doi.org/10.1016/S0956-7135(97)00016-9)
- Afgani, C. A., Ihlana, N., Dinar, S. S., Lukman, A., Baso, M., & Shafwan, A. (2021). Karakteristik *masin* udang rebon (*Acetes indicus*), makanan tradisional fermentasi khas Sumbawa. *Pro Food (Jurnal Ilmu dan Teknologi Pangan)*, 7(1), 795-803. ISSN: 2443-1095.
- Ahmad, L., Adjam, S. I., & Zainuddin, A. (2022). Characterization of the biological quality of skipjack tuna (*Katsuwonus pelamis*) bakasang with the addition of tamarind (*Tamarindus indica* L.) extract during fermentation. *Journal of Agritech Science (JASC)*, 6(2), 112-120. <https://doi.org/10.30869/jasc.v6i02.984>
- Ali, F. W. O., Saari, N., Fatimah, A. B., Abdulamir, A. S., Mohammed, A. S., Manap, Y. A., & Zulkifli, A. H. (2009). Novel, practical and cheap source for isolating beneficial γ -aminobutyric acid-producing *Leuconostoc* NC5 bacteria. *Journal of Medical Sciences*, 3(4), 146-153.
- Amin, S. M. N., Arshad, A., Siraj, S. S., & Japar, S. B. (2009). The biology and life history of Sergestid shrimp *Acetes indicus* (Decapoda: Sergestidae) in the coastal waters of Malacca, Peninsular Malaysia. *Bioscientist*, 5, 9–17.
- Anggo, A. D., Swastawati, F., Ma'ruf, W. F., & Rianingsih, L. (2015). Mutu organoleptik dan kimiawi terasi udang rebon dengan kadar garam berbeda dan lama fermentasi. *JPHPI*, 1(17), 53-59.
- Anihouvi, V. B., Sayki-Dawson, E., Ayernor, G. S., & Hounhouigan, J. D. (2007). Microbiological changes in naturally fermented cassava fish (*Pseudotolithus* sp.) for lanhouin production. *International Journal of Food Microbiology*, 116, 287-291.
- AOAC. (1995). *Official methods of analysis*. Association of Official Analytical Chemists.



- Ares, G., Bruzzone, F., Vidal, L., Cadena, R. S., Giménez, A., Pineau, B., Hunter, D. C., Paisley, A. G., & Jaeger, S. R. 2014. Evaluation of a rating-based variant of check-all-that-apply questions: Rate-all-that-apply (RATA). *Food Quality and Preference*, 36, 87-95. <https://doi.org/10.1016/j.foodqual.2014.03.006>
- Armenta, R. E., & Guerrero-Legarreta, I. (2009). Amino acid profile and enhancement of the enzymatic hydrolysis of fermented shrimp carotenoproteins. *Food Chemistry*, 112(2), 310-315. <https://doi.org/10.1016/j.foodchem.2008.05.075>
- Asmawati, Jumisayati, & Adi, S. (2020). Analisis mutu *masin* (khas Sumbawa) pada berbagai konsentrasi garam dan asam. *Jurnal Ilmiah Agribisnis dan Perikanan (Agrikan UMMU-Ternate)*, 13(2), 403-411. DOI: 10.29239/j.agrikan.13.2.403-411.
- Aziz, D., Siraj, S. S., Arshad, A., Amin, S. M. N., & Harmin, S. A. (2010). Population characterization of planktonic shrimp, *Acetes japonicus* (Decapoda: Sergestidae) using RAPD technique. *Journal of Biological Sciences*, 10, 355–361.
- Baanay, C. G. B., Balolong, M. P., & Elegado, F. B. (2013). Lactic acid bacteria in Philippine traditional fermented foods. In *Lactic acid bacteria - R & D for food, health and livestock purposes* (pp. 572-588).
- Benjakul, S., Singh, A., Sae-Leaw, T., & Balange, A. K. (2023). Endogenous enzymes: Their roles in quality of fish/shellfish and their products. In *Advances in fish processing technologies* (1st ed., p. 35). Apple Academic Press. eBook ISBN: 9781003300595.
- Besas, J. R., & Dizon, E. I. (2012). Influence of salt concentration on histamine formation in fermented tuna viscera (Dayok). *Journal of Food and Nutrition Sciences*, 3, 201-206.
- Bosland, P. W., & Votava, E. J. (2012). *Peppers: Vegetable and spice capsicums*. CABI Publishing.
- Breslin, P. A. S., & Beauchamp, G. K. (1997). Salt enhances flavor by suppressing bitterness. *Nature*, 387(6633), 563.
- Busch, J. L. H. C., Tournier, C., Knoop, J., Kooyman, G., & Smit, G. (2013). Salty taste enhancement using sodium chloride microspheres. *Journal of Food Science*, 78(11), S1666-S1672.
- Chadong, K., Yunchalard, S., & Piyatheerawong, W. (2015). Physicochemical characteristics and protein degradation during fermentation of Plaa-som, a



- traditional fermented fish product of North-Eastern Thailand. *International Journal of Traditional Knowledge*, 14(2), 220-225.
- Chaijan, M., & Panpipat, W. (2012). Darkening prevention of fermented shrimp paste by pre-soaking whole shrimp with pyrophosphate. *Asian Journal of Food and Agro-Industry*, 5, 163-171.
- Chirife, J., & Font de Valdez, G. (1992). Use of sucrose for food preservation: A review. *Journal of Food Protection*, 55(4), 351-355.
- Choi, E. J., Lee, S. H., Jung, J. Y., & Jeon, C. O. (2013). *Brevibacterium jeotgali* sp. nov., isolated from jeotgal, a traditional fermented seafood. *International Journal of Systematic and Evolutionary Microbiology*, 63, 3430-3436.
- Chueca, B., Pagán, R., & García-Gonzalo, D. (2015). Effects of capsaicin on *Escherichia coli* inactivation by high hydrostatic pressure. *Food Microbiology*, 46, 207-213.
- Cichewicz, R. H., & Thorpe, P. A. (1996). The antimicrobial properties of capsaicin and its analogues. *Journal of Ethnopharmacology*, 52(2), 117-125.
- Connell, J. J. (1990). *Control of fish quality* (3rd ed.). Fishing News Books.
- Conway, E. J., & Byrne, A. (1933). An absorption apparatus for the micro-determination of certain volatile substances, the micro-determination of ammonia. *Biochemical Journal*, 27(2), 419-429.
- Dangkhaw, N., Maneerat, S., & Sumpavapol, P. (2012). Characterization of lactic acid bacteria isolated from kung-som, a traditional fermented shrimp, in respect of their probiotic properties. *International Probiotic Conference on Nutrition and Food Science*, 39, 1-6.
- Deepa, N., Kaur, C., George, B., Singh, B., & Kapoor, H. C. (2006). Antioxidant constituents in some sweet pepper (*Capsicum annuum* L.) genotypes during maturity. *LWT - Food Science and Technology*, 39(5), 477-483.
- Doyle, M. E., & Glass, K. A. (2010). Sodium reduction and its effect on food safety, food quality, and human health. *Comprehensive Reviews in Food Science and Food Safety*, 9(1), 44-56.
- Dyastuti, E. D., Nofiani, R., & Ardiningsih, P. (2013). Uji organoleptik cincalok dengan penambahan serbuk bawang putih (*Allium sativum*) dan serbuk cabai (*Capsicum annuum* L.). *Jurnal Kimia Khatulistiwa*, 2(2), 70-73.
- Fan, M. H., Wang, M., & Zou, P. (2017). Effect of sodium chloride on the activity and stability of polyphenol oxidase from Fuji apple. *Journal of Food Biochemistry*, 29, 221-230.



- Fardiaz, S. (1992). Analisis Mikrobiologi Pangan [Food Microbiology Analysis]. Pusat Antar Universitas Ilmu Hayat, Institut Pertanian Bogor.
- Fatiqin, A., Riri, N., & Ike, A. (2019). Pengujian *Salmonella* dengan menggunakan media SSA dan *E. coli* menggunakan media EMBA pada bahan pangan. *Jurnal Indobiosains*, 1(1), 22-29. <https://jurnal.univpgri-palembang.ac.id/index.php/biosains>
- Fellows, P. J. (2012). *Food processing technology: Principles and practice*. Woodhead Publishing.
- Fernandes, R. (2009). *Microbiology handbook fish and seafood*. Leatherhead Food International.
- Fitriani, R., Utami, R., & Nurhatadi, E. (2013). Kajian karakteristik fisikokimia dan sensoris bubuk terasi udang rebon dengan penambahan angkak sebagai pewarna alami dan sumber antioksidan. *Jurnal Teknologi Pangan*, 2, 97-106.
- Friedman, M., & Levin, C. E. (2009). Nutritional and medicinal aspects of capsaicinoids and pepper consumption. *Food Reviews International*, 25(1), 1-49.
- Gillette, M. (1985). Flavor effects of organic acids in food processing. *Food Technology*, 39(5), 47-52.
- Giri, A., Osaka, K., & Ohshima, T. (2009). Effect of raw materials on the extractive components and taste aspects of fermented fish paste: Sakana miso. *Food Science and Technology Research*, 75, 785-796.
- Google. (2024). Indonesia. *Google Maps*. Diakses pada tanggal 20 November 2024. Dari <https://shorturl.at/K9LhW>
- Google. (2024). Pulau Sumbawa. *Google Maps*. Diakses pada tanggal 20 November 2024. Dari <https://shorturl.at/Tvag4>
- Haard, N. F., & Simpson, B. K. (2000). *Seafood enzymes: Utilization and influence on postharvest seafood quality*. Marcel Dekker.
- Hajar, S., & Hamid, T. H. T. A. (2013). Isolation of lactic acid bacteria *Staphylococcus pici fermentans* from Malaysian traditional fermented shrimp cinaluk. *International Food Research Journal*, 20, 125-129.
- Hajep, P., & Jinap, S. (2012). Fermented shrimp products as source of umami in Southeast Asia. *Journal of Nutrition and Food Sciences*, 2, 1-6.
- Hall, G. M. (2002). *Lactic acid bacteria in fish preservation*. CRC Press.



- Hendarto, R. H., Arita, P. H., Elisa, E., & Yoga, A. H. (2019). Biochemical mechanisms and optimization of *Lactobacillus bulgaricus* and *Streptococcus thermophilus* in the production of quality yogurt. *Journal of Basic Sciences*, 1(1), 13–19. <https://doi.org/10.21831/jsd.v8i1.24261>
- Herawati, H. (2008). Penentuan umur simpan pada produk pangan. *Jurnal Litbang Pertanian*, 27(4), 124-130.
- Holt, J. G., Krieg, N. R., Sneath, P. H. A., Staley, J. T., & Williams, S. T. (Eds.). (2022). *Bergey's manual of determinative bacteriology* (9th ed.). Lippincott Williams & Wilkins. <https://doi.org/10.1007/978-0-387-68572-4>
- Holzapfel, W. H. (2002). Appropriate starter culture technologies for small-scale fermentation in developing countries. *International Journal of Food Microbiology*, 75(3), 197-212.
- Howard, L. R., Talcott, S. T., & Brenes, C. H. (2000). Changes in phytochemical and antioxidant activity of selected pepper cultivars (*Capsicum* species) as influenced by maturity. *Journal of Agricultural and Food Chemistry*, 48(5), 1713-1720.
- Huda, N. (2002). Malaysian in fermented fish product. In *Handbook of animal-based fermented food and beverage technology*. ResearchGate. <https://www.researchgate.net/publication/282179223>
- Hui, Y. H. (2012). *Handbook of meat and meat processing*. CRC Press.
- Hutkins, R. W. (2019). *Microbiology and technology of fermented foods* (2nd ed.). Wiley-Blackwell. ISBN-13: 978-0-8138-0018-9; ISBN-10: 0-8138-0018-8.
- Hutton, T. (2002). Sodium: Technological functions and safety. *British Journal of Nutrition*, 85(S2), S37-S40.
- Ijong, F. G., & Ohta, Y. (1996). Physicochemical and microbiological changes associated with Bakasang processing—A traditional Indonesian fermented fish sauce. *Journal of the Science of Food and Agriculture*, 71(1), 69-74. [https://doi.org/10.1002/\(SICI\)1097-0010\(199605\)71:1<69::AID-JSFA549>3.0.CO;2-W](https://doi.org/10.1002/(SICI)1097-0010(199605)71:1<69::AID-JSFA549>3.0.CO;2-W)
- Irianto, H. E., & Irianto, G. (1998). Traditional fermented fish products in Indonesia. <http://www.apfic.org/Archive/symposia/1998/05.pdf>
- Jamlas-Apilado, R. B., & Mabesa, C. R. (1991). Influence of commercial starter culture in the rate and quality of rice-fish fermentation. *Philippine Journal of Biotechnology*, 2(1), 60-67.



- Janiszewska-Turak, E., Witrowa-Rajchert, D., Rybak, K., Rolof, J., Pobiega, K., Woziak, L., & Gramza-Michałowska, A. (2022). The influence of lactic acid fermentation on selected properties of pickled red, yellow, and green bell peppers. *Molecules*, 27(23), 8637. <https://doi.org/10.3390/molecules27238637>
- Jaswir, I., Noviendri, D., Hasrini, R. F., & Octavianti, F. (2011). Carotenoids: Source, medicinal properties and their application in food and nutraceutical industry. *Journal of Medicinal Plants Research*, 5(33), 7119-7131.
- Jay, J. M., Loessner, M. J., & Golden, D. A. (2005). *Modern food microbiology*. Springer.
- Jinadasa, B. K. K. K. (2014). Determination of quality of marine fishes based on total volatile base nitrogen test (TVB-N). *Nature and Science*, 12(5), 106-111.
- Jinap, S., Ilya-Nur, A. R., Tang, S. C., Hajeb, P., Shahrim, K., & Khairunnisak, M. (2010). Sensory attributes of dishes containing shrimp paste with different concentrations of glutamate and 5'-nucleotides. *Appetite*, 55, 238-244.
- Jini, R., Swapna, H. C., Rai, A. K., Vrinda, R., Halami, P. M., Sachindra, N. M., & Bhaskar, N. (2011). Isolation and characterization of potential lactic acid bacterial (LAB) from freshwater fish processing waste for application in fermentative utilization of fish processing waste. *Brazilian Journal of Microbiology*, 42, 1516-1525.
- Juliarsi, M., Nazaruddin, & Werdiningsih, W. (2018). Pengaruh konsentrasi garam dan lama fermentasi terhadap mutu *masin*. *Reka Pangan*, 12(1), 1-11.
- Khairina, R., Fitrial, F., Satria, H., & Rahmi, N. (2013). Profil ronto produk fermentasi udang rebon tradisional di Kalimantan Selatan. *Prosiding Seminar Nasional Masyarakat Pengolahan Hasil Perikanan Indonesia (MPHPI)*, 153-159.
- Khairina, R., Fitrial, F., Satria, H., & Rahmi, N. (2016a). Physical, chemical, microbiological properties of Ronto, a traditional fermented shrimp from South Borneo, Indonesia. *Aquatic Procedia*, 6, 214-220.
- Khairina, R., Cahyanto, M. N., Utami, T., & Rahardjo, S. (2016b). Karakteristik fisikawi, kimiawi, dan mikrobiologis ronto selama penyimpanan. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 19(3), 348-355.
- Khairina, R., Cahyanto, M. N., Utami, T., & Rahardjo, S. (2017). Perubahan sifat sensoris, fisik, kimia, dan mikrobiologis selama fermentasi dan penyimpanan ronto. *Disertasi, Fakultas Teknologi Pertanian Universitas Gadjah Mada*.



- Khairina, R., Nooryantini, S., Dewi, K. S., & Hasrul, S. N. (2023). *Teknologi fermentasi ikan & udang: Kajian ronto dan produk olahannya*. Lambung Mangkurat Universitas Press.
- Khairunnisak, M., Azizah, A. H., Jinap, S., & Nurul Izzah, A. (2009). Monitoring of free glutamic acid in Malaysian processed foods, dishes, and condiments. *Food Additives & Contaminants: Part A*, 26(4), 419–426. <https://doi.org/10.1080/02652030802596860>
- Kilcast, D., & Angus, F. (2007). *Reducing salt in foods: Practical strategies*. Woodhead Publishing.
- Kim, J. S., Shahidi, F., & Hue, M. N. (2003). Characteristics of salt-fermented sauces from shrimp processing byproducts. *Journal of Agricultural and Food Chemistry*, 51(3), 784-792. <https://doi.org/10.1021/jf020690f>
- Kim, J. S., & Kim, K. H. (2013). Processing and characterization of salt-fermented fish (Jeotgal) using seafood by-products in Korea. In *Seafood processing by-products* (pp. 63-99). Springer.
- Kim, S. H., & Park, H. J. (2017). Changes in umami compounds during fermentation of Korean traditional jeotgal (salted seafood). *Food Research International*, 99(3), 330-338. <https://doi.org/10.1016/j.foodres.2017.05.021>
- Kleekayai, T., Pinitklang, S., Laohakunjit, N., & Suntornsuk, W. (2016). Volatile components and sensory characteristics of Thai traditional fermented shrimp pastes during fermentation periods. *Journal of Food Science and Technology*, 53(3), 1399-1410. <https://doi.org/10.1007/s13197-015-2142-3>
- Kobayashi, T., Kajiwara, M., Wahyuni, M., Kitakado, T., Hamada-Sato, N., Imada, C., & Watanabe, E. (2003). Isolation and characterization of halophilic lactic acid bacteria isolated from "terasi" shrimp paste: A traditional fermented seafood product in Indonesia. *Journal of General and Applied Microbiology*, 49(4), 279-286. <https://doi.org/10.2323/jgam.49.279>
- Koesoemawardhani, D., Rizal, S., & Tauhid, M. (2013). Perubahan sifat mikrobiologi dan kimiawi rusip selama fermentasi [Microbiological and chemical changes in rusip during fermentation]. *Agritech*, 33(2), 265-272.
- Kurihara, K. (2009). Glutamate: From discovery as a food flavor to role as a basic taste (umami). *The American Journal of Clinical Nutrition*, 90(3), 719S-722S. <https://doi.org/10.3945/ajcn.2009.27462D>
- Lähteenmäki, L., & Tuorila, H. (1993). Sensory characteristics and acceptance of reduced salt in rye bread. *Journal of Food Science*, 58(3), 571-573. <https://doi.org/10.1111/j.1365-2621.1993.tb04330.x>



- Lee, C. H. (1997). Lactic acid fermentation of fish products: Beneficial aspects. *Trends in Food Science & Technology*, 8(12), 437-441. [https://doi.org/10.1016/S0924-2244\(97\)01091-3](https://doi.org/10.1016/S0924-2244(97)01091-3)
- Lee, K., & Paik, H. D. (2016). Antimicrobial effect of capsaicin and other bioactive compounds from chili pepper on *Escherichia coli* O157:H7 and *Salmonella* spp. *Food Control*, 68, 89-96. <https://doi.org/10.1016/j.foodcont.2016.03.025>
- Lee, S. H., Jung, Y. J., & Jeon, C. O. (2014). Microbial succession and metabolite changes during fermentation of salted shrimp (*saeu-jeot*) with different salt concentrations. *PLOS ONE*, 9(2), e90115. <https://doi.org/10.1371/journal.pone.0090115>
- Leroy, F., & De Vuyst, L. (2004). Lactic acid bacteria as functional starter cultures for the food fermentation industry. *Trends in Food Science & Technology*, 15(2), 67-78. <https://doi.org/10.1016/j.tifs.2003.09.004>
- Liasi, S. A., Azmi, T. I., Hassan, M. D., Shuhaimi, M., Rosfarizan, M., & Ariff, A. B. (2009). Antimicrobial activity and antibiotic sensitivity of three isolates of lactic acid bacteria from fermented fish product, Budu. *Malaysian Journal of Microbiology*, 5(1), 33-37.
- Lu, Y., Teo, J. N., & Liu, S. Q. (2022). Fermented shellfish condiments: A comprehensive review. *Comprehensive Reviews in Food Science and Food Safety*, 21(5), 4447-4477. <https://doi.org/10.1111/1541-4337.13024>
- Machado-Sanches, D. I., López-Cervantes, J., & Martínez-Cruz, O. (2008). Quantification of organic acids in fermented shrimp by HPLC. *Journal of Food Technology and Biotechnology*, 46(4), 456-460.
- Madigan, M. T., Bender, K. S., Buckley, D. H., Sattley, W. M., & Stahl, D. A. (2021). *Brock biology of microorganisms* (16th ed.). Pearson.
- Materska, M., & Perucka, I. (2005). Antioxidant activity of the main phenolic compounds isolated from hot pepper fruit (*Capsicum annuum* L.). *Journal of Agricultural and Food Chemistry*, 53(5), 1750-1756. <https://doi.org/10.1021/jf035331k>
- McFeeters, R. F. (2004). Fermentation of cucumbers brined with reduced salt concentrations. *Journal of Food Science*, 69(4), M1-M5. <https://doi.org/10.1111/j.1365-2621.2004.tb13363.x>
- Meilgaard, M. C., Civille, G. V., & Carr, B. T. (2016). *Sensory evaluation techniques* (5th ed.). CRC Press. <https://doi.org/10.1201/b19493>



- Mieke, N. (2013). *Sifat biokimia dan sensoris ronto produk fermentasi udang rebon* [Biochemical and sensory properties of fermented small shrimp product] [Undergraduate thesis, Universitas Lambung Mangkurat].
- Monod, J. 1949. The growth of bacterial cultures. *Annual Review of Microbiology*, 3(1), 371-394. <https://doi.org/10.1146/annurev.mi.03.100149.002103>
- Mozzi, F., Raya, R. R., & Vignolo, G. M. (Eds.). (2010). *Biotechnology of lactic acid bacteria: Novel applications*. Wiley-Blackwell.
- Mulyani, R., Prakoso, A., & Jhon, J. Y. (2022). Traditional Indonesian fermented products based on animal food (meat and fish): A review. *Journal of Applied Agriculture, Health, and Technology*, 1(2), 34-48. <https://doi.org/10.1201/b12084-47>
- Neely, G., & Gunnar, B. (1999). The perceived intensity of caffeine aftertaste: Tasters versus nontasters. *Chemical Senses*, 24(1), 19-21. <https://doi.org/10.1093/chemse/24.1.19>
- Nofiani, R., & Ardiningsih, P. (2018). Physicochemical and microbiological profiles of commercial Cincalok from West Kalimantan. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(2), 228-238. <https://doi.org/10.17844/jphpi.v21i2.22851>
- Nuñez de González, M. T., Osburn, W. N., Hardin, M. D., Longnecker, M. T., Garg, H. K., Bryan, N. S., & Miranda, M. A. (2015). Effect of salt reduction on the quality and safety of processed meats: Current research and future trends. *Meat Science*, 102, 35-43. <https://doi.org/10.1016/j.meatsci.2014.12.010>
- Nurhayati, N., Sari, D. A., & Apriyanto, M. (2021). *Pangan berbasis fermentasi* [Fermentation-based foods]. Nuta Media.
- Oh, B.-M., Jun, H.-I., Oh, H., Jo, S.-W., Jeong, D.-Y., Kim, Y.-S., & Song, G.-S. (2020). Quality characteristics and functional evaluation of Sikhye fermented by lactic acid bacteria. *Journal of the Korean Society of Food Science and Nutrition*, 49(8), 803-813. <https://doi.org/10.3746/jkfn.2020.49.8.803>
- Oksuztepe, G., & Aksu, M. I. (2017). Effect of different salt and sugar concentrations on the quality and shelf life of fermented fish products. *Journal of Food Processing and Preservation*, 41(6), e13362. <https://doi.org/10.1111/jfpp.13362>
- Omori, M. (1975). The systematics, biogeography and fishery of epipelagic shrimp shrimps of the genus *Acetes* (Crustacea, Decapoda, Sergestidae). *Bulletin of the Ocean Research Institute, University of Tokyo*, 7, 1-91.



- Palludan-Muller, C. (1998). The microbiology of low-salt fermented fish products. *APFIC Symposium on Fish Fermentation*, 1-12. <http://www.apfic.org/Archive/symposia/1998/04.pdf>
- Phuvasate, S., & Su, Y. (2010). Comparison of lactic acid bacteria fermentation with acid treatments for chitosan production from shrimp waste. *Journal of Aquatic Food Product Technology*, 19(3-4), 170-179. <https://doi.org/10.1080/10498850.2010.504324>
- Pilapiil, A. R. B. (2013). *Characterization of salt-fermented shrimp paste from the Philippines* [Doctoral dissertation, Ghent University].
- Pongsetkul, J., Benjakul, S., Sumpavapol, P., Osako, K., & Faithong, N. (2014). Chemical composition and physical properties of salted shrimp paste (Kapi) produced in Thailand. *International Aquatic Research*, 6(1), 155-166. <https://doi.org/10.1007/s40071-014-0079-1>
- Potter, N. N., & Hotchkiss, J. H. (1998). Fermentation and other uses of microorganisms. In *Food science* (5th ed., pp. 264-278). Springer.
- Purwaningsih, S., Santoso, J., & Garwan, R. (2013). Perubahan fisiko-kimiawi, mikrobiologi dan histamin bakasang ikan cakalang selama fermentasi dan penyimpanan [Physicochemical, microbiological and histamine changes in skipjack tuna bakasang during fermentation and storage]. *Jurnal Teknologi Industri Pangan*, 24(2), 168-174.
- Rahayu, E. S., Margino, S., & Ray, B. (1997). *Bakteri asam laktat: Isolasi dan identifikasi* [Lactic acid bacteria: Isolation and identification]. PAU Pangan dan Gizi UGM.
- Rahman, M. S. (2007). *Handbook of food preservation* (2nd ed.). CRC Press.
- Ramzi, Y. I. (2016). *Pengaruh lama fermentasi terhadap mutu masin udang rebon (Mysis relicta)* [Effect of fermentation time on the quality of fermented small shrimp] [Undergraduate thesis, Universitas Mataram].
- Ray, B., & Bhunia, A. (2013). *Fundamental food microbiology* (5th ed.). CRC Press. <https://doi.org/10.1201/b16078>
- Reurangchai, P., Suwannarat, Y., & Hinsui, J. (2014). Chemical and microbiological changes during shrimp seasoning fermentation using seafood processing waste. *3rd International Conference on Nutrition and Food Sciences*, 71, 51-55. <https://doi.org/10.7763/IPCBE.2014.V71.10>
- Rhee, S. J., Lee, J. E., & Lee, C. H. (2011). Importance of lactic acid bacteria in Asian fermented foods. *10th Symposium on Lactic Acid Bacteria*, Egmond aan Zee, Netherlands.



- Riebroy, S., Benjakul, S., Visessanguan, W., & Tanaka, M. (2007). Changes during fermentation and properties of Som-Fug produced from different marine fish. *Journal of Food Processing and Preservation*, 31(6), 751-770. <https://doi.org/10.1111/j.1745-4549.2007.00149.x>
- Saithong, P., Panthavee, W., Boonyaratanakornkit, M., & Sikkhamondhol, C. (2010). Use of a starter culture of lactic acid bacteria in plaa-som, a Thai fermented fish. *Journal of Bioscience and Bioengineering*, 110(5), 553-557. <https://doi.org/10.1016/j.jbiosc.2010.06.004>
- Sánchez-Machado, D. I., López-Cervantes, J., & Martínez-Cruz, O. (2008). Quantification of organic acids in fermented shrimp waste by HPLC. *Food Technology and Biotechnology*, 46(4), 456-460.
- Sastra, W. (2008). *Fermentasi rusip* [Rusip fermentation] [Undergraduate thesis, IPB University].
- Setyaningsih, D., Apriyantono, A., & Sari, M. P. (2010). *Analisis sensoris untuk industri pangan dan agro* [Sensory analysis for food and agroindustry]. IPB Press.
- Sharma, N., Gautam, K., Arora, K., & Bhatia, S. (2020). Microbial dynamics and fermentation characteristics of shrimp waste fermentation. *Journal of Food Science and Technology*, 57(5), 1789-1798. <https://doi.org/10.1007/s13197-020-04245-5>
- Shurpalekar, S. R. (1993). Salt in food processing and preservation. In *Encyclopedia of food science and technology* (Vol. 4, pp. 2401-2406). Wiley.
- Sim, Y. S., Yee, C. F., & Anton, A. (2009). Microbiological characterization of Budu, an indigenous Malaysian fish sauce. *Borneo Science*, 25, 25-35.
- Shirai, K., Guerrero, I., Huerta, S., Saucedo, G., Castillo, A., Gonzalez, R. O., & Hall, G. M. (2001). Effect of initial glucose concentration and inoculation level of lactic acid bacteria in shrimp waste ensilation. *Enzyme and Microbial Technology*, 28(5), 446-452. [https://doi.org/10.1016/S0141-0229\(00\)00340-8](https://doi.org/10.1016/S0141-0229(00)00340-8)
- Smit, G., Smit, B. A., & Engels, W. J. M. (2005). Flavour formation by lactic acid bacteria and biochemical flavour profiling of cheese products. *FEMS Microbiology Reviews*, 29(3), 591-610. <https://doi.org/10.1016/j.femsre.2005.04.002>
- Sofos, J. N. (1983). Effects of reduced sodium concentrations on food safety and quality. *Journal of Food Protection*, 46(10), 892-913. <https://doi.org/10.4315/0362-028X-46.10.892>



- Soomro, A. H., Masud, T., & Anwaar, K. (2002). Role of lactic acid bacteria (LAB) in food preservation and human health - A review. *Pakistan Journal of Nutrition*, 1(1), 20-24. <https://doi.org/10.3923/pjn.2002.20.24>
- Steinkraus, K. H. (2002). Fermentations in world food processing. *Comprehensive Reviews in Food Science and Food Safety*, 1(1), 23-32. <https://doi.org/10.1111/j.1541-4337.2002.tb00004.x>
- Stone, H., & Sidel, J. L. (2004). *Sensory evaluation practices* (3rd ed.). Academic Press. ISBN: 978-0-12-815334-5
- Sudarmadji, S., Haryono, B., & Suhardi. 1984. *The analytical procedure of foods and agriculture* (3rd ed.). Penerbit Liberty.
- Suparmi. (2020). *Udang rebon is the best: Potensi sebagai bahan baku produk olahan bergizi* [Small shrimp is the best: Potential as raw material for nutritious processed products]. IPB Press.
- Surya, R., Nugroho, D., Kamal, N., & Tedjakusuma, F. (2023). Effects of fermentation time on chemical, microbiological, antioxidant, and organoleptic properties of Indonesian traditional shrimp paste, terasi. *International Journal of Gastronomy and Food Science*, 31, 100643. <https://doi.org/10.1016/j.ijgfs.2022.100643>
- Tamang, J. P. (2016). *Fermented foods and beverages of the world*. CRC Press.
- Tanasupawat, S., & Visessanguan, W. (2013). Fish fermentation. In I. S. Boziaris (Ed.), *Seafood processing: Technology, quality and safety* (pp. 177-207). Wiley. <https://doi.org/10.1002/9781118346174.ch8>
- Taormina, P. J. (2010). Implications of salt and sodium reduction on microbial food safety. *Critical Reviews in Food Science and Nutrition*, 50(3), 209-227. <https://doi.org/10.1080/10408391003626207>
- Tasioula-Margari, M., & Okogeri, O. (2001). Isolation and characterization of antioxidant components from sesame cake. *LWT - Food Science and Technology*, 34(7), 523-528. <https://doi.org/10.1006/fstl.2001.0793>
- Tjandra, H. (2011). Kandungan dan manfaat cabai bagi kesehatan [Content and benefits of chili for health]. *Jurnal Teknologi Pangan*, 3(2), 145-152.
- Toldrá, F., & Hui, Y. H. (2010). *Handbook of fermented meat and poultry*. Wiley-Blackwell.
- Tsai, Y. H., Lin, C. Y., Chien, L. T., Lee, T. M., Wei, C. I., & Hwang, D. F. (2006). Histamine contents of fermented fish products in Taiwan and isolation of histamine-forming bacteria. *Food Chemistry*, 98(1), 64-70. <https://doi.org/10.1016/j.foodchem.2005.04.036>



- Tume, R. K., Sikes, A. L., Tabrett, S., & Smith, D. M. (2009). Effect of background colour on the distribution of astaxanthin in black tiger prawn (*Penaeus monodon*): Effective method for improvement of cooked colour. *Aquaculture*, 296(1-2), 129-135. <https://doi.org/10.1016/j.aquaculture.2009.08.006>
- Umah, L. (2012). Analisis kandungan gizi pada cabai rawit [Analysis of nutritional content in bird's eye chili]. *Jurnal Ilmu Pertanian*, 5(1), 75-83.
- Umana, R. (1968). Reevaluation of the method of Kunitz for the assay of proteolytic activities in liver and brain homogenate. *Analytical Biochemistry*, 26(3), 430-438. [https://doi.org/10.1016/0003-2697\(68\)90204-2](https://doi.org/10.1016/0003-2697(68)90204-2)
- Wade, N. M., Anderson, M., Sellars, M. J., Tume, R. K., Preston, N. P., & Glencross, B. D. (2012). Mechanisms of colour adaptation in the prawn *Penaeus monodon*. *Journal of Experimental Biology*, 215(2), 343-350. <https://doi.org/10.1242/jeb.064592>
- Wahdayani, E., Ratnawaty, F., & Limbing, S. (2015). The effect of fermentation time and differences in drying temperature on the quality of shrimp paste powder (*Acetes* sp.). *Jurnal Pendidikan dan Teknologi*, 1-10.
- Watthanasakphuban, N., Tani, A., Benjakul, S., & Maneerat, S. (2016). Detection and preliminary characterization of a narrow spectrum bacteriocin by *Lactobacillus pentosus* K2N7 from Thailand traditional fermented shrimp (*Kung-som*). *Songklanakarin Journal of Science and Technology*, 38(1), 47-55.
- Wikandari, P. R. (2011). *Potensi bakteri asam laktat indigenous sebagai penghasil angiotensin I converting enzyme inhibitor pada fermentasi bekasam* [Potential of indigenous lactic acid bacteria as angiotensin I converting enzyme inhibitor producer in bekasam fermentation] [Doctoral dissertation, Universitas Gadjah Mada].
- Wikandari, P. R., Suparmo, Marsono, Y., & Rahayu, E. S. (2012). Potensi bakteri asam laktat yang diisolasi dari bekasam penghasil angiotensin I converting enzyme inhibitor pada fermentasi bekasam like product [Potential of lactic acid bacteria isolated from bekasam as angiotensin I converting enzyme inhibitor producer in bekasam-like product fermentation]. *Agritech*, 32(3), 258-264.
- Wang, W., Xia, W., Gao, P., Xu, Y., & Jiang, Q. (2017). Proteolysis during fermentation of Suanyu as a traditional fermented fish product of China. *International Journal of Food Properties*, 20(1), 166-176. <https://doi.org/10.1080/10942912.2017.1293089>



- Wu, T. H., & Bechtel, P. J. (2008). Ammonia, dimethylamine, trimethylamine, and trimethylamine oxide from raw and processed fish by-product. *Journal of Aquatic Food Product Technology*, 17(1), 27-38. <https://doi.org/10.1080/10498850801891140>
- Xiao, H., Yu, J., Hu, M., Liu, H., Yuan, Z., Xue, Y., & Xue, C. (2023). Development of novel fermented stinky sea bass and analysis of its taste active compounds, flavor compounds, and quality. *Food Chemistry*, 401, 134186. <https://doi.org/10.1016/j.foodchem.2022.134186>
- Yamaguchi, S., & Takahashi, C. (1984). Interactions of monosodium glutamate and sodium chloride on saltiness and palatability of a clear soup. *Journal of Food Science*, 49(1), 82-85. <https://doi.org/10.1111/j.1365-2621.1984.tb13675.x>
- Yuliana, N. (2007). Profil fermentasi "rusip" yang dibuat dari ikan teri (*Stolephorus* sp) [Fermentation profile of "rusip" made from anchovy]. *Agritech*, 27(1), 12-17.
- Zaman, M. Z., Abu Bakar, F., Jinap, S., & Bakar, J. (2011). Novel starter cultures to inhibit biogenic amine accumulation during fish sauce fermentation. *International Journal of Food Microbiology*, 145(1), 84-91. <https://doi.org/10.1016/j.ijfoodmicro.2010.11.031>
- Zeng, X., Zhang, Y., Nie, C., Chen, S., & Lin, S. (2021). Effect of salt on the fermentation quality and volatile compound profile of fish sauce. *Food Chemistry*, 354, 129556. <https://doi.org/10.1016/j.foodchem.2021.129556>
- Zhu, W., Luan, H., Bu, X., Li, J., & Ji, G. (2019). Flavor characteristics of shrimp sauces with different fermentation and storage time. *LWT*, 110, 142-151. <https://doi.org/10.1016/j.lwt.2019.04.091>