

## DAFTAR PUSTAKA

- Ahmad, F., Hassan, M. Y., Abdullah, M. P., Rahman, H. A., Hussin, F., Abdullah, H., & Bakar, A. H. A. (2018). Performance and emission analysis of LPG–diesel dual fuel engine with exhaust gas recirculation (EGR). *Energy*, *142*, 95–105.
- Ahsan, M., & Hussain, A. (2016). Computational fluid dynamics (CFD) modeling of heat transfer in a polymeric membrane using finite volume method. *Journal of Thermal Science*, *25*(6), 564–570. <https://doi.org/10.1007/s11630-016-0899-y>
- Andreini, A., Cerutti, M., Facchini, B., & Innocenti, A. (2015). CFD analysis of NO<sub>x</sub> emissions of a natural gas lean premixed burner for heavy duty gas turbine. *Energy Procedia*, *81*, 967–976. <https://doi.org/10.1016/j.egypro.2015.12.155>
- Atia, A., Ghernaout, B., Bouabdallah, S., & Bessaïh, R. (2016). Three-dimensional oscillatory mixed convection in a Czochralski silicon melt under the axial magnetic field. *Applied Thermal Engineering*, *105*, 704–715. <https://doi.org/10.1016/j.applthermaleng.2016.03.087>
- Barbin, D. F., Felicio, A. L. de S. M., Sun, D. W., Nixdorf, S. L., & Hirooka, E. Y. (2014). Application of infrared spectral techniques on quality and compositional attributes of coffee: An overview. *Food Research International*, *61*, 23–32. <https://doi.org/10.1016/j.foodres.2014.01.005>

- Chalgeri, V. S., & Jeong, J. H. (2019). Flow regime identification and classification based on void fraction and differential pressure of vertical two-phase flow in rectangular channel. *International Journal of Heat and Mass Transfer*, *132*, 802–816. <https://doi.org/10.1016/j.ijheatmasstransfer.2018.12.015>
- Deng, T., Yan, W., Nojavan, S., & Jermstittiparsert, K. (2020). Risk evaluation and retail electricity pricing using downside risk constraints method. *Energy*, *192*, 116672. <https://doi.org/10.1016/j.energy.2019.116672>
- El Abbassi, M., Lahaye, D., & Vuik, C. (2021). The effect of variable air–fuel ratio on thermal nox emissions and numerical flow stability in rotary kilns using non-premixed combustion. *Processes*, *9*(10). <https://doi.org/10.3390/pr9101723>
- Fermi, M. I. (2014). Pemanfaatan Metode Computational Fluid Dynamics (CFD) Dalam Perancangan Kompor Biomassa. *Jurnal Teknobiologi*, *5*(1), 15–19. <http://www.aprovecho.org/lab/pubs/testing>.
- Fikha Sujarwo, N. R., Kholis, N., Anifah, L., & Baskoro, F. (2021). Rancang Bangun Alat Smart Liquefied Petroleum Gas Leakage Detector Berbasis Iot Dengan Modul Nodemcu Esp8266. *Jurnal Teknik Elektro*, *10*(2), 333–340. <https://doi.org/10.26740/jte.v10n2.p333-340>
- Flores-Montoya, E., Masset, P. A., Schuller, T., & Selle, L. (2024). Flame-front tracking in Porous Media Burners. *Combustion and Flame*, *267*(July), 113597. <https://doi.org/10.1016/j.combustflame.2024.113597>

- Galletti, C., Parente, A., & Tognotti, L. (2007). Numerical and experimental investigation of a mild combustion burner. *Combustion and Flame*, 151(4), 649–664. <https://doi.org/10.1016/j.combustflame.2007.07.016>
- García, A. M., Rendon, M. A., & Amell, A. A. (2020). Combustion model evaluation in a CFD simulation of a radiant-tube burner. *Fuel*, 276(April), 118013. <https://doi.org/10.1016/j.fuel.2020.118013>
- Hariyanto, B., Fanani, & Nugroho, S. E. (2019). Peningkatan Kinerja Alat Penyangrai Kopi Type Pemanas Elemen Ke Type Infra Red Gas Burner Terkoneksi Laptop. *Seminar Nasional Hasil Pengabdian Masyarakat Dan Penelitian Pranata Laboratorium Pendidikan Politeknik Negeri Jember Tahun*, 279–283.
- Leonardi, S. A., Viskanta, R., & Gore, J. P. (2002). Radiation and thermal performance measurements of a metal fiber burner. *Journal of Quantitative Spectroscopy and Radiative Transfer*, 73(2–5), 491–501. [https://doi.org/10.1016/S0022-4073\(01\)00201-1](https://doi.org/10.1016/S0022-4073(01)00201-1)
- Ndeo, Y. P., Koehuan, V. A., & Bunganaen, W. (2021). Simulasi Computational Fluid Dynamic (CFD) Rumah Pengereng Kopi Menggunakan Plastik UltraViolet (UV) Solar Dryer. *LONTAR Jurnal Teknik Mesin Undana*, 8(1), 11–20. <http://ejournal.undana.ac.id/index.php/LJTMU>
- Petersen, E. L., Hall, J. M., Smith, S. D., de Vries, J., Amadio, A. R., & Crofton, M. W. (2007). Ignition of lean methane-based fuel blends at gas turbine pressures. *Journal of Engineering for Gas Turbines and Power*, 129(4), 937–

944. <https://doi.org/10.1115/1.2720543>

Prohaska, T., Irrgeher, J., Benefield, J., Böhlke, J. K., Chesson, L. A., Coplen, T. B., Ding, T., Dunn, P. J. H., Gröning, M., Holden, N. E., Meijer, H. A. J., Moossen, H., Possolo, A., Takahashi, Y., Vogl, J., Walczyk, T., Wang, J., Wieser, M. E., Yoneda, S., ... Meija, J. (2022). Standard atomic weights of the elements 2021 (IUPAC Technical Report). *Pure and Applied Chemistry*, *94*(5), 573–600. <https://doi.org/10.1515/pac-2019-0603>

Puntuwanit, K., Suriwong, T., & Maneechot, P. (2023). *Optimization of Far Infrared Radiation Power for Roasting Coffee*. *18*(2), 1–9.

Ridhuan, K., & Suranto, J. (2017). Perbandingan Pembakaran Pirolisis Dan Karbonisasi Pada Biomassa Kulit Durian Terhadap Nilai Kalori. *Turbo : Jurnal Program Studi Teknik Mesin*, *5*(1), 50–56. <https://doi.org/10.24127/trb.v5i1.119>

Shin, D., Kim, S., & Choi, Y. (2016). Effect of nozzle geometry on flame characteristics and thermal efficiency in premixed infrared gas burners. *International Journal of Heat and Mass Transfer*, *93*, 533–541.

Surjosatyo, A. (2010). Pembakaran Gas Hasil Gasifikasi Biomassa di Premixed Gas Burner dengan Metoda 3D Computational Fluid Dynamic. *Jurnal Teknik Mesin*, *12*(1), 7–12. <https://doi.org/10.9744/jtm.12.1.7-12>

Suyitno, & Istanto Tri. (2005). Simulasi CFD Pembakaran Non-Premixed Serbuk Biomass Kayu Jati. *Jurnal Teknik Mesin*, *7*(2), 85–92. <http://puslit2.petra.ac.id/ejournal/index.php/mes/article/view/16424>

Turns, S. R. (2013). *An Introduction to Combustion: Concepts and Applications* (3rd ed.). McGraw-Hill Education.

Anderson, JD. 1995. *Computational Fluid Dynamics: The Basic With Applications*. Singapura: McGraw-Hill. Inc.

Cocco, D., Petretto, L., & Cau, G. (2009). Distributed power generation using gas turbines fueled by LPG and DME. *Energy Conversion and Management*, 50(3), 712–720.

J.Morganti, K., Foong, T. M., J.Breear, M., Silva, G. d., Yang, Y., & L.Dryer, F. (2013). The Research and Motor Octane Numbers of Liquefied Gas (LPG). *Fuel*, 797-811.

Janès, A., & Chaineaux, J. (2015). Experimental Determination of Flash Points of Flammable Liquid Aqueous Solutions.

Kironoto, B. A. (2018). *Statika fluida*. Yogyakarta: UGM Press.

Kristanto, D. A. (2020). Pembakaran dan Karakteristik Bahan Bakar Cair. *Academia.Edu*, 1(1), 1–4.

Raslavicius, L., Kersys, A., Mockus, S., Kersiene, N., & Starevicius, M. (2014). Liquefied Petroleum Gas (LPG) as a Medium-Term Option In The Transition To Sustainable Fuels And Transport. *Renewable And Sustainable Energy Reviews*, 513-525.

Sasanti, Y. F., Herlambang, B. A., Lantai, G. P., Jl, K., Timur, S., & Italic, S. (2020). *TEKNIK DAN INFORMATIKA UNIVERSITAS PGRI SEMARANG Program Studi Informatika Fakultas Teknik dan Informatika Universitas*

*PGRI Semarang. 5(Sens 5), 315–319.*

Serway, R. A., & Jewett, J. W. (2013). *Physics for Scientists and Engineers.*

Cengage Learning.

Sitorus, H. R dan Anisya, D. 2008. *Ringkasan Fisika.* Bandung : Yrama Widya.

Sulistiyono. (2013). *Pengurangan Subsidi BBM Fosil Sebagai Momentum*

*Pengembangan Energi Alternatif Jenis Biofuel.* Forum Teknologi, 1-8.

Sulistiyono. (2014). *Program Diversifikasi Energi Melalui Konversi BBM ke BBG*

*dan Kendala Perkembangannya.* Forum Teknologi, 04, 27-34

Susyanto. (2016). *Tantangan & Upaya Membangun Kedaulatan Migas.* Surabaya:

Direktorat Jenderal Minyak dan Gas Bumi Kementerian ESDM.

Tobing, R. L., Wusnah, W., Sylvia, N., Azhari, A., & ZA, N. (2021). *Studi*

*akurasi model pembakaran pada terhadap prediksi temperatur pada nyala*

*metana tak pracampur menggunakan CFD.* *Chemical Engineering Journal*

*Storage (CEJS), 1(1), 42.* <https://doi.org/10.29103/cejs.v1i1.2849>

White, 1994. *Mekanika Fluida.* Terjemahan oleh Manahan Hariandja. Jilid

1. Jakarta : Erlangga.

Yustianto, D. (2019). *Rancang Bangun Tungku Ruang Pemanas Pada Mesin*

*Pembuat Dan Pembakar Sate Kapasitas 25 Kg/Jam.* 1–12.