

DAFTAR PUSTAKA

- Al-Sarkhi, A., Sarica, C. dan Magrini, K., 2012, Inclination effects on wave characteristics in annular gas-liquid flows. *AIChE Journal*. [Online]. 58 (4) hlm.1018–1029. tersedia di DOI:10.1002/aic.12653.
- do Amaral, C.E.F., Alves, R.F., Da Silva, M.J., Arruda, L.V.R., Dorini, L., Morales, R.E.M. dan Pipa, D.R., 2013, Image processing techniques for high-speed videometry in horizontal two-phase slug flows, *Flow Measurement and Instrumentation*, [Online] 33257–264, tersedia di DOI:10.1016/j.flowmeasinst.2013.07.006.
- Astyanto, A.H., Indarto, Deendarlianto dan Vierow, K., 2022a, An experimental study on the effect of liquid properties on the counter-current flow limitation (CCFL) during gas / liquid counter-current two-phase flow in a 1 / 30 scaled-down of Pressurized Water Reactor (PWR) hot leg geometry, *Nuclear Engineering and Design*, 399 (2), 2–16,
- Astyanto, A.H., Indarto, Deendarlianto dan Vierow, K., 2022b, An experimental study on the effect of liquid properties on the counter-current flow limitation (CCFL) during gas / liquid counter-current two-phase flow in a 1 / 30 scaled-down of Pressurized Water Reactor (PWR) hot leg geometry, *Nuclear Engineering and Design*, 399 (2), 2–16,
- Astyanto, A.H., Indarto, I. dan Deendarlianto, D., 2023, A Brief on Optical-based Investigation towards The Interfacial Behaviors during High Viscous Liquid / Gas Countercurrent Two-Phase Flow in a Complex Conduit Representing 1/30 Down-Scaled of PWR Hot Leg Geometry, *International Journal of Applied Sciences and Smart Technologies*, [Online] 5 (1), 101–112, tersedia di DOI:10.24071/ijasst.v5i1.6302.
- Astyanto, A.H., Pramono, J.A.E., Catrawedarma, I.G.N.B., Deendarlianto dan Indarto, 2022c, Statistical characterization of liquid film fluctuations during gas-liquid two-phase counter-current flow in a 1/30 scaled-down test facility of a pressurized water reactor (PWR) hot leg, *Annals of Nuclear Energy*, [Online] 172109065, tersedia di DOI:10.1016/j.anucene.2022.109065.

- Ayati, A.A., Kolaas, J., Jensen, A. dan Johnson, G., 2012, A PIV investigation of stratified gas-liquid flow in a horizontal pipe. *Proceedings of the International Symposium on Turbulence, Heat and Mass Transfer*. [Online]. 2012-September. hlm.431–434. tersedia di DOI:10.1615/ICHMT.2012.ProcSevIntSympTurbHeatTransfPal.470.
- Badarudin, A., Setyawan, A., Dinaryanto, O., Widyatama, A., Indarto dan Deendarlianto, 2018, Interfacial behavior of the air-water counter-current two-phase flow in a 1/30 scale-down of pressurized water reactor (PWR) hot leg, *Annals of Nuclear Energy*, [Online] 116376–387, tersedia di DOI:10.1016/j.anucene.2018.03.007.
- Bae, B., Ahn, T., Jeong, J., Kim, K. dan Yun, B., 2017, Characteristics of an interfacial wave in a horizontal air-water stratified flow, *International Journal of Multiphase Flow*, [Online] 97197–205, tersedia di DOI:10.1016/j.ijmultiphaseflow.2017.08.009.
- Bates, P.W. dan Fife, P.C., 1993, Dynamics of nucleation for the CAHN-hilliard equation, *SIAM Journal on Applied Mathematics*, [Online] 53 (4), 990–1008, tersedia di DOI:10.1137/0153049.
- Birvalski, M., Tummers, M.J., Delfos, R. dan Henkes, R.A.W.M., 2015, Laminar-turbulent transition and wave-turbulence interaction in stratified horizontal two-phase pipe flow, *Journal of Fluid Mechanics*, [Online] 780 (October), 439–456, tersedia di DOI:10.1017/jfm.2015.483.
- Blagojević, M., Hočevár, M., Bizjan, B., Drešar, P., Repinc, S.K. dan Rak, G., 2024a, *Three-Dimensional Numerical Simulation of a Two-Phase Supercritical Open Channel Junction Flow*, 1–18,
- Blagojević, M., Hočevár, M., Bizjan, B., Drešar, P., Repinc, S.K. dan Rak, G., 2024b, *Three-Dimensional Numerical Simulation of a Two-Phase Supercritical Open Channel Junction Flow*, 1–18,
- Budiana, E.P., Juwana, W.E., Pranowo, P., Indarto, I. dan Deendarlianto, D., 2019, Numerical simulation of mixing of two-phase fluid using radial basis function, *AIP Conference Proceedings*, [Online] 2192 (December), tersedia di DOI:10.1063/1.5139168.

- Budiana, E.P., Pranowo, Indarto dan Deendarlianto, 2020a, Meshless numerical model based on radial basis function (RBF) method to simulate the Rayleigh–Taylor instability (RTI), *Computers and Fluids*, [Online] 201, tersedia di DOI:10.1016/j.compfluid.2020.104472.
- Budiana, E.P., Pranowo, Indarto dan Deendarlianto, 2020b, The meshless numerical simulation of Kelvin–Helmholtz instability during the wave growth of liquid–liquid slug flow, *Computers and Mathematics with Applications*, [Online] 80 (7), 1810–1838, tersedia di DOI:10.1016/j.camwa.2020.08.006.
- de Castro, M.S. dan Rodriguez, O.M.H., 2015, Interfacial waves in stratified viscous oil-water flow, *Experimental Thermal and Fluid Science*, [Online] 6285–98, tersedia di DOI:10.1016/j.expthermflusci.2014.12.003.
- Chalgeri, V.S. dan Jeong, J.H., 2019, Flow patterns of vertically upward and downward air-water two-phase flow in a narrow rectangular channel, *International Journal of Heat and Mass Transfer*, [Online] 128934–953, tersedia di DOI:10.1016/j.ijheatmasstransfer.2018.09.047.
- Chinello, G., Ayati, A.A., McGlinchey, D., Ooms, G. dan Henkes, R., 2019, Comparison of computational fluid dynamics simulations and experiments for stratified air-water flows in pipes, *Journal of Fluids Engineering, Transactions of the ASME*, [Online] 141 (5), 1–12, tersedia di DOI:10.1115/1.4041667.
- Christoph Müller, W., 2006, Review of debris bed cooling in the TMI-2 accident. *Nuclear Engineering and Design*. [Online]. 236 (19–21) hlm.1965–1975. tersedia di DOI:10.1016/j.nucengdes.2006.03.028.
- Darekar, M., Singh, K.K., Mukhopadhyay, S. dan Shenoy, K.T., 2017, Liquid-Liquid Two-Phase Flow Patterns in Y-Junction Microchannels, *Industrial and Engineering Chemistry Research*, [Online] 56 (42), 12215–12226, tersedia di DOI:10.1021/acs.iecr.7b03164.
- Deendarlianto, Andrianto, M., Widyaparaga, A., Dinaryanto, O., Khasani dan Indarto, 2016, CFD Studies on the gas-liquid plug two-phase flow in a horizontal pipe, *Journal of Petroleum Science and Engineering*, [Online] 147 (2), 779–787, tersedia di DOI:10.1016/j.petrol.2016.09.019.

- Deendarlianto, Höhne, T., Apanasevich, P., Lucas, D., Vallée, C. dan Beyer, M., 2012, Application of a new drag coefficient model at CFD-simulations on free surface flows relevant for the nuclear reactor safety analysis, *Annals of Nuclear Energy*, [Online] 39 (1), 70–82, tersedia di DOI:10.1016/j.anucene.2011.09.010.
- Deendarlianto, Hudaya, A.Z., Indarto dan Ozzilenda Soegiharto, K.D., 2019, Wetted wall fraction of gas-liquid stratified co-current two-phase flow in a horizontal pipe with low liquid loading, *Journal of Natural Gas Science and Engineering*, [Online] 70102967, tersedia di DOI:10.1016/j.jngse.2019.102967.
- Dibyso, S., Pinem, S., Sulistyo, F.Y. dan Sriwardhani, V.I., 2024a, CFD simulation on sub-channel blockage in the fuel plate of RSG-GAS reactor, *Progress in Nuclear Energy*, [Online] 170 (March), 105155, tersedia di DOI:10.1016/j.pnucene.2024.105155.
- Dibyso, S., Pinem, S., Sulistyo, F.Y. dan Sriwardhani, V.I., 2024b, CFD simulation on sub-channel blockage in the fuel plate of RSG-GAS reactor, *Progress in Nuclear Energy*, [Online] 170 (March), 105155, tersedia di DOI:10.1016/j.pnucene.2024.105155.
- Gawas, K., Karami, H., Pereyra, E., Al-Sarkhi, A. dan Sarica, C., 2014, Wave characteristics in gas-oil two phase flow and large pipe diameter, *International Journal of Multiphase Flow*, [Online] 6393–104, tersedia di DOI:10.1016/j.ijmultiphaseflow.2014.04.001.
- Gupta, R. dan Deshpande, A., 2023, CFD Modeling of Two-Phase Flow in Mini and Microchannels, *Handbook of Multiphase Flow Science and Technology*, [Online] 1–27, tersedia di DOI:10.1007/978-981-4585-86-6_35-1.
- Henry, R.E. dan Hammersley, R.J., 1996, Quenching of metal surfaces in a narrow annular gap, *International conference on simulation methods in nuclear engineering*, 1996 Canadian Nuclear Society, Montreal, Canada., hlm. 1–14,
- Höhne, T. dan Deendarlianto, 2012, Numerical simulations of counter current flow experiments using a morphology detection algorithm, *Journal of*

Computational Multiphase Flows, [Online] 4 (3), 271–286, tersedia di DOI:10.1260/1757-482X.4.3.271.

Höhne, T. dan Porombka, P., 2018, Modelling horizontal two-phase flows using generalized models, *Annals of Nuclear Energy*, [Online] 111 311–316, tersedia di DOI:10.1016/j.anucene.2017.09.018.

Hu, Y.Y., Zhou, L., Li, Y.J., Lu, Y.Q., Feng, R.L., Chen, Q.X. dan Xue, Z.J., 2024, Numerical simulation of various flow regimes in water delivery systems, *Engineering Applications of Computational Fluid Mechanics*, [Online] 18 (1), tersedia di DOI:10.1080/19942060.2024.2387047.

Hudaya, A.Z., Widyatama, A., Dinaryanto, O., Juwana, W.E., Indarto dan Deendarlianto, 2019a, The liquid wave characteristics during the transportation of air-water stratified co-current two-phase flow in a horizontal pipe, *Experimental Thermal and Fluid Science*, [Online] 103 (January), 304–317, tersedia di DOI:10.1016/j.expthermflusci.2019.01.021.

Hudaya, A.Z., Widyatama, A., Dinaryanto, O., Juwana, W.E., Indarto dan Deendarlianto, 2019b, The liquid wave characteristics during the transportation of air-water stratified co-current two-phase flow in a horizontal pipe, *Experimental Thermal and Fluid Science*, [Online] 103 (January), 304–317, tersedia di DOI:10.1016/j.expthermflusci.2019.01.021.

International Atomic Energy Agency (IAEA), 2002a, Accident analysis of nuclear power plants. *Iaea-Safety Reports series no.23*. 23.

International Atomic Energy Agency (IAEA), 2002b, Accident analysis of nuclear power plants. *Iaea-Safety Reports series no.23*. [Online]. 23. tersedia di <https://www.iaea.org/publications/6388/accident-analysis-for-nuclear-power-plants>.

Ishibashi, E. dan Nishikawa, K., 1969, Saturated boiling heat transfer in narrow spaces, *International Journal of Heat and Mass Transfer*, [Online] 12 (8), 867–893, tersedia di DOI:10.1016/0017-9310(69)90153-7.

Jacqmin, D., 1999, Calculation of Two-Phase Navier-Stokes Flows Using Phase-Field Modeling, *Journal of Computational Physics*, [Online] 155 (1), 96–127, tersedia di DOI:10.1006/jcph.1999.6332.

- Juarsa, M., 2003, Study on boiling heat transfer under transient cooling in an annulus with a narrow gap, *Tesis*, Kyoto University., [Online]. tersedia di DOI:10.1080/18811248.2004.9715486.
- Juarsa, M., Putra, N., Septiadi, W.N. dan Antariksawan, A.R., 2014, Experimental study on the effect of gap size to CCFL and CHF in a vertical of narrow rectangular channel during quenching process, *Annals of Nuclear Energy*, [Online] 72391–400, tersedia di DOI:10.1016/j.anucene.2014.06.007.
- kadhim, T.Q., Daway, H.G. dan Kadhim, A.M., 2024, Enhancement of Lightness Image Based on DCP with Color Restoration and Lightness Mapping, *International Journal of Intelligent Engineering and Systems*, [Online] 17 (1), 689–697, tersedia di DOI:10.22266/ijies2024.0229.58.
- Kaiser, F., Sato, Y. dan Gabriel, S., 2024, Subcooled forced convection boiling flow measured using high-resolution techniques at the COSMOS-L facility and accompanying CFD simulation employing an interface-tracking scheme, *International Journal of Multiphase Flow*, [Online] 174 (December 2023), 104772, tersedia di DOI:10.1016/j.ijmultiphaseflow.2024.104772.
- Kandlikar, S.G., 2002, Two-phase flow patterns, pressure drop, and heat transfer during boiling in minichannel flow passages of compact evaporators, *Heat Transfer Engineering*, [Online] 23 (1), 5–23, tersedia di DOI:10.1080/014576302753249570.
- Kang, H.C. dan Kim, M.H., 1992, Measurement of three-dimensional wave form and interfacial area in an air-water stratified flow. *Nuclear Engineering and Design*. [Online]. 136 (3) hlm.347–360. tersedia di DOI:10.1016/0029-5493(92)90033-R.
- Kuntoro, H.Y., Hudaya, A.Z., Dinaryanto, O., Majid, A.I. dan Deendarlianto, 2016, An improved algorithm of image processing technique for film thickness measurement in a horizontal stratified gas-liquid two-phase flow, *AIP Conference Proceedings*, [Online], 2016 AIP Publishing, Yogyakarta., hlm. tersedia di DOI:10.1063/1.4949298.

- Kutateladze, S. s, 1952, *Heat Transfer in condensation and boiling*, 2nd edisi, Engineer F.I Fetysov (ed.), OLENINGRAD DIVISION OF STATE PUBLISHING HOUSE OF MACHINE LITERATUR, Moscow.
- Lai, J., Xiao, Z. dan Wang, L.P., 2022, Simulation of two-phase flows at large density ratios and high Reynolds numbers using a discrete unified gas kinetic scheme, *Physics of Fluids*, [Online] 34 (9), tersedia di DOI:10.1063/5.0109239.
- Lee, H.G. dan Kim, J., 2015, Two-dimensional Kelvin-Helmholtz instabilities of multi-component fluids, *European Journal of Mechanics, B/Fluids*, [Online] 49 (PA), 77–88, tersedia di DOI:10.1016/j.euromechflu.2014.08.001.
- Leroy alton bromley, 1948, *Heat transfer in stable film boiling*.
- Liang, G. dan Mudawar, I., 2019, Review of single-phase and two-phase nanofluid heat transfer in macro-channels and micro-channels, *International Journal of Heat and Mass Transfer*, [Online] 136324–354, tersedia di DOI:10.1016/j.ijheatmasstransfer.2019.02.086.
- Lioger–Arago, R., Coste, P. dan Caney, N., 2024a, Influence of Subcooling and pressure on flow boiling in a vertical mini-channel: Heat transfer analysis using inverse method, *International Journal of Heat and Mass Transfer*, [Online] 226 (December 2023), 125524, tersedia di DOI:10.1016/j.ijheatmasstransfer.2024.125524.
- Lioger–Arago, R., Coste, P. dan Caney, N., 2024b, Influence of Subcooling and pressure on flow boiling in a vertical mini-channel: Heat transfer analysis using inverse method, *International Journal of Heat and Mass Transfer*, [Online] 226 (December 2023), 125524, tersedia di DOI:10.1016/j.ijheatmasstransfer.2024.125524.
- Liu, J., Tolle, T., Bothe, D. dan Marić, T., 2023, An unstructured finite-volume level set / front tracking method for two-phase flows with large density-ratios, *Journal of Computational Physics*, [Online] 4931–29, tersedia di DOI:10.1016/j.jcp.2023.112426.
- Lv, X., Zhang, D., Song, G., Su, G., Tian, W. dan Qiu, S., 2023, Experimental study on flow patterns in narrow rectangular channels, *Progress in Nuclear Energy*,

[Online] 156 (September 2022), 104562, tersedia di
DOI:10.1016/j.pnucene.2022.104562.

Meng, W., 1999, Low liquid loading gas-liquid two-phase flow in near-horizontal pipes, *Tesis*, UMI Company, Oklahoma.

Monni, G., De Salve, M. dan Panella, B., 2014, Horizontal two-phase flow pattern recognition, *Experimental Thermal and Fluid Science*, [Online] 59213–221, tersedia di DOI:10.1016/j.expthermflusci.2014.04.010.

Montoya, G.A., Deendarlianto, Lucas, D., Höhne, T., Vallée, C., Höhne, T. dan Vallée, C., 2012, Image-processing-based study of the interfacial behavior of the countercurrent gas-liquid two-phase flow in a hot leg of a PWR, *Science and Technology of Nuclear Installations*, [Online] 20121–10, tersedia di DOI:doi:10.1155/2012/209542.

Morales, R.E.M., Silva, M.J. da, Santos, E.N., Dorini, L., Amaral, C.E.F. do dan Alves, R.F., 2011, Image analisys of horizontal two-phase slug flows, *Proceedings of the ASME 2011 nternational Mechanical Engineering Congress & ExpositionnIMECE2011*, 2011 ASME, Denver, Colorado,, hlm. 1–7,

Morghi, Y., Mesquita, A.Z., Santos, A.A.C. dos dan Vasconcelos, V., 2015a, The use of CFD code for numerical simulation study on the air/water countercurrent flow limitation in nuclear reactors, *2015 International Nuclear Atlantic Conference-INAC 2015*, [Online], 2015 Associacao Brasileira de energia Nuclear-ABEN, Sao Paulo, Brazil., hlm. tersedia di http://www.iaea.org/inis/collection/NCLCollectionStore/_Public/47/017/47017708.pdf.

Morghi, Y., Mesquita, A.Z., Santos, A.A.C. dos dan Vasconcelos, V., 2015b, The use of CFD code for numerical simulation study on the air/water countercurrent flow limitation in nuclear reactors, *2015 International Nuclear Atlantic Conference-INAC 2015*, 2015 Associacao Brasileira de energia Nuclear-ABEN, Sao Paulo, Brazil., hlm.

Mousa, H.M., Muhsun, S.S. dan Al-Sharif, Z.T., 2020, Two Phase Flow Experimental Detection Method and Cfd Models – a Review, *Journal of*

Engineering and Sustainable Development, [Online] 24 (5), 9–18, tersedia di
DOI:10.31272/jeasd.24.5.2.

Murase, M., Kohriyama, T., Kawabe, Y., Yoshidaand, Y. dan Okano, Y., 2001,
Heat transfer models in narrow gap, *9th International Conference on Nuclear
Engineering*, 2001 ICONE, Nice,France., hlm.

Nguyen, V.P., Rabczuk, T., Bordas, S. dan Duflot, M., 2008, Meshless methods: A
review and computer implementation aspects, *Mathematics and Computers in
Simulation*, [Online] 79 (3), 763–813, tersedia di
DOI:10.1016/j.matcom.2008.01.003.

Nugroho, A.N.A., Deendarlianto, Indarto dan Achilles Hermawan Astyanto, 2024,
Stochastic and wavelet analysis towards liquid film thickness fluctuations
during countercurrent flow limitation on a complex geometry by using image
processing, *AIP Conference Proceedings*, [Online], 2024 AIP Publishing,
Yogyakarta., hlm. 1–10, tersedia di DOI:10.1063/5.0207224.

Nukiyama, S., 1934, The maximum and minimum values of the heat Q transmitted
from metal to boiling water under atmospheric pressure, *International Journal
of Heat and Mass Transfer*, [Online] 27 (7), 367–374, tersedia di
DOI:10.1016/0017-9310(66)90138-4.

Pandey, S.S., Kasundra, P.K., Daxini, S.D., College, B.H.G. dan Rajkot, T., 2013,
Introduction of Meshfree Methods and Implementation of Element Free
Galerkin (EFG) Method to Beam Problem, *International Journal on
Theoretical and Applied Research in Mechanical Engineering (IJTARME)*, 2
(August 2013), 85–89,

Pandiella, S.S., García, L.A., Díaz, M. dan Webb, C., 1999, Simulation of a two
phase flow by CFD: Analysis of the computational method, *Chemical
Engineering Communications*, [Online] 173 (May 2013), 197–214, tersedia di
DOI:10.1080/00986449908912784.

Parvareh, A., Rahimi, M., Alizadehdakhel, A. dan Alsairafi, A.A., 2010, CFD and
ERT investigations on two-phase flow regimes in vertical and horizontal tubes,
International Communications in Heat and Mass Transfer, [Online] 37 (3),
304–311, tersedia di DOI:10.1016/j.icheatmasstransfer.2009.11.001.

- Pinilla, J.A., Guerrero, E., Pineda, H., Posada, R., Pereyra, E. dan Ratkovich, N., 2018, CFD modeling and validation for two-phase medium viscosity oil-air flow in horizontal pipes, *Chemical Engineering Communications*, [Online] 206 (5), 1–18, tersedia di DOI:10.1080/00986445.2018.1516646.
- Prasetyo, A., Wijayanta, S., Indarto, I. dan Deendarlianto, D., 2022, Pengaruh Tegangan Permukaan Pada Tebal Film Cairan Dan Karakteristik Gelombang Antarmuka Aliran Dua Fase Stratified Horizontal, *Jurnal Rekayasa Mesin*, [Online] 13 (3), 805–817, tersedia di DOI:10.21776/jrm.v13i3.1212.
- Rabeh, A., Khanwale, M.A., Lee, J. dan Ganapathysubramanian, B., 2024, *Modeling and simulations of high-density two-phase flows using projection-based Cahn-Hilliard Navier-Stokes equations*,
- Rangel, R.H. dan Sirignano, W.A., 1988, Nonlinear growth of Kelvin–Helmholtz instability: Effect of surface tension and density ratio, *The Physics of Fluids*, [Online] 31 (7), 1845–1855, tersedia di DOI:10.1063/1.866682.
- Rempe, J.L., Stickler, L.A., Korth, G.E., Diercks, D.R., Neimark, L.A., Akers, D.W., Schuetz, B.K., Shearer, T.L., Chdvez, S.A., Thinnies, G.L., Witt, R.J., Corradini, M.L., Kos, J.A., National, I. dan Commission, U.S.N.R., 1994, TMI-2 Vessel Investigation Project Integration Report. *NUREG/CR-6197 TMI V(93)EG10EGG-2734*. (93).
- Septiyanto, M.D., Budiana, E.P. dan Hadi, S., 2025, A novel RBF-DDM method for modelling transient droplet spreading in simple oil shear flow, *Engineering Analysis with Boundary Elements*, [Online] 171 (September 2024), 106099, tersedia di DOI:10.1016/j.enganabound.2024.106099.
- Sharma, S.L., Hibiki, T., Ishii, M., Schlegel, J.P., Buchanan, J.R., Hogan, K.J. dan Guilbert, P.W., 2017a, An interfacial shear term evaluation study for adiabatic dispersed air–water two-phase flow with the two-fluid model using CFD, *Nuclear Engineering and Design*, [Online] 312389–398, tersedia di DOI:10.1016/j.nucengdes.2016.08.032.
- Sharma, S.L., Hibiki, T., Ishii, M., Schlegel, J.P., Buchanan, J.R., Hogan, K.J. dan Guilbert, P.W., 2017b, An interfacial shear term evaluation study for adiabatic dispersed air–water two-phase flow with the two-fluid model using CFD,

- Nuclear Engineering and Design*, [Online] 312389–398, tersedia di DOI:10.1016/j.nucengdes.2016.08.032.
- Shi, J. dan Kocamustafaogullari, G., 1994, Interfacial measurements in horizontal stratified flow patterns. *Nuclear Engineering and Design*. [Online]. 149 (1–3) hlm.81–96. tersedia di DOI:10.1016/0029-5493(94)90276-3.
- Sun, D.L., Xu, J.L. dan Wang, L., 2012a, Development of a vapor-liquid phase change model for volume-of-fluid method in FLUENT, *International Communications in Heat and Mass Transfer*, [Online] 39 (8), 1101–1106, tersedia di DOI:10.1016/j.icheatmasstransfer.2012.07.020.
- Sun, D.L., Xu, J.L. dan Wang, L., 2012b, Development of a vapor-liquid phase change model for volume-of-fluid method in FLUENT, *International Communications in Heat and Mass Transfer*, [Online] 39 (8), 1101–1106, tersedia di DOI:10.1016/j.icheatmasstransfer.2012.07.020.
- Tanaka, F., Juarsa, M., Mishima, K., Murase, M. dan Nagae, T., 2004, Experimental Study on Transient Boiling Heat Transfer in an Annulus with a Narrow Gap, *Journal of Nuclear Science and Technology*, [Online] 41 (3), 279–284, tersedia di DOI:10.1080/18811248.2004.9715486.
- Thomsen, K.L., 1998, *Review of the TMI-2 Accident Evaluation and Vessel Investigation Projects Review of the TMI-2 Accident Evaluation and Vessel Investigation Projects RISO-R-1004 Report*, Riso National Laboratory, Roskilde, Denmark, denmark.
- Uchibori, A., Matsumoto, T., Morita, K. dan Fukuda, K., 2003, Evaluation of cooling capability in a heated narrow flow passage, *Journal of Nuclear Science and Technology*, [Online] 40 (10), 796–806, tersedia di DOI:10.1080/18811248.2003.9715421.
- USNRC, 2018a, Backgrounder on the Three Mile Island Accident, [Online], tersedia di <https://www.nrc.gov/reading-rm/doc-collections/fact-sheets/3mile-isle.html>.
- USNRC, 2018b, Backgrounder on the Three Mile Island Accident, [Online], tersedia di <https://www.nrc.gov/reading-rm/doc-collections/fact-sheets/3mile-isle.html>.

- Utanohara, Y., Kinoshita, I., Murase, M., Lucas, D., Vallée, C. dan Tomiyama, A., 2012, Numerical simulations for steam-water CCFL tests using the 1/3 scale rectangular channel simulating a PWR hot leg, *Nuclear Engineering and Design*, [Online] 24914–23, tersedia di DOI:10.1016/j.nucengdes.2011.05.041.
- Wang, M., Wang, Y., Tian, W., Qiu, S. dan Su, G.H., 2021, Recent progress of CFD applications in PWR thermal hydraulics study and future directions, *Annals of Nuclear Energy*, [Online] 150, tersedia di DOI:10.1016/j.anucene.2020.107836.
- Watson, N.A., Kelly, M.F., Owen, I., Hodge, S.J. dan White, M.D., 2019, Computational and experimental modelling study of the unsteady airflow over the aircraft carrier HMS Queen Elizabeth, *Ocean Engineering*, [Online] 172 (September 2018), 562–574, tersedia di DOI:10.1016/j.oceaneng.2018.12.024.
- Widyatama, A., Dinaryanto, O., Indarto dan Deendarlianto, 2018, The development of image processing technique to study the interfacial behavior of air-water slug two-phase flow in horizontal pipes, *Flow Measurement and Instrumentation*, [Online] 59 (October 2017), 168–180, tersedia di DOI:10.1016/j.flowmeasinst.2017.12.015.
- Wijayanta, S., 2023a, STUDI PENGARUH SIFAT FISIS FLUIDA TERHADAP KARAKTERISTIK ALIRAN STRATIFIED UDARA-AIR SEARAH PADA PIPA HORIZONTAL, *Tesis*, Univrsitas Gajah Mada.
- Wijayanta, S., 2023b, STUDI PENGARUH SIFAT FISIS FLUIDA TERHADAP KARAKTERISTIK ALIRAN STRATIFIED UDARA-AIR SEARAH PADA PIPA HORIZONTAL, *Tesis*, Disertasi, Univrsitas Gajah Mada.
- Wijayanta, S., Prasetyo, A., Zidni, A., Deendarlianto dan Indarto, 2023a, The effect of the liquid physical properties on the wave frequency and wave velocity of co-current gas-liquid stratified two-phase flow in a horizontal pipe, *International Journal of Multiphase Flow*, [Online] 158 (2), 104300, tersedia di DOI:10.1016/j.ijmultiphaseflow.2022.104300.

- Wijayanta, S., Prasetyo, A., Zidni, A., Deendarlianto dan Indarto, 2023b, The effect of the liquid physical properties on the wave frequency and wave velocity of co-current gas-liquid stratified two-phase flow in a horizontal pipe, *International Journal of Multiphase Flow*, [Online] 158 (2), 104300, tersedia di DOI:10.1016/j.ijmultiphaseflow.2022.104300.
- Wolf, J.R., Rempe, J.L., Stickler, L.A., Korth, G.E., Diercks, D.R. dan Neimark, L.A., 1994, *TMI-2 Vessel Investigation Project Integration Report*. (93).
- Wu, H., 2022, A review on the Cahn–Hilliard equation: Classical results and recent advances in dynamic boundary conditions, *Electronic Research Archive*, [Online] 30 (8), 2788–2832, tersedia di DOI:10.3934/era.2022143.
- Yang, J., Christov, I.C. dan Dong, S., 2024, Phase field modeling and numerical algorithm for two-phase dielectric fluid flows, *Journal of Computational Physics*, [Online] 514 (June), 1–36, tersedia di DOI:10.1016/j.jcp.2024.113228.
- Yue, Y., Zhao, W., Sun, X., Che, H. dan Duan, R., 2024, A CFD-DEM study of a two-joint spouting flow pattern in a multiple rectangular spout fluidized bed, *Powder Technology*, [Online] 435 (December 2023), 119351, tersedia di DOI:10.1016/j.powtec.2023.119351.
- Yusuf, N.R., Kamal, S., Juarsa, M., Ainur, R., H, J.P.W.I., Kalor, P., Pada, P. dan Sempit, C., 2011, Analisis counter current flow limitation selama proses perpindahan kalor pendidihan pada celah sempit rektangular, *prosiding seminar keselamatan nuklir*, 2011 Badan Pengawas Tenaga Nuklir, jakarta., hlm.
- Yusuf, N.R., Suprpto dan Deendarlianto, J.E.I., 2025, *Optimized Bisection Image Processing for Wave Identification in Two-Phase Flow on Narrow Gap Rectangular Channel*, [Online] 18 (no.2), 1–16, tersedia di DOI:10.22266/ijies2025.0331.13.
- Zhang, J., Tanaka, F., Juarsa, M. dan Mishima, K., 2003, CALCULATION OF BOILING CURVES DURING REWETTING OF A HOT VERTICAL NARROW CHANNEL, *The 10th International Topical Meeting on Nuclear Reactor Thermal Hydraulics*, 2003 seoul, Korea., hlm. 1–14,

Zhou, J., Ye, T., Zhang, D., Song, G., Sun, R., Deng, J., Tian, W., Su, G.H. dan
Qiu, S., 2021, Experimental study on vertically upward steam-water two-phase
flow patterns in narrow rectangular channel, *Nuclear Engineering and
Technology*, [Online] 53 (1), 61–68, tersedia di
DOI:10.1016/j.net.2020.06.003.