

CONTENTS

TITLE PAGE	i
APPROVAL PAGE	ii
STATEMENT	iii
PREFACE	iv
ABSTRACT	vi
INTISARI.....	vii
CONTENTS	v
LIST OF TABLES	vii
LIST OF FIGURES.....	viii
PART I INTRODUCTION	1
1.1. Background	1
1.2. State the Art of the Research.....	5
1.3. Problems.....	7
1.4. Aims	7
1.5. Benefits	7
PART II RESEARCH STUDIES.....	8
2.1. Literature Review.....	8
2.2. Theoretical Studies.....	13
2.2.1. Oral Cancer	13
2.2.2. Exosome as a biomarker	16
2.2.3. Janus Particle Microsensor.....	19
2.2.4. Rotational Brownian Motion	21
2.2.5. Cross-correlation Analysis.....	21
2.3. Theoretical Framework	22
2.4. Conceptual Framework	26
2.5. Hypothesis.....	27
PART III RESEARCH METHODS	28
3.1. Materials.....	28
3.2. Tools.....	28
3.3. Research Variable	29
3.4. Methods.....	29
3.5. Data Analysis	37

3.6. Data Presentation	37
3.7. Research Flowchart.....	38
PART IV RESULT AND DISCUSSION	39
4.1. Research Result.....	39
4.2. Discussion	48
PART V CONCLUSION AND RECOMENDATION	52
5.1. Conclusion	52
5.2. Recommendation.....	52
5.3. Future Work	53
REFERENCES.....	55
ATTACHMENTS	63
Attachment 1	63
Attachment 2	64
Attachment 3	67
Attachment 4	70

LIST OF TABLES

Table 1. 1 Previous research that has been done to detect exosomes	5
Table 2. 1 The limitations of several non-invasive detection methods.....	8

LIST OF FIGURES

Figure 2. 1 Exosome features (Rajput et al., 2022).....	17
Figure 2. 2 Schematic representation of Janus particles binding specific exosomes target.....	20
Figure 2. 3 Conceptual Framework.....	26
Figure 3. 1 Illustration of the functionalization JPs with antibodies CD63	29
Figure 3. 2 Immunoassay process	30
Figure 3. 3 Research step	38
Figure 4. 1 The particle motion over time, where t is time.....	40
Figure 4. 2 The JPs intensity measurements in different concentrations of exosomes (a. Control-PBS; b. 2 ; c. 1.5×10^1 ; d. 1.5×10^2 ; e. 1.5×10^3 ; f. 1.5×10^4 ; g. 1.5×10^5 particles/ml) with antibody CD63.....	41
Figure 4. 3 The JPs intensity measurements in different concentrations of exosomes (a. Control-PBS; b. 2 ; c. 1.5×10^1 ; d. 1.5×10^2 ; e. 1.5×10^3 ; f. 1.5×10^4 ; g. 1.5×10^5 particles/ml) with antibody CD44.	42
Figure 4. 4 Cross correlation analysis of the conjugation results of a. JPs-antibody CD63 and b. JPs-antibody CD44.	43
Figure 4. 5 Surface marker a. CD63 and b. CD44 standard curve.....	45
Figure 4. 6 Concentrations of surface marker a. CD63 and b. CD44.	46