

## DAFTAR PUSTAKA

- Amani, M., Kakooei, M., Moghimi, A., Ghorbanian, A., Ranjgar, B., Mahdavi, S., Davidson, A., Fisette, T., Rollin, P., Brisco, B., Mohammadzadeh, A., 2020. Application of Google Earth Engine cloud computing platform, sentinel imagery, and neural networks for crop mapping in Canada. *Rem. Sens.* 12 (21), 3561. <https://doi.org/10.3390/rs12213561>
- Amnuaylojaroen, T., 2022. Prediction of PM<sub>2.5</sub> in an urban area of northern Thailand using multivariate linear regression model. *Advances in Meteorology*, Article3190484. <https://doi.org/10.1155/2022/3190484>
- Ahrens, D. C., 2009, *Meteorology Today: An Introduction to Weather, Climate, and The Environment*. USA
- Badan Meteorologi Klimatologi dan Geofisika (2022). *Pemutakhiran Zona Musim Indonesia Periode 1991-2020*. BMKG Indonesia, Jakarta.
- Badan Meteorologi Klimatologi dan Geofisika (2022). *Peraturan No. 8 Tahun 2022 tentang Perubahan atas Peraturan Badan Meteorologi, Klimatologi, dan Geofisika Nomor 2 Tahun 2020 Tentang Penyediaan dan Penyebaran Informasi Kualitas Udara*
- Badan Pusat Statistik Provinsi DKI Jakarta. (2023). *Provinsi DKI Jakarta dalam Angka 2023*. Jakarta: Badan Pusat Statistik Provinsi DKI Jakarta.
- Ballester, F., Estarlich, M., Iñiguez, C. et al. Air pollution exposure during pregnancy and reduced birth size: a prospective birth cohort study in Valencia, Spain. *Environ Health* 9, 6 (2010). <https://doi.org/10.1186/1476-069X-9-6>
- Bi, J., Stowell, J., Seto, E. Y. W., English, P. B., Al-Hamdan, M. Z., Kinney, P. L., Freedman, F. R., & Liu, Y. (2020). Contribution of low-cost sensor measurements to the prediction of PM<sub>2.5</sub> levels: A case study in Imperial County, California, USA. *Environmental Research*, 180, 108810. <https://doi.org/10.1016/J.ENVRES.2019.108810>
- Bodah, B. W., Neckel, A., Maculan, L. S., Milanes, C. B., Korcelski, C., Ramírez, O. & Oliveira, M. L. (2022). Sentinel-5P TROPOMI satellite application

- for NO<sub>2</sub> and CO studies aiming at environmental valuation. *Journal of Cleaner Production*, 357, 131960.
- Breiman, L. (2001). Random forests. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>
- Carslaw, D., 2012, The openair manual—open-source tools for analysing air pollution data. Manual for version, Vol. 1.
- Carslaw, D.C., Ropkins, K., 2012. Openair d an R package for air quality data analysis. *Environ. Model. Softw.* 27e28 (0), 52e61. URL. <http://www.sciencedirect.com/science/article/pii/S1364815211002064>.
- Chen W, Lu X, Yuan D, Chen Y, Li Z, Huang Y, Fung T, Sun H and Fung J C H 2023 Global PM<sub>2.5</sub> prediction and associated mortality to 2100 under different climate change scenarios *Environmental Science & Technology* 57 10039–52.
- Cooper, D. and F. Alley. 1994. *Air Pollution Control: A Design Approach*, 2nd Edition, Waveland Press, Prospect Heights, IL.
- Côté, P.-O., Nikanjam, A., Ahmed, N., Humeniuk, D., & Khomh, F. (2023). Data Cleaning and Machine Learning: A Systematic Literature Review. <https://doi.org/10.48550/arXiv.2310.01765>.
- Dahari, N., Latif, M.T., Muda, K. and Hussein, N. (2020). Influence of Meteorological Variabels on Suburban Atmospheric PM<sub>2.5</sub> in the Southern Region of Peninsular Malaysia. *Aerosol Air Qual. Res.* 20: 14-25. <https://doi.org/10.4209/aaqr.2019.06.0313>
- Dinas Lingkungan Hidup DKI Jakarta (2022). Laporan Akhir Kegiatan Pemantauan Kualitas Udara Provinsi DKI Jakarta Tahun 2022.
- ESA (The European Space Agency). (2023). Products and Algorithms[online] Available at: <https://sentinels.copernicus.eu/web/sentinel/technical-guides/sentinel-5p/products-algorithms>
- Fang, X., Li, S., Xiong, L., & Zou, B. (2022). Analysis of PM<sub>2.5</sub> Variations Based on Observed, Satellite-Derived, and Population-Weighted Concentrations. *Remote Sensing*, 14(14), 3381. <https://doi.org/10.3390/rs14143381>

- Farrow, A., Miller, K.A., Myllyvirta, L. (2020). Toxic air: the price of fossil fuels. Greenpeace Southeast Asia. 44 pp. <https://www.greenpeace.org/static/planet4-southeastasia-stateless/2020/02/21b480fa-toxic-air-report-110220.pdf>
- Gorelick, N.; Hancher, M.; Dixon, M.; Ilyushchenko, S.; Thau, D.; Moore, R. Google Earth Engine: Planetary-scale geospatial analysis for everyone. Remote Sens. Environ. 2017, 202, 18–27.
- Grange, S.K., Alastair C. Lewis, David C. Carslaw. (2016). Source apportionment advances using polar plots of bivariate correlation and regression statistics. Atmospheric Environment, Volume 145. <https://doi.org/10.1016/j.atmosenv.2016.09.016>.
- Guo, B., Wang, L., Pan, R., & Zhu, X. (2022). A grouped spatial-temporal model for PM 2.5 data and its applications on outlier detection. Communications in Statistics - Simulation and Computation, 1–13. <https://doi.org/10.1080/03610918.2022.2081707>
- Han, J., Kamber, M., & Pei, J. (2011). Data mining: Concepts and techniques (3rd ed.). Elsevier.
- Höyhty, M. S. Boumard, A. Yastrebova, P. Järvensivu, M. Kiviranta and A. Anttonen, "Sustainable Satellite Communications in the 6G Era: A European View for Multilayer Systems and Space Safety," in IEEE Access, vol. 10, pp. 99973-100005, 2022, doi: 10.1109/ACCESS.2022.3206862
- Istiana, T., Kurniawan, B., Soekirno, S., Nahas, A., Wihono, A., Nuryanto, D. E., Adi, S. P., & Hakim, M. L. (2023). Causality Analysis of Air Quality and Meteorological Parameters for PM<sub>2.5</sub> Characteristics Determination: Evidence from Jakarta. Aerosol and Air Quality Research, 23(9), Article 230014. <https://doi.org/10.4209/aaqr.230014>
- IQAir. (2023). Laporan Kualitas Udara Dunia tahun 2023.. <https://www.iqair.com/id/newsroom>
- Kementerian Lingkungan Hidup. (2013). Pedoman teknis penyusunan inventarisasi emisi pencemar udara di perkotaan. Jakarta Asdep Pengendali.

Pencemaran Udar. Sumber Berger. Deputi Bid. Pengendali. Pencemaran Lingkungan. Kementeri. Lingkung. Hidup Pencemaran Udar. di Daerah. Jakarta.

- Kianian, B., Liu, Y., & Chang, H. H. (2021). Imputing Satellite-Derived Aerosol Optical Depth Using a Multi-Resolution Spatial Model and Random Forest for PM<sub>2.5</sub> Prediction. *Remote Sensing*, 13(1), 126. <https://doi.org/10.3390/rs13010126>
- Kow, P. Y., Chang, L. C., Lin, C. Y., Chou, C. C. K., & Chang, F. J. (2022). Deep neural networks for spatiotemporal PM<sub>2.5</sub> forecasts based on atmospheric chemical transport model output and monitoring data. *Environmental Pollution*, 306, 119348. <https://doi.org/10.1016/J.ENVPOL.2022.119348>
- Kumar, L., & Mutanga, O. (2018). Google Earth Engine Applications Since Inception: Usage, Trends, and Potential. *Remote Sensing*, 10(10), 1509. <https://doi.org/10.3390/rs10101509>
- Lenoble, J., Remer, L.A. & Tame, D., 2013. *Aerosol Remote Sensing*. Chichester, UK : Praxis Publishing Ltd
- Levy, R.C.; Mattoo, S.; Munchak, L.A.; Remer, L.A.; Sayer, A.M.; Patadia, F.; Hsu, N.C. The Collection 6 MODIS aerosol product over land and ocean. *Atmos. Meas. Tech.* 2013, 6, 2989–3034
- Lillesand, Thomas M. Kiefer, Ralph W. Chipman, J. W. (2015). *Remote Sensing and Image Interpretation*. 7th Edition. In *Photogrammetric Engineering & Remote Sensing* (Vol. 81, Issue 8). <https://doi.org/10.14358/pers.81.8.615>
- Liu, J., Weng, F., Li, Z., 2019. Satellite-based pm<sub>2.5</sub> estimation directly from reflectance at the top of the atmosphere using a machine learning algorithm. *Atmos. Environ.* 208, 113–122. <https://doi.org/10.1016/j.atmosenv.2019.04.002>
- Liu, Y., Chawla, N. V., Harper, M. P., Shriberg, E., & Stolcke, A. (2006). A study in machine learning from imbalanced data for sentence boundary detection in speech. *Computer Speech & Language*, 20(4), 468–494. <https://doi.org/10.1016/J.CSL.2005.06.002>

- Mahesh, B. (2020). Machine learning algorithms-a review. *International Journal of Science and Research (IJSR)*. <https://doi.org/10.21275/ART20203995>
- Mamić, L., Gašparović, M. & Kaplan, G. Developing PM2.5 and PM10 prediction models on a national and regional scale using open-source remote sensing data. *Environ Monit Assess* 195, 644 (2023). <https://doi.org/10.1007/s10661-023-11212-x>.
- Manjula, Preethi Mohan (2018) "Economics And Air Pollution- An Analysis Of Chennai City," *International Review of Business and Economics: Vol. 1: Iss. 3, Article 17*. <https://doi.org/10.56902/IRBE.2018.1.3.17>
- Marshall J. PM 2.5. *Proc Natl Acad Sci U S A*. 2013 May 28;110(22):8756. doi: 10.1073/pnas.1307735110. PMID: 23716577; PMCID: PMC3670349.
- McCluney, W. R. (2014). *Introduction to radiometry and photometry* (2nd ed.). Artech House.
- Minso Shin, Yoojin Kang, Seohui Park, Jungho Im, Cheolhee Yoo & Lindi J. Quackenbush (2020) Estimating ground-level particulate matter concentrations using satellite-based data: a review, *GIScience & Remote Sensing*, 57:2, 174-189, DOI:10.1080/15481603.2019.1703288
- Motlagh, N. H., Lagerspetz, E., Nurmi, P., Li, X., Varjonen, S., Mineraud, J., et al. (2020). Toward massive scale air quality monitoring. *IEEE Communications Magazine*, 58(2), 54–59. <https://doi.org/10.1109/MCOM.001.1900515>
- Muhlfeld, C., Rothen-Rutishauser, B., Blank, F., Vanhecke, D., Ochs, M., dan Gehr, P., 2008, Interactions of Nanoparticles with Pulmonary Structures and Cellular Responses. *American Journal of Physiology-Lung Cellular and Molecular Physiology*, Vol. 294, pp. L817-L829.
- Mutanga, O.; Kumar, L. Google Earth Engine Applications. *Remote Sens.* 2019, 11, 591. <https://doi.org/10.3390/rs11050591>
- Pemerintah Indonesia (1999). Peraturan Pemerintah No. 41 Tahun 1999 tentang Pengendalian Pencemaran Udara. Sekretariat Negara. Jakarta

- Pemerintah Indonesia (2021). Peraturan Pemerintah Republik Indonesia No. 22 Tahun 2021 tentang Penyelenggaraan Perlindungan dan Pengelolaan Lingkungan Hidup. Sekretariat Negara. Jakarta.
- Pourghasemi, H. R., Kariminejad, N., Amiri, M., Edalat, M., Zarafshar, M., Blaschke, T., & Cerda, A. (2020). Assessing and mapping multi-hazard risk susceptibility using a machine learning technique. *Scientific Reports*, 10(1), 1–11. <https://doi.org/10.1038/s41598-020-60191-3>
- Qian, L., Chengcai, L., Mao, J., 2012. Evaluation of atmospheric aerosol optical depth products at ultraviolet bands derived from MODIS products. *Aerosol Sci. Technol* 46, 1025–1034.
- Ramasubramanian, K., & Singh, A. (2016). Machine learning using R. In *Machine Learning Using R* (1st ed.). Apress Berkeley, CA. <https://doi.org/10.1007/978-1-4842-2334-5>
- Rodriguez Valido, M., Perez Marrero, J., Mauro González, A., Fabiani Bendicho, P., & Efreem Mora, C. (2023). Evaluation of the Potential of Sentinel-5P TROPOMI and AIS Marine Traffic Data for the Monitoring of Anthropogenic Activity and Maritime Transport NO<sub>x</sub>-Emissions in Canary Islands Waters. *Sustainability*, 15(5), 4632.
- Shin, M., Kang, Y., Park, S., Im, J., Yoo, C., & Quackenbush, L. J. (2019). Estimating ground-level particulate matter concentrations using satellite-based data: a review. *GIScience & Remote Sensing*, 57(2), 174–189. <https://doi.org/10.1080/15481603.2019.1703288>
- Sirithian D, Thanatrakolsri P. Relationships between Meteorological and Particulate Matter Concentrations (PM<sub>2.5</sub> and PM<sub>10</sub>) during the Haze Period in Urban and Rural Areas, Northern Thailand. *Air, Soil and Water Research*. 2022;15. doi:10.1177/11786221221117264
- Strosnider H., Kennedy C., Monti M., Yip F. (2017). Rural and urban differences in air quality, 2008–2012, and community drinking water quality, 2010–2015 — United States. *MMWR Surveillance Summaries*, 66(13), 1–10. Crossref

- Sun, Q.; Zhu, Y.; Chen, X.; Xu, A.; Peng, X., (2021). A hybrid deep learning model with multi-source data for PM<sub>2.5</sub> concentration forecast. *Air Qual. Atmos. Health*. 14(4): 503–513
- Tella A, Balogun A. L. (2022). GIS-based air quality modelling: spatial prediction of PM<sub>10</sub> for Selangor State, Malaysia using machine learning algorithms. *Environ Sci Pollut Res Int*. doi:10.1007/s11356-021-16150-0
- Tricia, R. (2021). Pengaruh Faktor Meteorologi terhadap Fluktuasi Konsentrasi PM<sub>2.5</sub> dan PM<sub>10</sub> (Studi Kasus: Jakarta). <http://repository.ipb.ac.id/handle/123456789/105449>
- Tsai, H.-H., Yuan, C.-S., Hung, C.-H., Lin, C., & Lin, Y.-C. (2011). Influence of Sea-Land Breezes on the Temporal Distribution of Atmospheric Aerosols over Coastal Region, 61(4), 358–376. <https://doi.org/10.3155/1047-3289.61.4.358>
- U.S.EPA. (2000). Current knowledge of particulate matter (PM) continuous emission monitoring.
- Wang, C., Tu, Y., Yu, Z., dan Lu, R., 2015, PM<sub>2.5</sub> dan Cardiovascular Diseases in the Elderly: an Overview. *International journal of environmental research and public health*, Vol. 12, pp. 8187-8197.
- Wu, H., Cao, Y., Wang, T., You, J., Yang, T., Qu, Y., Yan, S., Yang, H., Mu, X., Gao, L., Huang, C. (2024). How Does PM<sub>2.5</sub> Impact the Urban Vertical Temperature Structure? A Case Study in Nanjing. *Aerosol Air Qual. Res.* 24, 230214. <https://doi.org/10.4209/aaqr.230214>
- World Health Organization. Ambient (Outdoor) Air Pollution. Available online: [https://www.who.int/news-room/fact-sheets/detail/ambient-\(outdoor\)-air-quality-and-health](https://www.who.int/news-room/fact-sheets/detail/ambient-(outdoor)-air-quality-and-health) (accessed on 4 October 2021).
- Xiao, F., Yang, M., Fan, H. et al. An improved deep learning model for predicting daily PM<sub>2.5</sub> concentration. *Sci Rep* 10, 20988 (2020). <https://doi.org/10.1038/s41598-020-77757-w>
- Yang, Q., Yuan, Q., Li, T., Shen, H., & Zhang, L. (2017). The relationships between PM<sub>2.5</sub> and meteorological factors in China: Seasonal and regional

- variations. *International Journal of Environmental Research and Public Health*, 14(12), 1510. <https://doi.org/10.3390/ijerph14121510>
- Zaman, N. A. F. K., Kanniah, K. D., Kaskaoutis, D. G., & Latif, M. T. (2021). Evaluation of Machine Learning Models for Estimating PM2.5 Concentrations across Malaysia. *Applied Sciences*, 11(16), 7326. <https://doi.org/10.3390/app11167326>
- Zhang, Y., Zheng qiang Li, Kaixu Bai, Yuanyuan Wei, Yisong Xie, Yuanxun Zhang, Yang Ou, Jason Cohen, Yuhuan Zhang, Zongren Peng, Xingying Zhang, Cheng Chen, Jin Hong, Hua Xu, Jie Guang, Yang Lv, Kaitao Li, Donghui Li. Satellite remote sensing of atmospheric particulate matter mass concentration: Advances, challenges, and perspectives, *Fundamental Research*, Volume 1, Issue 3, 2021, ISSN 2667-3258, <https://doi.org/10.1016/j.fmre.2021.04.007>
- Zhou, C., He, Y., Wang, K., 2018. On the suitability of current atmospheric reanalyses for regional warming studies over China. *Atmos. Chem. Phys.* 18 (11), 8113–8136
- Zou, Z., Cheng, C., Shen, S. (2021). The complex nonlinear coupling causal patterns between PM2.5 and meteorological factors in Tibetan Plateau: a case study in Xining. *IEEE Access.* 9, 150373–150382. <https://doi.org/10.1109/ACCESS.2021.3123455>
- Zou, B., Pu, Q., Bilal, M., Weng, Q., Zhai, L., & Nichol, J. E. (2016). High Resolution Satellite Mapping of Fine Particulates Based on Geographically Weighted Regression. *IEEE Geoscience and Remote Sensing Letters*, 13(4), 495–499. <https://doi.org/10.1109/LGRS.2016.2520480>
- Wang, Z., Hongzhou Chai, Peng Chen, Naiquan Zheng, Qiankun Zhang. (2024). Estimation of PM2.5 concentrations in North China with high spatiotemporal resolution using the ERA5 dataset and machine learning models. *Advances in Space Research*, Volume 74, 711-726. <https://doi.org/10.1016/j.asr.2024.04.039>