

DAFTAR PUSTAKA

- Agustin, N.A., Syafutri, M.I., Yanuriati, A., Malahayati, N., Aryani, D., Airlangga, T., 2023. Penurunan Kadar Oksalat Pati Talas Beneng (*Xanthosoma undipes* K. Koch) pada Berbagai Konsentrasi NaCl dan Lama Perendaman. *Semin. Nas. Lahan Suboptimal* 10, 199–207.
- Al-Johani, N. B., Al-seeni, M. N., & Ahmed, Y. M. (2017). Optimization of alkaline α -amylase production by thermophilic *Bacillus subtilis*. *African Journal of Traditional, Complementary and Alternative Medicines*, 14(1), Article 1. <https://doi.org/10.21010/ajtcam.v15i4.6>
- Amanyunose, A.A., Olanipekun, B.F., Adelakun, O.E., 2025. Comparative Study on the Functional, Pasting and Physicochemical Properties of Native and Pregelatinized Cocoyam Starch (*Xanthosoma sagittifolium*). *Am. J. Food Sci. Technol.* 4, 21–29. <https://doi.org/10.54536/ajfst.v4i1.3889>
- antaranews.com. (2022, Agustus 19). Kementan perkenalkan kimpul sebagai alternatif pangan pengganti beras. *Antara News*. <https://www.antaranews.com/berita/3068417/kementan-perkenalkan-kimpulsebagai-alternatif-pangan-pengganti-beras>
- Apriliyanti, M.W., Suryaningsih, W., Kurnianto, M.F., Saleh, A.S., 2024. Optimization of wheat flour and purple sweet potato paste for texture, specific volume, and bread color using the mixture design method. *IOP Conf. Ser. Earth Environ. Sci.* 1338, 012025. <https://doi.org/10.1088/1755-1315/1338/1/012025>
- Ashogbon, A.O., Oluwafemi, A.D., 2018. Physicochemical properties of microwaved starch blends from cocoyam (*Xanthosoma sagittifolium*) and pigeon pea (*Cajanus cajan*) for industrial applications. *J. Chem. Soc. Niger.* 43.
- Association of Official Analytical Chemist (AOAC). 1999. *Official Method of analysis*. Chemists. Washington DC
- Badan Standardisasi Nasional. 2011. *Standar Nasional Indonesia: Tapioka (SNI 3451:2011)*. Jakarta
- Benavent-Gil, Y., Rosell, C.M., 2017. Morphological and physicochemical characterization of porous starches obtained from different botanical sources and amylolytic enzymes. *Int. J. Biol. Macromol.* 103, 587–595. <https://doi.org/10.1016/j.ijbiomac.2017.05.089>
- Bertoft, E., 2017. Understanding Starch Structure: Recent Progress. *Agronomy* 7, 56. <https://doi.org/10.3390/agronomy7030056>
- Chen, J., Wang, Y., Liu, J., Xu, X., 2020. Preparation, characterization, physicochemical property and potential application of porous starch: A review. *Int. J. Biol. Macromol.* 148, 1169–1181. <https://doi.org/10.1016/j.ijbiomac.2020.02.055>
- Davoudi, Z., Azizi, M.H., Barzegar, M., 2022. Porous corn starch obtained from combined cold plasma and enzymatic hydrolysis: Microstructure and

- physicochemical properties. *Int. J. Biol. Macromol.* 223, 790–797. <https://doi.org/10.1016/j.ijbiomac.2022.11.058>
- Espinosa-Solis, V., Zamudio-Flores, P.B., Espino-Díaz, M., Vela-Gutiérrez, G., Rendón-Villalobos, J.R., Hernández-González, M., Hernández-Centeno, F., López-De la Peña, H.Y., Salgado-Delgado, R., Ortega-Ortega, A., 2021. Physicochemical Characterization of Resistant Starch Type-III (RS3) Obtained by Autoclaving Malanga (*Xanthosoma sagittifolium*) Flour and Corn Starch. *Molecules* 26, 4006. <https://doi.org/10.3390/molecules26134006>
- Falade, K.O., Okafor, C.A., 2013. Physicochemical properties of five cocoyam (*Colocasia esculenta* and *Xanthosoma sagittifolium*) starches. *Food Hydrocoll.* 30, 173–181. <https://doi.org/10.1016/j.foodhyd.2012.05.006>
- Farias, F. de A.C., Moretti, M.M. de S., Costa, M.S., BordignonJunior, S.E., Cavalcante, K.B., Boscolo, M., Gomes, E., Franco, C.M.L., Silva, R. da, 2020. Structural and physicochemical characteristics of taioba starch in comparison with cassava starch and its potential for ethanol production. *Ind. Crops Prod.* 157, 112825. <https://doi.org/10.1016/j.indcrop.2020.112825>
- Fincan, S.A., Özdemir, S., Karakaya, A., Enez, B., Mustafafov, S.D., Ulutaş, M.S., Şen, F., 2021. Purification and characterization of thermostable α -amylase produced from *Bacillus licheniformis* So-B3 and its potential in hydrolyzing raw starch. *Life Sci.* 264, 118639. <https://doi.org/10.1016/j.lfs.2020.118639>
- Guo, L., Yuan, Y., Li, J., Tan, C., Janaswamy, S., Lu, L., Fang, Y., Cui, B., 2021. Comparison of functional properties of porous starches produced with different enzyme combinations. *Int. J. Biol. Macromol.* 174, 110–119. <https://doi.org/10.1016/j.ijbiomac.2021.01.165>
- Gupta, R., Hiteshi, K., & Didwal, G. (2018). Production optimization of α -amylase from *Bacillus licheniformis*. *Journal of Advance Research in Business Management and Accounting* (ISSN: 2456-3544), 2. <https://doi.org/10.53555/nmbma.v2i5.497>
- Hakim, L., Triwitono, P., Supriyanto, Marseno, D.W., 2021. Physicochemical characterization of Cocoyam (*Xanthosoma sagittifolium*) starch from Banjarnegara highland as a local source of carbohydrate. *IOP Conf. Ser. Earth Environ. Sci.* 653, 012049. <https://doi.org/10.1088/1755-1315/653/1/012049>
- Han, X., Wen, H., Luo, Y., Yang, J., Xiao, W., Ji, X., Xie, J., 2021. Effects of α -amylase and glucoamylase on the characterization and function of maize porous starches. *Food Hydrocoll.* 116, 106661. <https://doi.org/10.1016/j.foodhyd.2021.106661>
- Hj Latip, D.N., Samsudin, H., Utra, U., Alias, A.K., 2021. Modification methods toward the production of porous starch: a review. *Crit. Rev. Food Sci. Nutr.* 61, 2841–2862. <https://doi.org/10.1080/10408398.2020.1789064>
- Huang, C., Wang, S., Yang, H., 2020. Evaluation of Thermal Effects on the Bioactivity of Curcumin Microencapsulated with Porous Starch-Based Wall Material Using Spray Drying. *Processes* 8, 172. <https://doi.org/10.3390/pr8020172>

- Ibrahim, A.M., Pradana, A.F., Priyosakti, G., Arifin, M., Alawiyah, T., Perliansyah, P., 2020. Potensi Tanaman Pandan Laut (*Pandanus Tectorius*) Dan Limbah Industri Gandum Kota Cilegon Sebagai Bahan Baku Sintesis Bioetanol. *J. Penelit. Has. Hutan* 38, 91–104. <https://doi.org/10.20886/jphh.2020.38.2.91-104>
- Ilyas, R., Ahmed, A., Sohail, M., & Syed, M. N. (2020). Glucoamylase from a thermophilic strain of *Bacillus licheniformis* RT-17: Production and characterization. *Pakistan Journal of Botany*, 52(1). [https://doi.org/10.30848/PJB2020-1\(34\)](https://doi.org/10.30848/PJB2020-1(34))
- Jha, S., Sarkhel, S., Saha, S., Sahoo, B., Kumari, A., Chatterjee, K., Mazumder, P.M., Sarkhel, G., Mohan, A., Roy, A., 2024. Expanded porous-starch matrix as an alternative to porous starch granule: Present status, challenges, and future prospects. *Food Res. Int.* 175, 113771. <https://doi.org/10.1016/j.foodres.2023.113771>
- Jiang, K., Wang, W., Ma, Q., Wang, J., Sun, J., 2023. Microwave-assisted enzymatic hydrolysis as a novel efficient way to prepare porous starch. *Carbohydr. Polym.* 301, 120306. <https://doi.org/10.1016/j.carbpol.2022.120306>
- Kavya, M., Krishnan, R., Suvachan, A., Sathyan, S., Tozuka, Y., Kadota, K., Nisha, P., 2025. The art and science of porous starch: understanding the preparation method and structure-function relationship. *Crit. Rev. Food Sci. Nutr.* 65, 2880–2897. <https://doi.org/10.1080/10408398.2024.2352548>
- Keeratiburana, T., Hansen, A.R., Soontaranon, S., Blennow, A., Tongta, S., 2020. Porous high amylose rice starch modified by amyloglucosidase and maltogenic α -amylase. *Carbohydr. Polym.* 230, 115611. <https://doi.org/10.1016/j.carbpol.2019.115611>
- Lacerda, L.D., Leite, D.C., da Silveira, N.P., 2019. Relationships between enzymatic hydrolysis conditions and properties of rice porous starches. *J. Cereal Sci.* 89, 102819. <https://doi.org/10.1016/j.jcs.2019.102819>
- Lacerda, L.D., Leite, D.C., Soares, R.M.D., da Silveira, N.P., 2018. Effects of α -Amylase, Amyloglucosidase, and Their Mixture on Hierarchical Porosity of Rice Starch. *Starch - Stärke* 70, 1800008. <https://doi.org/10.1002/star.201800008>
- Liu, M., Guo, X., Ma, X., Xie, Z., Wu, Y., Ouyang, J., 2024. Physicochemical properties of a novel chestnut porous starch nanoparticle. *Int. J. Biol. Macromol.* 261, 129920. <https://doi.org/10.1016/j.ijbiomac.2024.129920>
- Lopulalan, C.G.C., Pranoto, Y., Marsono, Y., Marseno, D.W., 2020. Morphological, thermal, and pasting properties of cocoyam (*Xanthosoma sagittifolium*) starch from three locations in Mollucas Islands. *IOP Conf. Ser. Mater. Sci. Eng.* 980, 012031. <https://doi.org/10.1088/1757-899X/980/1/012031>
- Magallanes-Cruz, P.A., Flores-Silva, P.C., Bello-Perez, L.A., 2017. Starch Structure Influences Its Digestibility: A Review. *J. Food Sci.* 82, 2016–2023. <https://doi.org/10.1111/1750-3841.13809>

- Majzoobi, M., Hedayati, S., Farahnaky, A., 2015. Functional properties of microporous wheat starch produced by α -amylase and sonication. *Food Biosci.* 11, 79–84. <https://doi.org/10.1016/j.fbio.2015.05.001>
- Meng, H., Li, D., Zhu, C., 2018. The effect of ultrasound on the properties and conformation of glucoamilase. *Int. J. Biol. Macromol.* 113, 411–417. <https://doi.org/10.1016/j.ijbiomac.2018.02.129>
- Nitsae, M., Solle, H.R., Martinus, S.M. and Emola, I.J., 2021. Studi adsorpsi metilen biru menggunakan arang aktif tempurung lontar (*Borassus flabellifer* L.) asal Nusa Tenggara Timur. *Jurnal Kimia Riset*, 6(1), pp.46-57.
- O, O.M., O, A.O., 2015. Thermal and Physicochemical Properties of Some Starchy Foods: Yam (*Dioscorea rotundata*), Cocoyam (*Xanthosoma sagittifolium*) and Plantain (*Musa paradisiaca*). *Food Sci. Technol.* 3, 9–17. <https://doi.org/10.13189/fst.2015.030102>
- Pramasari, D.A., Sondari, D., Adi, D.S., Widyaningrum, B.A., Fajar, A., Putri, R., Restu, W.K., Putri, E.H., 2020. KARAKTERISTIK PATI BERPORI MIKRO DARI TAPIOKA HASIL PERLAKUAN AMILASE SEBAGAI AGEN PENJERAPAN MINYAK [The Characteristic of Microporous Tapioca Starch After Amylase Treatment For Oil Adsorbent Agent]. *J. Teknol. Ind. Has. Pertan.* 25, 71–80. <https://doi.org/10.23960/jtihp.v25i2.71-80>
- Pratiwi, N.D., Setiowati, A.D., Witasari, L.D., 2025. Encapsulation of albumin from snakehead fish (*Channa striata*) with porous starch from arrowroot (*Maranta arundinacea*). *Carbohydr. Polym. Technol. Appl.* 9, 100684. <https://doi.org/10.1016/j.carpta.2025.100684>
- Purwitasari, L., Wulanjati, M.P., Pranoto, Y., Witasari, L.D., 2023. Characterization of porous starch from edible canna (*Canna edulis* Kerr.) produced by enzymatic hydrolysis using thermostable α -amylase. *Food Chem. Adv.* 2, 100152. <https://doi.org/10.1016/j.focha.2022.100152>
- Puspitasari, K., Andriani, S.D., Wahyusi, K.N., Sutiyono, S. And Santi, S.S., 2025. Pengaruh Waktu Sakarifikasi Dan Kecepatan Pengadukan Pada Hidrolisis Enzimatik Pati Suweg Terhadap Kadar Glukosa Dan Kadar Air Dalam Glukosa Cair. *Jurnal Integrasi Proses*, 14(1), Pp.148-153.
- Sahoo, M., Titikshya, S., Aradwad, P., Kumar, V., Naik, S.N., 2022. Study of the drying behaviour and color kinetics of convective drying of yam (*Dioscorea hispida*) slices. *Ind. Crops Prod.* 176, 114258. <https://doi.org/10.1016/j.indcrop.2021.114258>
- Sathyan, S., Nisha, P., 2022. Optimization and Characterization of Porous Starch from Corn Starch and Application Studies in Emulsion Stabilization. *Food Bioprocess Technol.* 15, 2084–2099. <https://doi.org/10.1007/s11947-022-02843-y>
- Setiarto, R.H.B., Jenie, B.S.L., Faridah, D.N., Saskiawan, I., 2015. Kajian Peningkatan Pati Resisten yang Terkandung dalam Bahan Pangan Sebagai Sumber Prebiotik. *J. Ilmu Pertan. Indones.* 20, 191–200. <https://doi.org/10.18343/jipi.20.3.191>

- Subando, T.R., Pranoto, Y., Witasari, L.D., 2023. Optimization and Characterization of Arrowroot Porous Starch Using Thermostable α -amylase by Response Surface Methodolog. <https://doi.org/10.21203/rs.3.rs-2440776/v1>
- Tiwari, S., Srivastava, R., Singh, C., Shukla, K., Singh, R., Singh, P., Singh, R., Singh, N., & Sharma, R. (2015). Amylases: An Overview With Special Reference To Alpha Amylase. 4.
- Wahab, M., Janaswamy, S., 2024. Porous corn starch granules as effective host matrices for encapsulation and sustained release of curcumin and resveratrol. *Carbohydr. Polym.* 333, 121967. <https://doi.org/10.1016/j.carbpol.2024.121967>
- Wang, M., Liu, G., Li, J., Wang, W., Hu, A., Zheng, J., 2023. Structural and physicochemical properties of resistant starch under combined treatments of ultrasound, microwave, and enzyme. *Int. J. Biol. Macromol.* 232, 123331. <https://doi.org/10.1016/j.ijbiomac.2023.123331>
- Wang, Yubo, Liu, W., Wang, Yiming, Qiu, W., Zhang, S., Lv, Y., Zhai, H., Wei, S., Ma, P., Hu, Y., 2025. Enzymatic modification of raw corn starch using thermostable glucoamylase from *Thermothelomyces thermophilus*. *Grain Oil Sci. Technol.* 8, 89–99.
- Witasari, L.D., Heryadi, A.A., Yani, A.I.T., Nisrina, S., Purwitasari, L., Pranoto, Y., 2024a. Characterization of porous starch produced from edible canna (*Canna edulis* Kerr.) via enzymatic hydrolysis using thermostable α -amylase and glucoamylase. *Biocatal. Agric. Biotechnol.* 55, 102990. <https://doi.org/10.1016/j.bcab.2023.102990>
- Witasari, L.D., Nisrina, S., Yani, A.I.T., Heryadi, A.A., Pranoto, Y., 2024b. Characterization of porous starch produced from arrowroot (*Maranta arundinacea* L.) by enzymatic hydrolysis with α -amylase and glucoamylase. *Carbohydr. Polym. Technol. Appl.* 7, 100445. <https://doi.org/10.1016/j.carpta.2024.100445>
- Xie, Y., Li, M.-N., Chen, H.-Q., Zhang, B., 2019. Effects of the combination of repeated heat-moisture treatment and compound enzymes hydrolysis on the structural and physicochemical properties of porous wheat starch. *Food Chem.* 274, 351–359. <https://doi.org/10.1016/j.foodchem.2018.09.034>
- Xu, F., Zhang, L., Liu, W., Liu, Q., Wang, F., Zhang, H., Hu, H., Blecker, C., 2021. Physicochemical and Structural Characterization of Potato Starch with Different Degrees of Gelatinization. *Foods* 10, 1104. <https://doi.org/10.3390/foods10051104>
- Zhang, C., Wang, S.-Y., Wu, C.-Y., Li, J.-J., Zhang, L.-Z., Wang, Z.-J., Liu, Q.-Q., Qian, J.-Y., 2023. Effect of melting combined with ice recrystallization on porous starch preparation: Pore-forming properties, granular morphology, functionality, and multi-scale structures. *Food Res. Int.* 174, 113463. <https://doi.org/10.1016/j.foodres.2023.113463>