

DAFTAR PUSTAKA

- Ahmad, A., Rehman, M. U., Wali, A. F., El-Serehy, H. A., Al-Misned, F. A., Maodaa, S. N., Aljawdah, H. M., Mir, T. M., & Ahmad, P. (2020). Box–Behnken Response Surface Design of Polysaccharide Extraction from *Rhododendron arboreum* and the Evaluation of Its Antioxidant Potential. *Molecules*, 25(17). <https://doi.org/10.3390/molecules25173835>
- Aisiyah, S., Harjanti, R., & Nopiyanti, V. (2019). Pengaruh Panjang Rantai Karbon Lipid Padat terhadap Karakteristik *Nanostructured Lipid Carrier* Resveratrol. *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 4(2), 69. <https://doi.org/10.20961/jpscr.v4i2.34408>
- Ali, H., El-Sayed, K., Sylvester, P. W., & Nazzal, S. (2010). Molecular interaction and localization of tocotrienol-rich fraction (TRF) within the matrices of lipid nanoparticles: Evidence studies by Differential Scanning Calorimetry (DSC) and Proton Nuclear Magnetic Resonance spectroscopy (1H NMR). *Colloids and Surfaces B: Biointerfaces*, 77(2), 286–297. <https://doi.org/10.1016/j.colsurfb.2010.02.003>
- Allorerung, D., Syakir, M., Poeloengan, Z., Syafaruddin, & Rumini, W. (2010). *Budidaya kelapa sawit*. Aska Media-Pusat Penelitian dan Pengembangan Perkebunan. ikp-pertanian.id/bpsitanahpupuk/uploaded_files/temporary/DigitalCollection/NDc5MGEyMGZmMGRmY2FmMzA3NDNiNTdhMzU0NDE5YjRmMGVkJTZhMg==.pdf
- Alyas, S. A., Abdullah, A., & Idris, N. A. (2006). Changes of β -carotene Content During Heating of Red Palm Olein. In *Journal of Oil Palm Research* (pp. 99–102).
- Annisa, R., Hendradi, E., & Malani, D. (2016). Pengembangan Sistem Nanostructured Lipid Carriers (Nlc) Meloxicam Dengan Lipid Monostearin dan Miglyol 808 Menggunakan Metode Emulsifikasi. *J. Trop. Pharm. Chem.*, 3(3), 2016. <https://doi.org/10.25026/jtpc.v3i3.102>
- Ariviani, S., Raharjo, S., & Hastuti, P. (2011). Aplikasi mikroemulsi β -karoten untuk menghambat kerusakan fotooksidatif vitamin C pada sari buah jeruk. *Agritech*, 31(3), 180–189.
- Ariviani, S., Atmaka, W., & Raharjo, S. (2018). Karakterisasi dan Uji Stabilitas Digestif Nanoemulsi β -Karoten yang Dibuak dengan Metode Emulsifikasi Spontan. In *Agritech* (Vol. 38, Issue 1, p. 30). <https://doi.org/10.22146/agritech.29087>
- Ariviani, S., Raharjo, S., & Hastuti, P. (2011). Potensi mikroemulsi β -karoten dalam menghambat fotooksidasi vitamin C sistem aqueous [The Potential Inhibition of B -Carotene Microemulsion on Vitamin C Photooxidation in Aqueous Systems]. *Jurnal Teknologi Dan Industri Pangan*, XXII(1), 33–39.
- Ayu, D. F., Andarwulan, N., Hariyadi, P., & Purnomo, E. H. (2016). Effect of tocopherols, tocotrienols, β -carotene, and chlorophyll on the photo-oxidative stability of red palm oil. *Food Science and Biotechnology*, 25(2), 401–407. <https://doi.org/10.1007/s10068-016-0055-1>

- Ayu, D. F., Andarwulan, N., Hariyadi, P., & Purnomo, E. H. (2017). Photo-oxidative changes of red palm oil as affected by light intensity. *International Food Research Journal*, 24(3), 1270–1277.
- Babazadeh, A., Ghanbarzadeh, B., & Hamishehkar, H. (2016). Novel nanostructured lipid carriers as a promising food grade delivery system for rutin. *Journal of Functional Foods*, 26, 167–175. <https://doi.org/10.1016/j.jff.2016.07.017>
- Bhise, K., Kashaw, S. K., Sau, S., & Iyer, A. K. (2017). Nanostructured lipid carriers employing polyphenols as promising anticancer agents: Quality by design (QbD) approach. *International Journal of Pharmaceutics*, 526(1–2), 506–515. <https://doi.org/10.1016/j.ijpharm.2017.04.078>
- BPS. (2018). *Statistik Kelapa Sawit Indonesia 2017*. Badan Pusat Statistik. http://sciotea.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciurbeco.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_SISTEM_PEMBETUNGAN_TERPUSAT_STRATEGI_MELESTARI
- Budiarto, W., Rochmah, N. N., & Setiyabudi, L. (2020). *MANGROVE Avicennia Marina DENGAN VIRGIN COCONUT OIL*. 2(01), 36–43.
- Chawla, S., & Saxena, S. (2013). Red Palm Oil-Health Benefits And Their Molecular Executors. *International Journal of Bioassays*, 2(9), 1223–1231. <https://www.ijbio.com/articles/red-palm-oil--health-benefits-and-their-molecular-executors.pdf>
- Chen, C. C., Tsai, T. H., Huang, Z. R., & Fang, J. Y. (2010). Effects of lipophilic emulsifiers on the oral administration of lovastatin from nanostructured lipid carriers: Physicochemical characterization and pharmacokinetics. *European Journal of Pharmaceutics and Biopharmaceutics*, 74(3), 474–482. <https://doi.org/10.1016/j.ejpb.2009.12.008>
- Cho, Y. H., Kim, S., Bae, E. K., Mok, C. K., & Park, J. (2008). Formulation of a cosurfactant-free O/W microemulsion using nonionic surfactant mixtures. *Journal of Food Science*, 73(3), 115–121. <https://doi.org/10.1111/j.1750-3841.2008.00688.x>
- Chong, W. T., Tan, C. P., Cheah, Y. K., Lajis, A. F. B., Dian, N. L. H. M., Kanagaratnam, S., & Lai, O. M. (2018). Optimization of process parameters in preparation of tocotrienol-rich red palm oil-based nanoemulsion stabilized by Tween80-Span 80 using response surface methodology. *PLoS ONE*, 13(8), 1–22. <https://doi.org/10.1371/journal.pone.0202771>
- Cirri, M., Bragagni, M., Mennini, N., & Mura, P. (2012). Development of a new delivery system consisting in “drug - In cyclodextrin - In nanostructured lipid carriers” for ketoprofen topical delivery. *European Journal of Pharmaceutics and Biopharmaceutics*, 80(1), 46–53. <https://doi.org/10.1016/j.ejpb.2011.07.015>
- Dauqan, E., Sani, H. A., Abdullah, A., & Kasim, Z. M. (2011). Effect of Different Vegetable Oils (Red Palm Olein, Palm Olein, Corn Oil and Coconut Oil) on Lipid Profile in Rat. *Food and Nutrition Sciences*, 02(04), 253–258. <https://doi.org/10.4236/fns.2011.24036>
- de Almeida, D. T., Viana, T. V., Costa, M. M., Silva, C. de S., & Feitosa, S. (2019). Effects of different storage conditions on the oxidative stability of crude and refined palm oil, olein and stearin (*Elaeis guineensis*). *Food*

Science and Technology (Brazil), 39, 211–217.
<https://doi.org/10.1590/fst.43317>

- Dwiloka, B., Rahman, F. T., & Mulyani, S. (2021). Nilai pH, Viskositas dan Hedonik Sari Buah Jeruk Manis dengan Penambahan Gelatin Tulang Ikan Bandeng. *AgriHealth: Journal of Agri-Food, Nutrition and Public Health*, 2(2), 107. <https://doi.org/10.20961/agrihealth.v2i2.59482>
- Efendi, Z., Ardhi, A., Santoso, U., Supriyadi, Ulfah, M., & Raharjo, S. (2024). Characteristic and storage stability of nanostructured lipid carriers containing red palm oil. *Food Research*, 8(3), 363–375. [https://doi.org/10.26656/fr.2017.8\(3\).375](https://doi.org/10.26656/fr.2017.8(3).375)
- Fathi, M., Mozafari, M. R., & Mohebbi, M. (2012). Nanoencapsulation of food ingredients using lipid based delivery systems. *Trends in Food Science and Technology*, 23(1), 13–27. <https://doi.org/10.1016/j.tifs.2011.08.003>
- Fauziati, F., Adiningsih, Y., & Priatni, A. (2016). Pemanfaatan Stearin Kelapa Sawit Sebagai Edible Coating Buah Jeruk. *Jurnal Riset Teknologi Industri*, 10(1), 64–69. <https://doi.org/10.26578/jrti.v10i1.1754>
- Fiedor, J., & Burda, K. (2014). Potential role of carotenoids as antioxidants in human health and disease. *Nutrients*, 6(2), 466–488. <https://doi.org/10.3390/nu6020466>
- Fitriana, Y. A. N., & Fitri, A. S. (2020). Analisis Kadar Vitamin C pada Buah Jeruk Menggunakan Metode Titrasi Iodometri. *Sainteks*, 17(1), 27. <https://doi.org/10.30595/sainteks.v17i1.8530>
- Fujii, J., Osaki, T., & Bo, T. (2022). Ascorbate Is a Primary Antioxidant in Mammals. *Molecules*, 27(19), 1–29. <https://doi.org/10.3390/molecules27196187>
- Garud, A., Singh, D., & Garud, N. (2012). Solid Lipid Nanoparticles (SLN): Method, Characterization and Applications. *International Current Pharmaceutical Journal*, 1(11), 384–393. <https://doi.org/10.3329/icpj.v1i11.12065>
- Gramdorf, S., Hermann, S., Hentschel, A., Schrader, K., Müller, R. H., Kumpugdee-Vollrath, M., & Kraume, M. (2008). Crystallized miniemulsions: Influence of operating parameters during high-pressure homogenization on size and shape of particles. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 331(1–2), 108–113. <https://doi.org/10.1016/j.colsurfa.2008.07.016>
- Hasanah, Y. M., Raharjo, S., Y, P., & A, N. (2024). Aplikasi Nano-Size Lipid Carrier (Nlc) Minyak Bekatul (Rbo) Pada Minuman Sari Buah Apel Dan Jeruk Komersial. *Journal of Nutrition College*, 13(1), 38–48. <https://doi.org/10.14710/jnc.v13i1.41713>
- Hasibuan, H. A. (2012). Kajian Mutu Dan Karakteristik Minyak Sawit Indonesia Serta Produk Fraksinasinya. *Jurnal Standardisasi*, 14(1), 13–21. <https://doi.org/10.31153/js.v14i1.51>
- Hasibuan, H. A., & Ijah, I. (2018). Peningkatan Kesukaan Minyak Sawit Merah Dengan Penambahan Minyak Nabati Atau Flavor Dan Stabilitasnya Dalam Penggorengan Berulang. *Jurnal Penelitian Kelapa Sawit*, 26(1), 1–9. <https://doi.org/10.22302/iopri.jur.jpks.v26i1.57>
- Hasibuan, H. A., Sari, F. I., Ramadayanti, M., & Tambunan, nur adlina. (2019).

- Aplikasi Cocoa Butter Substitute (Cbs) Dari Minyak Inti Sawit Dalam Formulasi Minuman Instan Kopi , Cokelat Dan Application of Palm Kernel Oil Based Cocoa Butter Substitute (Cbs) in Formulation of Instant Coffee ., *Jurnal Pengolahan Kelapa Sawit*, 27(2), 83–96. <https://jurnalkelapasawit.iopri.org/index.php/jpks/article/download/80/60>
- Hasibuan, H. A., Siahaan, D., & Sunarya, S. (2012). Kajian Karakteristik Minyak Inti Sawit Indonesia Dan Produk Fraksinasinya Terkait Dengan Amandemen Standar Codex. *Jurnal Standardisasi*, 14(2), 98–104. <https://doi.org/10.31153/js.v14i2.91>
- Hategekimana, J., Chamba, M. V. M., Shoemaker, C. F., Majeed, H., & Zhong, F. (2015). Vitamin E nanoemulsions by emulsion phase inversion: Effect of environmental stress and long-term storage on stability and degradation in different carrier oil types. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 483, 70–80. <https://doi.org/10.1016/j.colsurfa.2015.03.020>
- Helgason, T., Awad, T. S., K., K., E.A., D., McClements, D. ., & Weiss, J. (2009). Impact of Surfactant Properties on Oxidative Stability of β -pdf. In *Journal of agricultural and food chemistry* (Vol. 57, pp. 8033–8040).
- Heryani, H., & Nugroho, A. (2017). *CCP dan CP pada Proses Pengolahan CPO dan CPKO* (Pertama). Deepublish Publisher.
- Hidayat, I. R., Zuhrotun, A., & Sopyan, I. (2021). Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, 6(1), 99–120. <https://doi.org/10.24198/mfarmasetika.v6i1.27842>
- Hu, F. Q., Jiang, S. P., Du, Y. Z., Yuan, H., Ye, Y. Q., & Zeng, S. (2005). Preparation and characterization of stearic acid nanostructured lipid carriers by solvent diffusion method in an aqueous system. *Colloids and Surfaces B: Biointerfaces*, 45(3–4), 167–173. <https://doi.org/10.1016/j.colsurfb.2005.08.005>
- Hu, Y. T., Ting, Y., Hu, J. Y., & Hsieh, S. C. (2017). Techniques and methods to study functional characteristics of emulsion systems. *Journal of Food and Drug Analysis*, 25(1), 16–26. <https://doi.org/10.1016/j.jfda.2016.10.021>
- Hung, L. C., Basri, M., Tejo, B. A., Ismail, R., Nang, H. L. L., Hassan, H. A., & May, C. Y. (2011). An improved method for the preparations of nanostructured lipid carriers containing heat-sensitive bioactives. *Colloids and Surfaces B: Biointerfaces*, 87(1). <https://doi.org/10.1016/j.colsurfb.2011.05.019>
- Jeyakodi, S., Krishnakumar, A., & Chellappan, D. K. (2018). Beta Carotene - Therapeutic Potential and Strategies to Enhance Its Bioavailability. *Nutri Food Sci Int J*, 7(4), 001–008. <https://doi.org/10.19080/NFSIJ.2018.07.555716>
- Johari, A., Sugiyono, & Adawiyah, D. R. (2021). Jurnal Litbang Industri Foamability improvement of recombined part-skim milk by addition of stabilizer. *Jurnal Litbang Industri*, 79–89.
- Jomova, K., Alomar, S. Y., Valko, R., Liska, J., Nepovimova, E., Kuca, K., & Valko, M. (2025). Flavonoids and their role in oxidative stress, inflammation, and human diseases. *Chemico-Biological Interactions*, 413(111489), 1–59. <https://doi.org/10.1016/j.cbi.2025.111489>

- Jusnita, N., & Syurya, W. (2019). Snedds Ekstrak Daun Kelor Meningkatkan Kelarutan Dan Bioavail. *Jurnal Sains Farmasi & Klinis*, 6(1), 16–24.
- Keivani Nahr, F., Ghanbarzadeh, B., Hamishehkar, H., & Samadi Kafil, H. (2018). Food grade nanostructured lipid carrier for cardamom essential oil: Preparation, characterization and antimicrobial activity. *Journal of Functional Foods*, 40, 1–8. <https://doi.org/10.1016/j.jff.2017.09.028>
- Klang, V., Matsko, N. B., Valenta, C., & Hofer, F. (2012). Electron microscopy of nanoemulsions: An essential tool for characterisation and stability assessment. *Micron*, 43(2–3), 85–103. <https://doi.org/10.1016/j.micron.2011.07.014>
- Kong, R., Xia, Q., & Liu, G. Y. (2011). Preparation and characterization of vitamin a palmitate-loaded nanostructured lipid carriers as delivery systems for food products. *Advanced Materials Research*, 236–238, 1818–1823. <https://doi.org/10.4028/www.scientific.net/AMR.236-238.1818>
- Koshani, R., & Jafari, S. M. (2019). Ultrasound-assisted preparation of different nanocarriers loaded with food bioactive ingredients. *Advances in Colloid and Interface Science*, 270, 123–146. <https://doi.org/10.1016/j.cis.2019.06.005>
- Koushki, M., Nahidi, M., & Cheraghali, F. (2015). *Physico-chemical properties , fatty acid profile and nutrition in palm oil*. 6(3), 117–134. <https://doi.org/10.22037/jps.v6i3.9772>
- Kovács, A., Berkó, S., Csányi, E., & Csóka, I. (2017). Development of nanostructured lipid carriers containing salicylic acid for dermal use based on the Quality by Design method. *European Journal of Pharmaceutical Sciences*, 99, 246–257. <https://doi.org/10.1016/j.ejps.2016.12.020>
- Li, B., & Ge, Z. Q. (2012). Nanostructured lipid carriers improve skin permeation and chemical stability of idebenone. *AAPS PharmSciTech*, 13(1), 276–283. <https://doi.org/10.1208/s12249-011-9746-3>
- Li, S., Chen, G., Zhang, C., Wu, M., Wu, S., & Liu, Q. (2014). Research progress of natural antioxidants in foods for the treatment of diseases. *Food Science and Human Wellness*, 3(3–4), 110–116. <https://doi.org/10.1016/j.fshw.2014.11.002>
- Liu, G. Y., Wang, J. M., & Xia, Q. (2012). Application of nanostructured lipid carrier in food for the improved bioavailability. *European Food Research and Technology*, 234(3), 391–398. <https://doi.org/10.1007/s00217-011-1645-z>
- Lv, W., Zhao, S., Yu, H., Li, N., Garamus, V. M., Chen, Y., Yin, P., Zhang, R., Gong, Y., & Zou, A. (2016). Brucea javanica oil-loaded nanostructure lipid carriers (BJO NLCs): Preparation, characterization and in vitro evaluation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 504, 312–319. <https://doi.org/10.1016/j.colsurfa.2016.05.068>
- Malik, A. (2015). Fraksinasi olein dan stearin minyak sawit kasar menggunakan larutan dengan berat jenis antara. *JESBIO*, IV(2), 18–22. <http://jfkup.umuslim.ac.id/index.php/jesbio/article/view/56>
- Masni, Sirajuddin, S., Syaharuddin, & Syam, A. (2016). Influence of Red Palm Oil Emulsion on the Level of Retinol in Plasma of Primary School Children in the Coastal Area of Makassar City. *Pakistan Journal of Nutrition*, 15(5), 465–473. <https://doi.org/10.3923/pjn.2016.465.473>

- Mauliddia, A. Y. &, & Rismaya, R. (2023). Uji Bilangan Peroksida Pada Minyak Curah Bekas Rumah Tangga Di RT 05 Jalan Kedung Mangu Kecamatan Kenjeran Kota Surabaya. *Jurnal Sains Dan Teknologi*, 2(1), 140–150. <https://doi.org/10.58169/saintek.v2i1.142>
- Mayamol, P. N., Balachandran, C., Samuel, T., Sundaresan, A., & Arumughan, C. (2007). Process technology for the production of micronutrient rich red palm olein. *JAOCs, Journal of the American Oil Chemists' Society*, 84(6), 587–596. <https://doi.org/10.1007/s11746-007-1078-9>
- McClements, D. J. (2012a). Crystals and crystallization in oil-in-water emulsions: Implications for emulsion-based delivery systems. *Advances in Colloid and Interface Science*, 174, 1–30. <https://doi.org/10.1016/j.cis.2012.03.002>
- McClements, D. J. (2012b). Nanoemulsions versus microemulsions: Terminology, differences, and similarities. *Soft Matter*, 8(6), 1719–1729. <https://doi.org/10.1039/c2sm06903b>
- McClements, D. J. (2016). *Food emulsions: principles, practices, and techniques, Third Edition* (3th ed.). CRC Press. <https://doi.org/http://dx.doi.org/10.1201/b18868>
- McClements, D. J., & Li, Y. (2010). Structured emulsion-based delivery systems: Controlling the digestion and release of lipophilic food components. *Advances in Colloid and Interface Science*, 159(2), 213–228. <https://doi.org/10.1016/j.cis.2010.06.010>
- McClements, D. J., & Rao, J. (2011). Food-Grade nanoemulsions: Formulation, fabrication, properties, performance, Biological fate, and Potential Toxicity. *Critical Reviews in Food Science and Nutrition*, 51(4), 285–330. <https://doi.org/10.1080/10408398.2011.559558>
- Mehnert, W., & Mäder, K. (2012). Solid lipid nanoparticles ☆ Production , characterization and applications. *Advanced Drug Delivery Reviews*, 64, 83–101. <https://doi.org/10.1016/j.addr.2012.09.021>
- Min, D. B., & Boff, J. M. (2002). Chemistry and Reaction of Singlet Oxygen in Foods. *Comprehensive Reviews in Food Science and Food Safety*, 1(2), 58–72. <https://doi.org/10.1111/j.1541-4337.2002.tb00007.x>
- Monde, A. A., Michel, F., Carbonneau, M. A., Tiahou, G., Vernet, M. H., Eymard-Duvernay, S., Badiou, S., Adon, B., Konan, E., Sess, D., & Cristol, J. P. (2009). Comparative study of fatty acid composition, vitamin E and carotenoid contents of palm oils from four varieties of oil palm from Côte d'Ivoire. *Journal of the Science of Food and Agriculture*, 89(15), 2535–2540. <https://doi.org/10.1002/jsfa.3740>
- Mpoc. (2021). *The Fascinating Red Palm Oil*. Malaysian Palm Oil Council (MPOC). <https://www.mpoc.org.my/the-fascinating-red-palm-oil/>
- Muller, R. H., Mader, K., & Gohla, S. (2000). Solid lipid nanoparticles (SLN) for controlled drug delivery ± a review of the state of the art. *European Journal of Pharmaceutics and Biopharmaceutics*, 50, 161–177. [https://doi.org/10.1016/S0939-6411\(00\)00087-4](https://doi.org/10.1016/S0939-6411(00)00087-4)
- Müller, R. H., Radtke, M., & Wissing, S. A. (2002a). Nanostructured lipid matrices for improved microencapsulation of drugs. *International Journal of Pharmaceutics*, 242(1–2), 121–128. [https://doi.org/10.1016/S0378-5173\(02\)00180-1](https://doi.org/10.1016/S0378-5173(02)00180-1)

- Müller, R. H., Radtke, M., & Wissing, S. A. (2002b). Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) in cosmetic and dermatological preparations. *Advanced Drug Delivery Reviews*, 54(1), S131–S155. [https://doi.org/10.1016/s0169-409x\(02\)00118-7](https://doi.org/10.1016/s0169-409x(02)00118-7)
- Nagendran, B., Unnithan, U. R., Choo, Y. M., & Sundram, K. (2000). Characteristics of red palm oil, a carotene- and vitamin E-rich refined oil for food uses. *Food and Nutrition Bulletin*, 21(2), 189–194. <https://doi.org/10.1177/156482650002100213>
- Ni, S., Sun, R. U. I., Zhao, G., Xia, Q., & Al, S. N. I. E. T. (2015). QUERCETIN LOADED NANOSTRUCTURED LIPID CARRIER FOR FOOD FORTIFICATION: PREPARATION, CHARACTERIZATION AND IN VITRO STUDY. *Journal of Food Process Engineering*, 38(1), 93–106. <https://doi.org/10.1111/jfpe.12130>
- Ningrum, A., Minh, N. N., & Schreiner, M. (2015). Carotenoids and Norisoprenoids as Carotenoid Degradation Products in Pandan Leaves (*Pandanus amaryllifolius* Roxb.). *International Journal of Food Properties*, 18(9), 1905–1914. <https://doi.org/10.1080/10942912.2014.971186>
- Nurhayati, N., & Budiyo, B. (2016). Stability and Preference of Red Palm Oil Emulsion Prepared With Various Concentration of Tween 80. *Jurnal Agroindustri*, 6(2), 80–87. <https://doi.org/10.31186/j.agroind.6.2.80-87>
- O'Driscoll, C. M., & Griffin, B. T. (2008). Biopharmaceutical challenges associated with drugs with low aqueous solubility-The potential impact of lipid-based formulations. *Advanced Drug Delivery Reviews*, 60(6), 617–624. <https://doi.org/10.1016/j.addr.2007.10.012>
- Pardeike, J., Hommoss, A., & Müller, R. H. (2009). Lipid nanoparticles (SLN, NLC) in cosmetic and pharmaceutical dermal products. *International Journal of Pharmaceutics*, 366(1–2), 170–184. <https://doi.org/10.1016/j.ijpharm.2008.10.003>
- Pinto, F., de Barros, D. P. C., Reis, C., & Fonseca, L. P. (2019). Optimization of nanostructured lipid carriers loaded with retinoids by central composite design. *Journal of Molecular Liquids*, 293. <https://doi.org/10.1016/j.molliq.2019.111468>
- Qian, C., Decker, E. A., Xiao, H., & McClements, D. J. (2012). Solid lipid nanoparticles: Effect of carrier oil and emulsifier type on phase behavior and physical stability. *JAOCs, Journal of the American Oil Chemists' Society*, 89(1), 17–28. <https://doi.org/10.1007/s11746-011-1882-0>
- Qian, C., Decker, E. A., Xiao, H., & McClements, D. J. (2013). Impact of lipid nanoparticle physical state on particle aggregation and β -carotene degradation: Potential limitations of solid lipid nanoparticles. *Food Research International*, 52(1), 342–349. <https://doi.org/10.1016/j.foodres.2013.03.035>
- Qian, C., & McClements, D. J. (2011). Formation of nanoemulsions stabilized by model food-grade emulsifiers using high-pressure homogenization: Factors affecting particle size. In *Food Hydrocolloids* (Vol. 25, Issue 5, pp. 1000–1008). <https://doi.org/10.1016/j.foodhyd.2010.09.017>
- Riyadi, A. H., Muchtadi, T. R., Andarwulan, N., & Haryati, T. (2016). Pilot Plant Study of Red Palm Oil Deodorization Using Moderate Temperature. *Agriculture and Agricultural Science Procedia*, 9, 209–216. <https://doi.org/10.1016/j.aaspro.2016.02.129>

- Rohmah, M. (2019). *Nanostructured Lipid Carrier (NLC)-Based Delivery System untuk Meningkatkan Stabilitas, Bioaksesibilitas dan Kapasitas Antioksidan β -Karoten sebagai Ingridien Pangan Fungsional*.
- Rohmah, M., Choiri, S., Raharjo, S., Hidayat, C., & Martien, R. (2020). Palm stearin and olein binary mixture incorporated into nanostructured lipids carrier: Improvement food functionality for micronutrient delivery. *Journal of Food Processing and Preservation*, 44(10), 1–10. <https://doi.org/10.1111/jfpp.14761>
- Rohmah, M., Raharjo, S., Hidayat, C., & Martien, R. (2019a). Application of Response Surface Methodology for the Optimization of β -Carotene-Loaded Nanostructured Lipid Carrier from Mixtures of Palm Stearin and Palm Olein. *JAACS, Journal of the American Oil Chemists' Society*, 97(2). <https://doi.org/10.1002/aocs.12310>
- Rohmah, M., Raharjo, S., Hidayat, C., & Martien, R. (2019b). Formulasi dan Stabilitas Nanostructured Lipid Carrier dari Campuran Fraksi Stearin dan Olein Minyak Kelapa Sawit. *Jurnal Aplikasi Teknologi Pangan*, 8(1), 23–30. <https://doi.org/10.17728/jatp.3722>
- Rukmini, A., Raharjo, S., Hastuti, P., & Supriyadi, S. (2012). Formulation and stability of water-in-virgin coconut oil microemulsion using ternary food grade nonionic surfactants. *International Food Research Journal*, 19(1), 259–264.
- Santiago, R. R., Gyselle de Holanda e Silva, K., Dantas dos Santos, N., Genre, J., Freitas de Oliveira Lione, V., Silva, A. L., Marcelino, H. R., Gondim, A. D., & Tabosa do Egito, E. S. (2018). Nanostructured lipid carriers containing Amphotericin B: Development, in vitro release assay, and storage stability. *Journal of Drug Delivery Science and Technology*, 48, 372–382. <https://doi.org/10.1016/j.jddst.2018.10.003>
- Sari, F., Sinaga, K. R., & Siahaan, D. (2018). Formulation and evaluation of red palm olein nanoemulsion. *Asian Journal of Pharmaceutical and Clinical Research*, 11(9), 237–240. <https://doi.org/10.22159/ajpcr.2018.v11i9.26532>
- Sawant, K., & Dodiya, S. (2008). Recent Advances and Patents on Solid Lipid Nanoparticles. *Recent Patents on Drug Delivery & Formulation*, 2(2), 120–135. <https://doi.org/10.2174/187221108784534081>
- Sharma, A., & Baldi, A. (2018). Nanostructured Lipid Carriers: A Review Journal. *Journal of Developing Drugs*, 7(2), 1–12. <https://doi.org/10.4172/2329-6631.1000187>
- Shin, K. C., Seo, M. J., Kim, Y. S., & Yeom, S. J. (2022). Molecular Properties of β -Carotene Oxygenases and Their Potential in Industrial Production of Vitamin A and Its Derivatives. *Antioxidants*, 11(6), 1–13. <https://doi.org/10.3390/antiox11061180>
- Sibuea, P. (2023). Review: oksigen singlet ($1O_2$) dan efek fotooksidasi pada produk pangan. *Retipa*, 3(2), 108–118.
- Singhal, G. B., Patel, R. P., Prajapati, B. G., Patel, N. A., & Professor, A. (2011). Solid Lipid Nanoparticles and Nano Lipid Carriers: As novel solid lipid based drug carriers. *International Research Journal of Pharmacy*, 2(2), 40–52. https://www.researchgate.net/publication/298025167_Solid_lipid_nanoparticles_and_nano_lipid_carriers_As_novel_solid_lipid_based_drug_carrier

- Soleimaniana, Y., Golia, S. A. H., Varshosazb, J., & Maestrell, F. (2018). Propolis wax nanostructured lipid carrier for delivery of β sitosterol.pdf. *Food Chemistry*, 260, 97–105. <https://doi.org/10.1016/j.foodchem.2018.03.145>
- Sriarumtias, F. F., Tarini, S., & Damayanti, S. (2017). Formulasi Dan Uji Potensi Antioksidan Nanostructured Lipid Carrier (NLC) Retinil Palmitat. *Acta Pharmaceutica Indonesia*, 42(1), 25–31. <https://doi.org/OI:https://doi.org/10.5614/api.v42i1.4563>
- Sumarna, D. (2014). Studi metode pengolahan minyak sawit merah (red palm oil) dari crude palm oil (CPO). *Prosiding Seminar Nasional Kimia*, 26 April. <https://jurnal.kimia.fmipa.unmul.ac.id/index.php/prosiding/article/view/139>
- Surhaini, Mursalin, & Yulia, A. (2015). Kinetika Kerusakan Karoten pada Minuman Emulsi Selama Penyimpanan. *Prosiding Seminar Agroindustri Dan Lokakarya Nasional FKPT-TPI*, 197–201. <https://repository.unja.ac.id/id/eprint/13527>
- Talegaonkar, S., & Bhattacharyya, A. (2019). Potential of Lipid Nanoparticles (SLNs and NLCs) in Enhancing Oral Bioavailability of Drugs with Poor Intestinal Permeability. *AAPS PharmSciTech*, 20(121), 2–15. <https://doi.org/10.1208/s12249-019-1337-8>
- Tamjidi, F., Shahedi, M., Varshosaz, J., & Nasirpour, A. (2013). Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. *Innovative Food Science and Emerging Technologies*, 19, 29–43. <https://doi.org/10.1016/j.ifset.2013.03.002>
- Tamjidi, F., Shahedi, M., Varshosaz, J., & Nasirpour, A. (2014a). Design and characterization of astaxanthin-loaded nanostructured lipid carriers. In *Innovative Food Science and Emerging Technologies* (Vol. 26). Elsevier B.V. <https://doi.org/10.1016/j.ifset.2014.06.012>
- Tamjidi, F., Shahedi, M., Varshosaz, J., & Nasirpour, A. (2014b). EDTA and α -tocopherol improve the chemical stability of astaxanthin loaded into nanostructured lipid carriers. In *European Journal of Lipid Science and Technology* (Vol. 116, Issue 8, pp. 968–977). <https://doi.org/10.1002/ejlt.201300509>
- Tamjidi, F., Shahedi, M., Varshosaz, J., & Nasirpour, A. (2017). Stability of astaxanthin-loaded nanostructured lipid carriers as affected by pH, ionic strength, heat treatment, simulated gastric juice and freeze–thawing. *J Food Sci Technol (September)*, 54(10), 3132–3141. <https://doi.org/10.1007/s13197-017-2749-7>
- Tan, C. P., & Nakajima, M. (2005). Food Chemistry b -Carotene nanodispersions : preparation , characterization and stability evaluation. *Food Chemistry*, 92, 661–671. <https://doi.org/10.1016/j.foodchem.2004.08.044>
- Ulfah, M., Ruswanto, A., & Ngatirah. (2016). Karakteristik minyak campuran dari red palm oil dan palm kernel olein. *Jurnal Agritech*, 36(2), 145–153. <https://doi.org/10.22146/agritech.12858>
- Varshosaz, J., Eskandari, S., & Tabakhian, M. (2010). Production and optimization of valproic acid nanostructured lipid carriers by the Taguchi design. *Pharmaceutical Development and Technology*, 15(1), 89–96. <https://doi.org/10.3109/10837450903013568>
- Viegas, C., Patrício, A. B., Prata, J. M., Nadhman, A., Chintamaneni, P. K., &

- Fonte, P. (2023). Solid Lipid Nanoparticles vs. Nanostructured Lipid Carriers: A Comparative Review. *Pharmaceutics*, 15(6). <https://doi.org/10.3390/pharmaceutics15061593>
- Weiss, J., Decker, E. A., McClements, D. J., Kristbergsson, K., Helgason, T., & Awad, T. (2008). Solid lipid nanoparticles as delivery systems for bioactive food components. *Food Biophysics*, 3(2), 146–154. <https://doi.org/10.1007/s11483-008-9065-8>
- Wirawan, W., Raharjo, S., & Supriyadi. (2022). Formulation and Characteristics of Nanostructured Lipid Carrier (NLC) Red Palm Oil (RPO) Prepared by High-Pressure Homogenization and Its Applications in Orange Juice. *Indonesian Food and Nutrition Progress*, 19(1), 31. <https://doi.org/10.22146/infnp.70924>
- Wulandari, S., Budiyanto, & Silvia, E. (2015). Karakteristik Emulsi Minyak Sawit Merah Dan Aplikasi Quality Function Deployment (QFD) Untuk Pengembangan Produk. *Jurnal Teknologi Industri Pertanian*, 25(2), 136–142.
- Yi, J., Andersen, M. L., & Skibsted, L. H. (2011). Interactions between tocopherols, tocotrienols and carotenoids during autoxidation of mixed palm olein and fish oil. *Food Chemistry*, 127, 1792–1797. <https://doi.org/10.1016/j.foodchem.2011.02.061>
- Yi, J., Fan, Y., Yokoyama, W., Zhang, Y., & Zhao, L. (2016). Thermal degradation and isomerization of β -carotene in oil-in- water nanoemulsions supplemented with natural antioxidants. *J. Agric. Food Chem*, 64(9), 1970–1976. <https://doi.org/DOI: 10.1021/acs.jafc.5b0547>
- Zakariya, F. R., Misran, & Waysima. (2012). Kapasitas Antioksidan Plasma dan Sel Darah Merah Responden Kecamatan Dramaga, Bogor. *Pangan*, 21(3), 245–257. <https://doi.org/10.33964/jp.v21i3.169>
- Zardini, A. A., Mohebbi, M., Farhoosh, R., & Bolurian, S. (2018). Production and characterization of nanostructured lipid carriers and solid lipid nanoparticles containing lycopene for food fortification. *Journal of Food Science and Technology*, 55(1), 287–298. <https://doi.org/10.1007/s13197-017-2937-5>
- Zeb, A. (2012). Thermal degradation of β -carotene in food oils. In V. R. Preedy (Ed.), *Food and Nutritional Components in Focus* (1st ed., pp. 129–141). the Royal Society of Chemistry. <https://doi.org/10.1039/9781849733687-00129>
- Zheng, M., Falkeborg, M., Zheng, Y., Yang, T., & Xu, X. (2013). Formulation and characterization of nanostructured lipid carriers containing a mixed lipids core. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 430, 76–84. <https://doi.org/10.1016/j.colsurfa.2013.03.070>
- Zhuang, C. Y., Li, N., Wang, M., Zhang, X. N., Pan, W. S., Peng, J. J., Pan, Y. S., & Tang, X. (2010). Preparation and characterization of vinpocetine loaded nanostructured lipid carriers (NLC) for improved oral bioavailability. *International Journal of Pharmaceutics*, 394, 179–185. <https://doi.org/10.1016/j.ijpharm.2010.05.005>
- Zia-Ul-Haq, M., Dewanjee, S., & Riaz, M. (2021). Carotenoids: Structure and Function in the Human Body. In *Carotenoids: Structure and Function in the Human Body*. Springer. <https://doi.org/10.1007/978-3-030-46459-2>
- Zou, L., & Akoh, C. C. (2015). Antioxidant activities of annatto and palm

tocotrienol-rich fractions in fish oil and structured lipid-based infant formula emulsion. *Food Chemistry*, 168, 504–511.

<https://doi.org/10.1016/j.foodchem.2014.07.098>