

DAFTAR PUSTAKA

- Ait Said, H., Mabroum, H., Lahcini, M., Oudadesse, H., Barroug, A., Ben Youcef, H., & Noukrati, H. (2023). Manufacturing methods, properties, and potential applications in bone tissue regeneration of hydroxyapatite-chitosan biocomposites: A review. In *International Journal of Biological Macromolecules* (Vol. 243). Elsevier B.V. <https://doi.org/10.1016/j.ijbiomac.2023.125150>
- Boleslavský, A., Ovčáčíková, H., Mihola, M., Mikkola, A., Topinková, M., & Bobovský, Z. (2025). Study of 3D printing process: Optimization, quality analysis, and comparison of 3D printed and cast ceramic properties. *Open Ceramics*, 23. <https://doi.org/10.1016/j.oceram.2025.100797>
- Budharaju, H., Suresh, S., Sekar, M. P., De Vega, B., Sethuraman, S., Sundaramurthi, D., & Kalaskar, D. M. (2023). Ceramic materials for 3D printing of biomimetic bone scaffolds – Current state-of-the-art & future perspectives. In *Materials and Design* (Vol. 231). Elsevier Ltd. <https://doi.org/10.1016/j.matdes.2023.112064>
- Chen, W., Zou, B., Huang, C., Yang, J., Li, L., Liu, J., & Wang, X. (2023). The defect detection of 3D-printed ceramic curved surface parts with low contrast based on deep learning. *Ceramics International*, 49(2), 2881–2893. <https://doi.org/10.1016/j.ceramint.2022.09.272>
- Chen, Z., Li, Z., Li, J., Liu, C., Lao, C., Fu, Y., Liu, C., Li, Y., Wang, P., & He, Y. (2019). 3D printing of ceramics: A review. In *Journal of the European Ceramic Society* (Vol. 39, Issue 4, pp. 661–687). Elsevier Ltd. <https://doi.org/10.1016/j.jeurceramsoc.2018.11.013>
- Cho, Y. S., Ghim, M. S., Hong, M. W., Kim, Y. Y., & Cho, Y. S. (2023). Strategy to improve endogenous bone regeneration of 3D-printed PCL/nano-HA composite scaffold: Collagen designs with BMP-2 and FGF-2. *Materials and Design*, 229. <https://doi.org/10.1016/j.matdes.2023.111913>
- Deng, L., Feng, B., & Zhang, Y. (2018). An optimization method for multi-objective and multi-factor designing of a ceramic slurry: Combining orthogonal experimental design with artificial neural networks. *Ceramics International*, 44(13), 15918–15923. <https://doi.org/10.1016/j.ceramint.2018.06.010>
- Fabio, M. E. (n.d.). *SKRIPSI OPTIMASI PARAMETER PROSES PADA 3D PRINTER JENIS DIGITAL LIGHT PROCESSING (DLP) MENGGUNAKAN METODE RESPONSE SURFACE UNTUK MENCETAK PROTOTYPE STENT DENGAN TIPE*.
- Fatmaria Tantri, S., Eltivia, N., & Djajanto, L. (2024). *APPLICATION OF FISHBONE DIAGRAM IN USING ROOT CAUSE ANALYSIS (RCA) FOR DEVELOPING OF REVENUE AND EXPENDITURE SYSTEM IN MANUFACTURING COMPANY*. 4(1). <https://doi.org/10.53067/ije3.v4i1>
- Ghani, J. A., & Haron, C. H. C. (2013). *Comparison between Taguchi Method and Response Surface Methodology (RSM) In Optimizing Machining Condition*. <https://www.researchgate.net/publication/351349011>
- Hadiyat, M. A., Sopha, B. M., & Wibowo, B. S. (2022). Response Surface Methodology Using Observational Data: A Systematic Literature Review. In *Applied Sciences (Switzerland)* (Vol. 12, Issue 20). MDPI. <https://doi.org/10.3390/app122010663>
- Holifahtus Sakdiyah, S., Eltivia, N., & Afandi, A. (2022). Root Cause Analysis Using Fishbone Diagram: Company Management Decision Making. *Journal of Applied Business, Taxation and Economics Research*, 1(6), 566–576. <https://doi.org/10.54408/jabter.v1i6.103>
- Imran, M. M., Che Idris, A., De Silva, L. C., Kim, Y. B., & Abas, P. E. (2024). Advancements in 3D Printing: Directed Energy Deposition Techniques, Defect Analysis, and Quality Monitoring. In *Technologies* (Vol. 12, Issue 6). Multidisciplinary Digital Publishing

- Institute (MDPI). <https://doi.org/10.3390/technologies12060086>
- Kim, N. P., Cho, D., & Zielewski, M. (2019). Optimization of 3D printing parameters of Screw Type Extrusion (STE) for ceramics using the Taguchi method. *Ceramics International*, 45(2), 2351–2360. <https://doi.org/10.1016/j.ceramint.2018.10.152>
- Kumah, A., Nwogu, C. N., Issah, A. R., Obot, E., Kanamitie, D. T., Sifa, J. S., & Aidoo, L. A. (2024a). Cause-and-Effect (Fishbone) Diagram: A Tool for Generating and Organizing Quality Improvement Ideas. *Global Journal on Quality and Safety in Healthcare*, 7(2), 85–87. <https://doi.org/10.36401/JQSH-23-42>
- Kumah, A., Nwogu, C. N., Issah, A. R., Obot, E., Kanamitie, D. T., Sifa, J. S., & Aidoo, L. A. (2024b). Cause-and-Effect (Fishbone) Diagram: A Tool for Generating and Organizing Quality Improvement Ideas. *Global Journal on Quality and Safety in Healthcare*, 7(2), 85–87. <https://doi.org/10.36401/JQSH-23-42>
- Ly, M., Spinelli, S., Hays, S., & Zhu, D. (2022). 3D Printing of Ceramic Biomaterials. *Engineered Regeneration*, 3(1), 41–52. <https://doi.org/10.1016/j.engreg.2022.01.006>
- Mondal, S., Nguyen, T. P., Pham, V. H., Hoang, G., Manivasagan, P., Kim, M. H., Nam, S. Y., & Oh, J. (2020). Hydroxyapatite nano bioceramics optimized 3D printed poly lactic acid scaffold for bone tissue engineering application. *Ceramics International*, 46(3), 3443–3455. <https://doi.org/10.1016/j.ceramint.2019.10.057>
- Mondal, S., & Pal, U. (2019). 3D hydroxyapatite scaffold for bone regeneration and local drug delivery applications. In *Journal of Drug Delivery Science and Technology* (Vol. 53). Editions de Sante. <https://doi.org/10.1016/j.jddst.2019.101131>
- Phung, T. C., & Do, H. N. (2022). Comparison of Taguchi Method and Response Surface Methodology in Determining Optimal Parameters for Welding Two Metal Plates. *Science & Technology Development Journal - Engineering and Technology*. <https://doi.org/10.32508/stdjet.v5i4.1041>
- Rafiq Jeraj, A., & Zameer, Z. (2025). AI-Enhanced Bioactive 3D-Printed Scaffolds for Tissue Regeneration: Innovations in Healing and Functional Additives. *Article in Journal of Computing & Biomedical Informatics*. <https://doi.org/10.56979/802/2025>
- Roopavath, U. K., Malferrari, S., Van Haver, A., Verstreken, F., Rath, S. N., & Kalaskar, D. M. (2019). Optimization of extrusion based ceramic 3D printing process for complex bony designs. *Materials and Design*, 162, 263–270. <https://doi.org/10.1016/j.matdes.2018.11.054>
- Ryan, K. R., Down, M. P., Hurst, N. J., Keefe, E. M., & Banks, C. E. (2022). Additive manufacturing (3D printing) of electrically conductive polymers and polymer nanocomposites and their applications. In *eScience* (Vol. 2, Issue 4, pp. 365–381). Elsevier B.V. <https://doi.org/10.1016/j.esci.2022.07.003>
- Saputra, F. A., & Santoso, D. T. (2024). Analysis of Production Defects Using The 5 WHYS and RCA Method at PT. X. *TRANSMISI*, 20(2), 52–59. <https://doi.org/10.26905/jtmt.v20i2.13012>
- Sobczak-Kupiec, A., Pluta, K., Drabczyk, A., Włoś, M., & Tyliszczak, B. (2018). Synthesis and characterization of ceramic - polymer composites containing bioactive synthetic hydroxyapatite for biomedical applications. *Ceramics International*, 44(12), 13630–13638. <https://doi.org/10.1016/j.ceramint.2018.04.199>
- Tang, S., Yang, L., Li, G., Liu, X., & Fan, Z. (2019). 3D printing of highly-loaded slurries via layered extrusion forming: Parameters optimization and control. *Additive Manufacturing*, 28, 546–553. <https://doi.org/10.1016/j.addma.2019.05.034>
- Yang, G., Tao, Y., Wang, P., Xu, X., & Zhu, X. (2022). Optimizing 3D printing of chicken meat by response surface methodology and genetic algorithm: Feasibility study of 3D printed chicken product. *LWT*, 154. <https://doi.org/10.1016/j.lwt.2021.112693>
- Zhou, L. Y., Fu, J., & He, Y. (2020). A Review of 3D Printing Technologies for Soft Polymer

Materials. In *Advanced Functional Materials* (Vol. 30, Issue 28). Wiley-VCH Verlag.
<https://doi.org/10.1002/adfm.202000187>

Zhu, J., Yu, J., Wu, Y., Chao, Y., Wu, P., Lu, L., Chen, L., He, J., & Zhu, W. (2023).
Engineering 3D-printed aqueous colloidal ceramic slurry for direct ink writing. *Green
Chemical Engineering*, 4(1), 73–80. <https://doi.org/10.1016/j.gce.2022.04.005>