

DAFTAR PUSTAKA

- Abidin, N., Lagiono, L., dan Syahbudin, S. (2020). Keanekaragaman Insekta Siang (Diurnal) di Perkebunan Rambutan (*Nephelium lappaceum* L) di Desa Sungai Kupang Palas Kecamatan Kandangan Kabupaten Hulu Sungai Selatan. *Jurnal Pendidikan Hayati*, 8(1).
- Alonso-Rodríguez, A. M., Finegan, B., dan Fiedler, K. (2017). Neotropical moth assemblages degrade due to oil palm expansion. *Biodiversity and Conservation*, 26(10), 2295–2326. <https://doi.org/10.1007/s10531-017-1357-1>.
- Anderson, R. (2022) 'Host plant diversity and moth life cycles: A meta-analysis', *Ecological Entomology*, 47(3), pp. 321–335. doi: [10.1111/een.13122](https://doi.org/10.1111/een.13122).
- Astuti, F. A., dan Lukito, H. (2020). Perubahan Penggunaan Lahan di Kawasan Keamanan dan Ketahanan Pangan di Kabupaten Sleman. *Jurnal Geografi : Media Informasi Pengembangan Dan Profesi Kegeografian*, 17(1), 1–6. <https://doi.org/10.15294/jg.v17i1.21327>.
- Badan Pusat Statistik. (2024). *Migrasi Penduduk per Kecamatan di Kabupaten Sleman, 2024*.
- Barghini, A. and de Medeiros, B.A.S. (2012) 'Artificial lighting as a vector for urban insects', *Journal of Applied Ecology*, 49(6), pp. 1393–1400. doi: [10.1111/j.1365-2664.2012.02208.x](https://doi.org/10.1111/j.1365-2664.2012.02208.x).
- Barlow, H. S. (1982). *An introduction to the moths of South East Asia*. Malayan Nature Society.

- Bates, A. J., Sadler, J. P., Grundy, D., Lowe, N., Davis, G., Baker, D., Bridge, M., Freestone, R., Gardner, D., Gibson, C., Hemming, R., Howarth, S., Orridge, S., Shaw, M., Tams, T., dan Young, H. (2014). Garden and landscape-scale correlates of moths of differing conservation status: Significant effects of urbanization and habitat diversity. *PLoS ONE*, 9(1). <https://doi.org/10.1371/journal.pone.0086925>.
- Battisti, A., Stastny, M., Netherer, S., Robinet, C., Schopf, A., Roques, A., dan Larsson, S. (2005). Expansion of geographic range in the pine processionary moth caused by increased winter temperatures. *Ecological Applications*, 15(6). <https://doi.org/10.1890/04-1903>.
- Beck, J., Kitching, I. J., dan Linsenmair, K. E. (2006). Effects of habitat disturbance can be subtle yet significant: Biodiversity of hawkmoth-assemblages (Lepidoptera: Sphingidae) in Southeast-Asia. *Biodiversity and Conservation*, 15(1). <https://doi.org/10.1007/s10531-005-0306-6>.
- Berkes, F. et al. (2000) *Sacred Ecology: Traditional Ecological Knowledge and Resource Management*. Philadelphia: Taylor & Francis.
- Boyes, D. H., Evans, D. M., Fox, R., Parsons, M. S., dan Pocock, M. J. O. (2021). Is light pollution driving moth population declines? A review of causal mechanisms across the life cycle. In *Insect Conservation and Diversity* (Vol. 14, Issue 2). <https://doi.org/10.1111/icad.12447>.
- Brehm, G., Niermann, J., Jaimes Nino, L. M., Enseling, D., Jüstel, T., Axmacher, J. C., Warrant, E., dan Fiedler, K. (2021). Moths are strongly attracted to

ultraviolet and blue radiation. *Insect Conservation and Diversity*, 14(2).

<https://doi.org/10.1111/icad.12476>.

Bruce, T.J.A. et al. (2017) 'Light pollution disrupts insect navigation', *Nature Communications*, 8, 14554. doi: [10.1038/ncomms14554](https://doi.org/10.1038/ncomms14554).

Chapman, J. W., Reynolds, D. R., Mouritsen, H., Hill, J. K., Riley, J. R., Sivell, D., Smith, A. D., dan Woiwod, I. P. (2008). Wind Selection and Drift Compensation Optimize Migratory Pathways in a High-Flying Moth. *Current Biology*, 18(7). <https://doi.org/10.1016/j.cub.2008.02.080>.

Choi, S.-W. (2008). Effects of Weather Factors on the Abundance and Diversity of Moths in a Temperate Deciduous Mixed Forest of Korea. *Zoological Science*, 25(1), 53–58. <https://doi.org/10.2108/zsj.25.53>.

Clark, J.A. (2020) 'Effects of artificial light on nocturnal insect behavior', *Annual Review of Entomology*, 65, pp. 257–276. doi: [10.1146/annurev-ento-011019-025015](https://doi.org/10.1146/annurev-ento-011019-025015).

Correa-Carmona, Y., Rougerie, R., Arnal, P., Ballesteros-Mejia, L., Beck, J., Dolédec, S., Ho, C., Kitching, I. J., Lavelle, P., Le Clec'h, S., Lopez-Vaamonde, C., Martins, M. B., Murienne, J., Oszwald, J., Ratnasingham, S., dan Decaëns, T. (2022). Functional and taxonomic responses of tropical moth communities to deforestation. *Insect Conservation and Diversity*, 15(2), 236–247. <https://doi.org/10.1111/icad.12549>.

Coulthard, E. (2015). *Habitat and landscape-scale effects on the abundance and diversity of macro-moths (Lepidoptera) in intensive farmland*. University of Northampton.

- Crawley, M.J. (2013) *The R Book*. 2nd edn. Chichester: Wiley.
- Dar, A. A., dan Jamal, K. (2021). Moths as ecological indicators: a review. *Munis Entomology dan Zoology*, 16(2), 833–839. <https://www.munisentzool.org/>.
- Davies, T. W., dan Smyth, T. (2018). Why artificial light at night should be a focus for global change research in the 21st century. *Global Change Biology*, 24(3), 872–882. <https://doi.org/10.1111/gcb.13927>.
- Degen, J., Storms, M., Lee, C. B., Jechow, A., Stöckl, A. L., Hölker, F., Jakhar, A., Walter, T., Walter, S., Mitesser, O., Hovestadt, T., dan Degen, T. (2022). Streetlights affect moth orientation beyond flight-to-light behaviour. *BioRxiv*.
- Dieker, P., Drees, C., dan Assmann, T. (2011). Two high-mountain burnet moth species (Lepidoptera, Zygaenidae) react differently to the global change drivers climate and land-use. *Biological Conservation*, 144(12). <https://doi.org/10.1016/j.biocon.2011.07.018>.
- Dormann, C.F. et al. (2013) 'Collinearity: A review of methods to deal with it', *Methods in Ecology and Evolution*, 4(1), pp. 1–19. doi: [10.1111/j.2041-210x.2012.00253.x](https://doi.org/10.1111/j.2041-210x.2012.00253.x).
- Eisenbeis, G. and Hänel, A. (2009) 'Light pollution and the impact of artificial night lighting on insects', *Ecological Studies*, 207, pp. 243–263. doi: [10.1007/978-3-540-74065-7_11](https://doi.org/10.1007/978-3-540-74065-7_11).

- Enkhtur, K., Boldgiv, B., dan Pfeiffer, M. (2020). Diversity and distribution patterns of geometrid moths (Geometridae, Lepidoptera) in Mongolia. *Diversity*, 12(5). <https://doi.org/10.3390/D12050186>.
- Evans, D. M. (2023). Mitigating the impacts of street lighting on biodiversity and ecosystem functioning. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 378(1892). <https://doi.org/10.1098/rstb.2022.0355>.
- Fox, R., Oliver, T. H., Harrower, C., Parsons, M. S., Thomas, C. D., dan Roy, D. B. (2014). Long-term changes to the frequency of occurrence of British moths are consistent with opposing and synergistic effects of climate and land-use changes. *Journal of Applied Ecology*, 51(4), 949–957. <https://doi.org/10.1111/1365-2664.12256>.
- Fuentes-Montemayor, E., Goulson, D., Cavin, L., Wallace, J. M., dan Park, K. J. (2012). Factors influencing moth assemblages in woodland fragments on farmland: Implications for woodland management and creation schemes. *Biological Conservation*, 153. <https://doi.org/10.1016/j.biocon.2012.04.019>.
- Furlanetto, D. et al. (2020) 'Agricultural intensification reduces insect population clustering', *Journal of Applied Ecology*, 57(5), pp. 879–890. doi: [10.1111/1365-2664.13612](https://doi.org/10.1111/1365-2664.13612).
- Gafuraningtyas, D. (2022). Tren Penelitian Tentang Perubahan Penggunaan Lahan dan Lahan Pertanian Pangan Berkelanjutan di Indonesia. *Jurnal Pertanian*, 12(2). <https://doi.org/10.53686/jp.v12i2.180>.

- Gaston, K.J. et al. (2013) 'The ecological impacts of nighttime light pollution',
Trends in Ecology & Evolution, 28(6), pp. 357–366. doi:
[10.1016/j.tree.2013.02.004](https://doi.org/10.1016/j.tree.2013.02.004).
- Gotelli, N.J. and Ellison, A.M. (2013). *A Primer of Ecological Statistics*. 2nd
edn. Sunderland: Sinauer Associates.
- Gunawan, H., Setyawati, T., Atmoko, T., Subarudi, Kwatrina, R. T., Yeny, I.,
Yuwati, T. W., Effendy, R., Abdullah, L., Mukhlisi, Lastini, T., Arini, D.
I. D., Sari, U. K., Sitepu, B. S., Pattiselanno, F., dan Kuswanda, W.
(2024). A review of forest fragmentation in Indonesia under the DPSIR
framework for biodiversity conservation strategies. *Global Ecology and
Conservation*, 51, e02918. <https://doi.org/10.1016/j.gecco.2024.e02918>.
- Hăbeanu, M., Gheorghe, A., dan Mihalcea, T. (2023). Silkworm *Bombyx mori*—
Sustainability and Economic Opportunity, Particularly for Romania. In
Agriculture (Switzerland) (Vol. 13, Issue 6).
<https://doi.org/10.3390/agriculture13061209>.
- Hawes, J., Da Silva Motta, C., Overal, W. L., Barlow, J., Gardner, T. A., dan
Peres, C. A. (2009). Diversity and composition of Amazonian moths in
primary, secondary and plantation forests. *Journal of Tropical Ecology*,
25(3). <https://doi.org/10.1017/S0266467409006038>.
- Heidrich, L., Pinkert, S., Brandl, R., Bässler, C., Hacker, H., Roth, N., Busse, A.,
Müller, J., dan Friess, N. (2021). Noctuid and geometrid moth
assemblages show divergent elevational gradients in body size and color

lightness. *Ecography*, 44(8), 1169–1179.

<https://doi.org/10.1111/ecog.05558>.

Heong, K.L. et al. (2015) 'Pest management practices and insect biodiversity in rice fields', *PLOS ONE*, 10(3), e0120007. doi: [10.1371/journal.pone.0120007](https://doi.org/10.1371/journal.pone.0120007).

Herlinda, S., Pujiastuti, Y., Irsan, C., Karenina, T., Budiarti, L., Rizkie, L., dan Octavia, M. (2021). *Pengantar Ekologi Serangga*.

Hill, G. M., Kawahara, A. Y., Daniels, J. C., Bateman, C. C., dan Scheffers, B. R. (2021). Climate change effects on animal ecology: butterflies and moths as a case study. *Biological Reviews*, 96(5). <https://doi.org/10.1111/brv.12746>.

Hölker, F. et al. (2010) 'Light pollution as a biodiversity threat', *Trends in Ecology & Evolution*, 25(12), pp. 681–682. doi: [10.1016/j.tree.2010.09.007](https://doi.org/10.1016/j.tree.2010.09.007).

Hölker, F., Bolliger, J., Davies, T. W., Giavi, S., Jechow, A., Kalinkat, G., Longcore, T., Spoelstra, K., Tidau, S., Visser, M. E., dan Knop, E. (2021). 11 Pressing Research Questions on How Light Pollution Affects Biodiversity. In *Frontiers in Ecology and Evolution* (Vol. 9). <https://doi.org/10.3389/fevo.2021.767177>.

Infusino, M., Brehm, G., Di Marco, C., dan Scalercio, S. (2017). Assessing the efficiency of UV LEDs as light sources for sampling the diversity of macro-moths (Lepidoptera). *European Journal of Entomology*, 114, 25–33. <https://doi.org/10.14411/eje.2017.004>.

- Jägerbrand, A., Andersson, P., dan Nilsson Tengelin, M. (2023). Dose–effects in behavioural responses of moths to light in a controlled lab experiment. *Scientific Reports*, 13(1). <https://doi.org/10.1038/s41598-023-37256-0>.
- Johnsen, S. et al. (2006) 'Crepuscular and nocturnal illumination and its effects on color perception', *Journal of Experimental Biology*, 209(5), pp. 789–800. doi: [10.1242/jeb.02053](https://doi.org/10.1242/jeb.02053).
- Juddin, A. S. S., Ngah, N., Umar, R., Asante, K., dan Abdullahi, M. G. (2023). a review influence of light on insect activity and behaviour: sustainable lighting and light pollution. *Journal of Sustainability Science and Management*, 18(2). <https://doi.org/10.46754/jssm.2023.02.015>.
- Kadlec, T., Kotela, M., Novák, I., Konvička, M., dan Jarošík, V. (2009). Effect of land use and climate on the diversity of moth guilds with different habitat specialization. *Community Ecology*, 10(2), 152–158. <https://doi.org/10.1556/ComEc.10.2009.2.3>.
- Kammar, V., Rani, A. T., Kumar, K. P., dan Chakravarthy, A. K. (2020). Light Trap: A Dynamic Tool for Data Analysis, Documenting, and Monitoring Insect Populations and Diversity. In *Innovative Pest Management Approaches for the 21st Century* (pp. 137–163). Springer Singapore. https://doi.org/10.1007/978-981-15-0794-6_8.
- Keller, D. R. (2001). Eugene Odum: Ecosystem Ecologist and Environmentalist (review). *Ethics danamp; the Environment*, 6(2). <https://doi.org/10.1353/een.2001.0014>.

- Kim, K. N., Song, H. S., Li, C. S., Huang, Q. Y., dan Lei, C. L. (2018). Effect of several factors on the phototactic response of the oriental armyworm, *Mythimna separata* (Lepidoptera: Noctuidae). *Journal of Asia-Pacific Entomology*, 21(3). <https://doi.org/10.1016/j.aspen.2018.07.010>.
- Knight, A. L., dan Fisher, J. (2006). Increased catch of codling moth (Lepidoptera: Tortricidae) in semiochemical-baited orange plastic delta-shaped traps. *Environmental Entomology*, 35(6). [https://doi.org/10.1603/0046-225X\(2006\)35\[1597:ICOCML\]2.0.CO;2](https://doi.org/10.1603/0046-225X(2006)35[1597:ICOCML]2.0.CO;2).
- Krebs, C.J. (2014) *Ecology: The Experimental Analysis of Distribution and Abundance*. 6th edn. San Francisco: Pearson.
- Langevelde, F. van et al. (2011) 'Effect of spectral composition of artificial light on moth attraction', *Biology Letters*, 7(2), pp. 239–242. doi: [10.1098/rsbl.2010.0587](https://doi.org/10.1098/rsbl.2010.0587).
- Legendre, P. and Legendre, L. (2012) *Numerical Ecology*. 3rd edn. Amsterdam: Elsevier.
- Li, X. et al. (2019) 'Aggregated distribution patterns of nocturnal insects', *Ecological Indicators*, 101, pp. 1–8. doi: [10.1016/j.ecolind.2019.01.002](https://doi.org/10.1016/j.ecolind.2019.01.002).
- Lindenmayer, D., Scheele, B. C., Lavery, T., dan Likens, G. E. (2023). Biodiversity response to rapid successive land cover conversions in human-dominated landscapes. *Global Ecology and Conservation*, 45. <https://doi.org/10.1016/j.gecco.2023.e02510>.
- Magurran, A.E. (2004) *Measuring Biological Diversity*. Oxford: Blackwell.

- Mangels, J., Fiedler, K., Schneider, F. D., dan Blüthgen, N. (2017). Diversity and trait composition of moths respond to land-use intensification in grasslands: generalists replace specialists. *Biodiversity and Conservation*, 26(14), 3385–3405. <https://doi.org/10.1007/s10531-017-1411-z>.
- Manueke, J., dan Paat, F. J. (2023). *Ekologi Serangga* (I. S. Firmansyah (ed.); 1st ed., Vol. 1). CV. Mineral Mutiara Bumi. https://repo.unsrat.ac.id/5010/1/BUKU_MONOGRAF_EKOLOGI_SERANGGA.pdf.
- McKinney, M.L. (2006) 'Urbanization as a major cause of biotic homogenization', *Biological Conservation*, 127(3), pp. 247–260. doi: [10.1016/j.biocon.2005.09.005](https://doi.org/10.1016/j.biocon.2005.09.005).
- Merckx, T., dan Macdonald, D. W. (2015). Landscape-scale conservation of farmland moths. *Wildlife Conservation on Farmland Volume 1*, 147–166. <https://doi.org/10.1093/acprof:oso/9780198745488.003.0008>.
- Møøller, A. P. (2013). Long-term trends in wind speed, insect abundance and ecology of an insectivorous bird. *Ecosphere*, 4(1). <https://doi.org/10.1890/ES12-00310.1>.
- Mullen, G. R. (2002). MOTHS AND BUTTERFLIES (Lepidoptera). In *Medical and Veterinary Entomology* (pp. 363–381). Elsevier. <https://doi.org/10.1016/B978-012510451-7/50020-7>.
- Netherer, S., dan Schopf, A. (2010). Potential effects of climate change on insect herbivores in European forests-General aspects and the pine

processionary moth as specific example. *Forest Ecology and Management*, 259(4). <https://doi.org/10.1016/j.foreco.2009.07.034>.

Öckinger, E. (2008). Distribution of burnet moths (*Zygaena* spp.) in relation to larval and adult resources on two spatial scales. *Insect Conservation and Diversity*, 1(1). <https://doi.org/10.1111/j.1752-4598.2007.00007.x>.

Owens, A. C. S., Cochard, P., Durrant, J., Farnworth, B., Perkin, E. K., dan Seymoure, B. (2020). Light pollution is a driver of insect declines. *Biological Conservation*, 241(August), 108259. <https://doi.org/10.1016/j.biocon.2019.108259>.

Pan, H., Liang, G., dan Lu, Y. (2021). Response of different insect groups to various wavelengths of light under field conditions. *Insects*, 12(5). <https://doi.org/10.3390/insects12050427>.

Peraturan Menteri Perhubungan Nomor 47 Tahun 2023 tentang Alat Penerangan Jalan, jdih.dephub.go.id (2023). <https://peraturan.bpk.go.id/Details/283747/permenhub-no-47-tahun-2023>.

Perda Kab.Sleman No. 12 Tahun 2012 ttg Rencana Tata Ruang Wilayah Kabupaten Sleman Tahun 2011-2031, 1 (2012). <https://peraturan.bpk.go.id/Details/35750/perda-kab-sleman-no-12-tahun-2012>.

Pincebourde, S. and Woods, H.A. (2020) 'Microclimate variability impacts on insect ecology', *Annual Review of Entomology*, 65, pp. 81–100. doi: [10.1146/annurev-ento-011019-025032](https://doi.org/10.1146/annurev-ento-011019-025032).

- Plummer, K. E., Hale, J. D., O’Callaghan, M. J., Sadler, J. P., dan Siriwardena, G. M. (2016). Investigating the impact of street lighting changes on garden moth communities. *Journal of Urban Ecology*, 2(1).
<https://doi.org/10.1093/jue/juw004>.
- Powell, J. A. (2009). Lepidoptera. In *Encyclopedia of Insects* (pp. 559–587). Elsevier. <https://doi.org/10.1016/B978-0-12-374144-8.00160-0>.
- Quinn, G.P. and Keough, M.J. (2002) *Experimental Design and Data Analysis for Biologists*. Cambridge: Cambridge University Press.
- Rahareng, E. F., Ramandey, E., Morib, G., dan Yando, H. (2024). *A faunistic overview of the moth species recorded from Yapen Island , Papua , Indonesia (Lepidoptera)*. 15(2), 102–120.
[https://doi.org/10.19269/sugapa2024.15\(2\).01](https://doi.org/10.19269/sugapa2024.15(2).01).
- Rahmawati, E. (2013). *Keragaman jenis ngengat nocturnal di taman nasional bantimurung bulusaraung, kecamatan bantimurung, kabupaten maros*. Fakultas Matematika dan Ilmu Pengetahuan Universitas Hasanuddin.
- Rákosy, L., dan Schmitt, T. (2011). Are butterflies and moths suitable ecological indicator systems for restoration measures of semi-natural calcareous grassland habitats? *Ecological Indicators*, 11(5).
<https://doi.org/10.1016/j.ecolind.2010.10.010>.
- Redhead, J. W., Powney, G. D., Woodcock, B. A., dan Pywell, R. F. (2020). Effects of future agricultural change scenarios on beneficial insects. *Journal of Environmental Management*, 265(March), 110550.
<https://doi.org/10.1016/j.jenvman.2020.110550>.

- Sharkey, C.R. et al. (2021) 'Red light disrupts moth navigation', *Current Biology*, 31(12), pp. R782–R783. doi: [10.1016/j.cub.2021.04.055](https://doi.org/10.1016/j.cub.2021.04.055).
- Somers-Yeates, R. et al. (2016) 'Light pollution alters moth behavior', *Global Change Biology*, 22(2), pp. 603–612. doi: [10.1111/gcb.13056](https://doi.org/10.1111/gcb.13056).
- Steffan, D. (2002). Landscape context affects trap-nesting bees, wasps, and their natural enemies. *Ecological Entomology*, 27, 631–637.
- Subchev, M. (2014). Sex pheromone communication in the family zygaenidae (Insecta: Lepidoptera): A review. In *Acta Zoologica Bulgarica* (Vol. 66, Issue 2).
- Sulistiyorini, E., Laila, A., dan Jiedny, A. Z. (2023). Identifikasi Arthropoda pada Lahan Daun Bawang. *Jurnal Ilmu Tanah Dan Lingkungan*, 25(1), 1–6. <https://doi.org/10.29244/jitl.25.1.1-6>.
- Summerville, K. S., Ritter, L. M., dan Crist, T. O. (2004). Forest moth taxa as indicators of lepidopteran richness and habitat disturbance: A preliminary assessment. *Biological Conservation*, 116(1), 9–18. [https://doi.org/10.1016/S0006-3207\(03\)00168-X](https://doi.org/10.1016/S0006-3207(03)00168-X).
- Sutrisno, H. (2008). Moth Diversity at Gunung Halimun-Salak National Park, West Java. *HAYATI Journal of Biosciences*, 15(3). <https://doi.org/10.4308/hjb.15.3.111>.
- Sutrisno, H. (2020). Rapid assessment on macro-moth diversity at unung tambora national park, west nusa tenggararapid assessment on macro-moth diversity at gunung tambora national park, west nusa tenggara. *Zoo Indonesia*, 27(1). <https://doi.org/10.52508/zi.v27i1.3918>.

Sutrisno, H., Darmawan, Septiana, W., Sundawati, A., dan Suparmo, M. (2015).

Moths of Gunung Halimun-Salak National Park Part 2: Drepanoidea and Geometroidea. *Jakarta*, 222.

Truxa, C., dan Fiedler, K. (2012). Attraction to light-from how far do moths

(Lepidoptera) return to weak artificial sources of light? *European*

Journal of Entomology, 109(1), 77–84.

<https://doi.org/10.14411/eje.2012.010>.

Tscharntke, T. et al. (2005) 'Landscape perspectives on agricultural

intensification and biodiversity loss', *Ecology Letters*, 8(8), pp. 857–874.

doi: [10.1111/j.1461-0248.2005.00782.x](https://doi.org/10.1111/j.1461-0248.2005.00782.x).

Undang-undang (UU) Nomor 41 Tahun 2009 tentang Perlindungan Lahan

Pertanian Pangan Berkelanjutan, Pub. L. No. 149, 1 (2009).

<https://peraturan.bpk.go.id/Details/38786/uu-no-41-tahun-2009>.

Vaissière, B., Freitas, B., dan Gemmill-Herren, B. (2011). Protocol to detect and

assess pollination deficits in crops: a handbook for its use. ... of

Pollination ..., 70.

[http://www.internationalpollinatorsinitiative.org/uploads/Protocol_PolD](http://www.internationalpollinatorsinitiative.org/uploads/Protocol_PolDef_FINAL.pdf)

[ef_FINAL.pdf](http://www.internationalpollinatorsinitiative.org/uploads/Protocol_PolDef_FINAL.pdf).

Van Geffen, K. G., Groot, A. T., Van Grunsven, R. H. A., Donners, M., Berendse,

F., dan Veenendaal, E. M. (2015). Artificial night lighting disrupts sex

pheromone in a noctuid moth. *Ecological Entomology*, 40(4), 401–408.

<https://doi.org/10.1111/een.12202>.

van Grunsven, R. H. A., Becker, J., Peter, S., Heller, S., dan Hölker, F. (2019).

Long-term comparison of attraction of flying insects to streetlights after the transition from traditional light sources to light-emitting diodes in urban and peri-urban settings. *Sustainability (Switzerland)*, 11(22).

<https://doi.org/10.3390/su11226198>.

van Langevelde, F., Ettema, J. A., Donners, M., WallisDeVries, M. F., dan

Groenendijk, D. (2011). Effect of spectral composition of artificial light on the attraction of moths. *Biological Conservation*, 144(9), 2274–2281.

<https://doi.org/10.1016/j.biocon.2011.06.004>.

Van Langevelde, F., Van Grunsven, R. H. A., Veenendaal, E. M., dan Fijen, T. P.

M. (2017). Artificial night lighting inhibits feeding in moths. *Biology Letters*, 13(3). <https://doi.org/10.1098/rsbl.2016.0874>.

Walter, M. (1997). *The Life cycle of moths and butterflies*. Rochester Institute of Technology.

Warrant, E., dan Dacke, M. (2016). Visual navigation in nocturnal insects. In

Physiology (Vol. 31, Issue 3).

<https://doi.org/10.1152/physiol.00046.2015>.

White, P. J. T., Glover, K., Stewart, J., dan Rice, A. (2016). The Technical and

Performance Characteristics of a Low-Cost, Simply Constructed, Black Light Moth Trap. *Journal of Insect Science*, 16(1), 25.

<https://doi.org/10.1093/jisesa/iew011>.

Yang, H., Lu, J., Zhu, P., Sun, Y., Hu, Z., Li, D., dan Huang, J. (2024). Blue Light Attracts More Spodoptera frugiperda Moths and Promotes Their Flight Speed. *Insects*, 15(2). <https://doi.org/10.3390/insects15020129>.

Zhou, Y. (2021). *Impact of different light sources on the responses of moth* [Halmstad University]. <https://www.diva-portal.org/smash/get/diva2:1567802/FULLTEXT02.pdf>.

Zhukovskaya, M. I., Grushevaya, I. V., Miltsen, A. A., Selitskaya, O. G., Shchenikova, A. V., Frolov, A. N., dan Tóth, M. (2024). To attract a moth: Wind tunnel and field testing of plant odor and light stimuli and their combination for *Ostrinia nubilalis*. *Acta Phytopathologica et Entomologica Hungarica*, 59(1), 108–120. <https://doi.org/10.1556/038.2024.00197>.