

DAFTAR PUSTAKA

- Ahmad, M. Gaffar, A. & Rafiq, M. 2013. Host plants of leaf worm *Spodoptera litura* (Fabricius) (Lepidoptera: Noctuidae) in Pakistan. *Asian Journal of Agriculture Biology*, 1(1): 23-28.
- Akrich, A., Kada, R., Fatiha, A.R. & Abdelkader, E. 2023. Characterization of a new isolate of *Beauveria bassiana* in Algeria and evaluation of its pathogenicity against the cowpea aphid (*Aphis craccivora* Koch). *Egyptian Journal of Biological Pest Control*, 33(73): 1-8. DOI: 10.1186/s41938-023-00723-x.
- Allegrucci, N., Velazquez, M.S., Russo, M.L., Vianna, M.F., Abarca, C. & Scorsetti, A.C. 2020. Establishment of the entomopathogenic fungus *Beauveria bassiana* as an endophyte in *Capsicum annuum* and its effects on the aphid pest *Myzus persicae* (Homoptera: Aphididae). *Revista de Biología Tropical*, 68(4): 1084-1094. DOI: 10.15517/rbt.v68i4.41218.
- Altaf, N. Irfan, U. Afzal, M. Sajjad, A. Rizwan, M. Seham, S. A. & Samy, S. 2023. Endophytic Colonization by *Beauveria bassiana* and *Metarhizium anisopliae* in Maize Plants Affects the Fitness of *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Microorganism*, 11: 1-14. DOI: 10.3390/microorganisms11041067.
- Bagariang, W., Kurniati, A., Lestrari, T.M.P., Mahmudah, D., Suyanto, H. & Cahyana, N.A. 2023. Uji Efektivitas *Beauveria bassiana* Pada Media Beras Terhadap Mortalitas, Pembentukan Pupa dan Kemunculan Imago *Spodoptera litura* Fabr. *Jurnal Agro Wiralodra*, 6(1): 1-8.
- Bakr, W.H., M. Farouk, G., Wafaa, G.T. & Samah, N.E. 2025. Detection of Some secondary metabolites of *Beauveria bassiana* and the potential effect on *Spodoptera littoralis*. *Chemical and Biological Technologies in Agriculture*, 12(59): 1-15. DOI: 10.1186/s40538-025-00774-2.
- Balai Besar Peramalan Organisme Pengganggu Tumbuhan (BBPOPT). 2024. Prakiraan Serangan OPT Utama Padi, Jagung, Kedelai, dan Akabi di Indonesia MT 2024. Balai Besar Peramalan Organisme Pengganggu Tumbuhan. Karawang. 191 p.
- Bancole, W.B.A., Mark, D.L., Kwasi, S.Y. & Abou, T. 2020. Establishment of *Beauveria bassiana* isolates as endophytes in rice cultivars and their biocontrol efficacy against rice stem borer, *Sesamia calamistis*. *International Year of Plant Health*, 116(11): 1-9. DOI: 10.17159/sajs.2020/7914.
- Bartlett, M. C. and Jaronski, S. T. 1988. Mass production of entomogenous fungi for biological control of insects. In: *Fungi in Biological Control Systems*. Manchester University Press, Manchester, NY. pp. 61-85.
- Burges, H.D. & Hussey, N.W. 1971. *Microbial control of insects and mites*. Academic Press.
- Butt T. M., Coates C. J., Dubovskiy I. M. & Ratcliffe N. A. 2016. Entomopathogenic fungi: new insights into host-pathogen interactions. *Advances in Genetics*, 94: 307- 364. DOI: 10.1016/bs.adgen.2016.01.006.
- Camele, I., Sadeek, S. A., Racioppi, R. & Elshafie, H.S. 2023. Biological Activity of *Beauveria bassiana* and Chemical Profile of Its Volatile Secondary Metabolites Using SPME-GC/MS Analysis. *Preprints*, 1-11. DOI: 10.20944/preprints202305.2095.v1.

- Chaudhry, V., Runge, P., Sengupta, P., Doehlemann, G., Parker, J. E., and Kemen, E. 2021. Shaping the leaf microbiota: plant-microbe-microbe interactions. *Journal of Experimental Botany*, 72(1): 36–56. DOI: 10.1093/jxb/eraa417.
- Chelsia, R., Manjula, K., P.N. Harathi, & Gurivi, R. 2024. Pathogenicity Of *Beauveria bassiana* (Balsamo) Vuillemin Against *Spodoptera litura* Larva at Different Rearing Temperatures. *Andhra Pradesh Journal of Agricultural Science*, 10(2): 80-84.
- Correa, B., Vanessa, S.D., Daniela, M.S., Gabriel, M.M. & Italo, D.J. 2020. Comparative analysis of blastospore production and virulence of *Beauveria bassiana* and *Cordyceps fumosorosea* against soybean pests. *BioControl*. 1-16. DOI: 10.1007/s10526-020-09999-6.
- Dasuki, U.A. 1991. *Sistematika Tumbuhan Tinggi*. Penerbit ITB. Bandung.
- Faddilah, D.R., Verawaty, M. & Herlinda, S. 2022. Growth of fall armyworm, *Spodoptera frugiperda* J.E. Smith (Lepidoptera: Noctuidae) fed on young maize colonized with endophytic fungus *Beauveria bassiana* from South Sumatra, Indonesia. *Biodiversitas*, 23(12): 6652-6660. DOI: 10.13057/biodiv/d231264.
- Fan, Y., Liu X., Keyhani N. O., Tang G., Pei Y., Zhang W. & Tong S. 2017. Regulatory cascade and biological activity of *Beauveria bassiana* oosporein that limits bacterial growth after host death. *Proceedings of the National Academy of Sciences*, 114: 9. DOI: 10.1073/pnas.1616543114.
- Faria, M.R., & Wraight, S.P. (2007). Mycoinsecticides and mycoacaricides: A comprehensive list with worldwide coverage and international classification of formulation types. *Biological Control*, 43(3): 237–256. DOI: 10.1016/j.biocontrol.2007.08.001.
- Fergani, Y. A., & Refaei, E. A. E. 2021. Pathogenicity induced by indigenous *Beauveria bassiana* isolate in different life stages of the cotton leafworm, *Spodoptera littoralis* (Boisduval) (Lepidoptera: Noctuidae) under laboratory conditions. *Egyptian Journal of Biological Pest Control*, 31(1): 64. DOI: 10.1186/s41938-021-00411-8.
- Finney, D.J. 1971. *Probit analysis* (3rd edition). Cambridge University Press, Cambridge, UK.
- Gao, Y.P., Mei, L., Xiao-Yun, W., Xiong, Z.H., Wen, L. & Xia-Lin, Z. 2022. Pathogenicity of *Beauveria bassiana* PfbB and Immune Responses of a Non-Target Host, *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Insects*, 13 (914): 1-21. DOI: 10.3390/insects13100914.
- Gustavo, A.B., Maria, L.C., Fernando, L.K., Laura, L.V. & Pedro, D.Z. 2021. Morphological and Molecular Identification of Entomopathogenic Fungi from Agricultural and Forestry Crops. *Floresta e Ambiente*, 28(2): 1-11. DOI: 10.1590/2179-8087-FLORAM-2018-0086.
- Gustianingtyas, M. Herlinda, S. & Suwandi. The endophytic fungi from South Sumatra (Indonesia) and their pathogenecity against the new invasive fall armyworm, *Spodoptera frugiperda*. *Biodiversitas*, 22(2): 1051-1062. DOI: 10.13057/biodiv/d220262.
- Harsono, A., Harnowo, D., Ginting, E. & Elisabeth, D.A.A. 2021. Soybean in Indonesia: Current status, challenges and opportunities to achieve selfsufficiency. In: Jimenez-Lopez JC, Clemente A, editor. *Legumes Research*

- Volume 1. London (UK): Intech Open. DOI: 10.5772/intechopen.101264.

- Herlinda, S., Gustyaningtyas, M., Suwandi, S., Suharjo, R., Jelly, M.P.S., Suparman. Harman, H. & Hamzah, H. 2022. Endophytic fungi from South Sumatra (Indonesia) in seed-treated corn suppressing *Spodoptera frugiperda* growth. *Biodiversitas*, 23(11): 6013-6020. DOI: 10.13057/biodiv/d231156.
- Hsia, C.C.I., Islam, Md. T., Yusof, I. Tan, Y.H. & Dzolkhifli, O. 2014. Evaluation of Conidial Viability of Entomopathogenic Fungi as Influenced by Temperature and Additive. *International Journal Of Agriculture & Biology*, 16(1): 146-152.
- Humber, R.A. 2012. Identification of entomopathogenic fungi. *Manual of Techniques in Invertebrate Pathology Second Edition*. Wasington. 151-187.
- Idrees, A., Ziyad, A. Qadir, K.S. Akutse, Ayesha, A., Mubasher, Hussain., Waqar, I., M. Saad & B. Steve, B. 2021. Effectiveness of Entomopathogenic Fungi on Immature Stages and Feeding Performance of Fall Armyworm, *Spodoptera frugiperda* (Lepidoptera: Noctuidae) Larvae. *Insects*, (12): 1-16. DOI: 10.3390/insects12111044.
- Indriyanti, D.R., Siti, M. & Muji, S. 2017. Effect Of *Beauveria bassiana* Doses On *Spodoptera litura* Mortality. *International Journal Of Scientific & Technology Research*. 6(9): 206-210.
- Islam, S.M.N., M. Zahid, H.C., Mahjabin, F.M., Milia, B.M. & Tofazzal, I. 2023. Biocontrol potential of native isolates of *Beauveria bassiana* against cotton leafworm *Spodoptera litura* (Fabricius). *Nature Portfolio*, 13(8331): 1-13. DOI: 10.1038/s41598-023-35415-x.
- Jaber, L.R. & Ownley, B.H. 2017. Can we use entomopathogenic fungi as endophytes for dual biological control of insect pests and plant pathogens?. *Biological Control*, 116: 36-45. DOI: 10.1016/j.biocontrol.2017.01.018.
- Jamunarani, G.S., Ramanagouda, S.H., Venkateshalu, B., Jayappa, J., Raghavendra, G., Rudresh, D.L., Kulkarni, M.S., Mahantesha, B.N.N. & Gopali, J.B. 2022. Isolation and evaluation of indigenous endophytic entomopathogenic fungus, *Beauveria bassiana* UHSB-END1 (Hypocreales: Cordycipitaceae), against *Spodoptera litura* Fabricius. *Egyptian Journal of Biological Pest Control*, 32(120): 1-15. DOI: 10.1186/s41938-022-00617-4.
- Jirakkakul J., Cheevadhanarak S., Punya J., Chutrakul C., Senachak J., Buajareern T., Tanticharoen M. & Amnuaykanjanasin A. 2015. Tenellin acts as an iron chelator to prevent iron-generated reactive oxygen species toxicity in the entomopathogenic fungus *Beauveria bassiana*. *FEMS Microbiology Letters*, 362(2): 1-8. DOI: 10.1093/femsle/fnu032.
- Kaur, S. Harminder, P.K. Kirandeep, K. & Amarjeet, K. 2011. Effect of different concentrations of *Beauveria bassiana* on development and reproductive potential of *Spodoptera litura* (Fabricius). *Journal of Biopesticides*, 4 (2): 161-168.
- Khadim, Z.J & Ali, Z.A.A. 2023. Efficacy of Indigenous Entomopathogenic fungi *Beauveria bassiana* Isolate for the Control *Spodoptera littoralis* (Boisduval) (Lepidoptera: Noctuidae) under Laboratory Conditions. *IOP Publishing*, 1-6. DOI: 10.1088/1755-1315/1262/3/032054.
- Khare, E., Jitendra, M. & Naveen, K.A. 2018. Multifaceted Interactions Between Endophytes and Plant: Developments and Prospects. *Frontiers in Microbiology*, 9(2732): 1-12. DOI: 10.3389/fmicb.2018.02732.

- Kouri, K., Lemmens, M., & Lemmens-Gruber, R. 2003. Beauvericin-induced channels in ventricular myocytes and liposomes. *Biochimica et Biophysica Acta*, 1609(2): 203-210. DOI: 10.1016/S0005-2736(02)00689-2.
- Kulu, I.P., Abdul, L.A., Aminudin, A. & Nooraidawati. 2015. Morphological and Molecular Identification of *Beauveria bassiana* as Entomopathogen Agent from Central Kalimantan Peatland, Indonesia. *International Journal of ChemTech Research*, 8(4): 2079-2084.
- Kumar, V., Singh, G.P., Babu, A.M., Ahsan, M.M. & Datta, R.K. 2016. Germination, penetration, and invasion of *Beauveria bassiana* on Silkworm *Bombyx mori* causing white muscardine. *Italian Journal of Zoology*, 6(1): 39-43. DOI: 10.1080/11250009909356235.
- Lakshita, N., Refista, A.Y., Arman, W. & Siwi, I. 2024. Genomic DNA extraction methods and phylogenetic analysis of *Beauveria bassiana* from Central Java, Indonesia, and its toxicity against the fall armyworm, *Spodoptera frugiperda* J.E. Smith (Lepidoptera: Noctuidae). *Egyptian Journal of Biological Pest Control*, 34(59): 1-12. DOI: 10.1186/s41938-024-00819-y.
- Mancillas-Paredes, J.M., Hernández-Sánchez, H., Jaramillo-Flores, M.E., García-Gutiérrez, C. 2019. Proteases and chitinases induced in *Beauveria bassiana* during infection by *Zabrotes subfasciatus*. *Southwestern Entomologist*, 44: 125-137. DOI: 10.3958/059.044.0114.
- Marwoto, & Suharsono. 2008. Strategi dan komponen teknologi pengendalian ulat grayak (*Spodoptera litura*) pada tanaman kedelai. *Jurnal Litbang Pertanian*. 27(4): 131-136.
- Mascarin, G. M., & Jaronski, S. T. 2016. The production and uses of *Beauveria bassiana* as a microbial insecticide. *World Journal of Microbiology and Biotechnology*, 35: 177. DOI: 10.1007/s11274-016-2131-3.
- McKinnon, A.C., Susanna, S., Maria, E., Nicolai, V., Meyling, M.R. & Travis, R.G. 2017. *Beauveria bassiana* as an endophyte: a critical review on associated methodology and biocontrol potential. *BioControl*, 62: 1–17. DOI: 10.1007/s10526-016-9769-5.
- Ortiz-Urquiza, A. & N.O. Keyhani. 2013. Action on the surface: Entomopathogenic fungi versus the insect cuticle. *Insects*, 4: 357-374. DOI: 10.3390/insects4030357.
- Ortiz-Urquiza, A., Riveiro-Miranda, L., Santiago-A´lvarez C, Quesada- Moraga E. 2010. Insect-toxic secreted proteins and virulence of the entomopathogenic fungus *Beauveria bassiana*. *Journal of Invertebrate Pathology*, 105(3): 270–278. DOI: 10.1016/j.jip.2010.07.003.
- Petrini, O. & Fisher, P.J. 1987. Fungal endophytes in *Salicornia perennis*. *Transactions of the British Mycological Society*, 87(4):647–651. DOI: 10.1016/S0007-1536(86)80109-7.
- Pusat Data dan Informasi Pertanian. 2023. Analisis Kinerja Perdagangan Kedelai. Sekretariat Jenderal Kementerian Pertanian. Jakarta. 45 p.
- Quesada-Moraga, E., Munoz-Ledesma, F. J., & Santiago-Alvarez, C. 2006. Endophytic colonization of opium poppy, *Papaver somniferum*, by an entomopathogenic *Beauveria bassiana* isolat. *Mycopathologia*, 161(5): 323-329. DOI: 10.1007/s11046-006-0014-0.

- Quesada-Moraga, E., I. Garrido-Jurado, Meelad, Y. & N. González-Mas. 2022. Multitrophic interactions of entomopathogenic fungi in BioControl. *BioControl*, 67:457–472. DOI: 10.1007/s10526-022-10163-5.
- Ramaiah, M., & Uma, M. 2018. Biology studies of tobacco caterpillar, *Spodoptera litura* Fabricius. *Journal of Entomology and Zoology Studies*. 6(5): 2284-2289.
- Ramos Y, Taibo AD, Jiménez JA, Portal O. 2020. Endophytic establishment of *Beauveria bassiana* and *Metarhizium anisopliae* in maize plants and its effect against *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae) larvae. *Egyptian Journal of Biological Pest Control*, 30: 1-6. DOI: 10.1186/s41938-020-00223-2.
- Rehner, S., Minnis, A., M., Sung G-H., Luangsa-ard, J.J., Devotto, L. & Humber, R.A. 2011. Phylogeny and systematics of the anamorphic, entomopathogenic genus *Beauveria*. *Mycologia*, 103:1055–1073. DOI: 10.3852/10-302.
- Renuka, S., B. Ramanujam & Poornesha, B. 2016. Endophytic Ability of Different Isolates of Entomopathogenic Fungi *Beauveria bassiana* (Balsamo) Vuillemin in Stem and Leaf Tissues of Maize (*Zea mays* L.). *Indian J Microbiol*, 56(2): 126–133. DOI: 10.1007/s12088-016-0574-8.
- Risnawati & Mukhtar, Y. 2019. Pertumbuhan Dan Kualitas Produksi Dua Varietas Kedelai Hitam Akibat Pemupukan Sp-36. *Agrium*, 22(1): 45-51. DOI: 10.30596/agrium.v21i3.2456.
- Rosmiati, A., Hidayat, C., Firmansyah, E., & Setiati, Y. 2018. Potensi *Beauveria bassiana* sebagai agens hayati *Spodoptera litura* Fabr pada tanaman kedelai. *Jurnal Agrikultura*. 29(1): 43-47.
- Russo, M.L., Pelizza, S.A., ViannaM, M.F., Allegrucci, N., Cabello, M.N., Toledo, A.V., Mourellos, C. & Scorsetti, A.C. 2019. Effect of endophytic entomopathogenic fungi on soybean *Glycine max* (L.) Merr. growth and yield. *Journal of King Saud University – Science*, 31(4): 728-736. DOI: 10.1016/j.jksus.2018.04.008.
- Russo, M.L., Scorsetti, A.C., Vianna, M.F., Allegrucci, N., Ferreri, N.A., Cabello, M.N. & Pelizza, S.A. 2019. Effects of endophytic *Beauveria bassiana* (Ascomycota: Hypocreales) on biological, reproductive parameters and food preference of the soybean pest *Helicoverpa gelotopoeon*. *Journal of King Saud University – Science*, 31(4): 1077-1082. DOI: 10.1016/j.jksus.2018.11.009.
- Russo, M.L., Jaber, L.R., Scorsetti, A.C., Vianna, F., Cabello, M.N. & Pelizza, A.S. 2020. Effect of entomopathogenic fungi introduced as corn endophytes on the development, reproduction, and food preference of the invasive fall armyworm *Spodoptera frugiperda*. *Journal of Pest Science*, 94: 859-870. DOI: 10.1007/s10340-020-01302-x.
- Salbiah, H.D. & I.R. Dini. 2020. Isolation *Beauveria bassiana* Vuill. Entomopathogen Local From Plant Agriculture Rhizosphere in Riau Province, Indonesia with Insect Bait *Tenebrio Molitor* Larvae. IOP Publishing, 1-7. DOI: 10.1088/1742-6596/1655/1/012024.
- Sari, J.M.P., Siti, H., Suwandi & Elfita. 2023. Effect of endophytic entomopathogenic fungal conidia and blastospores induced in maize plants by seed inoculation on *Spodoptera frugiperda* immune response and mortality. *Biodiversitas*, 24(10): 5709-5717. DOI: 10.13057/biodiv/d241053.
- Shikano, I., Rosa, C., Tan, C. W., and Felton, G. W. 2017. Tritrophic interactions:

- microbe-mediated plant effects on insect herbivores. *Annual Review of Phytopathology*, 55: 313–331. DOI: 10.1146/annurev-phyto-080516-035319.
- Steinhaus, E.,A. 1949. *Principle of Insect Pathology*. Hufner Publishing Company. New York.
- Sundar, B. Rashmi, V. Sumith, H.K, & Sandhya. 2018. Study the incidence and period of activity of *Spodoptera litura* on soybean. *Journal of Entomology and Zoolog. Studie*. 6(5): 331-333.
- Tengkano, W. & Suharsono. 2005. Ulat Grayak *Spodoptera litura* Fabricius (Lepidoptera: Noctuidae) Pada Tanaman Kedelai dan Pengendaliannya. *Buletin Plawija*, 10: 43-52.
- Uge, E., Yusnawan, E. & Baliadi, Y. 2021. Pengendalian Ramah Lingkungan Hama Ulat Grayak (*Spodoptera litura* Fabricius) Pada Tanaman Kedelai. *Buletin Palawija*. 19(1): 64-80.
- Vega, F. E., Mark, S.G., Meredith, B., David, C., M.A. Jackson, Siegrid, K., Masanori, K., Nguya, K.M., Arnulfo, M., Bonnie, H.O., Judith, K.P., Drauzio, E.N.R. & Helen, E.R. 2009. Fungal entomopathogens: new insights on their ecology. *Fungal Biology*, 2: 149-159. DOI: 10.1016/j.funeco.2009.05.001.
- Xian, W., Ganwei, Y., Wenjie, L.,Haolin, C., Qian, Y., Ziying, W. & Huai, L. 2023. Endophytic *Beauveria bassiana* of Tomato Resisted the Damage from Whitefly *Bemisia tabaci* by Mediating the Accumulation of Plant-Specialized Metabolites. *Journal of Agricultural and Food Chemistry*, 71: 13244-13254. DOI: 10.1021/acs.jafc.3c03679.
- Xiao, G., *et al.*, 2012. Genomic perspectives on the evolution of fungal entomopathogenicity in *Beauveria bassiana*. *Scientific Report*, 2(483): 1-10. DOI: 10.1038/srep00483.
- Zafar, M. A., *et al.* 2024. Two-Sex Life Table Analysis for Optimizing *Beauveria bassiana* Application against *Spodoptera exigua*. *Journal of Fungi*, 10(469): 1-12. DOI: 10.3390/jof10070469.
- Zhang, T., Stuart, R., R., Haihong, W. & Zhongren, L. 2015. Sublethal Effects of *Beauveria bassiana* (Ascomycota: Hypocreales) on Life Table Parameters of *Frankliniella occidentalis* (Thysanoptera: Thripidae). *Journal of Economic Entomology*, 108 (3): 1-11. DOI: 10.1093/jee/tov091.