

DAFTAR PUSTAKA

- Alshawabkeh, M., Alagi, H., Navarro, S. E., Duriez, C., Hein, B., Zangl, H., & Faller, L. M. (2023). Highly Stretchable Additively Manufactured Capacitive Proximity and Tactile Sensors for Soft Robotic Systems. *IEEE Transactions on Instrumentation and Measurement*, 72. <https://doi.org/10.1109/TIM.2023.3250232>
- Autorange, S., Tester, C., Meter, C., & Arduino, W. (n.d.). *Simple Autorange Capacitor Tester / Capacitance Meter With Arduino and by Hand*. 1–7.
- Cheon, H., & Kim, H. K. (2025). Ion beam-induced enhancement of stretchability and flexibility in conductive AgPdCu-polytetrafluoroethylene composite electrodes for wearable strain sensors. *Journal of Alloys and Compounds*, 1023(January), 180171. <https://doi.org/10.1016/j.jallcom.2025.180171>
- Cho, J. S., Kim, T. U., Kim, M. K., & Kim, D. J. (2024). Electromechanical response of smart ultra-high-performance concrete under uniaxial load: Experimental investigation and electric field analysis. *Construction and Building Materials*, 435(June), 136880. <https://doi.org/10.1016/j.conbuildmat.2024.136880>
- Garakani, B., Somarathna, K. S. U., Khinda, G. S., Sivasubramony, R. S., Abbara, E. M., Poliks, M. D., Srinivas, S., Kinzel, C., Olvera-Gonzalez, A., Wallans, M., d’Almeida, D., & Ronay, M. (2021). Electromechanical Characterization of a Highly Stretchable Liquid Metal Derived Conductor for Wearable Electronics. *Proceedings - Electronic Components and Technology Conference*, 2021-June, 762–768. <https://doi.org/10.1109/ECTC32696.2021.00131>
- Ham, J., Han, A. K., Cutkosky, M. R., & Bao, Z. (2022). UV-laser-machined stretchable multi-modal sensor network for soft robot interaction. *npj Flexible*

Electronics, 6(1), 1–9. <https://doi.org/10.1038/s41528-022-00225-0>

He, W., Ma, J., Kang, L., Wang, L., & Zhu, M. (2024). Highly sensitive and stretchable CB/GNPs-TPU strain sensor with porous microstructure for multifunctional strain sensing. *Materials Today Communications*, 41(October), 110800. <https://doi.org/10.1016/j.mtcomm.2024.110800>

Hegde, C., Su, J., Tan, J. M. R., He, K., Chen, X., & Magdassi, S. (2023). Sensing in Soft Robotics. *ACS Nano*, 17(16), 15277–15307. <https://doi.org/10.1021/acsnano.3c04089>

Huang, F., Zhu, Y., Shi, L., Teo, M. Y., Kandasamy, S., & Aw, K. (2025). Capacitive stretch sensors for knee motion and muscle activity tracking for gait analysis. *Sensors and Actuators A: Physical*, 390(April), 116574. <https://doi.org/10.1016/j.sna.2025.116574>

Jin, Z., Liu, H., Wang, D., Yuan, M., & Zhang, H. (2024). A Highly Stretchable, Ultrastable, and Antifatigue Ionic Organogel as an Environment-Tolerant Flexible Sensor and Sensitive Capacitive Pen. *ACS Applied Polymer Materials*. <https://doi.org/10.1021/acsapm.4c00966>

Jumhur, J., Bagaskara, G., Arfa, R. F., Nugroho, G., & Wiranata, A. (n.d.). *Resistor-Capacitor Time Capacitance Measurement for Auto Ranging*. 1–6.

Kim, S., Lee, S., Bhuyan, P., Wei, Y., Kim, S., Shimizu, K., Shintake, J., & Park, S. (2023). Stretchable and soft electroadhesion and capacitive sensors enabled by spider web-inspired interdigitated liquid metal subsurface microwires. *Chemical Engineering Journal*, 456(October 2022), 141018. <https://doi.org/10.1016/j.cej.2022.141018>

Kim, W., Bang, J., Yang, Y., Ko, T. H., Jang, M., Cha, J. J., Choi, J. Il, & Oh, S. J. (2024). Highly stretchable and conductive kirigami-like double-layer electrodes for motion-insensitive wearable electronics. *Composites Part B: Engineering*, 283(June), 111655. <https://doi.org/10.1016/j.compositesb.2024.111655>

- Kuwajima, Y., Seki, Y., Yamada, Y., Awaki, S., Kamiyauchi, S., Wiranata, A., Okuno, Y., Shigemune, H., & Maeda, S. (2022). Electrochemical Dual Transducer for Fluidic Self-Sensing Actuation. *ACS Applied Materials and Interfaces*, *14*(2), 3496–3503. <https://doi.org/10.1021/acsami.1c21076>
- Liu, W., Duo, Y., Liu, J., Yuan, F., Li, L., Li, L., Wang, G., Chen, B., Wang, S., Yang, H., Liu, Y., Mo, Y., Wang, Y., Fang, B., Sun, F., Ding, X., Zhang, C., & Wen, L. (2022). Touchless interactive teaching of soft robots through flexible bimodal sensory interfaces. *Nature Communications*, *13*(1), 1–14. <https://doi.org/10.1038/s41467-022-32702-5>
- Mousavi, S., Howard, D., Zhang, F., Leng, J., & Wang, C. H. (2020). Direct 3D Printing of Highly Anisotropic, Flexible, Constriction-Resistive Sensors for Multidirectional Proprioception in Soft Robots. *ACS Applied Materials and Interfaces*, *12*(13), 15631–15643. <https://doi.org/10.1021/acsami.9b21816>
- Muftah, M. N., Faudzi, A. A. M., Sahlan, S., & Mohamaddan, S. (2023). Fuzzy Fractional Order PID Tuned via PSO for a Pneumatic Actuator with Ball Beam (PABB) System. *Fractal and Fractional*, *7*(6). <https://doi.org/10.3390/fractalfract7060416>
- Onyilagha, O., Zheng, F., & Zhu, Z. (2024). Stretchable strain sensors based on conductive nanofibrous mats. *Device*, *2*(2), 100215. <https://doi.org/10.1016/j.device.2023.100215>
- Pruvost, M., Smit, W. J., Monteux, C., Poulin, P., & Colin, A. (2019). Polymeric foams for flexible and highly sensitive low-pressure capacitive sensors. *npj Flexible Electronics*, *3*(1), 13–18. <https://doi.org/10.1038/s41528-019-0052-6>
- Rubio-González, C., Ku-Herrera, J. de J., Wang, J., Patterson, A., Soto-Cajiga, J. A., & Olvera-Silva, O. (2024). Effect of printing parameters on the mechanical and piezoresistive response of cellular structures manufactured with a conductive polylactic acid nanocomposite through a material extrusion process. *Journal of Manufacturing Processes*, *132*(July), 375–391. <https://doi.org/10.1016/j.jmapro.2024.10.074>

- Schmidt, D. S., Kraus, T., & González-García, L. (2024). Electrofluids with Tailored Rheoelectrical Properties: Liquid Composites with Tunable Network Structures as Stretchable Conductors. *ACS Applied Materials and Interfaces*, *16*(33), 43942–43950. <https://doi.org/10.1021/acsami.4c07230>
- Shintake, J., Nagai, T., & Ogishima, K. (2019). Sensitivity Improvement of Highly Stretchable Capacitive Strain Sensors by Hierarchical Auxetic Structures. *Frontiers in Robotics and AI*, *6*(November), 1–7. <https://doi.org/10.3389/frobt.2019.00127>
- Sirithunge, C., Wang, H., & Iida, F. (2024). Soft touchless sensors and touchless sensing for soft robots. *Frontiers in Robotics and AI*, *11*(January), 1–20. <https://doi.org/10.3389/frobt.2024.1224216>
- Wang, X., Wang, B., Liu, W., Liu, X., Song, Z., Yu, D., Li, G., & Wang, H. (2024). Fabrication of highly stretchable composite organohydrogel for strain sensors with high sensitivity and broad temperature tolerance. *Applied Materials Today*, *39*(April), 102319. <https://doi.org/10.1016/j.apmt.2024.102319>
- Wiranata, A., Ohsugi, Y., Minaminosono, A., Kuwajima, Y., & Maeda, S. (2022). Electromechanical tensile test equipment for stretchable conductive materials. *HardwareX*, *11*, e00287. <https://doi.org/10.1016/j.ohx.2022.e00287>
- Wiranata, A., Ohsugi, Y., Minaminosono, A., Mao, Z., Kurata, H., Hosoya, N., & Maeda, S. (2021). A DIY Fabrication Approach of Stretchable Sensors Using Carbon Nano Tube Powder for Wearable Device. *Frontiers in Robotics and AI*, *8*(November), 1–15. <https://doi.org/10.3389/frobt.2021.773056>
- Wiranata, A., Premiaji, W. D., Kartika, W., Febrinawarta, B., Mao, Z., Ariyadi, H. M., Aisyah, N., Putra, R. A., Mangunkusumo, K. G. H., & Muflikhun, M. A. (2024). Economically viable electromechanical tensile testing equipment for stretchable sensor assessment. *HardwareX*, *19*(December 2023), e00546. <https://doi.org/10.1016/j.ohx.2024.e00546>
- Xing, L., Wang, X., Li, M., Jia, Y., Yang, G., Liu, C., Shen, C., & Liu, X. (2024).

Self-adhesive, stretchable waterborne polyurethane-based flexible film as wearable conformal strain sensor for motion and health monitoring. *Advanced Nanocomposites*, 1(1), 171–179. <https://doi.org/10.1016/j.adna.2024.05.001>

Yen, Y. H., Hsu, C. S., Lei, Z. Y., Wang, H. J., Su, C. Y., Dai, C. L., & Tsai, Y. C. (2022). Laser-Induced Graphene Stretchable Strain Sensor with Vertical and Parallel Patterns. *Micromachines*, 13(8), 1–14. <https://doi.org/10.3390/mi13081220>

Zhang, Y., Li, P., Quan, J., Li, L., Zhang, G., & Zhou, D. (2023). Progress, Challenges, and Prospects of Soft Robotics for Space Applications. *Advanced Intelligent Systems*, 5(3). <https://doi.org/10.1002/aisy.202200071>