

DAFTAR PUSTAKA

- Adinugroho, W. C., Suryadiputra, I. N. N., Saharjo, B. H., & Siboro, L. (2005). *Panduan Pengendalian Kebakaran Hutan dan Lahan Gambut*. Wetlands International - Indonesia Programme dan Wildlife Habitat Canada.
- Anderson, J. R., Hardy, E. E., Roach, J. T., & Witmer, R. E. (1976). Land Use and Land Cover Classification System for Use With Remote Sensor Data. *United States Government Printing Office*, 964.
- Athifaturrofifah, Goejantoro, R., & Yuniarti, D. (2019). Perbandingan Pengelompokan K-Means dan K-Medoids Pada Data Potensi Kebakaran Hutan/Lahan Berdasarkan Persebaran Titik Panas (Studi Kasus: Data Titik Panas di Indonesia Pada 28 April 2018). *Jurnal Eksponensial*, 10(2), 143–152.
- Azhima, S. A. T. Al, Darmawan, D., Hakim, N. F. A., Kustiawan, I., Qibtiya, M. Al, & Syafei, N. S. (2022). Hybrid Machine Learning Model Untuk Memprediksi Penyakit Jantung Dengan Metode Logistic Regression dan Random Forest. *Jurnal Teknologi Terpadu*, 8(1), 40–46.
- Baroroh, A., & Harintaka. (2021). Deteksi Area Bekas Kebakaran Hutan dan Lahan Menggunakan Citra Landsat 8 Tahun 2018-2020 (Studi Kasus: Pulau Rupat, Bengkalis). *Prosiding FIT ISI 2021 "SMART SURVEYOR IN THE NEW NORMAL ERA,"* 1, 73–80. <http://etd.repository.ugm.ac.id/penelitian/detail/205486>
- Belgiu, M., & Drăgu, L. (2016). Random forest in remote sensing: A review of applications and future directions. *ISPRS Journal of Photogrammetry and Remote Sensing*, 114, 24–31. <https://doi.org/10.1016/j.isprsjprs.2016.01.011>
- BNPB. (2021). *Dokumen Kajian Risiko Bencana Nasional Provinsi Riau 2022-2026*. [https://inarisk.bnpb.go.id/pdf/Riau/Dokumen KRB Prov. Riau_final draft.pdf](https://inarisk.bnpb.go.id/pdf/Riau/Dokumen%20KRB%20Prov.%20Riau_final_draft.pdf)

- Breiman, L. (2001). Random Forests. *Machine Learning*, 45, 5–32.
<https://doi.org/1023/A:1010933404324>
- Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices, Third Edition* (3rd ed.). CRC Press.
- Cutler, D. R., Edwards, T. C., Beard, K. H., Cutler, A., Hess, K. T., Gibson, J., & Lawler, J. J. (2007). Random forests for classification in ecology. *Ecology*, 88(11), 2783–2792. <https://doi.org/10.1890/07-0539.1>
- Efendi, A., Iskandar, I., Kurniawan, R., & Affandes, M. (2023). Klasifikasi Kebakaran Hutan Riau Menggunakan Random Forest dan Visualisasi Citra Sentinel-2. *Kajian Ilmiah Informatika Dan Komputer*, 4(3), 1602–1612.
<https://doi.org/10.30865/klik.v4i3.1521>
- ESA. (2015). *SENTINEL-2 user handbook*.
- Farda, N. M. (2017). Multi-temporal Land Use Mapping of Coastal Wetlands Area using Machine Learning in Google Earth Engine. *IOP Conference Series: Earth and Environmental Science*, 98(1), 1–12. <https://doi.org/10.1088/1755-1315/98/1/012042>
- Field, R. D., Van Der Werf, G. R., Fanin, T., Fetzer, E. J., Fuller, R., Jethva, H., Levy, R., Livesey, N. J., Luo, M., Torres, O., & Worden, H. M. (2016). Indonesian fire activity and smoke pollution in 2015 show persistent nonlinear sensitivity to El Niño-induced drought. *Proceedings of the National Academy of Sciences of the United States of America*, 113(33), 9204–9209.
<https://doi.org/10.1073/pnas.1524888113>
- Firmansyah, A., Syahidin, M. F., & Triana, Y. S. (2024). Prediksi Kebakaran Hutan Berdasarkan Titik Panas dan Iklim Menggunakan Algoritma Random Forest. *Jurnal Nasional Teknologi Dan Sistem Informasi*, 10(2), 145–155.
<https://doi.org/10.25077/teknosi.v10i2.2024.145-155>

- FIRMS. (2022). *Fire Information for Resource Management System (FIRMS): Global fire data*. NASA EOSDIS LANCE and GIBS/Worldview.
- Foody, G. M. (2010). Assessing the accuracy of land cover change with imperfect ground reference data. *Remote Sensing of Environment*, *114*(10), 2271–2285. <https://doi.org/10.1016/j.rse.2010.05.003>
- French, N. H. F. (2003). Variability in the emission of carbon-based trace gases from wildfire in the Alaskan boreal forest. *Journal of Geophysical Research*, *108*, 1–11. <https://doi.org/10.1029/2001JD000480>
- Giglio, L., Schroeder, W., & Justice, C. O. (2016). The collection 6 MODIS active fire detection algorithm and fire products. *Remote Sensing of Environment*, *178*, 31–41. <https://doi.org/10.1016/j.rse.2016.02.054>
- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., & Moore, R. (2017). Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote Sensing of Environment*, *202*(7), 18–27. <https://doi.org/10.1016/j.rse.2017.06.031>
- Hanif, M. (2017). *Bahan Pelatihan Penginderaan Jauh Tingkat Lanjut*. Universitas Negeri Padang.
- Hehanussa, F. S., Sumunar, D. R. S., & Rakuasa, H. (2023). Pemanfaatan Google Earth Engine Untuk Identifikasi Perubahan Suhu Permukaan Daratan Kabupaten Buru Selatan Berbasis Cloud Computing. *Gudang Jurnal Multidisiplin Ilmu*, *1*(1), 37–45. <https://doi.org/https://doi.org/10.59435/gjmi.v1i1.27>
- IPCC. (2022). *Cross-Chapter Paper 7: Tropical Forests*. In: *Climate Change 2022: Impacts, Adaptation, and Vulnerability*. <https://www.ipcc.ch/report/ar6/wg2/chapter/ccp7/>
- Jan, N. (2025). *El Nino and La Nina years and Intensities*. Golden Gate Weather Services. <https://ggweather.com/enso/oni.htm>

- Kanwar, M., Pokharel, B., & Lim, S. (2025). A new random forest method for landslide susceptibility mapping using hyperparameter optimization and grid search techniques. *International Journal of Environmental Science and Technology*, 22(11), 10635–10650. <https://doi.org/10.1007/s13762-024-06310-3>
- Khatib, M. M. El, & Oplencia, M. J. C. (2015). The Effects of Cloud Computing (IaaS) on E- Libraries in United Arab Emirates. *Procedia Economics and Finance*, 23, 1354–1357. [https://doi.org/10.1016/s2212-5671\(15\)00521-3](https://doi.org/10.1016/s2212-5671(15)00521-3)
- Khotimah, S. K., Kumalawati, R., Nurlina, & Hadi, K. I. (2024). Pemantauan Titik Panas Dan Mitigasi Kebakaran Hutan dan Lahan Di Kabupaten Katingan Tahun 2019-2023. *Gudang Jurnal Multidisiplin Ilmu*, 2(5), 5–12.
- Kurnia, A., & Indrianawati. (2024). Pemanfaatan Algoritma Random Forest Untuk Klasifikasi Tutupan Lahan Di Kabupaten Kapuas Dan Pulang Pisau. *FTSP Series : Seminar Nasional Dan Diseminasi Tugas Akhir 2024*, 600–607.
- Landis, J. R., & Koch, G. G. (1977). The Measurement of Observer Agreement for Categorical Data Published by : International Biometric Society Stable URL : <http://www.jstor.org/stable/2529310>. *Biometrics*, 33(1), 159–174.
- Lange, T. M., Gültas, M., Schmitt, A. O., & Heinrich, F. (2025). optRF: Optimising random forest stability by determining the optimal number of trees. *BMC Bioinformatics*, 26(1), 1–21. <https://doi.org/10.1186/s12859-025-06097-1>
- Legionosuko, T., Madjid, M. A., Asmoro, N., & Samudro, E. G. (2019). Posisi dan Strategi Indonesia dalam Menghadapi Perubahan Iklim guna Mendukung Ketahanan Nasional. *Jurnal Ketahanan Nasional*, 25(3), 295. <https://doi.org/10.22146/jkn.50907>
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. (2015). *Remote Sensing and Image Interpretation*. John Wiley & Sons, Inc.

- Liparas, D., HaCohen-Kerner, Y., Moumtzidou, A., Vrochidis, S., & Kompatsiaris, I. (2014). News articles classification using random forests and weighted multimodal features. *Lecture Notes in Computer Science*, 8849(10), 63–75. https://doi.org/10.1007/978-3-319-12979-2_6
- Loboda, T., O’Neal, K. J., & Csiszar, I. (2007). Regionally adaptable dNBR-based algorithm for burned area mapping from MODIS data. *Remote Sensing of Environment*, 109(4), 429–442. <https://doi.org/10.1016/j.rse.2007.01.017>
- Manurung, R. B. (2020). *Pemanfaatan Citra Soumi NPP-VIIRS untuk Analisis Perkembangan Wilayah disekitar Pelabuhan Pendukung Program Tol Laut Sumatera*. Repository Institut Teknologi Sumatera.
- Mashhadi, N., & Alganci, U. (2021). Determination of Forest Burn Scar and Burn Severity from Free Satellite Images: a Comparative Evaluation of Spectral Indices and Machine Learning Classifiers. *International Journal of Environment and Geoinformatics*, 8(4), 488–497. <https://doi.org/10.30897/ijgeo.879669>
- Maxwell, A. E., Warner, T. A., & Fang, F. (2018). Implementation of machine-learning classification in remote sensing: An applied review. *International Journal of Remote Sensing*, 39(9), 2784–2817. <https://doi.org/10.1080/01431161.2018.1433343>
- Ngadze, F., Mpakairi, K. S., Kavhu, B., Ndaimani, H., & Maremba, M. S. (2020). Exploring the utility of Sentinel-2 MSI and Landsat 8 OLI in burned area mapping for a heterogenous savannah landscape. *PLoS ONE*, 15(5), 1–13. <https://doi.org/10.1371/journal.pone.0232962>
- Nugroho, G., Rarasat, A., & Kushardono, D. (2019). Penyediaan Informasi Geospasial Berbasis Cloud Computing Data Penginderaan Jauh. *Pusat Pemanfaatan Penginderaan Jauh - LAPAN*, 10(12), 32–40. https://www.researchgate.net/publication/338245578_Penyediaan_Informasi_Geospasial_Berbasis_Cloud_Computing_Data_Penginderaan_Jauh

- Page, S., Siegert, F., Rieley, J., Boehm, H., Jaya, A., & Limin, S. (2002). The amount of carbon released from peat and forest fires in Indonesia during 1997. *Nature* 420, 61–65. <https://doi.org/https://doi.org/10.1038/nature01131>
- Parks, S. A., Holsinger, L. M., Voss, M. A., Loehman, R. A., & Robinson, N. P. (2021). Correction: Parks et al. mean composite fire severity metrics computed with google earth engine offer improved accuracy and expanded mapping potential. *Remote Sens.* 2018, 10, 879. *Remote Sensing*, 13(22), 1–7. <https://doi.org/10.3390/rs13224580>
- Pasaribu, S. M., & Friyatno, S. (2020). Memahami Penyebab Kebakaran Hutan dan Lahan serta Upaya Penanggulangannya: Kasus di Provinsi Kalimantan Barat. *SOCA: Socioeconomics of Agriculture and Agribusiness*, 1(1), 1–23.
- Primajaya, A., Sari, B. N., & Khusaeri, A. (2020). Prediksi Potensi Kebakaran Hutan dengan Algoritma Klasifikasi C4.5 Studi Kasus Provinsi Kalimantan Barat. *Jurnal Edukasi Dan Penelitian Informatika (JEPIN)*, 6(2), 188. <https://doi.org/10.26418/jp.v6i2.37834>
- Probst, P., & Boulesteix, A. L. (2018). To tune or not to tune the number of trees in random forest. *Journal of Machine Learning Research*, 18, 1–8.
- Putra, E. I., & Husni, R. F. (2021). HUBUNGAN CURAH HUJAN DAN TITIK PANAS (HOTSPOT) KEBAKARAN DI HUTAN LINDUNG GAMBUT (HLG) LONDERANG, PROVINSI JAMBI. *Journal of Tropical Silviculture*, 12(3), 129–134.
- Que, V. K. S., Prasetyo, S. Y. J., & Fibriani, C. (2019). Analisis Perbedaan Indeks Vegetasi Normalized Difference Vegetation Index (NDVI) dan Normalized Burn Ratio (NBR) Kabupaten Pelalawan Menggunakan Citra Satelit Landsat 8. *Indonesian Journal of Modeling and Computing*, 1, 1–7.
- Ramadhan, L. R. (2024). *Evaluasi Model Kebakaran Hutan dan Lahan menggunakan Machine Learning Pada Citra Sentinel - 2 dengan Cloud Computing*. Gadjah Mada University.

- Rizaldi, A., Darmawan, A., Kaskoyo, H., & Setiawan, A. (2022). Pemanfaatan google earth engine untuk pemantauan lahan agroforestri dalam skema perhutanan sosial. *Majalah Geografi Indonesia*, 37(1), 12. <https://doi.org/10.22146/mgi.73923>
- Roodsarabi, Z., Farhadi, H., Ebadi, H., & Kiani, A. (2025). Machine learning-based burned area detection using Sentinel-2 imagery and spectral indices. *Environmental Monitoring and Assessment*, 197(8). <https://doi.org/10.1007/s10661-025-14332-8>
- Rosit, H. A., Mardhotillah, A., Delazenitha, R. A., Mutiarani, S., & Sulle, T. V. C. (2023). Identifikasi dan Mitigasi Kebakaran Hutan dan Lahan melalui Zonasi Wilayah Rawan Kebakaran dengan Teknologi Geospasial. *Jurnal Widya Bhumi*, 3(1), 13–30. <https://doi.org/10.31292/wb.v3i1.53>
- Saharjo, B. H., & Yungan, A. (2014). Pengaruh Kebijakan dalam Upaya Pengendalian Kebakaran Hutan dan Lahan terhadap Penurunan Emisi Gas Rumah Kaca. *Jurnal Silvikultur Tropika*, 5(2), 124–130.
- Saputra, A. D., Setiabudidaya, D., Setyawan, D., & Iskandar, I. (2017). Validasi Areal Terbakar dengan Metode Normalized Burning Ratio Menggunakan UAV (Unmanned Aerial Vehicle): Studi Kasus. *Jurnal Penelitian Sains*, 19(2), 66–72.
- Shameem, P. M., & Shaji, R. S. (2013). A methodological survey on load balancing techniques in cloud computing. *International Journal of Engineering and Technology*, 5(5), 3801–3812.
- Srivastava, P., & Khan, R. (2018). A Review Paper on Cloud Computing. *International Journal of Advanced Research in Computer Science and Software Engineering*, 8(6), 17–20. <https://doi.org/10.23956/ijarcsse.v8i6.711>
- Sulistyowati, S. (2004). *Hubungan Unsur Iklim dengan Titik Panas (Hotspot) di Kabupaten Ogan Komering Ilir, Propinsi Sumatera Selatan Periode Tahun 2001-2002*. <http://repository.ipb.ac.id/handle/123456789/20508>

- Syaikhu, A. (2010). Komputasi Awann (Cloud Computing) Perpustakaan Pertanian. *Jurnal Pustakawan Indonesia*, 10(1), 1–12.
- Syaufina, L., & Fitriana, S. (2021). Faktor Penyebab dan Upaya Pengendalian Kebakaran Hutan di KPH Majalengka. *Journal of Tropical Silviculture*, 12(3), 164–171. <https://doi.org/10.29244/j-siltrop.12.3.164-171>
- Talakua, P., Sedyono, E., & Prasetyo, S. Y. J. (2018). Analisis Rawan Kebakaran Hutan Di Seram Maluku Berbasis Citra Landsat 8 Menggunakan Metode Inverse Distance Weighted. *Jurnal Teknik Informatika Dan Sistem Informasi*, 4(3), 511–520. <https://doi.org/http://dx.doi.org/10.28932/jutisi.v4i3.910>
- Tran, B. N., Tanase, M. A., Bennett, L. T., & Aponte, C. (2018). Evaluation of spectral indices for assessing fire severity in Australian temperate forests. *Remote Sensing*, 10(11), 1–18. <https://doi.org/10.3390/rs10111680>
- Turunen, J., Rehell, S., Sarkkola, S., & Vasander, H. (2025). The impact of large fires in boreal drained peatlands in western Finland: Ecohydrological drivers and carbon and nitrogen loss. *Geoderma*, 459, 1–16. <https://doi.org/10.1016/j.geoderma.2025.117358>
- UN-SPIDER. (n.d.). *Normalized Burn Ratio (NBR)*. Retrieved February 16, 2025, from <https://un-spider.org/advisory-support/recommended-practices/recommended-practice-burn-severity/in-detail/normalized-burn-ratio>
- Widodo, A. M., Dulbahri, & Hartono. (2017). Penggunaan Data Penginderaan Jauh dan Sistem Informasi Geografis untuk Pembuatan Prototipe Perangkat Lunak Simulasi Penyebaran Kebakaran Hutan. *Majalah Geografi Indonesia*, 31(1), 12–21. <https://doi.org/10.22146/mgi.24224>
- World bank. (2016). Kerugian dari Kebakaran Hutan Laporan Pengetahuan Lanskap Berkelanjutan Indonesia. In *Laporan Pengetahuan Lanskap Berkelanjutan Indonesia* (Vol. 1).

[https://openknowledge.worldbank.org/bitstream/handle/10986/23840/Forest
Fire Notes - Bahasa final april 18.pdf?sequence=6&isAllowed=y](https://openknowledge.worldbank.org/bitstream/handle/10986/23840/Forest%20Fire%20Notes%20-%20Bahasa%20Indonesia%20-%20Final%20April%2018.pdf?sequence=6&isAllowed=y)

Yandi, J., Kurniawan, T. B., Negara, E. S., & Akbar, M. (2021). Prediksi Lokasi Titik Panas Kebaran Hutan Menggunakan Model Regresion SVM (Support Vector Machine) pada Data Kebakaran Hutan Daops Manggala Agni Oki Provinsi Sumatera Selatan Tahun 2019. *Jurnal Nasional Informatika Dan Teknologi Jaringan*, 6(1), 10–15.
<https://doi.org/10.30743/infotekjar.v6i1.4101>

Yang, C., Yu, M., Hu, F., Jiang, Y., & Li, Y. (2017). Utilizing Cloud Computing to address big geospatial data challenges. *Computers, Environment and Urban Systems*, 61, 120–128. <https://doi.org/10.1016/j.compenvurbsys.2016.10.010>

Yunardi, R. T., & Dina, N. Z. (2022). *DATA MINING dan MACHINE LEARNING dengan Orange3 Tutorial dan Aplikasinya*. Airlangga University Press.

Yundari, D. S., Afwani, R., & DwiYansaputra, R. (2023). Analisis User Acceptance Test (UAT) Pada Sistem Informasi Penjaminan Mutu (Penjamu) Universitas Mataram Menggunakan Functional Testing. *Tugas Akhir Thesis, University of Informatics Engineering Mataram*.

Yusuf, A., Hapsah, H., Siregar, S. H., & Nurrochmat, D. R. (2019). Analisis Kebakaran Hutan Dan Lahan Di Provinsi Riau. *Dinamika Lingkungan Indonesia*, 6(2), 67. <https://doi.org/10.31258/dli.6.2.p.67-84>