

DAFTAR PUSTAKA

- Adam, A. A. M., Abdullah, N. E., Hassan, L. A. M. E., Elamin, E. M., Ibrahim, M. E., & Hassan, A. M. E. (2014). Detection of Epstein-Barr Virus in Nasopharyngeal Carcinoma in Sudanese by *In Situ Hybridization*. *Journal of Cancer Therapy*, *05*(06), 517-522. doi:10.4236/jct.2014.56059
- Adham, Kurniawan, A. N., Muhtadi, A. I., Roezin, A., Hermani, B., Gondhowiardjo, S., *et al.* (2012). Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation. *Chinese journal of cancer*, *31*(4), 185.
- Adham, M., Gondhowiardjo, S., & Soediro, R. (2017). Pedoman Nasional Pelayanan Kedokteran Kanker Nasofaring. *Kementrian Republik Indonesia Jakarta*.
- Adham, M., Kurniawan, A. N., Muhtadi, A. I., Roezin, A., Hermani, B., Gondhowiardjo, S., *et al.* (2012). Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation. *Chinese journal of cancer*, *31*(4), 185.
- Ahmed, M., Kayani, M. A., Shabbir, G., Ali, S. M., Shinwari, W., & Mahjabeen, I. (2016). Expression of PTEN and its correlation with proliferation marker Ki-67 in head and neck cancer. *The International Journal of Biological Markers*, *31*(2), 193-203.
- Allaya, N., Khabir, A., Sallemi-Boudawara, T., Sellami, N., Daoud, J., Ghorbel, A., *et al.* (2015). Over-expression of miR-10b in NPC patients: correlation with LMP1 and Twist1. *Tumor Biology*, *36*, 3807-3814.
- Altun, M., Fandi, A., Dupuis, O., Cvitkovic, E., Krajina, Z., & Eschwege, F. (1995). Undifferentiated nasopharyngeal cancer (UCNT): current diagnostic and therapeutic aspects. *International Journal of Radiation Oncology Biology Physics*, *32*(3), 859-877.
- Arantes, De Carvalho, A. C., Melendez, M. E., & Lopes Carvalho, A. (2018). Serum, plasma and saliva biomarkers for head and neck cancer. *Expert review of molecular diagnostics*, *18*(1), 85-112.
- Argiris, A., Karamouzis, M. V., Raben, D., & Ferris, R. L. (2008). Head and neck cancer. *The Lancet*, *371*(9625), 1695-1709.
- Bian, Y., Hall, B., Sun, Z. J., Molinolo, A., Chen, W., Gutkind, J. S., *et al.* (2011). Loss of TGF- β Signaling and PTEN Promotes Head and Neck Squamous Cell Carcinoma Through Cellular Senescence Evasion and Cancer-Related Inflammation. *Oncogene*, *31*(28), 3322-3332. doi:10.1038/onc.2011.494
- Bian, Y., Hall, B., Sun, Z. J., Molinolo, A., Chen, W., Gutkind, J. S., *et al.* (2012). Loss of TGF- β signaling and PTEN promotes head and neck squamous cell carcinoma through cellular senescence evasion and cancer-related inflammation. *Oncogene*, *31*(28), 3322-3332.
- Brennan. (2006). Nasopharyngeal carcinoma. *Orphanet journal of rare Diseases*, *1*(1), 1-5.

- Cai, L., Li, J., Zhang, X., Lu, Y., Wang, J., Lyu, X., *et al.* (2015). Gold nanoparticles (AuNPs) carrying anti-EBV-miR-BART7-3p inhibit growth of EBV-positive nasopharyngeal carcinoma. *Oncotarget*. 2015; 6: 7838–50. In.
- Chan, A., Grégoire, V., Lefebvre, J. L., Licitra, L., Hui, E., Leung, S., *et al.* (2012). Nasopharyngeal cancer: EHNS–ESMO–ESTRO Clinical Practice Guidelines for diagnosis, treatment and follow-up. 23, vii83-vii85.
- Chan, A. T., Grégoire, V., Lefebvre, J. L., Licitra, L., Hui, E. P., Leung, S. F., *et al.* (2012). Nasopharyngeal cancer: EHNS–ESMO–ESTRO Clinical Practice Guidelines for diagnosis, treatment and follow-up. *Annals of oncology*, 23, vii83-vii85.
- Chan, A. T., Hui, E. P., Ngan, R. K., Tung, S. Y., Cheng, A. C., Ng, W. T., *et al.* (2018). Analysis of plasma Epstein-Barr virus DNA in nasopharyngeal cancer after chemoradiation to identify high-risk patients for adjuvant chemotherapy: a randomized controlled trial.
- Chan, A. T., Teo, P. M. L., & Johnson, P. J. (2002). Nasopharyngeal carcinoma. *Annals of oncology*, 13(7), 1007-1015.
- Chan, J. (2017). Virus-associated neoplasms of the nasopharynx and sinonasal tract: diagnostic problems. 30, S68-S83.
- Chang, E. T., & Adami, H. O. (2006). The enigmatic epidemiology of nasopharyngeal carcinoma. *Cancer Epidemiology Biomarkers & Prevention*, 15(10), 1765-1777.
- Chen, C. L., & Hsu, M. M. (2000). Second primary epithelial malignancy of nasopharynx and nasal cavity after successful curative radiation therapy of nasopharyngeal carcinoma. *Human pathology*, 31(2), 227-232.
- Chen, M. K., Chen, T. H., Liu, J. P., Chang, C. C., & Chie, W. C. (2004). Better prediction of prognosis for patients with nasopharyngeal carcinoma using primary tumor volume. *Cancer: Interdisciplinary International Journal of the American Cancer Society*, 100(10), 2160-2166.
- Chen, Y., Xu, S., He, Y., & He, L. (2024). The Role of PTEN in Nasopharyngeal Carcinoma. *Frontiers in bioscience (Landmark edition)*, 29(5), 179. doi:10.31083/j.fbl2905179
- Chen, Y., Xu, S., He, Y., & He, L. (2024). The Role of PTEN in Nasopharyngeal Carcinoma. *Frontiers in Bioscience-Landmark*, 29(5), 179.
- Chin, D., Boyle, G. M., Theile, D. R., Parsons, P. G., & Coman, W. B. (2004). Molecular introduction to head and neck cancer (HNSCC) carcinogenesis. *British journal of plastic surgery*, 57(7), 595-602.
- Chua, D. T., Sham, J. S., Kwong, D. L., Tai, K. S., Wu, P. M., Lo, M., *et al.* (1997). Volumetric analysis of tumor extent in nasopharyngeal carcinoma and correlation with treatment outcome. *International journal of radiation oncology, biology, physics*, 39(3), 711-719.
- Chua, M., Wee, J., Hui, E., & Chan, A. (2016). Nasopharyngeal carcinoma. *Lancet (Lond, Engl)* 387 (10022): 1012–1024. In.
- Daker, M., Bhuvanendran, S., Ahmad, M., Takada, K., & Khoo, A. S. B. (2012). Deregulation of Lipid Metabolism Pathway Genes in Nasopharyngeal

- Carcinoma Cells. *Molecular Medicine Reports*, 7(3), 731-741. doi:10.3892/mmr.2012.1253
- Dias, J. M., Santana, I. V. V., Silva, V. D. d., Carvalho, A. L., & Arantes, L. M. R. B. (2022). Analysis of Epstein–Barr Virus (EBV) and PD-L1 Expression in Nasopharyngeal Carcinoma Patients in a Non-Endemic Region. *International Journal of Molecular Sciences*, 23(19), 11720. doi:10.3390/ijms231911720
- Dietz, A., Logothetis, C., Helbig, M., Flechtenmacher, C., Rudat, V., Dollner, R., et al. (2004). Prognostic impact of EBV-related LMP-1, histologic type, and environmental factors in nasopharyngeal carcinoma in a German population. 27(4), 345-350.
- Donnem, T., Kilvaer, T., Andersen, S., Richardsen, E., Paulsen, E., Hald, S., et al. (2016). Strategies for clinical implementation of TNM-Immunoscore in resected nonsmall-cell lung cancer. 27(2), 225-232.
- Downing, N. L., Wolden, S., Wong, P., Petrik, D. W., Hara, W., & Le, Q. T. (2009). Comparison of treatment results between adult and juvenile nasopharyngeal carcinoma. *International Journal of Radiation Oncology Biology Physics*, 75(4), 1064-1070.
- Dung, T. N., Thinh, P. V., Hanh, N. M., Linh, N. T., Tra, D. T., Tien, T. D., et al. (2023). Epstein–Barr Virus-Encoded RNA Expression and Its Relationship With the Clinicopathological Parameters of Vietnamese Patients With Nasopharyngeal Carcinoma. *Biomedical Research and Therapy*, 10(9), 5924-5933. doi:10.15419/bmrat.v10i9.830
- Ertan, Y., Hekimgil, M., Karaarslan, S., & Soydan, S. (2008). Expression of Epstein–Barr-Virus-Encoded Small Nuclear RNA in Nasopharyngeal Carcinomas of Aegean Turkish Patients. *Virchows Archiv*, 452(4), 411-414. doi:10.1007/s00428-008-0589-6
- Fan, S. Q., Ma, J., Zhou, J., Xiong, W., Xiao, B.-Y., Zhang, W.-L., et al. (2006). Differential expression of Epstein-Barr virus-encoded RNA and several tumor-related genes in various types of nasopharyngeal epithelial lesions and nasopharyngeal carcinoma using tissue microarray analysis. *Human pathology*, 37(5), 593-605.
- Forgacs, E., Biesterveld, E. J., Sekido, Y., Fong, K., Muneer, S., Wistuba, I. I., et al. (1998). Mutation analysis of the PTEN/MMAC1 gene in lung cancer. *Oncogene*, 17(12), 1557-1565.
- Guo, R., Mao, Y. P., Tang, L. L., Chen, L., Sun, Y., & Ma, J. (2019). The evolution of nasopharyngeal carcinoma staging. *The British journal of radiology*, 92(1102), 20190244.
- Hau, P. M., Lung, H. L., Wu, M., Tsang, C. M., Wong, K.-L., Mak, N. K., et al. (2020). Targeting Epstein-Barr virus in nasopharyngeal carcinoma. *Frontiers in oncology*, 10, 600.
- Ho, J. H. C. (1978). An epidemiologic and clinical study of nasopharyngeal carcinoma. *International Journal of Radiation Oncology* Biology* Physics*, 4(3-4), 183-198.
- Huang, S., Li, X., & Zhu, H. (2016). MicroRNA-152 Targets Phosphatase and Tensin Homolog to Inhibit Apoptosis and Promote Cell Migration of

- Nasopharyngeal Carcinoma Cells. *Medical Science Monitor*, 22, 4330-4337. doi:10.12659/msm.898110
- Huang, S. C. M., Tsao, S. W., & Tsang, C. M. J. C. (2018). Interplay of viral infection, host cell factors and tumor microenvironment in the pathogenesis of nasopharyngeal carcinoma. *10*(4), 106.
- Iwakiri, D., & Takada, K. (2010). Role of EBERs in the pathogenesis of EBV infection. *Advances in cancer research*, 107, 119-136.
- Iwakiri, D. J. C. (2014). Epstein-Barr virus-encoded RNAs: key molecules in viral pathogenesis. *6*(3), 1615-1630.
- Lao, D. T., Nguyen, D. H., & Le, T. H. A. (2018). Study of mir-141 and its potential targeted mRNA PTEN expression in nasopharyngeal carcinoma: From in Silico to Initial Experiment Analysis. *AJPRHC*, 10(3), 66-74.
- Lao, T. D., & Le, T. A. (2019). Association between LMP-1, LMP-2, and miR-155 expression as potential biomarker in nasopharyngeal carcinoma patients: A case/control study in Vietnam. *Genetic Testing and Molecular Biomarkers*, 23(11), 815-822.
- Lee, A. W., Zong, J., Pan, J. J., Choi, H. C., & Sze, H. C. (2019). Staging of Nasopharyngeal Carcinoma Based on the 8th Edition of the AJCC/UICC Staging System. In *Nasopharyngeal Carcinoma* (pp. 179-203): Elsevier.
- Lee, J. M., Garon, E., & Wong, D. T. (2009). Salivary diagnostics. *Orthodontics & craniofacial research*, 12(3), 206-211.
- Leemans, Snijders, P. J., & Brakenhoff, R. H. (2018). The molecular landscape of head and neck cancer. *Nature Reviews Cancer*, 18(5), 269-282.
- Leemans, C. R., Snijders, P. J., & Brakenhoff, R. H. J. N. R. C. (2018). The molecular landscape of head and neck cancer. *18*(5), 269-282.
- Leong, J. L., Fong, K. W., & Low, W. K. (1999). Factors contributing to delayed diagnosis in nasopharyngeal carcinoma. *The Journal of Laryngology & Otology*, 113(7), 633-636.
- Lerner, C., Wemmert, S., Bochen, F., Kulas, P., Linxweiler, M., Hasenfus, A., et al. (2016). Characterization of miR-146a and miR-155 in blood, tissue and cell lines of head and neck squamous cell carcinoma patients and their impact on cell proliferation and migration. *Journal of cancer research and clinical oncology*, 142, 757-766.
- Li, J., Gong, P., Lyu, X., Yao, K., Li, X., & Peng, H. (2014). Aberrant CpG island methylation of PTEN is an early event in nasopharyngeal carcinoma and a potential diagnostic biomarker. *Oncology Reports*, 31(5), 2206-2212.
- Li, J., Gong, P., Lyu, X., Yao, K. T., Li, X., & Peng, H. (2014). Aberrant CpG Island Methylation of PTEN Is an Early Event in Nasopharyngeal Carcinoma and a Potential Diagnostic Biomarker. *Oncology Reports*, 31(5), 2206-2212. doi:10.3892/or.2014.3061
- Li, Y. Z., Cai, P. Q., Xie, C. M., Huang, Z. L., Zhang, G. Y., Wu, Y. P., et al. (2013). Nasopharyngeal cancer: impact of skull base invasion on patients prognosis and its potential implications on TNM staging. *European journal of radiology*, 82(3), e107-e111.
- Lin, L., Liu, X., & Lv, B. (2021). Long non-coding RNA MEG3 promotes autophagy and apoptosis of nasopharyngeal carcinoma cells via PTEN up-

- regulation by binding to microRNA-21. *Journal of cellular and molecular medicine*, 25(1), 61-72.
- Ling, P. D., Vilchez, R. A., Keitel, W. A., Poston, D. G., Peng, R. S., White, Z. S., *et al.* (2003). Epstein-Barr virus DNA loads in adult human immunodeficiency virus type 1-infected patients receiving highly active antiretroviral therapy. *Clinical infectious diseases*, 37(9), 1244-1249.
- Liu, H. M., Jiang, F., Loo, Y. M., Hsu, S., Hsiang, T.-Y., Marcotrigiano, J., *et al.* (2016). Regulation of retinoic acid inducible gene-I (RIG-I) activation by the histone deacetylase 6. 9, 195-206.
- Liu, L., Liang, S., Li, L., Mao, Y., Tang, L., Tian, L., *et al.* (2009). Prognostic impact of magnetic resonance imaging-detected cranial nerve involvement in nasopharyngeal carcinoma. *115*(9), 1995-2003.
- Livak, K. J., & Schmittgen, T. D. J. m. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2- $\Delta\Delta CT$ method. 25(4), 402-408.
- Lo. (2004). Focus on nasopharyngeal carcinoma. *Cancer Cell*, 5, 423-428.
- Lo, A. K., Dawson, C. W., Lung, H. L., Wong, K. L., & Young, L. S. (2021). The role of EBV-encoded LMP1 in the NPC tumor microenvironment: from function to therapy. *Frontiers in Oncology*, 11, 640207.
- Long, M., Fu, Z., Li, P., & Nie, Z. (2017). Cigarette smoking and the risk of nasopharyngeal carcinoma: a meta-analysis of epidemiological studies. *BMJ open*, 7(10).
- McGowan, J., Sampson, M., Salzwedel, D. M., Cogo, E., Foerster, V., & Lefebvre, C. (2016). PRESS peer review of electronic search strategies: 2015 guideline statement. *Journal of clinical epidemiology*, 75, 40-46.
- Mo, M.-H., Chen, L., Fu, Y., Wang, W., & Fu, S. W. (2012). Cell-free circulating miRNA biomarkers in cancer. *Journal of Cancer*, 3, 432.
- Nasional, K. P. K. J. K. R. (2017). Pedomana nasional pelayanan kedokteran kanker nasofaring.
- Nicholls, J. M., Agathangelou, A., Fung, K., Xiangguo, Z., & Niedobitek, G. (1997). The association of squamous cell carcinomas of the nasopharynx with Epstein-Barr virus shows geographical variation reminiscent of Burkitt's lymphoma. *The Journal of Pathology: A Journal of the Pathological Society of Great Britain and Ireland*, 183(2), 164-168.
- Park, N. J., Zhou, H., Elashoff, D., Henson, B. S., Kastratovic, D. A., Abemayor, E., *et al.* (2009). Salivary microRNA: Discovery, Characterization, and Clinical Utility for Oral Cancer Detection Salivary microRNA. *15*(17), 5473-5477.
- Park, N. J., Zhou, X., Yu, T., Brinkman, B. M., Zimmermann, B. G., Palanisamy, V., *et al.* (2007). Characterization of salivary RNA by cDNA library analysis. *52*(1), 30-35.
- Pathmanathan, R., Prasad, U., Sadler, R., Flynn, K., & Raab-Traub, N. (1995). Clonal proliferations of cells infected with Epstein-Barr virus in preinvasive lesions related to nasopharyngeal carcinoma. *New England Journal of Medicine*, 333(11), 693-698.

- Peters, M., Godfrey, C., McNerney, P., Soares, C. B., Khalil, H., & Parker, D. (2015). Methodology for JBI scoping reviews. In *The Joanna Briggs Institute reviewers manual 2015* (pp. 3-24): Joanna Briggs Institute.
- Pfaffe, T., Cooper-White, J., Beyerlein, P., Kostner, K., & Punyadeera, C. (2011). Diagnostic potential of saliva: current state and future applications. *Clinical chemistry*, *57*(5), 675-687.
- Pieter, N. A. L., & Prawira, A. M. (2021). Nasopharyngeal carcinoma with a complication of facial nerve paresis. *IJNPC*, *3*(01), 13-16.
- Pinzani, P., D'Argenio, V., Del Re, M., Pellegrini, C., Cucchiara, F., Salvianti, F., et al. (2021). Updates on liquid biopsy: Current trends and future perspectives for clinical application in solid tumors. *59*(7), 1181-1200.
- Punyadeera, C., & Slowey, P. D. (2019). Saliva as an emerging biofluid for clinical diagnosis and applications of MEMS/NEMS in salivary diagnostics. In *Nanobiomaterials in clinical dentistry* (pp. 543-565): Elsevier.
- Qin, H., & Qin, C. (2020). Downregulation of long non-coding RNA NR2F2-AS1 inhibits proliferation and induces apoptosis of nasopharyngeal carcinoma cells by upregulating the expression of PTEN. *Oncology letters*, *19*(2), 1145-1150. doi:10.3892/ol.2019.11211
- Raab-Traub, N. (2002). *Epstein-Barr virus in the pathogenesis of NPC*. Paper presented at the Seminars in cancer biology.
- Richardo, T., Prattapong, P., Ngermsombat, C., Wisetyaningsih, N., Iizasa, H., Yoshiyama, H., et al. (2020). Epstein-Barr virus mediated signaling in nasopharyngeal carcinoma carcinogenesis. *Cancers*, *12*(9), 2441.
- Robinson, M., Suh, Y., Paleri, V., Devlin, D., Ayaz, B., Pertl, L., et al. (2013). Oncogenic human papillomavirus-associated nasopharyngeal carcinoma: an observational study of correlation with ethnicity, histological subtype and outcome in a UK population. *Infectious agents and cancer*, *8*, 1-7.
- Romdhoni, A. C., Rejeki, P. S., Guo, H. R., Milla, C., Melbiarta, R. R., Visuddho, V., et al. (2023). Risk factors associated with nasopharyngeal cancer incidences in Indonesia: a systematic review and meta-analysis. *24*(4), 1105.
- Rosenberg, S. A. (1984). Adoptive immunotherapy of cancer: accomplishments and prospects. *Cancer treatment reports*, *68*(1), 233.
- Roy, C., Bhanja Choudhury, K., & Basu, S. (2011). Basaloid squamous cell carcinoma of nasopharynx: an extremely rare variety of tumour of nasopharynx. *Journal of the Indian Medical Association*, *109*(5), 343.
- Salazar, C., Nagadia, R., Pandit, P., Cooper-White, J., Banerjee, N., Dimitrova, N., et al. (2014). A novel saliva-based microRNA biomarker panel to detect head and neck cancers. *Cellular oncology*, *37*, 331-338.
- Salazar, C., Nagadia, R., Pandit, P., Cooper-White, J., Banerjee, N., Dimitrova, N., et al. (2014). A novel saliva-based microRNA biomarker panel to detect head and neck cancers. *37*, 331-338.
- Sarwari, N. M., Khoury, J. D., & Hernandez, C. M. R. (2016). Chronic Epstein Barr virus infection leading to classical Hodgkin lymphoma. *BMC hematology*, *16*(1), 1-6.

- Sharif, S., Zawawi, N., Yajid, A. I., Shukri, N., & Mohamad, I. (2020). Pathology classification of nasopharyngeal carcinoma. In *An Evidence-Based Approach to the Management of Nasopharyngeal Cancer* (pp. 73-92): Elsevier.
- Shen, Z.-c., Luo, B., Chen, J., Yan, C., Shao, C. K., Liu, Q., *et al.* (2015). High Prevalence of the EBER Variant EB-8m in Endemic Nasopharyngeal Carcinomas. *Plos One*, *10*(3), e0121420. doi:10.1371/journal.pone.0121420
- Simons, M. J. (2011). Nasopharyngeal carcinoma as a paradigm of cancer genetics. *Chinese journal of cancer*, *30*(2), 79.
- Śnietura, M., Jaworska, M., Młynarczyk-Liszka, J., Goraj-Zajac, A., Pigłowski, W., Lange, D., *et al.* (2012). PTEN as a Prognostic and Predictive Marker in Postoperative Radiotherapy for Squamous Cell Cancer of the Head and Neck. *Plos One*, *7*(3), e33396. doi:10.1371/journal.pone.0033396
- Su, C. Y., & Lui, C. C. (1996). Perineural invasion of the trigeminal nerve in patients with nasopharyngeal carcinoma: Imaging and clinical correlations. *Cancer: Interdisciplinary International Journal of the American Cancer Society*, *78*(10), 2063-2069.
- Suanda, I. K., Nuaba, I. G. A., & Susanthi, N. P. A. W. (2020). Comparison Of Polymorphism Rs2070672 Cyp2e1 Gene Proportion In Early And Advanced Stage Of Undifferentiated Type Nasopharyngeal Carcinoma In Balinese. *International Journal of Nasopharyngeal Carcinoma (Ijnpc)*, *2*(01), 10-12. doi:10.32734/ijnpc.v2i01.2652
- Sudiono, J., & Hassan, I. (2013). DNA Epstein-Barr virus (EBV) sebagai biomaker diagnosis karsinoma nasofaring. *Dental Journal (Majalah Kedokteran Gigi)*, *46*(3), 140-147.
- Tabuchi, K., Nakayama, M., Nishimura, B., Hayashi, K., & Hara, A. (2011). Early detection of nasopharyngeal carcinoma. *International journal of otolaryngology*, *2011*.
- Tang, L. L., Chen, W. Q., Xue, W. Q., He, Y. Q., Zheng, R. S., Zeng, Y. X., *et al.* (2016). Global trends in incidence and mortality of nasopharyngeal carcinoma. *Cancer letters*, *374*(1), 22-30.
- Tao, Q., Young, L. S., Woodman, C. B. J., & Murray, P. G. (2006). Epstein-Barr virus (EBV) and its associated human cancers-genetics, epigenetics, pathobiology and novel therapeutics. *Frontiers in Bioscience-Landmark*, *11*(3), 2672-2713.
- Thomas, J. E., & Waltz, A. G. (1965). Neurological manifestations of nasopharyngeal malignant tumors. *Jama*, *192*(2), 95-98.
- Thuan, L. D., Quang, M. T., & Le, T. A. H. (2021). The role of hsa-miR-21 and its target genes involved in nasopharyngeal carcinoma. *Asian Pacific journal of cancer prevention: APJCP*, *22*(12), 4075.
- Tomar, U., Grover, N., Tomar, S., Bhalla, K., & Singh, S. (2023). Liquid biopsy and its significance in tumour–Detection in the field of pathology. *Journal of Oral and Maxillofacial Pathology: JOMFP*, *27*(1), 195.

- Tricco, A. C., Lillie, E., Zarin, W., O'Brien, K. K., Colquhoun, H., Levac, D., *et al.* (2018). PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Annals of internal medicine*, *169*(7), 467-473.
- Tsang, C. M., Yip, Y. L., Lo, K. W., Deng, W., To, K. F., Hau, P. M., *et al.* (2012). Cyclin D1 overexpression supports stable EBV infection in nasopharyngeal epithelial cells. *Proceedings of the National Academy of Sciences*, *109*(50), E3473-E3482.
- Tsao, S. W., Yip, Y. L., Tsang, C. M., Pang, P. S., Lau, V. M. Y., Zhang, G., *et al.* (2014). Etiological factors of nasopharyngeal carcinoma. *Oral oncology*, *50*(5), 330-338.
- Tse, K. P., Su, W. H., Yang, M. I., Cheng, H. Y., Tsang, N. M., Chang, K. P., *et al.* (2011). A gender-specific association of CNV at 6p21. 3 with NPC susceptibility. *Human molecular genetics*, *20*(14), 2889-2896.
- Tulalamba, W., & Janvilisri, T. (2012). Nasopharyngeal carcinoma signaling pathway: an update on molecular biomarkers. *International journal of cell biology*, *2012*.
- Wan, S., Chan, J. K., Lau, W. H., & Yip, T. T. (1995). Basaloid-squamous carcinoma of the nasopharynx. An Epstein–barr virus–associated neoplasm compared with morphologically identical tumors occurring in other sites. *Cancer*, *76*(10), 1689-1693.
- Wang, J., Liu, Y., Zhang, Y., Li, X., Fang, M., & Qian, D. (2023). Targeting exosomes enveloped EBV-miR-BART1-5p-antagomiRs for NPC therapy through both anti-vasculogenic mimicry and anti-angiogenesis. *Cancer Medicine*.
- Wang, M., Yu, F., Wu, W., Wang, Y., Ding, H., & Qian, L. (2018). Epstein-Barr virus-encoded microRNAs as regulators in host immune responses. *International journal of biological sciences*, *14*(5), 565.
- Wang, X., Kaczor-Urbanowicz, K. E., & Wong, D. T. W. (2017). Salivary biomarkers in cancer detection. *Medical Oncology*, *34*, 1-8.
- Wang, Y., Zhang, X., Chao, Y., Jia, Y., Xing, X., & Luo, B. (2010). New variations of Epstein–Barr virus-encoded small RNA genes in nasopharyngeal carcinomas, gastric carcinomas, and healthy donors in northern China. *Journal of medical virology*, *82*(5), 829-836.
- Wang, Y. Q., Chen, Y. P., Zhang, Y., Jiang, W., Liu, N., Yun, J. P., *et al.* (2018). Prognostic significance of tumor-infiltrating lymphocytes in nondisseminated nasopharyngeal carcinoma: a large-scale cohort study. *International journal of cancer*, *142*(12), 2558-2566.
- Wang, Y. Q., Chen, Y. P., Zhang, Y., Jiang, W., Liu, N., Yun, J. P., *et al.* (2018). Prognostic significance of tumor-infiltrating lymphocytes in nondisseminated nasopharyngeal carcinoma: a large-scale cohort study. *142*(12), 2558-2566.
- Wei, W. I., & Sham, J. S. T. (2005). Nasopharyngeal carcinoma. *The Lancet*, *365*(9476), 2041-2054.
- Wong, D. T. (2006). Characterization of RNA in Saliva. In: Clin.
- Wong, H. L., Wang, X., Chang, R. C. C., Jin, D. Y., Feng, H., Wang, Q., *et al.* (2005). Stable Expression of EBERs in Immortalized Nasopharyngeal

- Epithelial Cells Confers Resistance to Apoptotic Stress. *Molecular Carcinogenesis*, 44(2), 92-101. doi:10.1002/mc.20133
- Wong, K., Hui, E. P., Lo, K. W., Lam, W. K. J., Johnson, D., Li, L., *et al.* (2021). Nasopharyngeal carcinoma: an evolving paradigm. *Nature reviews Clinical oncology*, 18(11), 679-695.
- Wu, B., Guo, Y., Yang, H. H., Gao, Q. G., & Tian, Y. (2022). Predicting Bone Metastasis Risk Based on Skull Base Invasion in Locally Advanced Nasopharyngeal Carcinoma. *Front Oncol*, 12, 812358. doi:10.3389/fonc.2022.812358
- Wu, L., Zheng, K., Yan, C., Pan, X., Liu, Y., Liu, J., *et al.* (2019). Genome-wide study of salivary microRNAs as potential noninvasive biomarkers for detection of nasopharyngeal carcinoma. *BMC cancer*, 19(1), 1-11.
- Yang, L. (2022). The emergence of tumor-infiltrating lymphocytes in nasopharyngeal carcinoma: Predictive value and immunotherapy implications. *Genes & Diseases*, 9(5), 1208-1219.
- Yang, L., Liu, G., Li, Y., Pan, Y. J. G., & Diseases. (2022). The emergence of tumor-infiltrating lymphocytes in nasopharyngeal carcinoma: Predictive value and immunotherapy implications. 9(5), 1208-1219.
- Yang, T., Yang, X., Wang, X., Wang, Y., Zhou, B., & Song, Z. (2013). MiR-214 Regulate Gastric Cancer Cell Proliferation, Migration and Invasion by Targeting PTEN. *Cancer Cell International*, 13(1). doi:10.1186/1475-2867-13-68
- Yang, X., Wang, Y., Liang, S.-B., He, S.-S., Chen, D.-M., Chen, H.-Y., *et al.* (2018). Comparison of the seventh and eighth editions of the UICC/AJCC staging system for nasopharyngeal carcinoma: analysis of 1317 patients treated with intensity-modulated radiotherapy at two centers. *BMC cancer*, 18, 1-11.
- Yao, L., Zhu, Y., & Liu, J. J. (2020). Inhibition of PTEN Gene Expression by Small Interfering RNA on PI3K/Akt FoxO3a Signaling Pathway in Human Nasopharyngeal Carcinoma. *Technology in Cancer Research & Treatment*, 19. doi:10.1177/1533033820917959
- Yeh, S. (1962). A histological classification of carcinomas of the nasopharynx with a critical review as to the existence of lymphoepitheliomas. *Cancer*, 15(5), 895-920.
- Yi, W., Liu, Z.-G., Li, X., Tang, J., Jiang, C.-B., Hu, J.-Y., *et al.* (2016). CT-diagnosed severe skull base bone destruction predicts distant bone metastasis in early N-stage nasopharyngeal carcinoma. 7011-7017.
- Young, L. S., & Dawson, C. W. (2014). Epstein-Barr virus and nasopharyngeal carcinoma. *Chinese journal of cancer*, 33(12), 581.
- Yuan, J. M., Wang, X. L., Xiang, Y. B., Gao, Y. T., Ross, R. K., & Yu, M. C. (2000). Preserved foods in relation to risk of nasopharyngeal carcinoma in Shanghai, China. *International journal of cancer*, 85(3), 358-363.
- Zeng, Z., Fan, S., Zhang, X., Li, S., Zhou, M., Xiong, W., *et al.* (2016). Epstein-Barr virus-encoded small RNA 1 (EBER-1) could predict good prognosis in nasopharyngeal carcinoma. *Clinical and Translational Oncology*, 18, 206-211.

- Zeng, Z., Fan, S., Zhang, X., Li, S., Zhou, M., Xiong, W., *et al.* (2016). Epstein–Barr virus-encoded small RNA 1 (EBER-1) could predict good prognosis in nasopharyngeal carcinoma. *18*, 206-211.
- Zhang, L.-Y., Lee, V., Wong, A. M. G., Kwong, D. L. W., Zhu, Y.-H., Dong, S.-S., *et al.* (2012). MicroRNA-144 Promotes Cell Proliferation, Migration and Invasion in Nasopharyngeal Carcinoma Through Repression of PTEN. *Carcinogenesis*, *34*(2), 454-463. doi:10.1093/carcin/bgs346
- Zhang, X. A., Chen, X., Zhai, Y., Cui, Y., Cao, P., Zhang, H., *et al.* (2014). Combined Effects of Genetic Variants of the PTEN, AKT1, MDM2 and P53 Genes on the Risk of Nasopharyngeal Carcinoma. *Plos One*, *9*(3), e92135. doi:10.1371/journal.pone.0092135
- Zhou, J. Y., Chong, V. F. H., Khoo, J. B. K., Chan, K. L., & Huang, J. (2007). The relationship between nasopharyngeal carcinoma tumor volume and TNM T-classification: a quantitative analysis. *European archives of oto-rhino-laryngology*, *264*(2), 169-174.
- Zhou, X., Ou, X., Yang, Y., Xu, T., Shen, C., Ding, J., *et al.* (2018). Quantitative metastatic lymph node regions on magnetic resonance imaging are superior to AJCC N classification for the prognosis of nasopharyngeal carcinoma. *Journal of oncology*, 2018.
- Zhu, K., Zhang, H., Cao, H., & Xu, D. (2016). MicroRNA-92a Promotes Metastasis of Nasopharyngeal Carcinoma by Targeting the PTEN/AKT Pathway. *Oncotargets and Therapy*, 3579. doi:10.2147/ott.s105470